

REFERENCES

- Abe M, Akbar F, Hasebe A et al. (2003):** Glycyrrhizin enhances interleukin-10 production by liver dendritic cells in mice with hepatitis. *Journal of Gastroenterology* ; 38(10):962-967.
- Abe Y, Ueda T, Kato T and Kohli Y (1994):** Effectiveness of interferon, glycyrrhizin combination therapy in patients with chronic hepatitis C, *Nippon Rinsho* ; 52 : 1817-1822.
- Acharya SK, Dasarathy S, Tandon A, et al. (1993):** A preliminary open trial on interferon stimulator (SNMC) derived from *Glycyrrhiza glabra* in the treatment of subacute hepatic failure. *Indian J Med Res.*98:69-74.
- Acharya, Deepak and Shrivastava Anshu (2008):** Tribal Formulations and Traditional Herbal Practices. In: *Indigenous Herbal Medicines*, Edited by Acharya, Deepak and Shrivastava Anshu, 1st ed., PP.440, A avishkar Publishers Distributor, Jaipur- India.
- Ackerman RT, Mulrow CD, Ramirez G, Gardner CD, Morbidoni L and Lawrence VA (2001):** Garlic shows promise for improve some cardiovascular risk factors. *Archives of internal Medicine* ;7 (6) : 696-700.
- Adejuwon Adewale Adeneyea, and Esther Oluwatoyin Agbaje (2007):** Hypoglycemic and hypolipidemic effects of fresh leaf aqueous extract of *Cymbopogon citrates* Stapf. In rats, *J. Ethnopharmacology* ;112 (3): 440 – 444.
- Aggarwal BB, Kumar A, Aggarwal MS et al. (2005):** Curcumin derived from turmeric (*Curcuma longa*), Phytopharmaceutical in cancer chemoprevention. In: *A Spice For All Seasons*. Edited by Preuss H, 1st ed. PP.349-387. Boca Raton: CRC Press.
- Aggarwal BB, Sundaram C, Malani N and Ichikawa H (2007):** "Curcumin: the Indian solid gold". *Adv. Exp. Med. Biol.* 595: 1-75.
- Albrecht M, Frerick H, Kuhn U et al. (1992) :** Therapy of toxic liver disease with Legalon (R). *Z Klin Med.* 47:87-92.
- Ali BH, Al Wabel N and Blunden G. (2005):** Phytochemical, pharmacological and toxicological aspects of *Hibiscus sabdariffa* L: a review. *Phytotherapy Research* ;19 (5) : 369 – 375.
- Allain H, Shuck S, Lebreton S et al. (1999):** Aminotransferase levels and silymarin in de novo tacrine-treated patients with alzheimer's disease. *Dement Geriatr Cogn Disord.* 10:181-185.
- Almeida JC and Grimsley EW (1996):** Coma from the health food store, interaction between kava and alprazolam. *Annals of Internal Medicine* ; 125: 940-941.

- Altorjay I, Dalmi E, Sari B et al. (1992):** The effect of silibinin (Legalon) on the free radical scavenger mechanisms of human erythrocytes *in vitro*. *Acta Physiol. Hung.* 80: 375-380
- Amstad P, Levy A, Emerit I and Cerutti P (1984):** Evidence for membrane-mediated chromosomal damage by aflatoxin B1 in human lymphocytes. *Carcinogenesis*; 5: 719-723.
- Anderson IB, Mullen WH, Meeker JE, Khojasteh-Bakht SC, Oishi S and Nelson SD et al. (1996):** Pennyroyal toxicity: measurement of toxic metabolite levels in two cases and review of the literature, *Ann Intern Med* 124, pp. 726-734.
- Andrea Rambaldi, Bradlyp Jacobs, Gaetano Iaquinto, et al. (2005):** Milk thistle for alcoholic and / or hepatitis B or C liver diseases .A systematic Cochrane heapto – Biliary Group review with meta – analysis of randomized clinical trials, the *American Journal of Gastroenterology*; 100 : 2583 – 2591.
- Andrew Vickers, Catherine Zollman (1999):** ABC of complementary medicine: Herbal medicine - Clinical review. *British Medical Journal*; 319 : 1419 – 1422.
- Ang-Lee MK, Moss J and Yuan CS (2001):** Herbal medicines and perioperative care. *JAMA*; 286: 208-216
- Anon R (2005):** Glycyrrhiza glabra. Monograph. *Alternative Medicine Review*; 10 (3):230-237.
- Arbiser JL, Klauber N, Rohan R et al. (1998):** Curcumin is an in vivo inhibitor of angiogenesis. *Mol Med.* 4(6):376-383.
- Armanini D, Bonanni G, Mattarello MJ et al. (2003):** Licorice consumption and serum testosterone in healthy man. *Experimental and Clinical Endocrinology and Diabetes*; 111(6):341-343.
- Armanini D, Lewicka S, Pratesi C et al. (1996):** Further studies on the mechanism of the mineralocorticoid action of licorice in humans. *Journal of Endocrinology Investigation*; 19(9):624-629.
- Asaki Y, Kimura Y, Tsunoda T et al. (2003):** Anaphylaxis due to burdock. *Int J Dermatol.* 42(6):472-473.
- Aslam M and Stockley IH (1979):** Interaction between curry ingredient (karela) and drug (chlorpropamide). *Lancet* 1, 607 Letter.
- Atal CK, Dubey RK and Singh J (1985):** Biochemical basis of enhanced drug bioavailability by piperine, evidence that piperine is a potent inhibitor of drug metabolism. *Journal Pharmacology and Experimental Therapeutics* ; 232: 258-262.
- Awang DVC (2002):** What is herbal standardization?. the future for medicinal and aromatic plants; *Acta horticulturae(ISHS)*629:111-114.http://www.actahort.org/books/629_14.htm.

- Baek MS, Kim JY, Myung et al. (2001):** Metabolism of DDB by human liver microsomal cytochrome P450: probable involvement of CYP3A and CYPA2. *DrugMetab Dispos*; 29: 381-388
- Bai W (2007):** Efficacy and tolerability of a medicinal product containing an isopropanolic black cohosh extract in Chinese women with menopausal symptoms : A randomized, double blind, parallel - controlled study versus tibolone. *Maturitas*; 58 (1): 31 -41.
- Bajaj J, Knox JF, Komorowski R and Saeian K (2003):** The irony of herbal hepatitis: Ma-Huang-induced hepatotoxicity associated with compound heterozygosity for hereditary hemochromatosis, *Dig Dis Sci* ; 48, pp. 1925-1928.
- Baldwin IT, Halitschke R, Kressler A and Schittko U (2001):** Unraveling the function of secondary metabolites, Merging molecular and ecological approaches in plant insect interactions. *Current opinions in plant Biology*; 4 (4): 351 – 358.
- Balentine DA, Wiseman SA and Bouwens LC (1997):** The chemistry of tea flavonoids. *Crit. Rev. Food Sci Nutr*. 37:693-704.
- Bano G, Raina RK, Zutshi U, Bedi KL, Johri RK and Sarma SC (1991):** Effect of piperine on bioavailability and pharmacokinetics of propranolol and theophylline in healthy volunteers. *European Journal of Clinical Pharmacology* ; 41: 615-617.
- Barak V, Halperin T and Kalicman I (2001):** The effect of sambucol, a black elderberry-based natural product, on the production of human cytokines: I. inflammatory cytokines. *Eur cytokine Netw.*; 12 (2) : 290 – 296.
- Barnes PM, Powell - Griner E, McFann K and Nahin RL (2004):** Complementary and alternative medicine use among adults : United States, 2002. *Advance Data from National centre for health statistics*; 343 : 1-19.
- Bashir S, Janbaz KH, Jabeen Q et al. (2006):** Studies on spasmogenic and spasmolytic activities of *Calendula officinalis* flowers. *Phytother Res*; 20 : 906 – 910.
- Baskaran K, Kizar Ahamath B, Radha Shanmugasundaram K and Shanmugasundaram ER (1990):** Antidiabetic effect of a leaf extract from *Gymnema sylvestre* in non-insulin-dependant diabetes mellitus patients. *Journal Ethnopharmacology* ; 30: 295-305.
- Batakova EA (2001):** Effect of *Silybum marianum* oil and legalon on lipid peroxidation and liver antioxidant systems in rats intoxicated with carbon tetrachloride. *Eksp Klin Farmakol* ;64:53-55.
- Bateman J, Chapman RD and Simpson D (1998):** Possible toxicity of herbal remedies. *Scottish Medical Journal* ; 43: 7-15.

- Belguise, K. (2007):** Activation of FOXO3a by the Green Tea polyphenol Epigallocatechin-3-Gallate Induces Estrogen Receptor Expression Reversing Invasive Phenotype of Breast Cancer Cells. *Cancer Research* ;67 :5763-5770.
- Benninger J, Schneider HT, Schuppan D, Kirchner T and Hahn EG (1999):** Acute hepatitis induced by greater celandine (*Chelidonium majus*), *Gastroenterology* ; 117, pp. 1234-1237.
- Bensoussan C, Delaforge M and Mansuy D. (1995):** Particular ability of cytochrome P450 3A to form inhibitory P450-iron-metabolite complexes upon metabolic oxidation of aminodrugs. *Biochem Pharmacol*; 49: 591-602.
- Bent S, Kane C, Shinohara K, Neuhaus J, Hudes ES, Goldberg H and Avins AL (2006):** Saw palmetto for benign prostatic hyperplasia. *New England Journal of Medicine*; 354 (6): 557 – 566.
- Bent S, Padula A, Moore D, patterson M and Mehling W (2006):** Valerian for sleep : a systematic review and meta -analysis. *Am J Med*; 119 (12): 1005 – 1012.
- Bernard S. Bloom, Aurelia Retbi, Sandrine Dahan, Egon Jonsson (2000):** Evaluation Of Randomized Controlled Trials On Complementary And Alternative Medicine, Assessment in Health care. *International Journal of Technology* ;16 (1): 13-21.
- Beuers U, Spengler U and Pape G (1991):** Hepatitis after chronic abuse of senna, *Lancet* 337, pp. 372-373.
- Bezbaruah B, Kumar BS and Barthakur M. (1996):** Fungicidal and insect controlling properties of *Proteus* strain RRLJ 16, isolated from tea, *Camellia sinensis* (L) O Kuntze, plantations. *Indian J Exp Biol.* 34:706-709.
- Blumenthal M (2000):** Interactions between herbs and conventional drugs, introductory considerations. *Herbalgram* 49: 52-63.
- Blumenthal M, Busse WR, Goldberg A, Gruenwald J, Hall T, Riggins CW, Rister RS (eds.) Klein S, Rister RS, (trans),(1998):** The Complete German Commission E Monographs:Therapeutic Guide to Herbal Medicines.1st ed;281(19):pp.685,published by American Botanical Council in corporation with Integrative Medicine Communication. Klein S., Rister R.S., translators, Integrative Medicine Communications, Boston ,USA.
- Boigk G, Herbst H, Jia JD, Riecken EO and Schuppan D (1998):** Effect of antifibrotic agent silymarin on liver cell regeneration in a rat model of secondary biliary fibrosis: a morphometric analysis, *J Phytother Res.* 12 (suppl.), pp. S42-S44.

- Boigk G, Stroedter L, Herbst H, Waldschmidt J, Ricken EO and Schuppan D (1997):** Silymarin retards collagen accumulation in early and advanced biliary fibrosis secondary to complete bile duct obliteration in rats, *Hepatology* 2, pp. 643-649.
- Bolderston A, Loyd NS, Wong RK et al. (2006):** The prevention and management of acute skin reactions related to radiation therapy : a systematic review and practice guideline. *Support Care Cancer*; 14(8) : 802 – 817.
- Braatz R, Gurler K, Bergish G et al. (1985):** Silybum maianum. *Chem. Abstr.* 105:127476.
- Bras G, Jelliffe DB and Stuart KL (1954):** Veno-occlusive disease of the liver with non-portal type of cirrhosis occurring in Jamaica, *Arch Pathol* 57, p. 285.
- Budzinski JW, Foster BC, Vandenhoeck S et al. (2000):** An in vitro evaluation of human cytochrome P450 3A4 inhibition by selected commercial herbal extracts and tinctures. *Phytomedicine*; 7(4):273-282.
- Bunout D, Hirsch S, Petermann M et al. (1992):** Controlled study of the effect of silymarin on alcoholic liver disease. *Rev Med Chil.* 120:1370-1375.
- Bush TM, Rayburn KS, Holloway SW, et al. (2007):** Adverse interactions between herbal and dietary substances and prescription medications: a clinical survey. *Altern. Ther. Health Med.* 13: 30-35.
- Buzzelli G, Moscarella S, Giusti A et al. (1993):** A pilot study on the liver protective effect of silybinphosphatidylcholine complex (IdB1016) in chronic active hepatitis. *Int J Clin Pharmacol Ther Toxicol.* 31:456-460.
- Cai F, Wand H, Qin Y et al. (1986):** Prophylactic and therapeutic effect of DDB on drug induced hepatitis patients. *Acta Pharma Sin.* 15: 101-105.
- Caldwell SH, Feeley JW, Wieboldt TF, Featherston PL, Dickson PC (1994):** Acute hepatitis with use of over-the-counter herbal remedies. *Virginia Medical Quarterly* ; 121: 21-33.
- Capello G, Spezzaferro M, Grossi L, Manzoli L and Marzio L (2007):** Peppermint oil in the treatment of irritable bowel syndrome : A prospective double blind placebo - controlled randomized trial. *Digestive and Liver Disease*; 39 (6): 530- 536.
- Castleman Michael (2001):** The New Healing Herbs: The Classic Guide to Nature's Best Medicines Featuring the Top 100 Time-Tested Herbs. Rodale. p. 15.
- Chan HT, Chan C and Ho JW (2003):** Inhibition of glycyrrhizic acid on aflatoxin B₁-induced cytotoxicity in hepatoma cells. *Toxicology* ; 188:211-217.

- Chavez ML (2001):** Treatment of hepatitis C with milk thistle? *J Herb Pharmacother.* 1 (3): 79-90.
- Chen XH, Hu YM and Liao YQ (1996):** Protective effects of tetrandrine on CCL4-injured hepatocytes. *Zhongguo Yao Li Xue Bao*; 17: 348-350.
- Chen YW, Li DG, Wu JX, Chen YW and Lu HM (2005):** Effects of tetrandrine on transmembrane signaling in rat hepatic stellate cells. *Zhonghua Can Zang Bing Za Zhi* ; 13: 609-610.
- Chen YW, Wu JX, Chen YW, Li DG and Lu HM (2005):** Tetrandrine inhibits activation of rat hepatic stellate cells in vitro via transforming growth factor-beta signaling. *World J Gastroenterol*; 11: 2922-6.
- Chen Z. (1990):** Clinical study of 96 cases with chronic hepatitis B treated with jiedu yanggan gao by a double-blind method. *Zhong. Xi. Yi Jie. He. Zhi.* 10(2):71-77.
- Cheng AL, Hsu CH, Lin JK et al. (2001):** Phase I clinical trial of curcumin, a chemopreventive agent, in patients with high-risk or pre-malignant lesions. *Anticancer Res.* 21 (4B):2895-2900.
- Chiba M, Nishimi JA and Lin JH (1998):** Potent and selective inactivation of human liver microsomal cytochrome P450 isoform by L-754-394, an investigational human immune deficiency virus protease inhibitor. *J Pharmacol Exp Ther.* 275: 1527-1534
- Cindy Engel (2002):** How animals keep themselves well and what we can learn from them. In: *Wild Health - Library of congress Cataloging-Paperback*, 30S P.P, DIANE publishing Company , ISBN0-618-07178-4.
- Colombo ML and Bosisio E (1996):** Pharmacological activities of *Chelidonium majus* L. (Papaveraceae), *Pharmacol Res* 33, pp. 127-134.
- Cooper R, Morre DJ and Morre DM (2005):** Medicinal benefits of green tea: Part I. Review of noncancer health benefits. *J Altern Complement Med.* 3:521-528.
- Craig Brater D and Walter J. Daly (2000):** Clinical pharmacology in the Middle Ages: Principles that presage the 21st century, *Clinical Pharmacology & Therapeutics*; 67 (5): 447-450
- Cui YH, Wang XL, Liu Q and Liu P (2002):** Influences of anti-oxidation of salvianolic acid B on proliferation of rat cultured hepatic stellate cells. *World Chin J Digestol*; 10: 317-319.
- Cui YH, Wang XL, Yan ZG and Liu P. (2003):** Effects of salvianolic acid B for cellular oxidation and PCNA of hepatic stellate cell in rat. *Chin J Integr Trad West Med Liver Dis*; 13: 210-212.
- Dandekar UP, Chandra RS, Dalvi SS, Joshi MV, Gokhale PC, Sharma AV, Shah PU and Kshirsagar NA (1992):** Analysis of a clinically important

- interaction between phenytoin and Shankhapushpi, an ayurvedic preparation. *Journal of Ethnopharmacology* ; 35: 285-288.
- D'Arcy PF (1991):** Adverse reactions and interactions with herbal medicines, I, adverse reactions. *Adverse Drug Reaction and Toxi-cological Reviews* 10: 189-208.
- D'Arcy PF (1993):** Adverse reactions and interactions with herbal medicines. Part 2 — drug interactions adverse drug reactions and toxicological reviews ; 12: 147-162.
- Darwish MM, Kamel AM, El Khashab TH et al. (2000):** Interleukin-10 chronic hepatitis C infection pre and post treatment levels. *A thesis submitted in partial fulfillment of master degree in Microbiology and Immunity*. Ain Shams Faculty of Medicine.
- Dasilva EJ, Baydown E and Badran A (2002):** Biotechnology and the developing world. *Electronic Journal of Biotechnology*; 5 (1):27– 28.
- Datta DV, Khuroo MS, Mattocks AR, Aikat BK and Chhuttani PN (1978):** Herbal medicine and veno-occlusive disease in India, *Postgrad Med J* ; 54 : 511-515.
- David W. Tschanz, MSPH, PhD (2003):** Arab Roots of European Medicine. In : *Heart Views* , 2 nd ed. ; 4 (2) :42-47, Hamad Medical Corporation,Doha,Qater.
- Dehmlow C, Erhard J and de Groot H (1996):** Inhibition of Kupffer cell functions as an explanation for the hepatoprotective properties of silibinin . *Hepatology* ; 23 : 749-754.
- DeLeve LD, Shulman HM and McDonald GB (2002):** Toxic injury to hepatic sinusoids: sinusoidal obstruction syndrome (veno-occlusive disease), *Semin Liver Dis* ; 22 : 27-42.
- DeSmet PA (1995):** health risks of herbal remedies. *Drug Safety*; 13 (2) : 81 – 93.
- DeSmet P.A. (1997):** The role of plant-derived drugs and herbal medicines in healthcare. *Drugs* ; 54: 801-840.
- DeSmet P.A. (2002):** Herbal remedies. *N. Engl. J. Med.* 347 : 2046-2056.
- DeSmet P.A. and D'Arcy PF (1996):** Drug interactions with herbal and other non-orthodox remedies. *Mechanisms of Drug Interactions*. Springer-Verlag, New York, pp. 327-352.
- Diane Boulanger (2002):** The Islamic Contribution to Science, Mathematics and Technology, OISE Papers, in STSE Education, Vol. 3.
- Diaz D, Ferroudji S and Heran B (1993):** Hepatite aigue a la Germandree petit-chene, *Gastroenterol Clin Biol* 16: pp. 1006-1007.
- Dickinson DA, Iles KE, Zhang H et al.(2003):** Curcumin alters EpRE and AP-1 binding complexes and elevates glutamate-cysteine ligase gene expression. *Faseb J.* 17(3):473-475.

- Dorai T and Aggarwal BB (2004):** Role of chemopreventive agents in cancer therapy. *Cancer Lett.* 215: 129-140.
- Drew AK and Myers SP (1997):** Safety issues in herbal medicine, implication for the health professions. *Medical Journal of Australia* ;166: 538-541.
- Du Toit R, Volsteedt Y & Apostolides Z (2001):** Comparison of the antioxidant content of fruits, vegetables and teas measured as vitamin C equivalents. *Toxicology* ; 166(1-2):63-69.
- Duvoix A, Blasius R, Delhalle S et al. (2005):** Chemopreventive and therapeutic effects of curcumin. *Cancer Lett.* 22 (2): 181-190.
- El-Beshbishy HA (2005a):** The effect of dimethyl dimethoxy biphenyl dicarboxylate (DDB) against tamoxifen-induced liver injury in rats: DDB use is curative or protective. *J Biochem Mol Biol.* 38(3):300-306.
- El-Beshbishy HA (2005 b):** Hepatoprotective effect of green tea (camellia sinensis) extract against tamoxifen-induced liver injury in rats. *J Biochem Mol Biol.* 38(5):563-570.
- Elinav E and Chajek-Shaul T (2003):** Licorice consumption causing severe hypokalemic paralysis. *Mayo Clinic Proceedings* ; 78(6):767-768.
- El-Saadany SA, Sheta ARA and Ezz El-Arab A (2002):** Study of protective effect of Dimethyl Dimethoxy Biphenyl Dicarboxylate (DDB) on carbon tetrachloride (CCL4) induced hepatotoxicity in Guinea pigs. *Tanta MJ.* 30(2): 213-228.
- El-Sawy SA, El-Shafey AM and El-Bahrawy HA (2002):** Effect of dimethyl diphenyl bicarboxylate on normal and chemically-injured liver. *Eastern Mediterranean Health Journal* ; 8 : 11
- Ernst E (1998):** Harmless herbs? A review of the recent literature. *The American Journal of Medicine* ;104: 170-178.
- Ernst E and Pittler MH (2002):** Herbal medicine. *Med. Clin. North Am*; 86 (1) : 149 – 161.
- Fabricant DS and Farnsworth NR (2001):** The value of plants used in traditional medicine for drug Discovery. *Environmental health Perspectives*;109(1): 69 – 75.
- Fahd and Toufic (1996):** Muslim agricultural revolution. In: Botany and Agriculture . Edited by: Morelon and Rashed, 2 nd edition;3:813-852. Cambridge University Press.London.
- Fang N, Li Q , Yu S et al. (2006):** Inhibition of growth and induction of apoptosis in human cancer cell lines by an ethyl acetate fraction from shiitake mushrooms. *J Altern Complement Med.*; 12 (2) : 125 – 132.
- Fau D, Lekehal M, Farrell G, Moreau A, Moulis C and Feldmann G, et al. (1997):** Diterpenoids from germander, an herbal medicine, induce apoptosis in isolated rat hepatocytes, *Gastroenterology* ; 113, pp. 1334-1346.

- Faulstich H, Jahn W and Wieland T (1980):** Silybin inhibition of amatoxin uptake in the perfused rat liver. *Arzneimittelforschung*. 30 : 452-454.
- Federici E, Multari G, Gallo FR, Palazzino G (2005):** Herbal drugs: from traditional use to regulation. *Ann. 1st. Super. Sanita* ;41(1) : 49-54.
- Feher JLI, Nekam K, Gergely P et al. (1990):** In vivo effect of free radical scavenger hepatoprotective agents on superoxide dismutase (SOD) activity in patients. *Tokai J Exp Clin Med*. 15(2-3):129-34.
- Ferenci P, Dragosics B, Dittrich H et al. (1989):** Randomized controlled trial of silymarin treatment in patients with cirrhosis of the liver. *J Hepatol*. 9:105-113.
- Fiorini RN, Donovan JL, Rodwell D et al. (2005):** Short term administration of epigallocatechin gallate reduces hepatic steatosis and protects against warm hepatic ischemia/reperfusion injury in steatotic mice. *Liver Transpl.* ;11930:298-308.
- Flisiak R and Prokopowicz D (1997):** Effect of misoprostol on the course of viral hepatitis B. *Hepatogastroenterology*; 44(17): 1419-1425.
- Floersheim GL, Eberhard M, Tschumi P and Duckert F (1978):** Effects of penicillin and silymarin on liver enzymes and blood clotting factors in dogs given a boiled preparation of *Amanita phalloides* . *Toxicol Appl Pharamcol* ; 46 : 455-462.
- Flora K, Hahn M, Rosen H, et al. (1998):** Milk thistle (*Silybum marianum*) for the therapy of liver disease. *Am J Gastroenterol*. 93(2): 139-143.
- Fodgen E and Neuberger J. (2003):** Alternative medicines and the liver. *Liver*. 23: 213-220.
- Fox DW, Hart MC, Bergeson PS, Jarret PB, Stillman AE, Huxtable RJ (1978):** Pyrrolizidine (Senecio) intoxication mimicking Reye syndrome. *Journal of Pediatrics* ; 90: 980-982.
- Francine R (2005):** complementary and alternative medicine. Milk Thistle. *American Family Physician* ; 72(7) : 1285.
- Friedman SL and Arthur MJ (1989):** Activation of cultured rat hepatic lipocytes by Kupffer cell conditioned medium. Direct enhancement of matrix synthesis and stimulation of cell proliferation via induction of platelet-derived growth factor receptors. *Clin Invest*; 84: 1780-5.
- Fuchs EC, Wehenmeyer R and Weiner OH (1997):** Effects of silibinin and of a synthetic analogue on isolated rat hepatic stellate cells and myofibroblasts. *Arzneimittelforschung* ; 12 : 1383-1387.
- Fujisawa Y, Sakamoto M, Matsushita M et al. (2000):** Glycyrrhizin inhibits the lytic pathway of complement-possible mechanism of its anti-inflammatory effect on liver cells in viral hepatitis. *Microbiol Immunol*. 44(9):799-804.

- Gagnier JJ, DeMelo J, Boon H, Rochon P, Bombardier C (2006):** Quality of reporting of randomized controlled trials of herbal medicine interventions. *Am. J. Med.* 119: 1-11.
- Galisteo M, Rissel M, Sargent O et al. (2000):** Hepatotoxicity of tacrine: Occurrence of membrane fluidity alterations without involvement of lipid peroxidation. *J Pharmacol Exp Ther*, 294: 160-167.
- Gandolfo GM, Girrelli G and Conti L (1992):** Hemolytic anemia and thrombocytopenia induced by cyanidanol. *Acta Haematologica* ; 88: 96-99.
- Gebhardt R (1998):** Inhibition of Cholesterol Biosynthesis in Primary Cultured Rat Hepatocytes by Artichoke (*Cynara scolymus* L.) Extracts. *J Pharmacol Exp Ther* ; 286 (3): 1122 -1128.
- Gebhardt R. (2002):** Oxidative stress, plant-derived antioxidants and liver fibrosis. *Planta Med.* 68: 289-296.
- Gilani AH, Shah AJ, Zubair A, et al. (2009).** Chemical composition and mechanisms underlying the spasmolytic and bronchodilatory properties of the essential oil of *Nepeta cataria* L. *J of Ethnopharmacol*; 121 : 405-411.
- Girish Dwivedi, Shridhar Dwivedi (2007):** History of Medicine : Sushruta -The Clinician -Teacher Par Excellence. National Informatics Centre.Government Of India.p243.
- Goldman P (2001):** Herbal medicines today and the roots of modern pharmacology. *Annals of internal medicine* ; 135 (8): 594 – 600.
- Gonzalez-Seijo JC, Ramos YM and Lastra I (1995):** Manic episode and ginseng, a report of a possible case. *Journal of Clinical Psychopharmacology* ; 15: 447-448.
- Gordon A, Hobbs DA, Bowden DS et al. (2006):** Effects of *Silybum marianum* on serum hepatitis C virus RNA, alanine aminotransferase levels and well-being in patients with chronic hepatitis C. *J Gastroentero Hepato.* 21(1 pt2): 275-280,
- Gordon LA (1999):** Compositae dermatitis. *Australian Journal of Dermatology*; 40: 123-128.
- Greving I, Meister V, Monnerjahn C, Muller KM and May B (1998):** *Chelidonium majus*: a rare reason for severe hepatotoxic reaction, *Pharmaevidemiol Drug Saf.* 7 , pp. S66-S69.
- Grungreiff K, Albrecht M and Streng-Hesse A (1995):** Benefit of medicinal liver therapy in general practice. *Med Welt.* 46:222-227.
- Gurib – Fakim A (2006):** Medicinal plants: traditions of yesterday and drugs of tomorrow. *Mol. Aspects Med*; 27: 1-93.
- Hamid S, Rojter S and Vierling J (1997):** Protracted cholestatic hepatitis after the use of prostata, *Ann Intern Med* ;127: p. 169.

- Hayashi J, Kajiyama W, Noguchi A, Nahashima K, Hirata M and Hayashi S et al. (1991):** Glycyrrhizin withdrawal followed by human lymphoblasoid interferon in the treatment of chronic hepatitis B, *Gastroenterol Jpn J* ; 26 : 742-746.
- He Y, Xu K, Zhang Q, Dai W, Xu Z and Liu B (1996):** Inhibitory effect of tetrandrine on collagen synthesis of experimental hepatic fibrosis in rats. *Zhongguo Zhong Yao Za Zhi*; 21: 177-179.
- Hearst R, Nelson D, McCollum O et al. (2009):** An examination of antibacterial and antifungal properties of constituents of Shitake (*Lentinus edodes*) and oyster (*Pleurotus ostreatus*) mushrooms. *Complementary Therapies in clinical Practice*; 15 (1) : 5-7.
- Heber D (2008):** Multitargeted therapy of cancer by ellagitannins. *Cancer Lett.* 289 : 262 – 268.
- Heck AM, DeWitt BA and Lukes AL (2000):** Potential interactions between alternative therapies and warfarin. *Am J. Health Syst. Pharm*; 57(13): 1221-1227.
- Henning SM, Niu Y, Lee NH et al. (2004):** Bioavailability and antioxidant activity of tea flavanols after consumption of green tea, black tea, or a green tea extract supplement. *Am J Clin Nutr.* 80:1558-1564.
- Herman M, Krutmann J, Grether - Beck S, Vielhaber G, Mayer I, Frankie H and Joppe H (2007):** Black berry leaf extract : a multifunctional anti-aging active; *Int J Cosmet Sci*; 29 (5): 411.
- Herz RS (2009):** Aroma therapy facts and fiction: a scientific analysis. *Int J Neurosci.* 119:263-290.
- Higashi N, Kohjima M, Fukushima M et al. (2005):** Epigallocatechin-3-gallate, a green-tea polyphenol, suppresses Rho signaling in TWNT-4 human hepatic stellate cells. *J Lab Clin Med.* 145(6): 316-322.
- Hong J, Bose M, Ju J, et al. (2004):** Modulation of arachidonic acid metabolism by curcumin and related beta-diketone derivatives: effects on cytosolic phospholipase A (2), cyclooxygenases and 5-lipoxygenase. *Carcinogenesis.* 25(9): 1671-1679.
- Hruby K, Csomos G, Fuhrmann M, Thaler H (1983):** Chemotherapy of *Amanita phalloides* poisoning with intravenous silibinin. In: *Hum Toxicol*; 2(2): 183-95.
- Hruby K. (1984):** Silibinin in the treatment of deathcap fungus poisoning. *Forum* ; 6:23-26.
- Hu C and Kitts D (2004):** Luteolin and luteolin-7-O-glucoside from dandelion flower suppress iNOS and COX-2 in RAW264.7 cells. *Mol. Cell. Biochem.*; 265:107-113.

- Hu C and Kitts DD (2003):** Antioxidant, prooxidant and cytotoxic activities of solvent fractionated dandelion (*Taraxacum officinale*) flower extracts in vitro. *J. Agric. Food Chem.* 52: 301-310.
- Hu M, Wong PY, and Li RC (1999):** Effects of *taraxacum mongolicum* on the bioavailability and disposition of ciprofloxacin in rats. *J Pharm Sci* 88(6):632-634.
- Huang YS and Zhang JT (1992):** Antioxidative effect of three water-soluble components isolated from *Salvia miltiorrhiza* in vitro. *Yao Xue Xue Bao*; 27: 96-100.
- Huang YT, Cheng YR, Lin HC, Chen CF and Hong CY (1997):** Haemodynamic effects of chronic tetrandrine treatment in portal hypertensive rats. *Gastroenterol Hepatol* ; 12: 585-589.
- Huber R, Hockenjos B and Blum HE (2004):** DDB treatment of patients with chronic hepatitis. *Hepatology.* 39(6): 1732-1733.
- Huff, Toby (2003).** *The Rise of Early Modern Science: Islam, China, and the West.* Cambridge University Press. p. 218.
- Huffman MA (2003):** "Animal self-medication and ethno-medicine: exploration and exploitation of the medicinal properties of plants". *Proc Nutr Soc* 62 (2): 371-81.
- Hulchings MR, Athanasiadou S, Kyriazakis I and Gordon IJ (2003):** "Can animals use foraging behavior to combat parasites?". *Proc Nutr Soc.* 62 (2): 361.
- Hwang JM, Kuo HC, Tseng TH, Liu JY and Chu CY (2006):** Berberine induces apoptosis through a mitochondrial caspases pathway in human hepatoma cells. *Arch Toxicol*; 80: 62-73.
- Idrisi Z., PhD(2005).** *The Muslim Agricultural Revolution and its influence on Europe. The foundation for science, Technology and civilization,* Cambridge University Press, UK.
- Ikeda K, Arase Y, Kobayashi M, et al. (2006):** A long-term glycyrrhizin injection therapy reduces hepatocellular carcinogenesis rate in patients with interferon-resistant active chronic hepatitis C: a cohort study of 1249 patients. *Dig Dis Sci*; 51: 603-609.
- Ireson CR, Jones DJ, Orr S et al. (2002):** Metabolism of the cancer chemopreventive agent curcumin in human and rat intestine. *Cancer Epidemiol Biomarkers Prev.* 11(1):105-111.
- Iwakami S, Wu JB, Ebizuka Y et al. (1992):** Platelet activating factor (PAF) antagonists contained in medicinal plants: Lignans and ses-qui-terpenes. *Chem. Pharm Bull (Tokyo).* 40 :1196 - 1198.
- Jacquart, Danielle (2003).** *Islamic Pharmacology in the Middle Ages: Theories and Substances.* *European Review* ;16 (2): 219-227

- James A. Duke (2004):** Returning to our Medicinal Roots. Mother Earth News ; 1: 26-33.
- Jamieson DD and Duffield PH (1990):** Positive interaction of ethanol and kava resin in mice. Clinical Experimental Pharmacology and Physiology; 17: 509-514.
- Jann Ichida (2004):** Birds use herbs to protect their nests . proceedings of the 104th general meeting of the American Society For microbiology, BJS, Science. Blog.
- Jeong HG, You HJ, Park SJ et al. (2002):** Hepatoprotective effects of 18-beta-glycyrrhetic acid on carbon tetrachloride-induced liver injury: inhibition of cytochrome p-450 2E1 expression. Pharmacol Res. 46 (3) : 221 – 227.
- Jepson R and Craig J (2008):** Cranberries for preventing urinary tract infections. Evid Based Med;13(4): 105 C:\WINDOWS\hinhem.scr.
- Jia JD, Boigk G, Bauer M, Ruehl M, Strefeld T and Riecken EO et al. (1998):** Silymarin downregulates TIMP-1 and collagen I mRNA in rats with secondary biliary cirrhosis, Hepatology; 28 (suppl.), p. 546A.
- Jiang C, Agarwal R and Lu JX (2000):** Anti-angiogenic potential of a cancer chemopreventive- flavonoid antioxidant, silymarin: Inhibition of key attributes of vascular endothelial cells and angiogenic cytokine secretion by cancer epithelial cells. *Biochem Biophys Res Commun.* 276: 371-378.
- John R Steep (2004):** The role of weeds as sources of pharmaceuticals. Journal of Ethnopharmacology; 92 (2-3): 163 – 166.
- Jonathan D. Eldredge (2003):** The Randomised Controlled Trial design: unrecognized opportunities for health sciences librarianship, Health Information and Libraries Journal ; 20: 34-44 .
- Joo SS and Lee DI (2005):** The potential anti-HBV effect of amantadine in combination with ursodeoxycholic acid and biphenyl dimethyl dicarboxylate in hep G2 2 2.15 cells. *Arch Pharm Res.* 28(4):451-457.
- Joo SS, Won TJ, Kim MJ et al. (2006):** Interferon signal transduction of biphenyl dimethyl dicarboxylate / amantadine and anti-HBV activity in Hep G2 2.2 15. *Arch Pharm Res.* 29(5):405-411.
- Joubert E, Gelderblom WC, Louw A et al. (2008):** South African herbal teas : *Aspalathus linearis* *Cyclopia* spp. *Athrixia physicoides* – a review. *J Ethnopharmacol*; 119 (3): 376 – 412.
- Jovanovic M, Mimica-Dukic N, Poljacki M. et al.(2003):** Erythema multiforme due to contact with weeds: a recurrence after patch testing. *Contact Dermatitis.* 48 (1): 17-25.

- Kalender Y, Yel M, Kalender S et al. (2005):** Doxorubicin hepatotoxicity and hepatic free radical metabolism in rats. The effects of vitamin E and catechin. *Toxicology* ; 209 (1):39-45.
- Kane JA, Kane SP and Jain S (1995):** Hepatitis induced by traditional Chinese herbs, possible toxic components. *Gut* ; 36: 146-147.
- Karamanlioglu B, Yuksel M, Temiz E et al. (2002):** Hepatobiliary scintigraphy for evaluating the hepatotoxic effect of halothane and protective effect of catechin in comparison with histo-chemical analysis of liver tissue. *Nucl Med Commun.* 23(10):53-59.
- Kassler WJ, Blanc P and Greenblatt R (1991):** The use of medicinal herbs by human immunodeficiency virus-infected patients. *Archives of Internal Medicine* ;151: 2281-2288.
- Kaur G, Tirkey N, Bharrhan S et al. (2006):** Inhibition of oxidative stress and cytokine activity by curcumin in amelioration of endotoxin-induced experimental hepatotoxicity in rats. *Clin Exp Immunol.* 145(2): 313-321.
- Kawano A, Nakamura H, Hata SI (2009):** Hypoglycemic effects of aspalathin, a rooibos tea component from *Aspalathus Linearis* in type 2 diabetic model db/db mice. *Phytomedicine*; 16 (5): 437 -4.
- Kessler RC, Davis RB, Foster DF, Van Rompay MI, Walters EE and Wilkey SA et al. (2001):** Long term trends in the use of complementary and alternative medical therapies in the United States, *Ann Intern Med*; 135 : 262 – 268.
- Kiesewetter E, Leodolter I and Thaler H (1977):** Results of two double-blind studies on the effect of silymarin in chronic hepatitis. *Leber Magen Darm.* 7:318-323.
- Kim JH & Kang TW (1999):** Effect of biphenyl dimethyl dicarboxylate on the humoral immunosuppression by Ketoconazol in mice. *Arh Pharm Res.* 22(2): 124-129.
- Kim JY, Baek M and Lee S (2001):** Characterization of selectivity and mechanism of cytochrome P450 inhibition by dimethyl-4,4'-dimethoxy-5,6,5',6'-dimethylenedioxybiphenyl-2,2'-dicarboxylate. *Drug Metab Dispos.*29(12):I555-I560.
- Kim SN, Kim SY, Yim SY et al. (1999):** Effect of dimethyl-4,4'-dimethoxy-5,6,5',6'-dimethylene dioxybiphenyl -2,2' -dicarboxylate (DDB)on chemical induced liver injury. *Biol Pkarm Bull*; 22: 93-95
- Kim WR, Brown RS, Terrault NA and El-Serag H (2002):** Burden of liver disease in the Unitd States, summary of a workshop, *Hepatology*; 36 : 227 – 242.
- Kimura Y (2004):** Isolation of an anti-angiogenic substance from *Agaricus blazei* Murill: its antitumor and antimetastatic actions. *Cancer Sci* ; 95(9): 758-764.

- Koch C, Reichling J, Schnee J et al. (2008):** Inhibitory effect of essential oils against herpes simplex virus type 2. *Phytomedicine*; 15 (1) : 71-78.
- Kosina P, Kren V, Gebhardt R et al. (2001):** Antioxidant properties of silybin glycosides. *Phytother Res*. 15:1-7.
- Krafczyk N, Woyand F and Glomb MA (2009):** Structure - antioxidant relationship of flavonoids from fermented rooibos. *Mol Nutr Food Res*. 53 (5): 6.
- Krek M (1979).** The Enigma of the First Arabic Book Printed from Movable Type, *Journal of Near Eastern Studies*; 38 (3): 203-212.
- Kroll DJ, Shaw HS and Oberlies NH (2007):** Milk thistle nomenclature: why it matters in cancer research and pharmacokinetic studies. *Integrative Cancer Therapies*; 6 (2): 110 -149.
- Kroncke KD, Fricker G, Meier PJ, Gerok W, Wieland T and Kurz G (1986):** Alpha-amanitin uptake into hepatocytes, *J Biol Chem* ; 261 : 12562-12567
- Kumada H (2002):** Long-term treatment of chronic hepatitis C with glycyrrhizin [stronger neo-minophagen C (SNMC)] for preventing liver cirrhosis and hepatocellular carcinoma. *Oncology*; 62 (1): 94-100.
- Lai PK (2004):** Antimicrobial and chemopreventive properties of herbs and spices. *Current Medical Chemistry*; 11 (10): 1451 – 1460.
- Lambert JD and Yang CS (2003):** Cancer chemopreventive activity and bioavailability of tea and tea polyphenols. *Mutat Res*. 523-524:201-208.
- Lang I, Nekam K, Deak G et al. (1990):** Immunomodulatory and hepatoprotective effects of in vivo treatment with free radical scavengers. *Ital J Gastroenterol*. 22: 283-287.
- Larrey D (1997):** Hepatotoxicity of 4 herbal remedies, *J Hepatol* ; 26 : 47-54.
- Larrey D and Pageaux GP (1995):** Hepatotoxicity of herbal remedies and mushrooms, *Semin Liver Dis* 15, pp. 183-188
- Larrey D, Vial T, Pauwels A, Castot A, Biour M and David M et al. (1992):** Hepatitis after Germander (*Teucrium chamaedrys*) administration: another instance of herbal medicine hepatotoxicity, *Ann Int Med* ; 117 :129-132.
- Leclercq IA, Farrell GC, Sempoux C et al. (2004):** Curcumin inhibits NF-kappa B activation and reduces the severity of experimental steatohepatitis in mice, *J Hepatol*. 41(60):926-934.
- Lee HS, Kim YT, Jung HC et al. (1991):** Prospective randomized controlled trial with biphenyl dimethyl dicarboxylate in chronic active liver diseases: the effects on lowering serum alanine aminotransferase levels. *Korean J Int Med*. 40: 173-178.
- Leonard B. Seeff (2009):** Are herbals as safe as their advocates believe ? *Journal of hepatology*; 50 : 13 – 16.

- Lewis JH (1992):** Esophageal and small bowel obstruction from guar-containing diet pills, analysis of 26 cases reported to the FDA. *American Journal of Gastroenterology*; 87: 1424-1428.
- Li D, Lu H, Li X, Quan Q, Li X and Lu W (1995):** Calcium channel blockers in cirrhotic patients with portal hypertension. *Chin Med J (England)*; 108: 803-808.
- Li DG, Lu HM and Chen YW (1998):** Progress in studies of tetrandrine against hepatofibrosis. *World J Gastroenterol*; 4: 377-379.
- Li DG, Wang ZR and Lu HM (2001):** Pharmacology of tetrandrine and its therapeutic use in digestive diseases. *World J Gastroenterol*; 7: 627-629.
- Li J, Li C and Zeng M (1998):** Preliminary study on therapeutic effect of oxymatrine in treating patients with chronic hepatitis C. *Zhongguo Zhong Xi Yi Jie He Za Zhi*; 18: 227-229.
- Li J, Zhou L, Zhang Y et al. (2001):** Studies on the effects of tea catechins against hepatitis B virus infection. *Zhonghua Yu Fang Yi Xue Za Zhi*. 35(6): 404-407.
- Liang G, Zhang S, Huang ZM et al. (2004):** MDR-reversing effect of two components of catechin on human hepatocellular carcinoma BEL-7404/Adr in vitro. *Ai Zheng*. 23(4):401-405.
- Lichterman BL (2004):** The story of a wonder drugs. *BMJ*; 329 : 1408.
- Lieber CS, Leo MA, Cao Q, et al. (2003):** Silymarin retards the progression of alcohol-induced hepatic fibrosis in baboons. *J Clin Gastroenterol*. 37 : 336 - 339.
- Lin CC, Lu JM, Yang JJ et al. (1996):** Anti-inflammatory and radical scavenge effects of *Arctium lappa*. *Am J Chin Med*. 24(2): 127-137.
- Lin JL and Ho YS (1994):** Flavonoid-induced acute nephropathy. *American Journal of Kidney Disease* ;23: 433-440.
- Lin SC, Chung TC, Lin CC et al. (2000):** Hepatoprotective effects of *Arctium lappa* on carbon tetrachloride- and acetaminophen-induced liver damage. *Am J Chin Med*. 28(2): 163-173.
- Liu C, Liu P, Hu Y and Zhu D (2002):** Effects of salvianolic acid-B on TGF-beta 1 stimulated hepatic stellate cell activation and its intracellular signaling. *Zhonghua Yi Xue Za Zhi*; 82: 1267-1272.
- Liu D, Li G and Cao Y (1998):** Blocking action of tetrandrine on the scar-collagen matrix contraction stimulated by transforming growth factor beta. *Zhongguo Zhong Xi Yi Jie He Za Zhi*; 18: 429-430.
- Liu GT (1987):** Therapeutic effects of biphenyl dimethyl dicarboxylate (DDE) on chronic viral hepatitis B. *Proc Chin Acad Med Sci Peking Union Med Coll*. 2 : 228-233.

- Liu GT (1991):** Pharmacological actions and clinical uses of Fructus schizandrae. In: *Recent advances in Chinese herbal drugs-actions and uses*. Beijing: Sci Press. 100-111:
- Liu JH, Chen GH, Yeh HZ, Huang CK, Poon SK (1997):** Enteric-coated peppermint - oil capsules in the treatment of irritable bowel syndrome : a prospective randomized trial. *J Gastroenterol* ;32 (6): 765 -768.
- Liu KT and Lesca P (1982):** Pharmacological properties of dibenzo; a, c cyclooctene derivatives isolated from Fructus schizandrae chinensis III. Inhibitory effects on carbon tetrachloride-induced lipid peroxidation, metabolism and covalent binding of carbon tetrachloride to lipids. *Chem Biol Interact*. 41 : 39-47.
- Liu P, Hu YY, Liu C, et al. (2002):** Clinical observation of salvianolic acid B in treatment of liver fibrosis in chronic hepatitis B. *World J Gastroenterol*; 8: 679-685.
- Liu P, Kawada N, Mizoguchi Y and Morisawa S (1994):** Effects of magnesium lithospermate B on cyclooxygenase activity in rat liver, adherent cells and enzyme's product. *Zhongguo Zhong Yao Za Zhi*; 19: 110-113.
- Liu P, Liu CH, Wang HN, Hu YY and Liu C (2002):** Effect of salvianolic acid B on collagen production and mitogen-activated protein kinase activity in rat hepatic stellate cells. *Acta Pharmacol Sin*; 23: 733-738.
- Liu P, Mizoguchi Y and Morisawa S. (1993):** Effects of magnesium lithospermate B on D-galactosamine induced rat liver injury. *Zhongguo Zhong Xi Yi Jie He Za Zhi*; 13: 352-3.
- Liu SL, Pan JH, Shi DY, et al. (1998):** Relationship between structure and anti-oxidation of tocopherol with molecular orbit theory. *Zhongguo Yao Li Xue Bao*; 19: 513-518.
- Liu Z, Liu G and Zhang S (1996):** Reversing effect of dimethyl 1-4,4' dimethoxy-5.6.5'.6'dimethylene dioxy biphenyl 1-2-2'dicarboxylate (DDB) on the phenotype of human hepatocarcinoma cell lines. *Cancer-Lett*. 108(1): 67-82.
- Lu LG, Zeng MD, Mao YM, et al. (2003):** Oxymatrine therapy for chronic hepatitis B: a randomized double-blind and placebo-controlled multicenter trial. *World J Gastroenterol*; 9: 2480-3.
- Lucena MI, Andrade RJ, De la Cruz JP et al. (2002):** Effects of silymarin MZ-80 on oxidative stress in patients with alcoholic cirrhosis. Results of a randomized, double-blind, placebo-controlled clinical study. *Int J Clin Pharmacol Ther*. 40: 2-8.
- Luczaj W and Skrzydlewska E (2005):** Antioxidative properties of black tea. *Prev Med*. 40:910-918.

- Luper S (1998):** A review of plants used in the treatment of liver diseases: Part 1. *Altern Med Rev.* 3: 410-421.
- Lynch CR, Folkers ME and Hutson WR (2006):** Fulminant hepatic failure associated with the use of Black Cohosh: a case report, *liver Transpl* 12, pp. 989-992.
- Maechel H (1992):** Diarrh chronique secondaire au Cirkan, [Letter]. *Gastroenterologie Clinique et Biologique* 16, 373.
- Maenthaisong R, Chaiyakunapruk N, Niruntraporn S, et al. (2007):** The efficacy of aloe vera for burn wound healing: a systematic review. *Burns*; 33:713-718.
- Magliulo E, Gagliardi B and Fiori GP (1978):** Results of a double blind study on the effect of silymarin in the treatment of acute viral hepatitis, carried out at two medical centres. *Med Klin.* 73:1060-1065.
- Magula D, Galisova Z, Iliev N, et al. (1996):** Effect of silymarin and Fumaria alkaloids in the prophylaxis of drug-induced liver injury during antituberculous-treatment. *Stud Pneumol Phtiseol.* 56:206-209.
- Malik AS, Zabidi MH and Moor AR (1994):** Acute salicylism due to accidental ingestions of a traditional medicine. *Singapore Medical Journal*; 35: 215-216.
- Mallery SR, Zwick JC, Pei P, Tong M, Larsen PE, Shumway BS, Fields HW, Mumper RJ, Stoner GD (2008):** Topical application of bioadhesive black raspberry gel modulates gene expression and reduces cyclooxygenase 2 protein in human premalignant oral lesions. *Cancer Res.*; 68 (12) : 4945-57.
- Maniacal PP, Wanwimolruk S (2001):** Effect of herbal teas on hepatic drug metabolizing enzymes in rats. *J. Pharmacol.* 53: 1323-1329.
- Mao YM, Zeng MD, Lu LG, et al. (2004):** Capsule oxymatrine in treatment of hepatic fibrosis due to chronic viral hepatitis: a randomized, double blind, placebo-controlled, multicenter clinical study. *World J Gastroenterol*; 10: 3269-73.
- Marcelli R, Bizzoni P, Conte D, et al. (1992):** Randomized controlled study of the efficacy and tolerability of a short course of IdB 1016 in the treatment of chronic persistent hepatitis. *Eur Bull Drug Res.* 1:131-135.
- Marks LS, Partin AW, Epstein JI, Tyler VE, Simon I, Macairan ML, Chan TL, Dorey FJ, Garriss JB, Veltri RW, Santos PB, Stonebrook KA and deKernion JB (2000):** Effects of a saw palmetto herbal blend in men with symptomatic benign prostatic hyperpasia. *J. Urol.* 163 (5): 1451-1456.
- Martin KW and Ernst E (2003):** Herbal Medicines for treatment of bacterial infections : a review of controlled clinical trials. *Journal of Antimicrobial Chemotherapy*; 51: 241 – 246.

- Mattei A, Rucay P and Samuel D (1995):** Liver transplantation for severe acute liver failure after herbal medicine (*Teucrium polium*) administration, *J Hepatol* 22, p. 597.
- McDermott VW and Ridker PM (1990):** The Budd-Chiari syndrome and hepatic veno-occlusive disease. Recognition and treatment. *Archives of Surgery* ; 125: 525-527.
- McKay DL and Blumberg JB (2002):** The role of tea in human health: an update. *J Am Coll Nutr.* 21 :1-13.
- McKay DL and Blumberg JB (2006):** A review of the bioactivity and potential health benefits of chamomile tea "*Matricaria recutita* L". *Phytother Res.* 20 : 519 – 530.
- Mendes-Silva W, Assafim M, Ruta B, et al. (2003):** Antithrombotic effect of Glycyrrhizin, a plant-derived thrombin inhibitor. *Thrombosis Research.* 112(1-2):93-98.
- Menon LG, Kuttan R and Kuttan G (1999):** Anti-metastatic activity of curcumin and catechin. *Cancer Lett.* 141(1-2): 159-165.
- Millonig G, Stadlmann S and Vogel W (2005):** Herbal hepatotoxicity: acute hepatitis caused by a Noni preparation (*Morinda citrifolia*), *Eur J Gastroenterol Hepatol* 17: 445-447.
- Mills SY (1995):** European pilot studies are under way. *British Medical Journal* 311,p. 1570.
- Mills SY (1993):** *Arctium lappa*. In: *A-Z Of Modern Herbalism* .First ed.PP.52-55 , Diamond Books, London.
- Modi S and Lowder DM (2006):** Medications for migraine prophylaxis. *American Family Physician*; 73 (1): 72 – 78.
- Montasser (2001):** Clinical and laboratory studies of DDB in treatment of chronic hepatitis C: 4. combination therapy with amantadine hydrochloride. A pilot study in Egypt. *Ain Shams Medical Journal*; 52(1-3): 125-142.
- Montasser MF (2003):** DDB and amantadine hydrochloride combination in treatment of chronic hepatitis C: A pilot study. *38 th EASL Annual Meeting.* Geneva, Switzerland.3-6.
- Moon A and Kim SH (1997):** Effect of Glycyrrhiza glabra roots and glycyrrhizin on the glucuronidation in rats. *Planta Med.* 63 : 115-119.
- Moos PJ, Edes K, Mullally Jeet, et al. (2004):** Curcumin impairs tumor suppressor p53 function in colon cancer cells. *Carcinogenesis.* 25(9): 1611-1617.
- Morazzoni P and Bombardelli E. (1995):** *Silybum marianum* (*Carduus marianus*). *Fitoterapia*; 64: 3-42.

- Morazzoni P, Montalbetti A and Malandrino S (1993):** Comparative pharmacokinetics of silipide and silymarin in rats. *Eur J Drug Metab Pharmacokinet.* 18: 289-297.
- Mostefa-Kara N, Pauwels A, Pines E, Biour C and Levy VG (1992):** Fatal hepatitis after herbal tea, *Lancet* 340, p. 674.
- Moum B, Aukrust P, Schrumpf E, Mork T, Mathisen O and Elgjo K (1992):** Naturmidler kan forarsaje geksesjader. *Tidsskrift for den Norske Laegeforening* ; 112: 1308-1311.
- Mourelle M, Muriel P, Favari L and Franco T (1989):** Prevention of CCl₄-induced liver cirrhosis by silymarin, *Fundam Clin Pharmacol* ; 3 : 183-191.
- Mulder TP, Rietveld AG and von Amelsvoort JM (2005):** Consumption of both black tea and green tea results in an increase in the excretion of hippuric acid into urine. *Am J Clin Nutr.* 81(1):256S-260S
- Mullins RJ (1998):** Echinacea-associated anaphylaxis. *Medical Journal of Australia* ; 168: 170-171.
- Munter K, Mayer D and Faulstich H (1986):** Characterization of a transporting system in rat hepatocytes: studies with competitive and non-competitive inhibitors of phalloidin transport. *Biochem Biophys Acta.* 860: 91-98.
- Murgan P and Pari L. (2005):** Effect of tetrahydrocurcumin on erythromycin estolate-induced lipid peroxidation in rats. *J Basic Clin Physiol Pharmacol.* 16 (1): 1-15.
- Muriel P and Mourelle M (1990):** Prevention by silymarin of membrane alterations in acute CCl₄ liver damage. *J Appl Toxicol.* 10: 275-279.
- Muriel P, Garcia-pina T, Perez-Alvarez V et al. (1992):** Silymarin protects against paracetamol-induced lipid peroxidation and liver damage. *J App Toxicol.* 12:439-442.
- Murphy JM (1999):** Preoperative considerations with herbal medicines. *American Organization of Registered Nurses Journal* ; 69: 173-183.
- Murray M and Reidy G (1990):** Selectivity in the inhibition of mammalian cytochromes P-450 by chemical agents. *Pharmacol Rev.* 42(2):85-101.
- Murray M and Pizzorno J (1992):** Glycyrr. In: *A Textbooke Of Natural Medicine* ,3 rd edition ;PP.395-398, Bastyr Univ. Publishing, Seattle.
- Myer SP and Wohlmuth H (1998):** Echinacea-associated anaphylaxis. *Medical Journal of Australia* ;168: 583-584.
- Nadir A., Agrawal S, King PO and Marshall JB (1996):** Acute hepatitis associated with the use of a Chinese herbal product, Ma-Huang. *Am J Gastroenterol* 91, pp. 1436-1438.
- Nanji AA, Jokelainen K, Tipoe GL et al. (2002):** Curcumin prevents alcohol-induced liver disease in rats by inhibiting the expression of NF- kappa

- B-dependent genes. *Am J Physiol Gastrointest Liver Physiol*; 284(2): 321-327.
- Neergaard J, Andersen, J, Pederson ME, Stafford GI, van Staden J, Jager AK (2009):** Alkaloids from *Boophone disticha* with affinity to the serotonin transporter. *S Afr. J Botomy*; 72 (2): 371 -4.
- Neurauer RA (1961):** A plant protease for potentiation of and possible replacement of antibiotics. *Experiment Medical Surgery* ; 19: 143-160.
- Nishikawa T, Nakajima T, Moriguchi M et al. (2006):** A green tea polyphenol, epigallocatechin-3-gallate, induces apoptosis of human hepatocellular carcinoma, possibly through inhibition of Bcl-2 family proteins. *J Hepatol*. 44(6): 1074-1082.
- Nooris Al-Wail (2004):** Natural honey lowers plasma glucose, C-reactive protein, homocysteine, and blood lipids in healthy, diabetic, and hyperlipidemic subjects : comparison with dextrose and sucrose. *J Med Food*; 7 (1) : 100-107.
- Norred CL and Brinker F (2001):** Potential coagulation effects of preoperative complementary and alternative medicines. *Alt Ther*; 7(6) : 58 - 67.
- O'Hara M, Kiefer D, Farrell K and Kemper K (1998):** A review of 12 commonly used medicinal herbs. *Archives Family Medicine* ; 7: 523-536.
- Opper FH, Isaacs KL and Warshauer DM (1990):** Esophageal obstruction with a dietary fiber product designed for weight reduction. *Journal Clinical Gastroenterology* ; 12: 667-669.
- Ozgoli G, Goli M and Simbar M. (2009):** Effects of ginger capsules on pregnancy, nausea and vomiting. *J Altern Complement Med* ; 15 (3) : 243 – 246.
- Palasciano G, Portincasa P, Palmier V et al. (1994):** The effect of silymarin on plasma levels of malon-dialdehyde in patients receiving long-term treatment with psychotropic drugs. *Curr Ther Res Clin Exp*. 55:537-545.
- Pares A, Planas R, Torres M et al. (1998):** Effects of silymarin in alcoholic patients with cirrhosis of the liver: Results of a controlled, double-blind, randomized and multicenter trial. *J Hepatol*. 28:615-21. rat livers. *J Hepatol*. 29: 112-119
- Pari L and Amali DR (2005):** Protective of tetrahydrocurcumin (THC) an active principle of turmeric on chloroquine induced hepatotoxicity in rats. *J Pharm Sci*. 8(1): 115-123.
- Park EJ, Jeon CH, Ko G et al. (2000):** Protective effect of curcumin in rat liver injury induced by carbon tetrachloride. *Pharm Pharmacol*. 52(4):437-440.

- Park PH, Nan JX, Park EJ, et al.(2000):** Effect of tetrandrine on experimental hepatic fibrosis induced by bile duct ligation and scission in rats. *Pharmacol Toxicol*; 87: 261-268.
- Pedersen ME, Szewczyk B, Stachowicz K, Wieronska J, Andersen J, Stafford GI, van Staden J, Pilc A and Jager AK (2008).** Effects of South African traditional medicine in animal models for depression. *J Ethnopharmacol* ; 119 (3): 542-8.
- Perharic L, Shaw D and Murray V (1993):** Toxic effects of herbal medicine and food supplements. *Lancet* 342: 180-181.
- Picciotto A, Campo N, Brizzolara R, Giusto R, Guido G and Sinelli N, et al. (1998):** Chronic hepatitis induced by Jin Bu Huan, *J Hepatol* ; 28 : 165-167.
- Pittler MH and Ernst E (2000):** Efficacy of kava extract for treating anxiety: systematic review and meta-analysis, *J Clin Psychopharmacol* ; 20 : 84-89.
- Ploeger B, Mensinga T, Sips A et al. (2001):** The pharmacokinetics of glycyrrhizic acid evaluated by physiologically based pharmacokinetic modeling. *Drug Metab Rev.* 33(2): 125-147.
- Plummer SM, Holloway KA, Manson MM, et al. (1999):** Inhibition of cyclooxygenase 2 expression in colon cells by the chemopreventive agent curcumin involves inhibition of NF-kappa B activation via the NIK/IKK signalling complex. *Oncogene.* 18(44):6013-6020.
- Pye KG, Kelsey SM, House IM and Newland AC (1992):** Severe dyserythropoiesis and autoimmune thrombocytopenia associated with ingestion of kelp supplement. [Letter]. *Lancet* 339,p. 1540.
- Qing W and Liu G (1992):** Protective effect of dimethyl-4,4'-dimethoxy-5,6,5',6'-dimethylene dioxybiphenyl - 2,2' - dicarboxylate (DDB) against carcinogen-induced rat liver nuclear DNA damage. *Biomed Environ Sci.* 5(3):201-207.
- Ridker PM (1989):** Health hazards of herbal teas. *American Journal of Medicine* ;87(6) :701.
- Rieder MJ (1994):** Mechanisms of unpredictable adverse drug reactions. *Drug Safety* ; 11: 196-212.
- Rodriguez RJ, Miranda CL, Stevens JF, et al. (2001):** Influence of prenylated and non-prenylated flavonoids on liver microsomal lipid peroxidation and oxidative injury in rat hepatocytes. *Food Chem Toxicol.* 39: 437-445.
- Roulet M, Ricardo L, Rivier L and Calame A (1988):** Hepatic veno-occlusive disease in newborn infant of a woman drinking herbal tea. *Journal of Pediatrics* ;112: 433-439.

- Sakata R, Ueno T, Nakamura T, et al. (2004):** Green tea polyphenol epigallocatechin-3-gallate inhibits platelet-derived growth factor-induced proliferation of human hepatic stellate cell line L 190. *J Hepatol.* 40(1): 52-59.
- Salama HM, Amer AR, Hammed OM, et al. (2004):** Effect of DDB monotherapy and in combination with amantadine hydrochloride and ribavirin in patients with chronic HCV infection. *Sci Med J ESCME.* 16(1): 9-15.
- Saliou C, Rihn B, Cillard J, et al. (1998):** Selective inhibition of NF-KB activation by the flavonoid hepatoprotector silymarin in HepG2. *FEBS Lett.* 440: 8-12.
- Saller R, Meier R and Brignoli R (2001):** The use of silymarin in the treatment of liver diseases. *Drugs.* 61: 2035-2063.
- Salmi H and Sarna S (1982):** Effect of silymarin on chemical, functional, and morphological alterations of the liver. A double-blind controlled study. *Scand J Gastroenterol* ; 17:517-521.
- Samman S, Sandstrom B, Toft MB, et al. (2001):** Green tea extract added to foods reduces nonheme-iron absorption. *Am J clin Nutr.* 73(3):607-612.
- Sandager M, Nielsen ND, Stafflford GI, van Staden J and Jager AK (2005):** Alkaloids from *Boophae disticha* with affinity to the serotonin transporter in rat brain. *J Ethnopharmacol*; 98 (3): 367-70.
- Saxe TG (1987):** Toxicity of medicinal herbal preparations. *American Family Physician* ; 35: 135-142.
- Schmidt K, Horneber M, Borrelli F, et al. (2004):** Green tea (*Camellia sinensis*) for the prevention of cancer .*Br J Cancer*;90 :135-138.
- Schmidt M, Schmitz HJ, Baumgart A, et al.(2005):** Toxicity of green tea extracats and their constituents in rat hepatocytes in primary culture. *Food Chem Toxicol.* 43(2):307-314.
- Schoop R, Klein P, Suter A and Johnston SL (2006):** Echinacea in the prevention of induced rhinovirus colds: a meta – analysis. *Clinical Therapeutics* ;28 (2): 174 – 83.
- Schupan D, Strosser W, Burkard G, et al. (1998):** Influence of Legalon(TM) 140 on the metabolism of collagen in patients with chronic liver disease- Review by measurement of PIIINP-values. *Z Allgemeinmed.* 74:577-584.
- Seeff LB, Lindsay KL, Bacon BR, et al. (2001):** Complementary and alternative medicine in chronic liver disease. *Hepatology.* 34(3): 595-603.
- Seeram NP, Aronson WJ, Zhang Y et al. (2007):** Pomegranate ellagitannin - derived metabolites inhibit prostate cancer growth and localize to the mouse prostate gland. *J Agric Food Chem.* ;55 : 7732 – 7737.

- Seidner DL, Roberts IM and Smith MS (1990):** Esophageal obstruction after ingestion of a fiber-containing die pill. *Gastroenterology*; 99: 1820-1822.
- Seo SW, Koo HN, An HJ, Kwon KB, Lim BC, Sco EA, et al. (2005):** Taraxacum officinal protects against cholecystokinin-induced acute pancreatitis in rats. *World J. Gastroenterol*; 11: 597-599.
- Serra A, Uehlinger DE, Ferrari P, et al. (2002):** Glycyrrhetic acid decreases plasma potassium concentrations in patients with anuria. *Journal of the American Society of Nephrology*. 13 (1): 191- 196.
- Shah BH, Nawaz Z, Pertani SA, et al. (1999):** Inhibitory effect of curcumin, a food spice from turmeric, on platelet-activating factor- and arachidonic acid-mediated platelet aggregation through inhibition of thromboxane formation and Ca^{2+} signaling. *Biochem Pharmacol*. 58(7): 1167-1172.
- Shah SA, Sander S, White CM, Rinaldi M and Coleman CI (2007):** Evaluation of Echinacea for the prevention and treatment of the common cold : a meta – analysis. *Lancet Infect Dis*. 7 (7): 473 – 80.
- Shapiro H, Ashkenazi M, Weizman N et al. (2006):** Curcumin ameliorates acute thioacetamide-induced hepatotoxicity. *J Gastroenterol Hepatol*. 21(2): 358 - 366.
- Sharma RA, Euden SA, Platton SL et al. (2004):** Phase I clinical trial of oral curcumin: biomarkers of systemic activity and compliance. *Clin Cancer Res*. 10(20):6847-6854.
- Sharma RA, Gescher AJ and Steward WP (2005):** Curcumin: The story so far. *Eur J Cancer*. 41(13): 1955-1968.
- Shaw D, Leon C, Kolev S and Murray V (1997):** Traditional remedies and food supplements, a 5-year toxicological study. *Drug Safety* ;17: 342-356.
- Sheikh NM, Philen RM and Love LA (1997):** Chaparral-associated Hepatotoxicity, *Arch Intern Med* ;157: 913-919.
- Shen H, Huang G, Hadi M, et al. (2003):** Transforming growth factor-beta 1 downregulation of Smad 1 gene expression in rat hepatic stellate cells. *Am J Physiol Gastrointest Liver Physiol*; 285: G539-46.
- Shibata S (2000):** A drug over the millennia: pharmacognosy, chemistry, and pharmacology of licorice. *Yakugaku Zasshi*. 120(10):849-862.
- Shiota G, Harada K, Ishida M, et al. (1999):** Inhibition of hepato-cellular carcinoma by glycyrrhizin in diethylnitrosamine-treated mice. *Carcinogenesis*; 20: 59-63.
- Shrivastava R, Pechadre JC and John GW (2007):** Tanacetum parthenium and Salix alba (Mig-RL) combination in migraine prophylaxis: a prospective, open – label study. *Clinical Drug Investigation*; 26 (5) : 287 – 296.

- Shukla Y and Arora A (2003):** Suppression of altered hepatic foci development by curcumin in wistar rats. *Nutr Cancer*. 45(1):53-59.
- Shulman A (1997):** Toxicological problems of traditional remedies and food supplements. *International Journal of Alternative and Complementary Medicine* . 9-10.
- Siddiqui IA, Afaq F, Adhami VM, et al. (2004):** Antioxidants of the beverage tea in promotion of human health. *Antioxid Redox Signal*; 6:571-582.
- Siegal RK (1979):** Ginseng abuse syndrome. *Journal of the American Medical Association* ; 241: 1614-1615.
- Simnek V, Kren V, Ulrichov J et al. (2000):** Silymarin: What is in the name? *Hepatology*; 32 : 442-443.
- Skottov N, Svagera Z, Vecera R et al. (2001):** Pharmacokinetic study of iodine-labeled silibinins in rat. *Pharm Res*. 44: 247-253.
- Skoulidis F, Alexander GJM and Davies SE (2005):** MA huang associated acute liver failure requiring liver transplantation, *Eur J Gastroenterol Hepatol* ;17: 581-584
- Somasundaram S, Edmund NA, Moore DT et al. (2002):** Dietary curcumin inhibits chemotherapy-induced apoptosis in models of human breast cancer. *Cancer Res*. 62(13):3868-3875.
- Song J, Zhang XR, Zhu L, Zhang ZB and Zhang XK (1999):** Effects of oxymatrine on the proliferation and procollagen III mRNA expression. *Dier Junyi Daxue Xuebao*; 20: 356-358.
- Song-Chow L, Chia-Hsien L, Chun-Ching L et al. (2000):** Hepatoprotective Effects of *Arctium lappa* Linne on liver Injuries Induced by Chronic Ethanol Consumption and Potentiated by Carbon Tetrachloride. *J Biomed Sci*. 9:401-409
- Sonnenbichler J (1999):** Stimulatory effects of silibinin and silicristin from the Milk Thistle *Silybum marianum* on kidney cells. In: *J Pharmacol Exp Ther*; 290 (3):1375- 83.
- Sperl W, Stuppner H, Gassner I, Judmaier W, Dietze O and Vogel W (1995):** Reversible hepatic veno-occlusive disease in an infant after consumption of pyrrolizidine-containing herbal tea. *Eureopean Journal of Pediatrics* ; 154: 112-116
- Sprang R (1989):** Toxicity of tea containing pyrrolizidine alkaloids. *Journal of Pediatrics* ;115: 1025.
- Sreejayan N and Rao MN (1996):** Free radical scavenging activity of curcuminoids. *Arzneimitt elforschung* ; 46(2): 169-171.
- Sreepriya M and Bali G (2005):** Chemopreventive effects of embelin and curcumin against N-nitroso-diethylamine/Phenobarbital-induced hepatocarcinogenesis in Wistar rats. *Fitoterapia* ; 76(6):549-555.

- Stafford GI, Pedersen MF, van Staden J and Jager AK (2008):** Review on plants with CNS-effects used in traditional South African medicine against mental diseases. *J Ethnopharmacol* ; 119 (3): 513 -37.
- Stewart MJ and Steenkamp V (2000):** The biochemistry and toxicity of atractyloside: a review, *Ther Drug Monit* 22, pp. 641-649.
- Stickel F, Baumuller HM, Seitz KH, Vasilakis D, Seitz G and Seitz HK, et al. (2003):** Hepatitis induced by Kava (*Pipermethysticum rhizoma*), *J Hepatol* ;39 : 62-67.
- Stickel F, Seitz HK, Hahn HG and Schuppan D (2003):** Acute hepatitis induced by greater celandine, *Scand J Gastroenterol* ; 38 : 565-568.
- Stickel F, Patsenker E and Schuppan D (2005):** Herbal hepatotoxicity, *J hepato* ; 43 : 901-910
- Stillman AS, Huxtable R, Consroe P, Kohnen P and Smith S (1977):** Hepatic veno-occlusive disease due to pyrrolizidine (Senecio) poisoning in Arizona. *Gastroenterology*; 73: 349-352.
- Stradler DB, Bacon BR, Lindsay KL, La Breque DR, Morgan T and Wright EC et al. (2002):** Use of complementary and alternative medicine in patients with liver disease, *Am J Gastroenterology*; 97 : 2391 – 2397.
- Strahl S, Ehret V, Dahm HH and Maier KP (1998):** Necrotizing hepatitis after taking herbal medication extracts of kava or of common or lesser celandine (article in German), *Dtsch Med Wochenschr* ; 123: 1410-1414.
- Strandberg TE, Jarvenpaa AI and Vanhanen H (2001):** Birth outcome in relation to licorice consumption during pregnancy. *American Journal of Epidemiology* ; 153(11): 1085-1088.
- Swanston-Flatt SK, Day C, Flatt PR et al. (1989):** Glycaemic effects of traditional European plant treatments for diabetes. Studies in normal and streptozotocin diabetic mice. *Diabetes Res.*10(2):69-73.
- Swinyard EA and Woodhead JH (1982):** Experimental detection quantification and evaluation of anticonvulsants. In: *Antiepileptic Drugs*. Eds. Woodbury D.M., Penry J.K. and Pippenger C.E., 2 nd edn., PP.111-126, Raven Press, New York, NY.
- Szilard S, Szentgyorgyi G, Dhanalakshmi S et al. (1988):** Protective effect of legalon in workers exposed to organic solvents. *Acta Med Hung*; 45 (2): 249 – 256.
- Taibi DM, Landis CA, Fety H and Vitiello MV (2007):** A systematic review of valerian as a sleep aid , safe but not effective. *Sleep Med Rev*; 11(3) : 209 – 230.
- Tanamly MD, Tadros F, Labeeb S et al. (2004):** Randomized double blinded trial evaluating silymarin for chronic hepatitis C in an Egyptian village: study description and 12 month results. *Dig Liver Dis*. 36(11):752-759.

- Tandon BN, Tandon RK, Tandon HD, Narndranathan M and Joshi YK (1976):** An epidemic of veno-occlusive disease of liver in Central India, *Lancet* 2, pp. 271-272.
- Tao YY and Liu CH (2004):** Progress of research on mechanism of salvia miltiorrhiza and its chemical ingredients against liver Fibrosis. *Zhong Xi Yi Jie He Xue Bao*; 2: 145-148.
- Tapsell LG (2006):** health benefits of herbs and spices. *Medical Journal* ; 185 (4): 1-24.
- Tasca A, Barulli M, Cavazzana A, Zattoni F, Artibani W and Pagano F (1985):** Treatment of obstructive symptomatology caused by prostatic adenoma with an extract of *Serenoa repens*. double-blind clinical study vs placebo. *Minerva Urologica e Nefrologica* ; 37 : 87-91.
- Taussig SJ and Batkin S (1998):** Bromelain, the enzyme complex of pineapple (*Ananus comosus*) and its clinical application. An update. *Journal of Ethnopharmacology* ; 22: 191-203.
- Thakur SK (2002):** Silymarin- A hepatoprotective agent. *Gastroenterol Today*; 6: 78-82.
- Thaloor D, Singh AK, Sidhu GS et al. (1998):** Inhibition of angiogenic differentiation of human umbilical vein endothelial cells by curcumin. *Cell Growth Differ.* 9(4):305-312.
- Thapliyal R and Maru GB (2001):** Inhibition of cytochrome P450 isozymes by curcumins in vitro and in vivo. *Food Chem Toxicol.* 39(6):541-547.
- Tian Z, Liu S and Li D (1997):** Blocking action of tetrandrine on the cell proliferation induced by PDGF in human lung fibroblasts and liver Ito cell of rats. *Zhonghua Yi Xue Za Zhi*; 77: 50-53.
- Tijanil, AY, Uguru MO and Salawu OA (2008):** Anti-pyretic, anti-inflamamtory and anti – diarrhoeal properties of *Faidherbia albida* in rats. *African Journal of Biotechnology*; 7 (6): 696-700.
- Trojanova I, Rada V, Kokoska L and Vlkova E (2004):** The bifidogenic effect of *Taraxacum officinale* root. *Fitoterapia* ;75: 760-763.
- Tyagi AK, Singh RP, Agarwal C et al. (2002):** Silibinin strongly synergizes human prostate carcinoma DU145 cells to doxorubicin induced growth inhibition, G2-M arrest, and apoptosis. *Clin Cancer Res.* 8:3512-3519.
- Tyler VE, Brady LR and Robbers JE (1998):** *Pharmacognosy*, 9th edition. Lea and Febiger, Philadelphia. PA.68-69.
- UNDP (2007/2008):** Human development report2007/2008, United Nation Development Programme.In:Encyclopedia of earch.eds:Culter J,Stephen C. Nodvin and Maggie L. Walser.National council for science and the environment.
- Unger M and Frank A (2004):** Simultaneous determination of the inhibitory potency of herbal extracts on the activity of six major cytochrome P450

- enzymes using liquid chromatography/mass spectrometry and automated online extraction. *Rapid Commun. Mass Spectrom* ; 18: 2273-2281.
- Vailati A, Aristia L, Sozze E et al. (1993):** Randomized open study of the dose-effect relationship of a short course of IdB 1016 in patients with viral or alcoholic hepatitis. *Fitoterapia* ; 64: 219-231.
- Van Rossum TGJ, Vulto AG, Hop WCJ, et al. (1999):** Intravenous glycyrrhizin for treatment of chronic hepatitis C: A double blind, randomized, placebo controlled phase I/II trial. *J Gastroenterol Hepatol*. 14:1093-1099.
- Varghese L, Agarwal C, Tyagi A et al. (2005):** Silibin efficacy against human hepatocellular carcinoma. *Clin Cancer Res*. 11(23):8441-8448.
- Velussi M, Cernigoi AM, De Monte A et al. (1997):** Long-term (12 months) treatment with an anti-oxidant drug (silymarin) is effective on hyperinsulinemia, exogenous insulin need and malondialdehyde levels in cirrhotic diabetic patients. *J Hepatol*. 26(4):871-879.
- Vinh PQ, Sugie S, Tanaka T et al. (2002):** Chemopreventive effects of a flavonoid antioxidant silymarin on N-butyl-N-(4-hydroxybutyl) nitrosamine-induced urinary bladder carcinogenesis in male ICR mice. *Jpn J Cancer*. 93:42-49.
- Vogel G (1980):** The anti-amanita effect of silymarin. In : Faulstich et al (Eds.), *Amanita toxins and poisoning*. Witzstock, Baden-Baden Koln New York, S 180-187.
- Vogler BK and Ernst E (1999).** Aloe vera: a systematic review of its clinical effectiveness. *Br J Gen Pract*. 49 : 823 - 828.
- Walter J. Daly and Craig Brater D (2000):** Medieval contributions to the search for truth in clinical medicine. *Perspectives in Biology and Medicine*;43 (4): 530-540
- Walti M, Neftel KA, Jost R, Jaeger A, Berg P, Heinzl F and Weitzel M (1986):** IgE and IgG antibodies against flavonoids following therapy with flavonoid-containing drugs. *Schweizerische Medizinische Wochenschrift. Journal Suisse de Medecine* ; 116: 98-103.
- Wang H and Chen X (2004):** Tetrandrine ameliorates cirrhosis and portal hypertension by inhibiting nitric oxide in cirrhotic rats. *J Huazhong Univ Sci Technol Med Sci*; 24: 385-8.
- Wang JY, Guo JS, Li H, et al. (1998):** Inhibitory effect of glycyrrhizin on NF-kappa B binding activity in CCl₄-plus ethanol induced liver cirrhosis in rats. *Liver*; 18(3): 180-185.
- Wang JY, Liu HY, Hu DC et al. (1991):** A randomized controlled trial of potenlini on chronic active hepatitis B. *Chin J Infec Dis*. 9:208-211.

- Wang YQ, Luk JM, Ikeda K, et al. (2004):** Regulatory role of vHL/ HIF-1 α in hypoxia-induced VEGF production in hepatic stellate cells. *Biochem Biophys Res Commun*; 317: 358-362.
- Weng S, Leng X and Wei Y (2002):** Interleukin-10 inhibits the activation of cultured rat hepatic stellate cells induced by Kupffer cells. *Zhonghua Yi Xue Za Zhi*; 82: 104-107.
- Weston CFM, Cooper BT, Davies JD and Levine DF (1987):** Veno-occlusive disease of the liver secondary to ingestion of comfrey, *Br Med J* 295, p. 183.
- Wilkie A and Cordess CH (1994):** Ginseng, a root just like a carrot? *Journal of Medicine*; 87: 594-596.
- Williams CA, Goldstone F and Greenham J (1996):** Flavonoids, cinnamic acids and coumarins from the different tissues and medicinal preparations of *Taraxacum officinale*. *Phytochemistry* ;42: 121-127.
- Williamson EM (2001):** Synergy and other interactions in phytomedicines. *Phytomedicine*; 8 (5): 401 – 409.
- Wilmot FC and Robertson GW (1920):** Senecio disease or cirrhosis of the liver due to senecio poisoning, *Lancet* II, pp. 828-829.
- Winslow LC and Kroll DJ (1998):** Herbs as medicines. *Archives of Internal Medicine* ; 158: 2192-2199.
- Woolf GM, Petrovic LM, Roiter SE, Wainwright S, Villamil FG and Katkov WN, et al. (1994):** Acute hepatitis associated with the Chinese herbal product Jin Bu Huan, *Ann Intern Med.* 10 : 729-735.
- World Health Organization (1999):** WHO monographs on selected medicinal plants. Vol. 1 Geneva, The Organization.
- Wu CS, Piao XX, Piao DM, Jin YR and Li CH (2005):** Treatment of pig serum-induced rat liver fibrosis with *Boschniakia rossica*, oxymatrine and interferon- α . *World J Gastroenterol*; 11 : 122-126.
- Wu YS, Yang CH and Jiang JF (1958):** Primary report of radix *salviae miltorrhizae* in treatment of late-stage schistosomiasis cirrhosis and splenomegaly. *Zhonghua Yixue Zazhi*; 542-545.
- Wu YT, Shen C, Yin J et al. (2006):** Azathioprine hepatotoxicity and the protective effect of liquorice and glycyrrhizic acid. *Phytother Res.* 20(8):640-645.
- Xianshi S, Huiming C, Lizhuang W et al. (1984):** Clinical and laboratory observation on the effect of glycyrrhizin in acute and chronic viral hepatitis. *J Trad Chin Med.* 4 : 127 - 132.
- Xie LH, Ahn EM, Akao T et al. (2003):** Transformation of arctiin to estrogenic and antiestrogenic substances by human intestinal bacteria. *Chem Pharm Bull (Tokyo).* 51(4):378-384.

- Yamamura Y, Kotaki H, Tanaka N, Aikawa T, Sawada Y and Iga T (1997):** The pharmacokinetics of glycyrrhizin and its restorative effect on hepatic function in patients with chronic hepatitis and in chronically carbon-tetrachloride-intoxicated rats, *Biopharm Drug Dispos* ; 18 : 717-725.
- Yang S, Chen J, Guo Z, et al. (2003):** Triptolide inhibits the growth and metastasis of solid tumors. *Mol Cancer Ther*; 2: 65-72.
- Yang W, Zeng M, Fan Z, et al.(2002):** Prophylactic and therapeutic effect of oxymatrine on D-galactosamine-induced rat liver fibrosis. *Zhonghua Gan Zang Bing Za Zhi*; 10: 193-196.
- Yao M, Ritchie HE and Brown - Woodman PD (2006):** A reproductive screening test of feverfew : is a full reproductive study warranted?. *Reproductive Toxicology*; 22 (4) : 688 – 693.
- Yongchaiyuda S, Rungpitarangi V, Bunyapraphatsara N, et al. (1996):** Antidiabetic activity of Aloe vera L. juice, clinical trial in new cases of diabetes mellitus. *Phytomedicine* ; 3: 241-243.
- Yoshida EM, McLean CA, Cheng ES, Blanc PD, Somberg KA and Ferrell LD, et al. (1996)** Chinese herbal medicine, fulminant hepatitis and liver transplantation, *Am J Gastroenterol* ; 12: 2647-2648.
- Yoysungnoen P, Wirachwong P, Bhattarakosol p et al. (2005):** Antiangiogenic activity of curcumin in hepatocellular carcinoma cells implanted nude mice. *Clin Hemorheol Microcirc*. 33(2): 127-135.
- Yu XH, Zhu JS, Yu HF and Zhu L (2004):** Immunomodulatory effect of oxymatrine on induced CCl₄-hepatic fibrosis in rats. *Chin Med J (England)*; 117: 1856-8.
- Yu YX, Yang HQ, Zhu LZ, et al. (1994):** Clinical trial of large-dose radix salviae miltorrhizae in treatment of liver fibrosis. *Shanghai Zhongyiyao Zazhi*; 8-10.
- Zhang Q, Kelly AP, Wang L, French SW, Tang X, Duong HS, Messadi DV and Le AD (2006):** Green tea extract and epigallocatechin-3-gallate inhibit mast cell - stimulated type I collagen expression in keloid fibroblasts via blocking P1-3K/AkT signaling pathways. *J Invest Dermatol* ;126 (12): 2607-2613.
- Zhao JF, Liu CH, Hu YY, Xu LM, Liu P and Liu C (2004):** Effect of salvianolic acid B on Smad3 expression in hepatic stellate cells. *Hepatobiliary Pancreat Dis Int*; 3: 102-105.
- Zhao P, Li HW, Lou M, Cheng YQ, Lan Y and Fu JL (2004):** IFN or oxymatrine in combination with lamivudine in patients with lamivudine-resistant chronic hepatitis B. *Zhonghua Shi Yan He Lin Chuang Bing Du Xue Za Zhi* ; 18: 80-82.

- Zhao YZ, Kim JY, Park EJ, et al. (2004):** Tetrandrine induces apoptosis in hepatic stellate cells. *Phytother Res*; 18: 306-309.
- Zhu M, Wong PY and Li RC (1999):** Effects of taraxacum mongolicum on the bioavailability and disposition of ciprofloxacin in rats. *J. Pharm. Sci.* 88, 632-634.
- Zhu W, Zhang JS and Young YF (2001):** Silymarin inhibit function of the androgen receptor by reducing nuclear localization of the receptor in the human prostate cancer cell line LNCaP. *Carcinogenesis*. 22: 1399-1403.
- Zi X, Zhang J, Agarwal R et al. (2000):** Silibinin up regulates insulin-like growth factor-binding protein 3 expression and inhibits proliferation of androgen-independent prostate cancer cells. *Cancer Res*. 60:5617-5620.