CONTENTS

Pages

Introduction & Aim Of Work	1
Review Of Literature	
- Chapter 1: Normal MRI Anatomy Of The Breast	4
- Chapter 2: Patho-Radiology Of Breast Neoplasm	14
Malignant Neoplasm	14
Benign Neoplasm	26
- Chapter 3: Technique Of MRI Mammography	31
Development Of Breast MRI	32
Advantages Of MRM	35
Considerations For Choosing a standard	
technique	49
Para-magnetic contrast agent	
- Chapter 4: MRI Interpretation Of Breast Malignancy	53
Basis of MRI Interpretation	54
Morphologic Criteria	55
Enhancement Criteria	58
MRI Evaluation of the Post Surgical Breast	62
MRI Evaluation Of The Breast Post Irradiation	79
MRI Evaluation Of The Breast Post	
Chemotherapy	85
Patients & Methods	89
Patients' Presentation	95
Results & Statistical Analysis	145
Discussion	162
References	173
Arabic Summary.	

LIST OF FIGURES

I	Page
Fig 1: Sagittal view of gross anatomy of the breast (Quoted from	
Mathes SJ & Nahai F, 1997).	5
Fig 2: Terminal ducts lobular unit (Quoted from Elizabeth A. Morris	
& Laura Liberman, 2005).	5
Fig 3: Normal MRI anatomy of the breast on T1 WIs(Quoted from	
Elizabeth A.Morris & Laura Liberman, 2005)	7
Fig 4: skin & nipple on T1 fat suppressed image (Quoted from	
Elizabeth A Morris & Laura Liberman; 2005)	8
Fig 5: MIP image demonstrating blood vessels (Quoted from	
Elizabeth.A Morris & Laura. Liberman, 2005)	8
Fig 6: Axial T2 WI of normal breast	9
Fig 7 :Normal MRI Enhancement pattern of the breast (Quoted from	
Christiane K.Kuhl, 2005)	10
Fig 8: Hormonal effect on MRI parencchymal pattern of the breast	
(Quoted from Elizabeth.A Morris & Laura.Liberman, 2005)	11
Fig 9: Post contrast T1 fat suppression showing ductal enhancement	
(DCIS) (Quoted from Elizabeth A.M & Laura L, 2005)	17
Fig 10: T1-weighted, contrast-enhanced MRI of the left breast	
showing Invasive ductal carcinoma in the form of multiple rim-	
enhancing masses (Quoted from Lia Bartella & D.David	
Dershaw;2005)	18
Fig 11: Sagittal, T1-weighted, contrast-enhanced MRI of the right	
breast demonstrates irregular, inhomogeneously enhancing mass	
representing invasive lobular carcinoma. (Quoted from Lia Bartella	
& D.David Dershaw; 2005)	22

Fig 12: Sagittal, T1-weighted contrastenhanced MRI of the left	
breast shows a rim enhancing mass representing breast lymphoma	
associated with axillary lymph nodes.(quoted from Lia Bartella &	
D.David Dershaw;2005)	23
Fig 13: Post contrast T1 WI showing irregularly shaped, irregularly	
marginated, heterogeneously enhancing mass representing	
Angiosarcoma.(quoted from Lia Bartella & D.David Dershaw;2005).	24
Fig 14: (A,B) post contrast T1 WI, A shows a single nodular	
parenchymal metastatic deposit, B shows metastatic deposit confined	
to the skin region (Quoted from Elizabeth AM & Laura L; 2005)	25
Fig 15: Post contrast Sagittal T1 WI showing enhancing	
Fibroadenoma. (Quoted from Andrea F & Abramson; 2005)	27
Fig 16: Axial T1 WIs of phyllodes tumor	28
Fig 17:(A) shows T1-weighted precontrast image shows high signal	
proteinaceous or hemorrhagic fluid in a dilated duct (arrow) & (B)	
shows T1-weighted postcontrast enhanced image demonstrates slight	
enhancement of the mass filling defect (arrow). (Quoted from Andrea	
F & Abramson; 2005)	29
Fig 18: A, T2 WI showing bright signal & B T1 WI post contrast	
showing intermediate signal of a simple cyst (Quoted from Lia	
Bartella & D.David Dershaw; 2005)	30
Fig 19: Breast coils (Quoted from Elizabeth AM & Laura L; 2005)	36
Fig 20 :patient's positioning.	37
Fig 21: Transverse plane (quoted from Nola M. Hylton; 2005)	38
Fig 22 :sagittal plane (quoted from Nola M. Hylton; 2005)	39
Fig 23: coronal images of ca breast	40
Fig 24: MIP images	47

Fig 25: Invasive breast cancer on pre-contrastT1-weighted image	
(Quoted from Daniel B. Kopans; 2007)	55
Fig 26: Pre (A) & post-contrast (B) T1 WIs of cancer in the left	
breast (Quoted from Daniel B. Kopans; 2007)	56
Fig 27: Post-contrast T1 WI showing enhancing breast cancer with	
speculated outline (Quoted from Carol H. Lee;2004).	57
Fig 28: Enhancement curves I, II & III (Quoted from Carol H.	
Lee,2004)	60
Fig 29: Skin & trabecular thickening (Quoted from Susan Ackerman	
2009)	67
Fig 30: Hematoma formed at biopsy site (Quoted from Susan	
Ackerman 2009)	67
Fig 31: Resolving hematoma after surgery. (Quoted from Susan	
Ackerman 2009)	68
Fig 32: Status post lumpectomy 3 months ago with close margins.	
Distortion is noted superiorly at the site of biopsy with adjacent skin	
thickening.(Quoted from Elizabeth A. Morris & Laura Liberman;	
2005)	69
Fig 33: status post lumpectomy with multiple clips are noted	
posteriorly at the lumpectomy site .(Quoted from Elizabeth A. Morris	
& Laura Liberman; 2005)	69
Fig 34: T1 & T2 WIs showing post operative Seromas .(Quoted from	
Elizabeth A. Morris & Laura Liberman; 2005)	70
Fig 35: (A) Pre- and (B) post-contrast images demonstrate a	
hematoma(Quoted from Elizabeth A. Morris & Laura Liberman;	
2005)	70
Fig 36 :Residual carcinoma (arrows) posterior to seroma.(Quoted	
from Elizabeth A. Morris & Laura Liberman; 2005)	71

Fig 37: Mammography showing post operative scarring (Quoted	
from Suzan Ackerman; 2009)	72
Fig 38: Macro-calcifications related to fat necrosis (Quoted	
fromSuzan Ackerman; 2009)	73
Fig 39: Cancer vs post-surgical scar (Quoted fromSuzan Ackerman;	
2009)	73
Fig 40: T1 WI post contrast demonstrates distortion, nipple	
retraction, and scarring in the central breast at the site of	
lumpectomy. (Quoted from Elizabeth A. Morris & Laura Liberman;	
2005)	74
Fig 41: Post contrast T1 fat suppression showing fat necrosis with	
rim enhancement.(Quoted from Caroline P, Barbara J & David S,	
2008)	76
Fig 42: T1 pre-contrast T2 WIs showing oil cyst (Quoted from	
Cardenosa G;1997)	76
Fig 43: Pre & post contrast images showing granuloma of the breast	
displaying contrast uptake (Quoted from Boo-Kyung Han et	
al;2001)	77
Fig 44 :Recurrence of breast cancer post surgical(Quoted from	
Elizabeth A. Morris & Laura Liberman; 2005)	78
Fig 45:(a) Medio-lateral view of the left breast shows an infiltrating	
carcinoma, before therapy. (b) Medio-lateral view of the same breast	
9 months after surgery and radiation therapy. Skin thickening,	
coarsening of the stromal pattern, and diffuse increase in breast	
density are apparent. Calcifications present on the pretreatment	
mammogram are unchanged.	80
Fig 46: Status post left lumpectomy followed by radiation therapy	
with significant artifact from clips placed at lumpectomy. Note skin	

thickening in the anterior breast. Diffuse mild enhancement is noted	
(Quoted from Elizabeth A Morris & Laura Liberman 2005)	82
Fig 47: post-operative & irradiation, Mammography shows	
parenchymal distortion-MRI shows recurrence (Quoted from	
Kaplan JB & Dershow DD; 2005).	83
Fig 48: Post-contrast T1 WI Pre-chemotherapy (A) & 5 wks post	
chemotherapy (B) showing response to therapy (Quoted from	
Kablan JB & Dershow DD;2005)	87
Fig 49: Post-contrast T1 WI Pre-chemotherapy (A) & 7 wks post	
chemotherapy (B) showing no response to therapy (Quoted from	
Kablan JB & Dershow DD;2005)	87