

References

- Abaza, S.M.; Makhlouf, L.M.; el-Shewy, K.A. and El-Moamly, A.A. (1995):** Intestinal opportunistic parasites among different groups of immunocompromised hosts. *J. Egypt Soc. Parasitol.*, 25:713-727.
- Abe, N.; Kimata, I. and Iseki, M. (2009):** Molecular evidence of *Enterocytozoon bieneusi* in Japan. *J. Vet. Med. Sci.*, 71: 217-219.
- Abreu-Acosta, N.; Lorenzo-Morales, J.; Leal-Guio, Y.; Coronado-Alvarez, N.; Foronda, P.; Alcoba-Florez, J.; Izquierdo, F.; Batista-Díaz, N.; Del Aguila, C. and Valladares, B. (2005):** *Enterocytozoon bieneusi* (microsporidia) in clinical samples from immunocompetent individuals in Tenerife, Canary Islands, Spain. *Trans. R. Soc. Trop. Med. Hyg.*, 11: 848-855.
- Achbarou, A.; Ombrouck, C.; Gneragbe, T.; Charlotte, F.; Renia, L.; Desportes-Livage I. and Mazier D. (1996):** Experimental model for human intestinal microsporidiosis in interferon gamma receptor knockout mice infected by *Encephalitozoon intestinalis*. *Parasite Immunol.*, 18: 387-392.
- Alfa Cisse O, Ouattara A, Thellier M, Accoceberry, I.; Biligui, S.; Minta, D.; Doumbo, O.; Desportes-Livage, I.; Thera, M.A.; Danis, M and Datry, A. (2002):** Evaluation of an immunofluorescent-antibody test using monoclonal antibodies directed against *Enterocytozoon bieneusi* and *Encephalitozoon intestinalis* for diagnosis of intestinal microsporidiosis in Bamako (Mali). *J Clin Microbiol.*, 40:1715-1718.

- Ali, M.S.; Mahmoud, L.A.; Abaza, B.E. and Ramadan, M.A.(2000):** Intestinal spore-forming protozoa among patients suffering from chronic renal failure. J Egypt Soc Parasitol., 30:93-100.
- Arcay, L. (2000):** Human microsporidiosis. Investigacion Clinica., 1: 3–42.
- Ashton, N. and Wirasinha, P. A. (1973):** Encephalitozoonosis (nosematosis) of the cornea. Br J Ophthalmol. 57: 669-74.
- Babameto, G.; Kotler, D.P.; Burastero, S., Wang, J. and Pierson, R.N. (1994):** Alterations in hydration in HIV-infected individuals. Clinical Research, 42: 279-286.
- Beauvais, B.; Sarfati, C.; Challier, S. and Derouin, F.(1994):** In vitro model to access effect of antimicrobial agents on *Encephalitozoon cuniculi*. Antimicrobiol Agents Chemother., 38: 2440–2448.
- Beckwith, C.; Peterson, N.; Liu, J. J. and Shadduck, J. A. (1988):** Dot enzymelinked immunosorbent assay (dot ELISA) for antibodies to *Encephalitozoon cuniculi*. Lab. Anim. Sci. 38:573–576.
- Bedoya, K.; Montoya, M. N.; Botero, J. and Galván, A. L. (2008):** First isolate of *Encephalitozoon intestinalis* from stools of a Colombian patient with AIDS. Biomedica., 28:441-447.
- Bern, C.; Hernandez, B.; Lopez, M.B.; Arrowood, M.J.; de Mejia, M.A.; de Merida, A.M.; Hightower, A.W.; Venczel, L.; Herwaldt, B.L. and Klein, R.E. (1999):** Epidemiologic studies of *Cyclospora cayetanensis* in Guatemala. Emerg. Infect. Dis.; 5: 766-774.
- Bern, C.; Kawai, V.; Vargas, D.; Rabke-Verani, J.; Williamson, J.; Chavez-Valdez, R.; Xiao, L.; Sulaiman, I.; Vivar, A.; Ticona, E.; Navincopa, M.; Cama, V.; Moura, H.; Secor, W. E.; Visvesvara,**

- G. and Gilman, R.H. (2005):** The epidemiology of intestinal microsporidiosis in patients with HIV/AIDS in Lima, Peru. *J. Infect. Dis.*, 191: 1658-1664.
- Biderre, C.; Mathis, A.; Deplazes, P.; Weber, R.; Metenier, G. and Vivares, C.P. (1999):** Molecular karyotype diversity in the microsporidian *Encephalitozoon cuniculi*. *Parasitology*. 118: 439–445.
- Biderre, C.; Pages, M.; Metenier, G.; David, D.; Bata, J.; Prensier, G. and Vivares, C.P.(1994):** On small genomes in eukaryotic organisms: molecular karyotypes of two microsporidian species (Protozoa) parasites of vertebrates. *C.R. Acad. Sci. III* .317: 399–404.
- Bigliardi, E.; Riparbelli, M.G.; Selmi, M.G.; Bini, L.; Liberatori, S.; Pallini, V.; Bernuzzi, A.; Gatti, S.; Scaglia, M. and Sacchi, L. (1999):** Evidence of actin in the cytoskeleton of microsporidia, *J. Eukaryot. Microbiol.*, 46: 410–415.
- Bigliardi, E.; Riparbelli, M.G.; Selmi, M.G.; Lanzarini, P.; Corona, S.; Gatti, S.; Scaglia, M. and Sacchi, L. (1998):** Mechanisms of microsporidian cell division: ultrastructural study on *Encephalitozoon hellem*, *J. Eukaryot. Microbiol.*, 45: 347–351.
- Bigliardi, E. and Sacchi, L. (2001):** Cell biology and invasion of the microsporidia. *Microbes and Infection*. 3: 373-379.
- Bigliardi, E.; Selmi, M.G.; Lupetti, P.; Corona, S.; Gatti, S.; Scaglia, M. and Sacchi, L. (1996):** Microsporidian spore wall: Ultrastructural findings on *Encephalitozoon hellem* exospore, *J. Eukaryot. Microbiol.*, 43: 181–186.

- Boyle, J.T.; Celano, P. and Koldovsky, O. (1980):** Demonstration of a difference in expression of maximal lactase and sucrase activity along the villus in the adult rat jejunum. *Gastroenterology*. 79: 503-507.
- Brasil. P.; de Lima, D.B.; De Paiva, D.D.; Lobo, M.S.; Sodré, F.C.; Silva S.P.; Villela, EV.; Silva, E.J.; Peralta, J.M.; Morgado, M. and Moura, H.(2000):** Clinical and diagnostic aspects of intestinal microsporidiosis in HIV-infected patients with chronic diarrhea in Rio de Janeiro, Brazil. *Rev Inst Med Trop Sao Paulo*. 42:299-304.
- Breton, J.; Bart-Delabesse, E.; Biligui, S.; Carbone, A.; Seiller, X.; Okome-Nkoumou, M.; Nzamba, C.; Kombila, M.; Accoceberry, I. and Thellier, M. (2007):** Biodiversity of *Enterocytozoon bieneusi* genotypes from humans in gabon and cameroon includes a new highly divergent sequence. *Clin. Microbiol.*, 10: 2554-2556.
- Briner, D.; Meister, T.H.; Luthy, R. and Weber, R. (1996):** Clinical manifestations, extraintestinal complications and long-term course of intestinal *Enterocytozoon bieneusi* microsporidiosis. International Conference on AIDS. 1996 Jul 7-12 (abstract no. Mo.B.114).
- Brunner, O.; Edelman, S. and Klipstein, F.A. (1970):** Intestinal morphology of rural Haitians: a comparison between overt tropical sprue and asymptomatic subjects. *Gastroenterology*. 58:655-672.
- Bryan, R. T.; Cali, A.; Owen, R. L.; and Spencer, H. C. (1990):** Microsporidia: opportunistic pathogens in patients with AIDS. *Prog. Clin. Parasitol.* 2:1-26.
- Bryan, R.T. and Schwartz, D.A. (1999):** Epidemiology of microsporidiosis. In: Wittner, M., Weiss, L. (Eds.), *The Microsporidia*

and Microsporidiosis. American Society of Microbiology, Washington, D.C.pp. 502–516.

Buckholt, M.A.; Lee, J.H. and Tzipori, S. (2002): Prevalence of *Enterocytozoon bienersi* in swine: an 18-month survey at a slaughterhouse in Massachusetts. Appl. Environ. Microbiol., 68: 2595-2599.

Burri, L.; Williams, B.A.; Bursac, D.; Lithgow, T. and Keeling, P.J. (2006): Microsporidian mitosomes retain elements of the general mitochondrial targeting system. Proc. Natl. Acad. Sci. U.S.A. 103, 15916-15920.

Cali, A. and Takvorian, P. (1999): Developmental morphology and life cycles of the microsporidia. In: Wittner, M., Weiss, L. (Eds.), The Microsporidia and Microsporidiosis. American Society of Microbiology, Washington, DC, pp. 85–128.

Cama, V.; Cabrera, L.; Lopera, C.; Vargas, M.; Taquiri, C.; Smit, H.; and Xiao, L. (2008): Molecular characterization of *Cryptosporidium* and microsporidia from goats and sheep in Peru, abstr. PL3. 10th International Workshops on Opportunistic Protists, Boston, MA.

Cama, V.; Pearson, J.; Cabrera, L.; Pacheco, L.; Gilman, R.; Meyer, S.; Ortega, Y. and Xiao, L. (2007) : Transmission of *Enterocytozoon bienersi* between a child and guinea pigs. J Clin Microbiol., 45:2708-2710.

Canning, E. U. (2001): Microsporidia. In: Gillespie, S. & Pearson, R. D. (ed.), Principles and Practice of Clinical Parasitology. John Wiley & Son Ltd., Chichester, UK.: 171–195.

- Carlson, J. R.; Li, L.; Helton, C. L.; Munn, R. J.; Wasson, K.; Perez, R.V.; Galloway, B.J. and Finkbeiner, W. E. (2004):** Disseminated microsporidiosis in a pancreas/kidney transplant recipient. Arch. Pathol. Lab. Med., 128: 41-43.
- Chabchoub, N.; Abdelmalek, R.; Mellouli, F.; Kanoun, F.; Thellier, T.; Bouratbine, A. and Aoun, K. (2009):** Genetic Identification of Intestinal Microsporidia Species in Immunocompromised Patients in Tunisia. Am. J. Trop. Med. Hyg., 80: 24–27.
- Chacin-Bonilla, L.; Panunzio, A. P.; Monsalve-Castillo, F. M.; Parra-Cepeda, I. E. and Martinez, R.(2006):** Microsporidiosis in Venezuela: prevalence of intestinal microsporidiosis and its contribution to diarrhea in a group of human immunodeficiency virus–infected patients from Zulia state. Am. J. Trop. Med. Hyg., 74:482–486.
- Chan, C. M. L., Theng, J. T. S., Li, L. & Tan, D. T. H. (2003):** Microsporidial keratitis in healthy individuals. Ophthalmology. 110: 1420–1425.
- Chu, P. and West, A. (1996):** *Encephalitozoon (Septata) intestinalis*: cytologic, histologic, and electron microscopic features of a systemic intestinal pathogen. Am. J. Clin. Pathol. , 106: 606–614.
- Conteas, C.N.; Berlin, O.G.; Lariviere, M.J.; Pandhumas, S.S.; Speck, C.E.; Porschen, R. and Nakaya, T. (1998):** Examination of the prevalence and seasonal variation of intestinal microsporidiosis in the stools of persons with chronic diarrhea and human immunodeficiency virus infection. Am. J. Trop. Med. Hyg., 58: 559-561.

- Cotte, L.; Rabodonirina, M.; Chapuis, F.; Bailly, F.; Bissuel, F.; Raynal, C.; Gelas, P.; Persat, F.; Piens, M.A. and Trepo, C. (1999):** Waterborne outbreak of intestinal microsporidiosis in persons with and without human immunodeficiency virus infection. *J. Infect. Dis.*, 180: 2003-2008.
- Coyle, C.; Bucchi, C.; Tavlett, N.; Tanowitz, H.B.; Witlner, M. and Weiss, L.M. (1996):** Polyamine metabolism as a therapeutic target form microsporidia. *J. Eukaryot. Microbiol.*, 43: 96–98.
- Da silva, A.J.; Schwartz, D.A.; Visvesvara, G.S.; Moura, H.; Slemenda, S.B. and Pieniazek, N.J. (1996):** Sensitive PCR diagnosis of infections by *Enterocytozoon bieneusi* (Microsporidia) using primers based on the region coding for small-subunit rRNA. *J. Clin. Microbiol.*, 34: 986-987.
- Dascomb, K.; Clark, R.; Aberg, J.; Pulvirenti, J.; Hewitt, R. G.; Kissinger, P. and Didier, E.S. (2000):** Natural history of intestinal microsporidiosis among patients infected with human immunodeficiency virus. *J. Clin. Microbiol.*, 37: 3421-3422.
- Del Aguila, C.; Croppo, G. P. ; Moura, H. ; Da Silva, A. J. ; Leitch, G. J. ; Moss, D. M; Wallace, S.; Slemenda, S. B.; Pieniazek, N. J.; and Visvesvara, G. S. (1998):** Ultrastructure, immunofluorescence, Western blot, and PCR analysis of eight isolates of *Encephalitozoon (Septata) intestinalis* established in culture from sputum and urine samples and duodenal aspirates of five patients with AIDS. *J. Clin. Microbiol.* 36:1201–1208.
- Del Aguila, C.; Izquierdo, F.; Haro, M.; Bernardo, R.; Rueda, C.; Andres, I.; Alonso, F.; Ponce, F.; Fenoy, S and Henriques, N. (2004):** Zoonotic potential of microsporidiosis in Spain. In: *Emergent*

pathogens in the 21st century: first united workshop on microsporidia from invertebrate and vertebrate hosts, Ceske Budejovice, 12–15 July 2004, pp. 200.

Del Aguila, C.; Izquierdo, F.; Navajas, R.; Pieniazek, N.J.; Miró, G.; Alonso, A.I.; Da Silva, A.J. and Fenoy, S. (1999): *Enterocytozoon bieneusi* in animals: rabbits and dogs as new hosts. J. Eukaryot. Microbiol., 46: 8-9.

Del Aguila, C.; Navajas, R.; Gurbindo, D.; Ramos, J.T.; Mellado, M.J.; Fenoy, S.; Muñoz Fernandez, M.A.; Subirats, M.; Ruiz, J. and Pieniazek, N.J. (1997): Microsporidiosis in HIV-positive children in Madrid (Spain). J. Eukaryot. Microbiol., 44: 84-85.

Dengjel, B.; Zahler, M.; Hermanns, W.; Heinritzi, K.; Spillmann, T.; Thomschke, A.; Löscher, T.; Gothe, R. and Rinder, H. (2001): Zoonotic potential of *Enterocytozoon bieneusi*. J. Clin. Microbiol., 39: 4495-4499.

Deplazes, P.; Mathis, A. and Weber, R. (2000): Epidemiology and zoonotic aspects of microsporidia of mammals and birds. Contrib. Microbiol., 6: 236–260.

Desportes-Livage, I. (2000): Biology of microsporidia. Contrib Microbiol 6:140–165.

Desportes-Livage, I.; Chilmonczyk, S.; Hedrick, R.; Ombrouck, C.; Monge, D.; Maiga, I. and Gentilini M. (1996): Comparative development of two microsporidian species: *Enterocytozoon bieneusi* and *Enterocytozoon salmonis*, reported in AIDS patients and salmonid fish respectively, J. Eukaryot. Microbiol. 43: 49–60.

Desportes-Livage, I.; Le Charpentier, Y.; Galian, A.; Bernard, F.; Cochand-Priollet, B.; Lavergne, A.; Ravisse, P. and Modigliani,

- R. (1985)** Occurrence of a new microsporidan: *Enterocytozoon bieneusi* n.g., n. sp., in the enterocytes of a human patient with AIDS. J. Protozool., 32:250-4.
- Diab, R.M.G.; ElTemsahy, M.M.; ElKerdany, E.D.; Gaafar, M. and Nasr, M.A.(2010):** A study of medically important fish - transmitted parasites in Alexandria. International Journal of Infectious Diseases . 14:191-195.
- Didier, E. S. (1995):** Reactive nitrogen intermediates implicated in the inhibition of *Encephalitozoon cuniculi* (phylum *Microspora*) replication in murine peritoneal macrophages. Parasite Immunology.17:405-412.
- Didier, E. S. (2005):** Microsporidiosis: an emerging and opportunistic infection in humans and animals. Acta Tropica., 94: 61-76.
- Didier, E. S.; Bertucci, D. C.; Green, L. C.; Stovall, M. E. and Didier P. J. (2001):** *Encephalitozoon cuniculi* infection in mice with the chronic granulomatous disease (CGD) disorder. The Journal of Eukaryotic Microbiology Suppl., 48:79-80.
- Didier, E.S.; Didier, P.J.; Snowden, K.F. and Shadduck, J.A. (2000):** Microsporidiosis in mammals. Microb. Infect. 2, 709–720.
- Didier, E. S. and Shadduck, J. A. (1994):** IFN-gamma and LPS induce murine macrophages to kill *Encephalitozoon cuniculi* in vitro. The Journal of Eukaryotic Microbiology .41: 34-40.
- Didier, E. S.; Snowden, K. F. and Shadduck. J. A. (1998):** Biology of microsporidian species infecting mammals. Adv. Parasitol., 40:283–320.

- Didier, E.S.; Stovall, M.E.; Green, L.C.; Brindley, P.J.; Sestak, K. and Didier, P.J. (2004):** Epidemiology of microsporidiosis: sources and modes of transmission. *Vet. para.*, 126: 145-166.
- Didier, E.S. and Weiss, L.M. (2006):** Microsporidiosis: current status. *Curr. Opin. Infect. Dis.*, 19: 485-492.
- Didier, P.J.; Phillips, J.N.; Kuebler, D.J.; Nasr, M.; Brindley, P.J.; Stovall, M.E.; Bowers, L.C. and Didier, E.S. (2006):** Antimicrosporidial activities of fumagillin, TNP-470, ovalicin, and ovalicin derivatives in vitro and in vivo. *Antimicrob. Agents Chemother.*, 50: 2146-2155.
- Dong, J.; Olano, J. P.; McBride, J. W. and Walker, D. H. (2008):** Emerging pathogens: challenges and successes of molecular diagnostics. *Journal of Molecular Diagnostics*. 10: 185–197.
- Dowd, S.E.; Gerba, C.P.; Kamper, M. and Pepper, I.L. (1998):** Evaluation of methodologies including immunofluorescent assay (IFA) and the polymerase chain reaction (PCR) for detection of human pathogenic microsporidia in water. *J. Microbiol. Methods*. 35: 43-52.
- Dowd, S. E.; John, D., Eliopolus, J.; Gerba, C. P.; Naranjo, J.; Klein, R.; Lopez, B.; de Mejia, M.; Mendoza, C. E. and Pepper, I. L. (2003):** Confirmed detection of *Cyclospora cayetanesis*, *Encephalitozoon intestinalis* and *Cryptosporidium parvum* in water used for drinking. *J. Water Health*. 1: 117-123.
- El-Difrawy, M.; Neanaa, H.; Eissa, M.; Sadaka, H. and Nomir, A. (2002):** Study of parasitic infections in immunocompromised patients in haematology department and main university hospital, Alexandria. *Exp Pathol Parasitol.*, 1: 85-92.

- El Fakhry, Y.; Achbarou, A.; Desportes, I. and Mazier, D. (2001):** Resistance to *Encephalitozoon intestinalis* is associated with interferon-gamma and interleukin- 2 cytokines in infected mice. *Parasite Immunol.*, 23: 297-303.
- El Shazly, A.M.; Awad, S.E.; Sultan, D.M.; Sadek, G.S.; Khalil, H.H. and Morsy. T.A. (2006):** Intestinal parasites in Dakahlia governorate, with different techniques in diagnosing protozoa. *J. Egypt Soc. Parasitol.*, 36:1023-1034.
- Endeshaw, T.; Kebede, A.; Verweij, J.J.; Wolday, D.; Zewide, A.; Tsige, K.; Abraham, Y.; Messele, T.; Polderman, A.M. and Petros, B. (2005):** Detection of intestinal microsporidiosis in diarrhoeal patients infected with the human immunodeficiency virus (HIV-1) using PCR and Uvitex-2B stain. *Ethiop. Med. J.*, 43: 97-101.
- Endeshaw, T.; Kebede, A.; Verweij, J.J.; Zewide, A.; Tsige, K.; Abraham, Y.; Wolday, D.; Woldemichael, T.; Messele, T.; Polderman, A.M. and Petros, B. (2006):** Intestinal microsporidiosis in diarrheal patients infected with human immunodeficiency virus-1 in Addis Ababa, Ethiopia. *Jpn J. Infect. Dis.*, 59: 306-310.
- Enriquez, F. J. (1997):** Microsporidia: immunity and immunodiagnosis. In 2nd Workshop *Microsporidiosis and Crytosporidiosis Immunodeficient Patients*, p. 16, Ceske Budejovice, Czech Republic.
- Enriquez, F.J.; Taren, D.; Cruz-López, A.; Muramoto, M.; Palting, J.D. and Cruz, P. (1998):** Prevalence of intestinal encephalitozoonosis in Mexico. *Clin. Infect. Dis.*, 26: 1227-1229. **Enriquez, F. J.; Wagner, G.; Fragoso, M. and Ditrich, O. (1998 a):** Effects of an

anti-exospore monoclonal antibody on microsporidial development in vitro. *Parasitology* .117 : 515-20.

Esporn, t.; Morio, F.; Miegeville, M.; Illa,H.; Abdoulaye,M.; Meyssonier, V.; Adehossi, E.; Lejeune, A.; Dac Cam,P.; Besse,B. and Gay-Andrieu1,F.(2007): Molecular study of microsporidiosis due to *E. bienersi* and *E. intestinalis* among HIV-infected patients from two geographical areas: Niamey (Niger) and Hanoi (Vietnam).*J Clin Microbiol.*, 45:2999-3002.

Ferreira, F. M.; Bezerra, L.; Santos, M. B.; Bernardes, R. M.; Avelino, I. and Silva M.L. (2001): Intestinal microsporidiosis: a current infection in HIV-seropositive patients in Portugal. *Microbes Infect.*, 3: 1015-1019.

Field, A. S.; Hing, M. C.; Milliken, S. T. and Marriott, D. J. (1993): Microsporidiosis in the small intestine of HIV-infected patients. A new diagnostic technique and a new species. *Medical Journal of Australia*. 158: 390-394.

Fournier, S.; Dubrou, S.; Liguory, O.; Gaussin, F.; Santillana-Hayat, M.; Sarfati, C.; Molina, J.M. and Derouin, F. (2002): Detection of *Microsporidia*, *cryptosporidia* and *Giardia* in swimming pools: a one-year prospective study. *FEMS Immunol. Med. Microbiol.*, 33:209–213

Fournier, S.; Ligoury, O.; Santillana-Hayat, M.; Guillot, E.; Sarfati, C.; Dumoutier, N.; Molina, J.M. and Derouin, F. (2000): Detection of *Microsporidia*, in surface water: A one-year follow-up study. *FEMS Immunology and Medical Microbiology*.29:95–100.

Franzen, C. (2004): Microsporidia: how can they invade other cells? *Trends Parasitol.*, 20: 275-9.

- Franzen, C.; Hartmann, P. and Salzberger B. (2005):** Cytokine and nitric oxide responses of monocyte-derived human macrophages to microsporidian spores. *Exp Parasitol.*, 109: 1-6.
- Franzen, C. and Muller, A. (1999a):** Molecular techniques for detection, species differentiation, and phylogenetic analysis of microsporidia. *Clin Microbiol Rev.*, 12: 243-85.
- Franzen, C. and Muller, A., (1999b):** Cryptosporidia and microsporidia-waterborne diseases in the immunocompromised host. *Diagn. Microbiol. Infect. Dis.*, 34: 245–262.
- Franzen, C. and Muller, A. (2001):** Molecular techniques for detection, species differentiation, and phylogenetic analysis of microsporidia. *Clin. Microbiol. Rev.*, 12: 243—285.
- Frixione, E.; Ruiz, L.; Cerbon, J. and Undeen, A.H. (1997):** Germination of *Nosema algerae* (Microspora) spores: conditional inhibition by D₂O, ethanol and Hg²⁺ suggests dependence of water influx upon membrane hydration and specific trans-membrane pathways. *J. Eukaryot. Microbiol.*, 44: 109-116.
- Frixione, E.; Ruiz, L.; Santillan, M.; de Vargas, L.V.; Tejero, J.M. and Undeen, A.H. (1992):** Dynamics of polar filament discharge and sporoplasm expulsion by microsporidian spores, *Cell Motil. Cytoskelet.*, 22 :38–50.
- Garcia, L. S. (2001):** Diagnostic medical parasitology, 4th ed., ASM Press, Washington, D.C. pp. 87–97.
- Garcia, L.S. (2002):** Laboratory identification of the microsporidia. *J. Clin. Microbiol.*, 40: 1892–1901.

- Gerba, C.P.; Riley, K.R.; Nwachuku, N.; Ryu, H. and Abbaszadegan, M. (2003):** Removal of *Encephalitozoon intestinalis*, calicivirus, and coliphages by conventional drinking water treatment. J. Environ. Sci. Health Part A: Tox Hazard Subst. Environ. Eng. 38: 1259–1268.
- Gill, E. E. and Fast, N.M. (2006):** Assessing the microsporidia-fungi relationship: Combined phylogenetic analysis of eight genes. Gene. 375: 103-109.
- Goldberg, A. V.; Molik, S.; Tsaousis, A. D.; Neumann, K.; Kuhnke, G.; Delbac, F.; Vivares, C. P.; Hirt, R. P.; Lill, R. and Embley T. M. (2008):** Localization and functionality of microsporidian iron-sulphur cluster assembly proteins. Nature .452: 624-628.
- Graczyk, T.K.; Majewska, A.C. and Schwab, K.J.(2008):** The role of birds in dissemination of human waterborne enteropathogens. Trends Parasitol., 24:55–59.
- Graczyk, T. K.; Sunderland, D.; Rule, A. M.; da Silva, A. J.; Moura, I. N.; Tamang, L.; Girouard, A. S.; Schwab, K. J. and Breyse, P. N. (2007):** Urban feral pigeons (*Columba livia*) as a source for air- and waterborne contamination with *Enterocytozoon bieneusi* spores. Appl. Environ. Microbiol., 73:57-58.
- Gumbo, T.; Hobbs, R.E.; Carlyn, C.; Hall, G. and Isada, C.M., (1999):** Microsporidia infection in transplant patients. Transplantation. 67: 482–484.
- Hale-Donze, H. and Didier, E. (2007):** Microsporidiosis. In ENCYCLOPEDIA OF LIFE SCIENCES. John Wiley & Sons Ltd., Chichester.

- Hamza, A.L. and. Abd El-Megeed, H.S. (1999):** Intestinal Parasitic Infection among Food Handlers in Assiut University Hospital. Assiut Med. J., 23, No. 3.
- Haro, M.; Izquierdo, F.; Henriques-Gil, N.; Andre´s, I; Alonso, F.; Fenoy, S. and del A´ guila, C. (2005):** First Detection and Genotyping of Human-Associated Microsporidia in Pigeons from Urban Parks. Appl. Environ. Microbiol., 71: 3153-3157.
- Hutin, Y. J.; Sombardier, M. N.; Liguory, O.; Sarfati, C.; Derouin, F.; Modai, J. and Molina, J. M.(1998):** Risk factors for intestinal microsporidiosis in patients with human immunodeficiency virus infection: a case-control study. J. Infect. Dis., 178: 904–907.
- Ignatius, R.; Lehmann, M.; Miksits, K.; Regnath, T.; Arvand, M.; Engelmann, E.; Futh, U.; Hahn, H. and Wagner, J. (1997):** A new acid-fast trichrome stain for simultaneous detection of *Cryptosporidium parvum* and microsporidial species in stool specimens. J. Clin. Microbiol., 35: 446-449.
- Ikeh, E,I; Obadofin, M.O.; Brindeiro, B.; Baugherb, C.; Frost, F.; Vanderjagt, D. and Glew, R.H(2007):** Intestinal parasitism in Magama Gumau rural village and Jos township in north central Nigeria. 1. Niger Postgrad Med J., 14:290-295.
- Izquierdo, F., Castro-Hermida, J. A.; Fenoy, S.; Mezo, M.; Gonzalez-Warleta, M. and Del Aguila, C. (2008):** First data on the presence of microsporidia in different types of water from Spain, abstr. PO56. 10th International Workshops on Opportunistic Protists, Boston, MA, 28 to 31 May 2008.
- James, S. L. (1995):** Role of nitric oxide in parasitic infections. Microbiol Rev., 59: 533-547.

- James, T. Y.; Kauff, F.; Schoch, C. L.; Matheny, P. B.; Hofstetter, V.; Cox, C. J.; Celio, G.; Gueidan, C.; Fraker, E.; Miadlikowska, J.; Lumbsch, H. T.; Rauhut, A.; Reeb, V.; Arnold, A. E.; Amtoft, A.; Stajich, J. E.; Hosaka, K.; Sung, G. H., Johnson, D.; O'Rourke, B.; Crockett, M.; Binder, M.; Curtis, J. M.; Slot, J. C.; Wang, Z.; Wilson, A. W.; Schussler, A.; Longcore, J. E.; O'Donnell, K.; Mozley-Standridge, S.; Porter, D.; Letcher, P. M.; Powell, M. J.; Taylor, J. W.; White, M. M.; Griffith, G. W.; Davies, D. R.; Humber, R. A.; Morton, J. B.; Sugiyama, J.; Rossman, A. Y.; Rogers, J. D.; Pfister, D. H.; Hewitt, D.; Hansen, K.; Hambleton, S.; Shoemaker, R. A.; Kohlmeyer, J.; Volkmann-Kohlmeyer, B.; Spotts, R. A.; Serdani, M.; Crous, P. W.; Hughes, K. W.; Matsuura, K.; Langer, E.; Langer, G., Untereiner, W. A., Lucking, R., Budel, B., Geiser, D. M., Aptroot, A.; Diederich, P.; Schmitt, I.; Schultz, M.; Yahr, R.; Hibbett, D. S.; Lutzoni, F.; McLaughlin, D. J.; Spatafora, J. W. and Vilgalys, R. (2006):* Reconstructing the early evolution of Fungi using a six-gene phylogeny. *Nature*. 443: 818-22.
- Jensen, H.M. and Wellings, S.R.(1972):* Development of the polar filament-polaroplast complex in a microsporidian parasite, *J. Protozool.*, 19 : 297–305.
- Johnson, L.R. (1988):* Regulation of gastrointestinal mucosal growth. *Physiologic Reviews* .68: 456-469.
- Johnson, C.H.; Marshall, M.M.; DeMaria, L.A.; Moffet, J.M. and Korich, D.G.(2003):* Chlorine inactivation of spores of *Encephalitozoon spp.* *Appl. Environ. Microbiol.*, 69: 1325–1326.
- Joseph, J., Sharma, S., Murthy, S.I., Krishna, P.V., Garg, P., Nutheti, R., Kenneth, J. and Balasubramanian, D. (2006):*

Microsporidial keratitis in India: 16S rRNA gene-based PCR assay for diagnosis and species identification of microsporidia in clinical samples. *Invest. Ophthalmol. Vis. Sci.*, 47:4468-4473.

Kahler, A. M. and Thurston-Enriquez, J. A. (2007): Human pathogenic microsporidia detection in agricultural samples: method development and assessment. *Parasitology Research*.100: 529–538.

Kakrania, R.; Joseph, J.; Vaddavalli, P.K.; Gangopadhyay, N. and Sharmal, S. (2006): Microsporidia keratoconjunctivitis in a corneal graft. *Eye*. 20:1314-1315.

Karaman, L.; Daldal, N.; Atambay, M. and Olak, C. (2009): The Epidemiology of Microsporidias in Humans (Malatya sample). *Turk J Med Sci.*, 39 (2): 281-288.

Kasicková, D.; Sak, B.; Kvác, M. and Ditrich, O. (2009): Sources of potentially infectious human microsporidia: molecular characterisation of microsporidia isolates from exotic birds in the Czech Republic, prevalence study and importance of birds in epidemiology of the human microsporidial infections. *Vet. Parasitol.*, 165: 125-130.

Katinka, M.D.; Duprat, S.; Cornillot, E.; Metenier, G.; Thomarat, F.; Prensier, G.; Barbe, V.; Peyretailade, E.; Brottier, P.; Wincker, P.; Delbac, F.; El Alaoui, H.; Peyret, P.; Saurin, W.; Gouy, M.; Weissenbach, J. and Vivares, C.P. (2001): Genome sequence and gene compaction of the eukaryote parasite *Encephalitozoon cuniculi*. *Nature*. 414:450-453.

- Katzwinkel-Wladarsch, S.; Deplazes, P.; Weber, R.; Löscher, T. and Rinder, H. (1997):** Comparison of polymerase chain reaction with light microscopy for detection of microsporidia in clinical specimens. Eur. J. Clin. Microbiol. Infect. Dis., 16: 7-10.
- Keeling, P. J. (2003):** Congruent evidence from alpha-tubulin and beta-tubulin gene phylogenies for a zygomycete origin of microsporidia. Fungal Genet Biol. 38: 298-309.
- Keohane, E.M. and Weiss, L.M. (1999):** The structure, function, and composition of the microsporidian polar tube. In The Microsporidia and Microsporidiosis (Wittner, M. and Weiss, L.M., eds). pp. 196-224.
- Khan, I. A. and Moretto, M. (1999):** Role of gamma interferon in cellular immune response against murine *Encephalitozoon cuniculi* infection. Infect Immun., 67: 1887-1893.
- Khan, I. A.; Schwartzman, J. D.; Kasper, L. H. and Moretto M. (1999):** CD8⁺ CTLs are essential for protective immunity against *Encephalitozoon cuniculi* infection. J Immunol., 162: 6086-6091.
- Kopicko, J.J.; Frazer, T.; Dascomb, K.; Clark, R.; Didier, E.S. and Kissinger, P. (1999):** Influence of seasonal variation with enteric microsporidiosis among HIV-infected individuals. J Acquir Immune Defic Syndr., 1; 22:408-9.
- Kotler, D. P. and Orenstein, J. M. (1998):** Clinical syndromes associated with microsporidiosis. Adv Parasitol., 40:321-49.
- Kotler, D. P. and Orenstein, J. M. (1999):** Clinical syndromes associated with microsporidiosis. In The Microsporidia and Microsporidiosis (Wittner, M. and Weiss, L.M., eds).pp. 258–292.

- Kotler, D.P.; Reka, S.; Chow, K. and Orenstein, J.M. (1993):** Effects of enteric parasitoses and HIV infection upon small intestinal structure and function in patients with AIDS. *Journal of Clinical Gastroenterology* .16: 10-15.
- Kulkarni, S.V.; Kairon, R.; Sane, S.S.; Padmawar, P.S.; Kale, V.A.; Thakar, M.R.; Mehendale, S.M. and Risbud, A.R.(2009):** Opportunistic parasitic infections in HIV/AIDS patients presenting with diarrhoea by the level of immune suppression. *Indian J Med Res.*, 130: 63-66.
- Kumar, S.S.; Ananthan, S. and Joyee, A.G. (2005):** Detection of *Enterocytozoon bieneusi* (Microsporidia) by polymerase chain reaction (PCR) using species-specific primer in stool samples of HIV patients. *Indian J. Med. Res.*, 121: 215-219.
- Lanternier, F.; Boutboul, D.; Menotti, J.; Chandesris, M.O.; Sarfati, C.; Mamzer Bruneel, M.F.; Calmus, Y.; Mechaï, F.; Viard, J.P.; Lecuit, M.; Bougnoux, M.E. and Lortholary, O. (2009):** Microsporidiosis in solid organ transplant recipients: two *Enterocytozoon bieneusi* cases and review. *Transpl. Infect. Dis.*, 11: 83-88.
- Latib, M.A.; Pascoe, M.D.; Duffield, M.S. and Kahn, D. (2001):** Microsporidiosis in the graft of a renal transplant recipient. *Transpl. Int.*, 14: 274-277.
- Lee, J.H. (2008):** Molecular detection of *Enterocytozoon bieneusi* and identification of a potentially human-pathogenic genotype in milk. *Appl. Environ. Microbiol.*, 74:1664-1666.

- Lewis, N. L.; Francis, I. C.; Hawkins, G. S. and Coroneo, M. T. (2003):** Bilateral microsporidial keratoconjunctivitis in an immunocompetent non-contact lens wearer. *Cornea*. 22: 374–376.
- Liu, J. J.; Greeley, E. H. and Shadduck, J. A. (1988):** Murine encephalitozoonosis: the effect of age and mode of transmission on occurrence of infection. *Lab. Anim. Sci.* 38: 675–679.
- Lobo, M.L.; Teles, A.; da Cunha, M.B.; Henriques, J.; Lourenço, A.M.; Antunes, F. and Matos, O. (2003):** Microsporidia detection in stools from pets and animals from the zoo in Portugal: a preliminary study. *J Eukaryot Microbiol.*, 50: 581-582.
- Lobo, M. L.; Xiao, L.; Antunes, F. and Matos, O. (2008):** *Enterocytozoon bieneusi* and *Vittaforma*-like microsporidia: detection and genotyping in HIV-positive and negative patients from Portugal, abstr. PO54. 10th International Workshops on Opportunistic Protists, Boston, MA, 28 to 31 May 2008.
- Lono, A.; Kumar, G.S. and Chye, T.T. (2008):** Incidence of microsporidia in cancer patient. *J gastrointest canc.*, 39:124-129.
- Lono, A.; Kumar, G. S. and Chye, T. T. (2010):** Prevalence of microsporidia in an indigenous Orang Asli community in Pahang, Malaysia. *Trans. R. Soc. Trop. Med. Hyg.*, 104: 214-218.
- Lores, B.; del Aguila, C. and Arias, C. (2002):** *Enterocytozoon bieneusi* (microsporidia) in fecal samples from domestic animals from Galicia, Spain. *Mem. Inst. Oswaldo. Cruz.*, 97: 941-945.
- MacDonald, L.M.; Armson, A.; Thompson, A.R. and Reynoldson J.A. (2004):** Characterisation of benzimidazole binding with recombinant tubulin from *Giardia duodenalis*, *Encephalitozoon intestinalis*, and *Cryptosporidium parvum*. *Mol. Biochem. Parasitol.*, 138: 89-96.

- Magaud, A.; Achbarou, A. and Desportes-Livage, I. (1997):** Cell invasion by the microsporidium *Encephalitozoon intestinalis*, J. Eukaryot. Microbiol., 24:44- 48.
- Malcekov, B.; Halanova , H.; Sulinova, Z.; Molnar ,L.; Ravaszova, P.; Adam, J.; Halan, M.; Valocky, I. and Baranovic, M.(2010):** Seroprevalence of antibodies to *Encephalitozoon cuniculi* and *Encephalitozoon intestinalis* in humans and animals. Res Vet Sci. 2010 Mar 31. [Epub ahead of print].
- Malone, L.A. and Mcivor, C.A. (1995):** DNA probes for two microsporidia, *Nosema bombycis* and *Nosema costelytrae*. J. Invertebr. Pathol., 65: 269–273.
- Margileth, A. M.; Strano, A. J.; Chandra, R.; Neafie, R.; Blum, M. and McCully, R. M. (1973):** Disseminated nosematosis in an immunologically compromised infant. Arch Pathol., 95: 145-150.
- Marshall, M. M.; Hayes, S.; Moffett, J.; Sterling, C. R. and Nicholson W. L. (2003):** Comparison of UV inactivation of spores of three *Encephalitozoon* species with that of spores of two DNA repair-deficient *Bacillus subtilis* biosimetry strains. Appl Environ Microbio., 69: 683-5.
- Mathews, A.; Hotard, A. and Hale-Donze, H.(2009):** Innate immune responses to *Encephalitozoon* species infections. Microbes Infect. , 11:905-11.
- Mathis, A.; Weber, R. and Deplazes, P. (2005):** Zoonotic potential of the microsporidia. Clin. Microbiol. Rev. 18: 423–445.
- Matos, O.; Lobo, M.L.; Gonçalves, L. and Antunes, F. (2002):** Diagnostic use of 3 techniques for identification of microsporidian

- spores among AIDS patients in Portugal. *Scand. J. Infect. Dis.*, 34: 591-593.
- Melchior, J.C.; Chastang, C.; Gelas, P.; Carbonnel, F.; Zazzo, J.F.; Boulier, A.; Cosnes, J.; Bouletreau, B. and Messing, B. (1996):** Efficacy of 2-month total parenteral nutrition in AIDS patients: a controlled randomized prospective trial. *AIDS*. 10: 379-384.
- Menotti, J.; Santillana-Hayat, M.; Cassinat, B.; Sarfati, C.; Derouin, F. and Molina, J. M. (2005):** Inhibitory activity of human immunodeficiency virus aspartyl protease inhibitors against *Encephalitozoon intestinalis* evaluated by cell culture-quantitative PCR assay. *Antimicrob. Agents Chemother.*, 49: 2362-2366.
- Metga, S.; Van Nhieu, J.T.; Dahmane, D.; Grimbert, P.; Foulet, F.; Sarfati, C. and Bretagne, S. (2000):** A case of *Enterocytozoon bieneusi* infection in an HIV-negative renal transplant recipient. *Eur. J. Clin. Microbiol. Infect. Dis.*, 19: 221-223.
- Mittleider, D.; Green, L.C.; Mann, V.H.; Michael, S.F.; Didier, E.S. and Brindley, P.J. (2002):** Genome survey sequences from the opportunistic microsporidian pathogen, *Vittaforma corneae*. *J. Eukaryot. Microbiol.*, 49: 393-401.
- Mohandas, Sehgal, R.; Sud, A. and Malla, N. (2002):** Prevalence of intestinal parasitic pathogens in HIV-seropositive individuals in Northern India. *Jpn. J. Infect. Dis.*, 55: 83-84.
- Mohindra, A.R.; Lee, M.W.; Visvesvara, G.; Moura, H.; Parasuraman, R.; Leitch, G.J.; Xiao, L.; Yee, J. and del Busto, R. (2002):** Disseminated microsporidiosis in a renal transplant recipient. *Transpl. Infect. Dis.*, 4: 102-107.

- Molina, J.M.; Tourneur, M.; Sarfati, C.; Chevret, S.; de Gouvello, A.; Gobert, J.G.; Balkan, S.; Derouin, F. and Agence Nationale de Recherches sur le SIDA 090 Study Group.(2002):** Fumagillin treatment of intestinal microsporidiosis. *N. Engl. J. Med.*, 346: 1963–1969.
- Mor, S.M.; Tumwine, J.K.; Naumova, E.N.; Ndeezi, G. and Tzipori, S. (2009):** Microsporidiosis and malnutrition in children with persistent diarrhea, Uganda. *Emerg Infect Dis.*, 15: 49-52.
- Moretto, M.; Casciotti, L.; Durell, B. and Khan, I. A. (2000):** Lack of CD4(+) T cells does not affect induction of CD8(+) T-cell immunity against *Encephalitozoon cuniculi* infection. *Infect Immun.*, 68: 6223-6232.
- Muller, A.; Bialek, R.; Kämper, A.; Fätkenheuer, G.; Salzberger, B. and Franzen, C. (2001):** Detection of microsporidia in travelers with diarrhea. *J. Clin. Microbiol.*, 39: 1630-1632.
- Muller, A.; Stellermann, K.; Hartmann, P. ; Schrappe, M.; Fätkenheuer, G.; Salzberger, B.; Diehl, V. and Franzen, C. (1999):** A powerful DNA extraction method and PCR for detection of microsporidia in clinical stool specimens. *Clin. Diagn. Lab. Immunol.*, 6:243-246
- Mungthin, M.; Suwannasaeng, R.; Naaglor, T.; Areekul, W. and Leelayoova, S. (2001):** Asymptomatic intestinal microsporidiosis in Thai orphans and child-care workers. *Trans. Roy. Soc. Trop. Med. Hyg.*, 95: 304–306.
- Niederkorn, J. Y. and Shadduck, J. A. (1980):** Role of antibody and complement in the control of *Encephalitozoon cuniculi* infections by rabbit macrophages. *Infect Immun.*, 27: 995-1002.

- Nkinin, S.W.; Asonganyi, T.; Didier, E.S. and Kaneshiro, E.S. (2007):** Microsporidian infection is prevalent in healthy people in Cameroon. J. Clin. Microbiol., 45: 2841-2846.
- Norhayati, M.; Azlin, M.; Al-Mekhlafi, M.H.; Anisah, N.; Nor Aini, U.; Fatmah, M.S. and Rozlida, A.R. (2008):** A preliminary study on the prevalence of intestinal microsporidiosis in patients with and without gastrointestinal symptoms in Malaysia. Trans. R. Soc. Trop. Med. Hyg., 102: 1274-1278.
- Omalu, I. C.J.; Yako, A. B.; Duhlińska, D.D.; Anyanwu, G. I. Pam, V.A. and Inyama, P.U. (2005):** First detection of intestinal microsporidia in Northern Nigeria. Health Allied. 4: 3-4.
- Ombrouck, C., Ciceron, L. ; Biligue, S.; Brown, S. ; Marechal, P. vanGool, T. ; Datry, A.; Danis, M. and Desportes-Livage, I.(1997):** Specific PCR assay for direct detection of intestinal microsporidia *Enterocytozoon bieneusi* and *Encephalitozoon intestinalis* in fecal specimens from human immunodeficiency virus-infected patients. J. Clin. Microbiol., 35:652–655.
- Omran, L.A.; Sayed , F.G.; Shaheen, M.S. and Osman, R.A.(2000):** Studies on Protozoan Parasites Associated with Malignancy in South Egypt Cancer Institute. Assiut Med. J. Vol. 24, No. 4.
- Omura, M.; Furuya, K.; Kudo, S.; Sugiura, W. and Azuma, H. (2007):** Detecting immunoglobulin M antibodies against microsporidian *Encephalitozoon cuniculi* polar tubes in sera from healthy and human immunodeficiency virus-infected persons in Japan. Clin Vaccine Immunol. , 14:168-72.
- Orenstein, J. M. (1991):** Microsporidiosis in the acquired immunodeficiency syndrome. J. Parasitol. 77:843-864.

- Orenstein, J.M.; Tenner, M. and Kotler, D.P. (1992):** Localization of infection by the microsporidian *Enterocytozoon bieneusi* in the gastrointestinal tract of AIDS patients with diarrhea. *AIDS*, 6: 195-197.
- Orlandi, P.A.; Chu, D.T.; Bier, J.W. and Jackson, G.J.(2002):** Parasites and the food supply. *Food Technol.*, 56:72–81.
- Peek, R.; Delbac F.; Speijer, D.; Polonais, V.; Greve, S.; Wentink-Bonnema, E.; Ringrose, J. and van Gool, T. (2005):** Carbohydrate moieties of microsporidian polar tube proteins are targeted by immunoglobulin G in immunocompetent individuals. *Infect. Immun.*, 73: 7906-7913.
- Peuvel-Fanget, I.; Polonais, V.; Brosseau, D.; Texier, C.; Kuhn, L.; Peyret, P.; Vivares, C. and Delbac F. (2006):** EnP1 and EnP2, two proteins associated with the *Encephalitozoon cuniculi* endospore, the chitin-rich inner layer of the microsporidian spore wall. *Int. J. Parasitol.*, 36: 309-318.
- Pol, S.; Romana, C.; Richard, S.; Amouyal, P.; Desportes Livage, I. and Carnot, F. (1993):** Microsporidia infection in patients with the human immunodeficiency virus and unexplained cholangitis. *N Engl J Med.*, 328:95-99.
- Pol, S.; Romano, C.; Richard, S.; Carnot, F.; Dumont, J.; Bouche, H.; Pialonx, G.; Stern ,M.; Pays, J. and Berthelot, P. (1992):** *Enterocytozoon bieneusi* infection in acquired immunodeficiency syndrome - related sclerosing cholangitis. *Gastroenterology*. 102: 1778-1781.
- Polonais, V., Delbac, F. and Vivares, C. (2007):** Polar tube proteins in microsporidia. *Protistology*. 5: 63-68.

- Polonais, V.; Prensier, G.; Metenier, G.; Vivares, C.P. and Delbac, F. (2005):** Microsporidian polar tube proteins: highly divergent but closely linked genes encode PTP1 and PTP2 in members of the evolutionarily distant Antonospora and Encephalitozoon groups. *Fungal Genet. Biol.*, 42: 791-803.
- Pourrut, X.; Sarfati, C.; Liguory, R.; Moyou-Somo, R. and Derouln, F. (2002):** Search for *Enterocytozoon bienersi* infection in wild monkeys in Cameroon. *Trans. R. Soc. Trop. Med. Hyg.*, 96: 56-57.
- Pozio, E. and Morales, M.A.(2005):** The impact of HIV-protease inhibitors on opportunistic parasites. *Trends Parasitol.*, 21: 58-63.
- Procop, G. W. (2007):** Molecular diagnostics for the detection and characterization of microbial pathogens. *Clinical Infectious Diseases*. 45: 99–111.
- Rabeneck, L.; Gyorkey, F.; Genta, R. M.; Gyorckey, P.; Foote, L. W. and Risser, J. (1993):** The role of microsporidia in the pathogenesis of HIV-related chronic diarrhea. *Annals of Internal Medicine*. 119: 895-899.
- Raynaud, L.; Delbac, F.; Broussolle, V.; Rabodonirina, M.; Girault, V.; Wallon, M.; Cozon, G.; Vivares, C. P. and Peyron, F. (1998):** Identification of *Encephalitozoon intestinalis* in travelers with chronic diarrhea by specific PCR amplification. *J. Clin. Microbiol.*, 36: 37-40.
- Redhead, S.A.; Kirk, P.; Keeling, P.J.; Weiss, L.M. (2009):** Proposals to exclude the phylum Microsporidia from the Code. *Taxon.*, 58: 10–11.
- Reetz, J.; Nöckler, K.; Reckinger, S.; Vargas, M.M.; Weiske, W. and Broglia, A. (2009):** Identification of *Encephalitozoon cuniculi*

genotype III and two novel genotypes of *Enterocytozoon bieneusi* in swine. Parasitol. Int., 58: 285-292.

Reetz, J.; Rinder, H.; Thomschke, A.; Manke, H.; Schwebs, M. and Bruderek, A. (2002): First detection of the microsporidium *Enterocytozoon bieneusi* in non-mammalian hosts (chickens). Int. J. Parasitol., 32: 785-787.

Rinder, H., Janitschke, K.; Aspöck, H.; Da Silva, A. J. Deplazes, P. ; Fedorko, D. P. ; Franzen, C.; Futh, U.; Hunger, F.; Lehmacher, A. ; G. Meyer, C. ; Molina, J. M. ; Sandfort, J. ; Weber, R. and Löscher, T. (1998): Blinded, externally controlled multicenter evaluation of light microscopy and PCR for detection of microsporidia in stool specimens. J. Clin. Microbiol., 36:1814-1818.

Sak, B.; Kucerova, Z.; Kvac, M.; Kvetonova, D.; Rost, M. and Secor, E.W.(2010): Seropositivity for *Enterocytozoon bieneusi*, Czech Republic. Emerg Infect Dis., 16:335-337.

Sak, B.; Kváč, M.; Hanzlíková, D. and Vitaliano C. (2008): First report of *Enterocytozoon bieneusi* infection on a pig farm in the Czech Republic. J. Vet. Para., 12: 220-224.

Sak, B.; Salat, J.; Horka, H.; Sakova, K. and Ditrich, O. (2006): Antibodies enhance the protective effect of CD4⁺ T lymphocytes in SCID mice perorally infected with *Encephalitozoon cuniculi*. Parasite Immunol., 28: 95-9.

Salat J., Jelinek J., Chmelar J. and Kopecky J. (2008): Efficacy of interferon gamma and specific antibody for treatment of microsporidiosis caused by *Encephalitozoon cuniculi* in SCID mice. Antimicrob Agents Chemother., 52:2169-74.

- Samie, A., Mduluz, T., Sabeta, C.T., Njyou, M., Bessong, P.O., Obi, C.L.(2005):** Detection and differentiation of *Entamoeba histolytica* and *Entamoeba dispar* from clinical samples by PCR and enzyme-linked immunosorbent assay. J. Trop. Microbiol. Biotechnol., 5: 3-9.
- Samie, A; Obi, C.L.; Tzipori, S.; Weiss, L.M. and Guerrant, R.L. (2007):** Microsporidiosis in South Africa: PCR detection in stool samples of HIV-positive and HIV-negative individuals and school children in Vhembe district, Limpopo Province. Trans. R. Soc. Trop. Med. Hyg., 101: 547-554.
- Santaniello, A.; Dipineto, L.; Rinaldi, L.; Menna, L.F.; Cringoli, G. and Fioretti, A. (2009):** Serological survey of *Encephalitozoon cuniculi* in farm rabbits in Italy. Vet. Sci.,87: 67–69.
- Santillana-Hayat, M.; Sarfati, C.; Fournier, S.; Chau, F.; Porcher, R.; Molina, J. M. and Derouin, F. (2002):** Effects of chemical and physical agents on viability and infectivity of *Encephalitozoon intestinalis* determined by cell culture and flow cytometry. Antimicrob Agents Chemother., 46: 2049-51.
- Santín, M.; Cortés Vecino, J.A. and Fayer, R. (2008):** *Enterocytozoon bieneusi* genotypes in dogs in Bogota, Colombia. Am. J. Trop. Med. Hyg., 79: 215-217.
- Santín, M.; Trout, J.M. and Fayer, R. (2005):** Prevalence of *Enterocytozoon bieneusi* in post-weaned dairy calves in the eastern United States. Parasitol. Res., 93: 287-289.
- Santín, M.; Trout, J.M.; Vecino, J.A.; Dubey, J.P. and Fayer, R. (2006):** *Cryptosporidium*, *Giardia* and *Enterocytozoon bieneusi* in cats from Bogota (Colombia) and genotyping of isolates. Vet. Parasitol., 141: 334-339.

- Sarfati, C.; Bourgeois, A.; Menotti, J.; Liegeois, F.; Moyou-Somo, R.; Delaporte, E.; Derouin, F.; Ngole, E.M. and Molina, J.M. (2006):** Prevalence of intestinal parasites including microsporidia in human immunodeficiency virus-infected adults in Cameroon: a cross-sectional study. *Am. J. Trop. Med. Hyg.*, 74: 162-164.
- Sharpstone, D.; Rowbottom, A.; Francis, N.; Tovey, G., Ellis, D.; Barrett, M. and Gazzard, B. (1997):** Thalidomide: a novel therapy for microsporidiosis. *Gastroenterology*. 112: 1823-1829.
- Schmidt, E. C. and Shadduck, J. A. (1983):** Murine encephalitozoonosis model for studying the host-parasite relationship of a chronic infection. *Infect Immun.*, 40: 936-942.
- Schmidt, E. C. and Shadduck, J. A. (1984):** Mechanisms of resistance to the intracellular protozoan *Encephalitozoon cuniculi* in mice. *J Immunol.*, 133: 2712-9.
- Shrestha, A.K. and Enriquez, F.J. (2001):** Short report: Prevalence of fecal *Encephalitozoon* spp. spores among hospitalized patients in Nepal. *Am. J. Trop. Med. Hyg.*, 65: 648-649.
- Slifko, T. R.; Smith, H. V. and Rose, J. B. (2000):** Emerging parasite zoonoses associated with water and food. *Int. J. Parasitol.*, 30: 1379–1393.
- Ślódkiewicz-Kowalska, A.; Graczyk, T.K.; Tamang, L.; Jedrzejewski, S.; Nowosad, A.; Zduniak, P.; Solarczyk, P.; Girouard, A.S. and Majewska, A.C. (2006):** Microsporidian species known to infect humans are present in aquatic birds: implications for transmission via water?. *Appl. Environ. Microbiol.*, 72: 4540-4544.
- Snowden, K. F. (2004):** Zoonotic microsporidia from animals and arthropods with a discussion of human infections. In D. S. Lindsay

and L. M. Weiss (ed.), Opportunistic infections: toxoplasma, sarcocystis, and microsporidia, vol. 9. Kluwer Academic Publishers, Boston, Mass. pp. 123–134

Snowden, K.F.; Didier, E.S.; Orenstein, J.M. and Shadduck, J.A., (1998): Animal models of human microsporidial infections. *Lab. Anim. Sci.*, 48: 589–592.

Snowden, K.F. and Shadduck, J.A.(1999): Microsporidia of higher vertebrates. In: Wittner, M., Weiss, L. (Eds.), *The Microsporidia and Microsporidiosis*. American Society of Microbiology, Washington, DC, pp. 393–419.

Sobottka, I.; Schwartz, D.A.; Schottelius, J.; Visvesvara, G.S.; Pieniazek, N.J.; Schmetz, C.; Kock, N.P.; Laufs, R. and Albrecht, H., (1998): Prevalence and clinical significance of intestinal microsporidiosis in human immunodeficiency virus –infected patients with and without diarrhea in Germany: a prospective coprodiagnostic study. *Clin. Infect. Dis.*, 26: 475—480.

Sokolova, Y.Y.; Sokolov. I. M. and Fuxa, J. R. (2004): Identification of Microsporidia infections in nature: light microscopy or PCR?. *Protistology* 3: 273-281.

Soule, J.B.; Halverson, A.L. ; Becker, R.B. ; Pistole, M.C. and Orenstein, J.M. (1997): A patient with Acquired Immunodeficiency Syndrome and untreated *Encephalitozoon (Septata) intestinalis* microsporidiosis leading to small bowel perforation: response to albendazole. *Archives of Pathology and Laboratory Medicine*. 121: 880-887.

Southern, T.R.; Jolly, C.E.; Lester, M.E. and Hayman J.R. (2007): EnP1, a microsporidian spore wall protein that enables spores to

- adhere to and infect host cells in vitro. *Eukaryot. Cell.*, 6: 1354-1362.
- Sprague, V. (1976):** Classification and phylogeny of the microsporidia. In: Bulla, L.A., Cheng, T.C. (Eds.), *Comparative Pathology*, vol. 2: Plenum Press, New York, NY, pp. 1–30.
- Subrungruan, I.; Mungthi, M.; Chavalitshewinkoon-Petmit, P.; Rangsi, R.; Naaglor, T. and Leelayoova, S.(2004):** Evaluation of DNA extraction and PCR methods for detection of *Enterocytozoon bienuesi* in stool specimens. *J. Clin. Microbiol.*, 42: 3490–3494.
- Sulaiman, I. M.; Bern, C.; Gilman, R.; Cama, V.; Kawai, V.; Vargas, D.; Ticona, E.; Vivar, A. and Xiao, L. (2003):** A molecular biologic study of *Enterocytozoon bienuesi* in HIV-infected patients in Lima, Peru. *J. Eukaryot. Microbiol.*, 50: 591-596.
- Takvorian, P.M. and Cali, A. (1996):** Polar tube formation and nucleoside diphosphatase activity in the microsporidian, *Glugea stephani*, *J. Eukaryot. Microbiol.*, 43: 102–103.
- Tewari, G.; Jayas, D.S. and Holley, R.A. (1999):** High pressure processing of foods: An overview. *Science Des Aliments.*, 19: 619-661.
- Thomarat, F; Vivares, C. and Gouy, M. (2004):** Phylogenetic analysis of the complete genome sequence of *Encephalitozoon cuniculi* supports the fungal origin of microsporidia and reveals a high frequency of fast-evolving genes. *J. Mol. Evol.*, 59: 780–791.
- Thurston-Enriquez, J. A.; Watt, P.; Dowd, S. E.; Enriquez, R.; Pepper, I. L. and Gerba, C. P. (2002):** Detection of protozoan parasites and microsporidia in irrigation waters used for crop production. *J. Food. Prot.*, 65: 378– 382.

- Tumwine, J.K.; Kekitiinwa, A.; Bakeera-Kitaka, S.; Ndeezi, G.; Downing, R.; Feng, X.; Akiyoshi, D.E. and Tzipori, S. (2005):** Cryptosporidiosis and microsporidiosis in Ugandan children with persistent diarrhea with and without concurrent infection with the human immunodeficiency virus. *Am. J. Trop. Med. Hyg.*, 73: 921-925.
- Tumwine, J. K.; Kekitiinwa, A; Nabukeera, N; Akiyoshi, D. E.; Buckholt, M. A. and Tzipori, S. (2002):** *Enterocytozoon bienersi* among children with diarrhea attending mulago hospital in Uganda. *Am. J. Trop. Med. Hyg.*, 67(3): 299–303.
- Ullrich, R.; Zeitz, M.; Bergs, C.; Janitschke, K. and Riecken, E.O. (1991):** Intestinal microsporidiosis in a German patient with AIDS. *Klin. Wochenschr.*, 69: 443-445.
- Valencáková, A.; Bálent, P.; Novotný, F. and Cisláková, L. (2005):** Application of specific primers in the diagnosis of *Encephalitozoon spp.* *Ann. Agric. Environ. Med.*, 12: 321-323.
- Van Gool, T.; Biderre, C.; Delbac, F.; Wentink-Bonnema, E.; Peek, R. and Vivares, C.P. (2004):** Serodiagnostic studies in an immunocompetent individual infected with *Encephalitozoon cuniculi*. *J. Infect. Dis.* 189: 2243-2249.
- Vávra J. (1976):** Structure of microsporidia, in: Bulla L.A., Cheng T.C. (Eds.), *Comparative Pathobiology*, Vol. 1, Plenum Press, New York. pp. 1–86.
- Vavra, J. and Larsson, J.I.R. (1999):** Structure of the Microsporidia. In: M. Wittner (Ed.), *The Microsporidia and Microsporidiosis*. ASM Press, Washington, D.C. pp. 7–84.

- Velásquez, J.N.; Carnevale, S.; Oelemann, W.M.; Etchart, C. and Peralta, J.M. (2005):** Diagnosis of *Enterocytozoon bieneusi* by the polymerase chain reaction in archival fixed duodenal tissue. *Enferm. Infecc. Microbiol. Clin.*, 23: 218-220.
- Viriyavejakul, P.; Nintasen, R.; Punsawad, C.; Chaisri, U.; Punpoowong, B. and Riganti, M. (2009):** High prevalence of *Microsporidium* infection in HIV-infected patients. *Southeast Asian J. Trop. Med. Public Health*. 40:223-228.
- Ward, P.I.; Deplazes, P.; Regli, W.; Rinder, H. and Mathis, A. (2002):** Detection of eight *Cryptosporidium* genotypes in surface and waste waters in Europe. *Parasitol.*, 124: 359-368.
- Wasson, K. and Peper, R.L. (2000):** Mammalian microsporidiosis. *Vet Pathol.*, 37:113-128.
- Watson, D.; Asmuth, D. and Wanke, C. (1996):** Environmental risk factors for acquisition microsporidiosis in HIV-infected patients. *Clinical Infectious Diseases: An Official Publication of the Infectious Diseases Society of America*. 23: 903-912.
- Weber, R.; Bryan, R.T.; Owen, R.L.; Wilcox, C.M.; Gorelkin, L. and Visvesvara, G.S. (1992b):** Improved light-microscopical detection of microsporidia spores in stool and duodenal aspirates. *N. Engl. J. Med.*, 326:161-166.
- Weber, R.; Deplazes, P. and Schwartz, D. (2000):** Diagnosis and clinical aspects of human microsporidiosis. *Contrib. Microbiol.*, 6: 166–192.
- Weber, R.; Muller, A.; Spycher, M.A.; Opravil, M.; Ammann, R. and Briner, J. (1992a):** Intestinal *Enterocytozoon bieneusi* microsporidiosis in an HIV-infected patient: diagnosis by ileo-

- colonoscopic biopsies and long-term follow up. Clin. Investig., 70: 1019-1023.
- Weber, R.; Schwartz, D.A. and Deplazes, P. (1999):** Laboratory diagnosis of microsporidiosis. In: Wittner, M., Weiss, L. (Eds.), the Microsporidia and Microsporidiosis. American Society of Microbiology, Washington, D.C.pp. 315–362.
- Weidner, E.; Manale, S.B.; Halonen, S.K. and Lynn, J.W. (1995):** Protein membrane interaction is essential to normal assembly of the microsporidian spore invasion tube, Biol. Bull., 188:128–135.
- Weiss L.M. (2001):** Microsporidia: emerging pathogenic protists. Acta Tropica. 78:89-102.
- Wichro, E.; Hoelzl, D.; Krause, R.; Bertha, G.; Reinthaler, F. and Wenisch, C. (2005):** Microsporidiosis in travel-associated chronic diarrhea in immune-competent patients. Am. J. Trop. Med. Hyg., 73: 285-287.
- Williams, B.A.; Hirt, R.P.; Lucocq, J.M. and Embley, T.M.(2002):** A mitochondrial remnant in the microsporidian *Trachipleistophora hominis*. Nature .418: 865–869.
- Wittner, M. (1999):** Historic perspective on the microsporidia: expanding horizons. In: Wittner, M., Weiss, L. (Eds.), The Microsporidia and Microsporidiosis. American Society of Microbiology, Washington, D.C.pp.1–6.
- Wiwanitkit, V. (2006):** Intestinal parasite infestation in HIV infected patients. Curr. HIV Res., 4: 87-96.
- Wright, J. H. and Craighead, E. M. (1922):** Infectious motor paralysis in young rabbits. J Exp. Med., 36: 135-149.

- Xu, Y.; Takvorian, P.; Cali, A.; Wang, F.; Zhang, H.; Orr, G. and Weiss L.M.(2006):** Free in PMC identification of a new spore wall protein from *Encephalitozoon cuniculi*. Infect. Immun., 74: 239-247.
- Yang, S. and Rothman, R. E. (2004):** PCR-based diagnostics for infectious diseases: uses, limitations, and future applications in acute-care settings. Lancet Infectious Diseases, 4: 337–348.
- Zhang, H.; Huang, H.; Cali, A.; Takvorian, P.M.; Feng, X.; Zhou, G. and Weiss, L.M. (2005):** Investigations into microsporidian methionine aminopeptidase type 2: a therapeutic target for microsporidiosis. Folia Parasitol., 52: 182-192.