

Lovisol CF, Fleming JF. Intracorneal ring segments for iatrogenic keratectasia after laser in situ keratomileusis or photorefractive keratectomy. *J Refract Surg.* 2002; 18:535–541.

Macasai MS, Varley GA, Krachmer JH. Development of keratoconus after contact lens wear. *Arch Ophthalmol* 1990;108:534 –538.

Maguire LJ, Bourne WM. Corneal topography of early keratoconus. *Am J Ophthalmol* 1989;108:107–12.

Mar P.K, Roy P., Yin H.L., et al. Stress fiber formation is required for matrix reorganization in a corneal myofibroblast cell line. *Exp. Eye Res.* 2001;72: 455-466.

Maurice D.M. The cornea and sclera. In: Davson, H. (Ed.), *The Eye*. Academic Press, Orlando, FL, pp.1984; 1e158.

Mazzotta, C., C. Traversi, et al. "Conservative treatment of keratoconus by riboflavin-uva-induced cross-linking of corneal collagen: qualitative investigation." *Eur J Ophthalmol*,2006 16(4):530-5.

Meek K.M, Newton R.H. Organization of collagen fibrils in the corneal stroma in relation to mechanical properties and surgical practice J. Refract. Surg.1999;15,695-699.

Michael R, Vrensen GFJM, van Marle J, et al. Apoptosis in the rat lens after in vivo threshold dose ultraviolet irradiation. Invest Ophthalmol Vis Sci. 1998;39:2681–2687.

Mishima S, Hedbys B.O. Physiology of the cornea. Int. Ophthalmol. Clin.1968; 8:527-560.

Moodaley L, Buckley RJ, Woodward EG. Surgery to improve contact lens wear in keratoconus. CLAO J. Apr 1991;17(2):129-31

Mularoni A, Torreggiani A, di Biase A, et al. Conservative treatment of early and moderate pellucid marginal degeneration: a new refractive approach with intracorneal rings. Ophthalmology. 2005;112:660–666.

Munnerlyn C.R., Koons S.J., Marshall J. Photorefractive keratectomy: a technique for laser refractive surgery. J. Cataract Refract. Surg.1998;14, 46e52

Myrowitz EH, Melia M, O'Brien TP. The relationship between longterm contact lens wear and corneal thickness. CLAO J 2002;28: 217–220.

Nawa Y., Masuda K., Ueda T., et al. Evaluation of apparent ectasia of the posterior surface of the cornea after keratorefractive surgery. J. Cataract Refract. Surg. 2005; 31: 571-573.

Nesburn AB, Bahri S, Salz J, et al. Keratoconus detected by videokeratography in candidates for photorefractive keratectomy. J Refract Surg 1995;11:194–201.

Netto M.V, Mohan R.R, Ambrosio Jr.R., et al. Wound healing in the cornea: a review of refractive surgery complications and new prospects for therapy. Cornea 2005; 24: 509-522.

Neuhann TH. Pentcam system's overview: understanding its benefits. Highlights of Ophthalmology 2007;35(1):1-3.

Nordan LT. Keratoconus: diagnosis and treatment. Int Ophthalmol Clin. 1997;37(1):51-63.

Vinciguerra P, Elena Albè, Silvia Trazza, BS, et al. Intraoperative and Postoperative Effects of Corneal Collagen Cross-linking on Progressive Keratoconus. Arch Ophthalmol. 2009;127(10):1258-1265.

Pinsky PM, Datye DV. Numerical modeling of radial, astigmatic, and hexagonal keratotomy. Refract Corneal Surg 1992;8:164 –172.

Polack F.M. Morphology of the cornea. I. Study with silver stains. Am. J. Ophthalmol. 1961;51, 1051-1056.

Pourzand C, Tyrrell RM. Apoptosis, the role of oxidative stress and the example of solar UV radiation. Photochem Photobiol. 1999;70:380–390.

Rabinowitz YS. Videokeratographic indices to aid in screening for keratoconus. J Refract Surg. 1995;11:371-379.

Rabinowitz YS. Keratoconus. Surv Ophthalmol. Jan-Feb 1998;42(4):297-319

Rabinowitz YS. The genetics of keratoconus. Ophthalmol Clin North Am. Dec 2003;16(4):607-20, vii.

Rabinowitz YS, Nesburn AB, McDonnell PJ. Videokeratography of the fellow eye in unilateral keratoconus. Ophthalmology 1993;100:181–6.

Radner W, Zehetmayer M, Skorpik C, et al. Altered organization of collagen in the apex of keratoconus corneas. Ophthalmic Res 1998; 30:327–332.

Randleman JB, Russell B, Ward MA, et al. Risk factors and prognosis for corneal ectasia after LASIK. Ophthalmology 2003; 110:267–275.

Reinke AR. Keratoconus: A review of research and current fitting techniques: Part 2. *Int Contact Lens Clin* 1975;2:70 –92.

Roberts C. The cornea is not a piece of plastic. *J. Refract. Surg.* 2000; 16, 407-13.

Roberts C. Biomechanics of the cornea and wavefront-guided laser refractive surgery. *J. Refract. Surg.* 2002; 18: 589-592.

Schmack I., Dawson D.G., McCarey B.E., et al. Cohesive tensile strength of human LASIK wounds with histologic, ultrastructural, and clinical correlations. *J. Refract. Surg.* 2005; 21: 433-445.

Scroggs MW, Proia AD. Histopathological variation in keratoconus. *Cornea* 1992; 11:553–559.

Seiler T, Matallana M, Sendler S, et al. Does Bowman's layer determine the biomechanical properties of the cornea? *Refract. Corneal Surg.* 1992;8, 139-142.

Seiler T, Quurke A.W. Iatrogenic keratectasia after LASIK in a case of forme fruste keratoconus. *J. Cataract Refract. Surg.* 1998; 24:1007-1009.