



References



References

- ***Abdelsalam A (1999):*** Drusen in age-related macular degeneration: pathogenesis, natural course, and laser photocoagulation-induced regression. *Surv Ophthalmol*; 44: 1-29.
- ***Ahmad I, Dooley CM, Thoreson WB, Rogers JA and Afiat S (1999):*** In vitro analysis of a retinal progenitor that gives rise to neurons and glia. *Brain Res*; 831: 1–10.
- ***Aisenbrey S (2006):*** Iris pigment epithelial translocation in the treatment of exudative macular degeneration: a 3-year follow up. *Arch Ophthalmol*; 124: 183-188.
- ***Al-Amro S, Tang I and Kaplan HJ (1999):*** Limitations in the study of immune privilege in the subretinal space of the rodent. *Invest Ophthalmol Vis Sci*; 40: 3067–3069.
- ***Algvere PV (1994):*** Transplantation of fetal retinal pigment epithelium in age-related macular degeneration with subfoveal neovascularization. *Graefes Arch Clin Exp Ophthalmol*; 232: 707-716.
- ***Algvere PV (1997):*** Transplantation of RPE in age-related macular degeneration: observations in disciform lesions and dry RPE atrophy. *Graefes Arch Clin Exp Ophthalmol*; 235: 149-158.
- ***Algvere PV (1999):*** Long-term outcome of RPE allografts in non-immunosuppressed patients with AMD. *Eur J Ophthalmol*; 9: 217-230.

- **Ambati J (2003):** Age-related macular degeneration: etiology, pathogenesis and therapeutic strategies. *Surv Ophthalmol*; 48: 257-293.
- **Aramant RB and Seiler MJ (1994):** Human embryonic retinal cell transplants in athymic immunodeficient Rat hosts. *Cell transplant*;3: 461-474.
- **Aramant RB and Seiler MJ (2002):** Retinal transplantation advantages of intact fetal sheets. *Prog Retin eye Res*; 21: 57-73.
- **Aramant RB, Seiler MJ and Ball SL (1999):** Successful transplantation of intact sheets of fetal retina with retinal pigment epithelium. *Invest. Ophthalmol. Vis. Sci.* 40: 1557–1564.
- **Archer S (1995):** Molecular biology of visual pigments. In "Neurobiology and Clinical Aspects of the Outer Retina. Edited by Djamgoz MBA, Archer SN and Vallerga S.; London; pp. 79-104.
- **Berger As, Tezel TH, Del Priore LV and Kaplan HJ (2003):** Photoreceptor transplantation in retinitis pigmentosa: short-term follow Up;110: 383-391.
- **Berglin L, Gouras P, Sheng Y, Lavid J, Lin PK, Cao H and Kjeldbye H (1997):** Tolerance of human fetal retinal pigment epithelium xenografts in monkey retina. *Graefes Arch Clin Exp Ophthalmol*; 235: 103–110.
- **Berson EL (1994):** Retinitis pigmentosa and allied diseases. In: Albert DM, Jakobied FA, Principles and practice of ophthalmology: clinical practice, vol. 3, 2nd edition, Philadelphia, WB saunders; pp. 1214.
- **Berson EL (2000):** Nutrition and Retinal Degenerations. *Int Ophthalmol Clin*; 40(4): 93-111.

- **Berson EL, Rosner B, Sandberg MA et al; (1993):** A randomized trial of vitamin A and vitamin E supplementation for retinitis pigmentosa. Arch Ophthalmol; 111: 761-772.
- **Berson EL, Rosner B, Sandberg MA et al; (2004):** Further evaluation of DHA in patients with RP receiving vitamin A treatment. Arch Ophthalmol; 122: 1306-1314.
- **Binder S (2002):** Transplantation of autologous retinal pigment epithelium in eyes with foveal neovascularization resulting from age-related macular degeneration: a pilot study, Am J Ophthalmol; 133: 215-225.
- **Binder S (2005):** Human retinal transplantation. In Alfaro DV 3rd, Liggett PE, Mieler WF, Quiroz-Mercado H, Jager RD, Tano Y; Age-related Macular Degeneration. A comprehensive Textbook, Lippincott, Williams & Wilkins; pp 314-327.
- **Binder S, Stanzel BV, Krebs I and Glittenberg C (2007):** Transplantation of the RPE in AMD. Prog retin Eye Res; 26: 516-554.
- **Birch DG, Anderson JL and Fish GE (1999):** Yearly rates of rod and cone functional loss in retinitis pigmentosa and cone-rod dystrophy; 106: 258-268.
- **Bok D (2005):** Evidence for an inflammatory process in age-related macular degeneration gains new support. Proc Natl acad Sci; USA; 102: 7053-7054.
- **Boughman JA, Vernon M and Shaver KA (1983):** Usher syndrome: definition and estimate of prevalence from two high-risk populations. J Chronic Dis; 36: 595-603.

- **Boulton M (2004):** The photoreactivity of ocular lipofuscin. Photochem. Photobiol. Sci; 3: 759-764.
- **Boulton M, Rozanowska M and Wess T (2004):** Aging of the retinal pigment epithelium: implications for transplantations. Graefes Arch Clin Exp Ophthalmol; 242: 76-84.
- **Bowmaker JK and Dartnall HJA (1980):** Visual pigments of rods and cones in a human retina; J. Physiol; **298**: pp501–511.
- **Boyer MM, Poulsen GL and Nork TM (2000):** Relative contributions of the neurosensory retina and retinal pigment epithelium to macular hypofluorescence Arch Ophthalmol; 118(1):27-31.
- **Buchholz DE, Hikita ST, Rowland TJ, Friedrich AM et al ;(2009):** Derivation of functional retinal pigmented epithelium from induced pluripotent stem cells. Stem Cells ; California ; vol. 27: 2427-2434.
- **Cai H (2006):** Use of iris pigment epithelium to replace retinal pigment epithelium in age-related macular degeneration: a gene expression analysis. Arch Ophthalmol; 124: 1276-1285.
- **Cai X, Conley SM and Naash MI (2009):** Role in the visual cycle, human retinal disease, and gene therapy. Ophthalmic Genet; 30:57–62.
- **Canola K, Angénieux B, Tekaya M, Quiambao A et al ; (2007):** Retinal stem cells transplanted into models of late stages of retinitis pigmentosa preferentially adopt a glial or a retinal ganglion cell fate. Invest Ophthalmol Vis Sci; 48: 446-454.

- **Casswell AG (1985):** Retinal pigment epithelial detachments in the elderly: classification and outcome. *Br J Ophthalmol*; 69: 397-403.
- **Cayouette M and Gravel C (1997):** Adenovirus-mediated gene transfer of ciliary neurotrophic factor can prevent photoreceptor degeneration in the retinal degeneration (rd) mouse. *Hum gene Ther*;8: 423-430.
- **Cereda MG, Parolini B, Bellesini E and Pertile G (2010):** Surgery for CNV and autologous choroidal RPE patch transplantation: exposing the submacular space. *Graefes Arch Clin Exp Ophthalmol*; 248(1): 37-47.
- **Cho E (2001):** Prospective study of dietary fat and the risk of age-related macular degeneration. *Am J Clin Nutr*; 73: 209-218.
- **Chong NHV (2005):** Decreased thickness and integrity of the macular elastic layer of Bruch's membrane correspond to the distribution of lesions associated with age-related macular degeneration. *Am J Pathol*; 166: 241-251.
- **Coles BL, Angénieux B, Inoue T, Del Rio-Tsonis K, Spence JR, McInnes RR, Arsenijevic Y and van der Kooy D (2004):** Facile isolation and the characterization of human retinal stem cells. *Proc Natl Acad Sci USA* 101: 15772-15777.
- **Campochiaro PA, (1998):** Growth factors in the retinal pigment epithelium and retina. In: Marmor MF and Wolfensberger TJ (eds). *The retinal pigment epithelium: function and disease*, 1st edition, New York: Oxford University Press, pp. 330-333.

- **Coscas, Gabriel and Felice Cardillo Piccolino (1998):** Retinal pigment epithelium and macular diseases. Legende UVP, Springer Netherland; pp 265-270.
- **Crabb JW (2002):** Drusen proteome analysis: an approach to the etiology of age- related macular degeneration. Proc Natl Acad Sci; USA; 99: 14682-14687.
- **Curcio CA , Sloan KR , Kalina RE , Hendrickson AE (1990):** Human photoreceptor topography, J Comp Neurol; 292(4) : 497-523.
- **Curcio CA and Hendrickson AE (1991):** Organization and development of the primate photoreceptor mosaic. Prog. Ret. 10,89-120.
- **Curcio CA, Sloan KR, Packer O, Hendrickson AE and Kalina RE (1987):** Distribution of cones in human and monkey retina: individual variability and radial asymmetry. Science 236, 579-582.
- **da Cruz L; Chen FK; Ahmado A; Greenwood J and Coffey P (2007):** RPE & its role in retinal disease. Prog Retin Eye Res; 26(6): 598-635.
- **Das AM, Zhao X and Ahmad I (2005):** Stem cell therapy for retinal degeneration: retinal neurons from heterologous sources. Semin Ophthalmol; 20: 3-10.
- **Davis MD, Gangnon RE, Lee LY, Hubbard LD, Klein BE, Klein R, Ferris FL, Bressler SB and Milton RC (2005):** The age-related eye disease study severity scale for age-related macular degeneration. Arch Ophthalmol; 123: 1484-1498.

- **Del Priore LV, Kaplan HJ and Berger As (1997):** Retinal pigment epithelial transplantation in the management of subfoveal choroidal neovascularization. *Semin Ophthalmol*; 12: 45-55.

- **Dinculescu A, Glushakova L, Min SH and Hauswirth WW (2005):** Adeno-associated virus-vectored gene therapy for retinal disease. *Hum Gene Ther*; 16:649–663.

- **Dowling JE (1987):** Organization of vertebrate retinas. *Invest phthalmol*; 9: 655–680.

- **Dunaief JL (2002):** The role of apoptosis in age-related macular degeneration. *Arch Ophthalmol*; 120: 1435-1442.

- **Edwards AO (2005):** Complement factor H polymorphism and age-related macular degeneration. *Science*; 308: 421-424.

- **Falls HF and Cotterman CW (1994):** Choroidoretinal degeneration: A sex-linked form in which heterozygous women exhibit a tapetal-like retinal reflex. *Arch Ophthalmol*; 40: 685-703.

- **Fan W (2002):** An in vitro model of the back of the eye for studying retinal pigment epithelial-choroidal endothelial interactions. *In vitro Cell Dev Biol Anim*; 38: 228-234.

- **Foster RG, Provencio I, Hudson D, Fiske S, Grip W and Menaker M (1991):** Circadian photoreception in the retinally degenerate mouse (rd/rd)". *Journal of Comparative Physiology*; pp169: 39-50.

- **Gage FH (2000):** Mammalian neural stem cells. *Science*; 287: 1433–1438.

- ***Gelissen F, Karim-Zoda K, Grisanti S and bartz-Schmidt KU (2005):*** Macular translocation with 360 degrees retinotomy for retinal pigment epithelial tear. *Graefes Arch Clin Exp Ophthalmol*; 243(6): 619-621.
- ***Ghosh F and Ehinger B (2000):*** Full-thickness retinal transplants; 214: 54-69.
- ***Ghosh F, Arner K and Ehinger B (1998):*** Transplant of full-thickness embryonic rabbit retina using pars plana vitrectomy. *Retina*; 18: 1136–1142.
- ***Ghosh F, Juliusson B, Arner k and Ehinger B (1999):*** Partial and full-thickness neuroretinal transplants. *Exp Eye Res*; 68: 67–74.
- ***Gouras P and Tanabe T (2003):*** Survival and integration of neural retinal transplants in rd mice. *Graefes Arch Clin Exp Ophthalmol*; 241: 403-409.
- ***Goureau O and Sahel JA (2006):*** Retinal stem cells: mechanism of differentiation and therapeutic application. *Pathologic Bioloie*; 54: 64-71.
- ***Gullapalli VK, Sugino IK, van Patten Y et al; (2005):*** Impaired RPE survival on aged submacular human Bruch's membrane. *Exp Eye Res*; 80: 235-248.
- ***Hageman GS and Johnson LV (1991):*** The photoreceptor-retinal pigmented epithelium interface. "Principles and Practice of Clinical Electrophysiology of Vision" Eds. Heckenlively JR and Arden GB; Mosby Year Book, Louis st; pp. 53-68.

- **Haim M (2002):** Epidemiology of retinitis pigmentosa in Denmark. Acta Ophthalmol Scand Suppl; 233: 1-34.
- **Hamming N and Apple D (1987):** Anatomy and embryology of the eye . In : principles and practice of ophthalmology, vol.1, edited by Peyman GA, Sander DR and Goldberg MF, New Delhi; pp. 3-20.
- **Hargrave PA, McDowell, JH, Feldmann, RJ, Atkinson PH Rao JKM and Argos P (1984):** Rhodopsin's protein and carbohydrate structure: selected aspects. Vision Res; 24: 1487-1499.
- **Hargrave PA and McDowell JH (1992):** Rhodopsin and phototransduction. Internat. Rev. Cytol; 137 B, pp. 49-97.
- **Harman AM; Fleming PA; Hoskins RV and Moore SR (1997):** Development and aging of cell topography in the human retinal pigment epithelium. Invest. Ophthalmol. Vis. Sci. 38: 2016.
- **Hicks D and Sahel J (1999):** The implications of rod-dependent cone survival for basic and clinical research. Invest Ophthalmol Vis Sci; 40: 3071-3074.
- **Hofer H, Carroll J, Neitz J, Neitz M and Williams DR (2005):** Organization of the human trichromatic cone mosaic. J Neurosci; 25: 9669–9679.
- **Hoffmann S (2002):** Advanced glycation end products induce choroidal endothelial cell proliferation , matrix metalloproteinase-2 and VEGF upregulation in vitro. Graefes Arch Clin Exp Ophthalmol; 240: 996-1002.
- **Holz FG (2001):** Autofluorescence imaging of the macula; 98: 10-18.

- **Honda S (2001):** Induction of an aging mRNA retinal pigment epithelial cell phenotype by matrix-containing advanced glycation end products in vitro. *Invest Ophthalmol Vis Sci*; 42: 2419-2425.

- **Huang JC, Ishida M, Hersh P, Sugino Ik and Zarbin MA (1998):** Preparation and transplantation of photoreceptor sheets. *Curr Eye Res*; 17: 573–585.

- **Humayun MS, de Juan Jr E, , Weiland JD, Dagnelie G, Katona S, Greenburg R and , Suzuki S (1999):** Pattern electrical stimulation of the human retina. *Vision Res*; 39: 2569–2576.

- **Humayun MS, de Juan E Jr, del Cerro M, et al; (2000):** Human neural retinal transplantation. *Invest Ophthalmol Vis Sci*; 41: 3100-3106.

- **Hunt RWG (2004):** The Reproduction of Colour (6th ed.). Chichester UK: Wiley–IS &T Series in Imaging Science and Technology. pp. 11–12.

- **Hurwitz H, Fehrenbacher L, Novotny W et al; (2004):** Bevacizumab plus irinotecan, fluorouracil and leucovorin for metastatic colorectal cancer. *N Engl J Med*; 350(23): 2335-2342.

- **Hynes SR, Rauch MF, Bertram JP and Lavik EB (2008):** A library of tunable poly(ethylene glycol) / poly (L-lysine) hydrogels to investigate the material cues that influence neural stem cell differentiation. *J Biomed Mater Res Part A*; 89: 499-509.

- **Hynes SR and Lavik EB (2009):** A tissue-engineered approach towards retinal repair: Scaffolds for cell transplantation to the subretinal space. *Graefes Arch Clin Exp Ophthalmol*; 9: 1263- 1267.

- **Inglehearn CF (1998):** Molecular genetics of human retinal dystrophies; 12: 571-579.
- **Ishida BY (2006):** High density lipoprotein mediated lipid efflux from retinal pigment epithelial cells in culture. Br J Ophthalmol; 90: 616-620.
- **Issa JP (2003):** Age-related epigenetic changes and the immune system. Clin Immunol; 109: 103-108.
- **Johnson LV (2001):** Complement activation and inflammatory processes in Drusen formation and age related macular degeneration. Exp Eye Res; 73: 887-896.
- **Kandel ER, Schwartz JH and Jessell TM (2000):** Principles of Neural Science (4th ed.); New York: McGraw-Hill. pp. 507–513.
- **Kawamura S (1995):** Phototransduction, excitation and adaptation. In "Neurobiology and Clinical Aspects of the Outer Retina". Eds. Djamgoz MBA, Archer SN and Vallerga S. London, pp. 105-131.
- **Keegan DJ, Kenna P, Humphries MM, Humphries P et al; (2003):** Transplantation of syngeneis Schwann cells to the retina of the rhodopsin knockout [rho(-/-)] mouse. Invest Ophthalmol Vis Sci; 44: 3526-3532.
- **Keegan DJ, Sauvé Y, Winton H, Coffey P and Lund RD (2000):** Visual field preservation and anatomical rescue after transplantation of immortalized RPE cells in the RCS rat. Invest Ophthalmol Vis Sci; 41: S857/4553.

- **Khodair MA, Zarbin MA and Townes-Anderson E (2003):** Synaptic plasticity in mammalian photoreceptors prepared as sheets for retinal transplantation. Invest. Ophthalmol. Vis. Sci. 44: 4967-4988.

- **Khodair MA, Zarbin MA and Townes-Anderson E (2005):** Cyclic AMP prevents retraction of axon terminals in photoreceptor prepared for transplantation: an in vitro study. Invest Ophthalmol Vis Sci; 46: 967-973.

- **Khodair MA, Gullapalli VK, Wang H, Sugino IK and Zarbin MA (2006):** Retinal pigment epithelium and photoreceptor transplantation frontiers. In : retina; edited by Ryan S, Wilkinson CP, Fourth edition; Mosby co; 3: 2597-2609.

- **Khurana AK and Khurana I (2008):** Anatomy and physiology of the eye. Jain VK; 2nd ed.; swastik Packagings, Delhi, pp 8-10.

- **Kijlstra A (2005):** Immunological factors in the pathogenesis and treatment of age-related macular degeneration. Ocul Immunol Inflamm; 13: 3-11.

- **Kinouchi R, Takeda M, Yang L, Wilhelmsson U, Lundkvist A, Pekny M and Chen DF (2003):** Robust neural integration from retinal transplants in mice deficient in GFAP and vimentin. Nat Neurosci; 6: 863-868.

- **Klassen H, Sakaguchi DS and Young MJ (2004a):** Stem cells and retinal repair. Prog Ret Eye Res; 23: 149-181.

- **Klein R (2002):** Ten-year incidence and progression of age-related maculopathy: The Beaver Dam eye study; 109: 1767-1779.

- **Klein R (2003):** Early age-related maculopathy in the cardiovascular health study; 110: 25-33.
- **Klimanskay I (2006):** Retinal pigment epithelium. Methods Enzymol; 418: 169-94.
- **Kolb H (1991):**The neural organization of human retina. In: Principles and practices of clinical electrophysiology of vision : Heckenlively, J.R. and Arden, G.B. eds; Mosby Year Book Inc. , St. Louis, pp. 25-52.
- **Kozart DM (1977):** Embryology of the human eye in Text Book Of Ophthalmology, ninth ed. Edited by Schcie HG and Albert DM, London, pp. 79-92.
- **Kröger RH, Biehlmaier O. (2009):** Space-saving advantage of an inverted retina. Vision Res; 49(18):2318-21
- **Kwan As, Wang S and Lund RD (1999):** Photoreceptor layer reconstruction in a rodent model of retinal degeneration. Exp Neurol; 159: 21-33.
- **La Cour M (2003):** The Retinal pigment epithelium. In : Kaufman PL and Alm A : Adler's physiology of the eye; Ch.11,P 348-357;CV Mosby , St Louiz.
- **Lamba DA, Karl MO, Ware CB and Reh TA (2006):** Efficient generation of retinal progenitor cells from human embryonic stem cell. Proc Natl Acad Sci; USA; 103: 12769-12774.
- **Li L and Turner JE (1991):** Optimal conditions for long term photoreceptor cell rescue in RCs rats: the necessity for healthy RPE transplants. Exp Eye Res; 52: 669-679.

- **Liang FQ (2003):** Oxidative stress-induced mitochondrial DNA damage in human retinal pigment epithelial cells: a possible mechanism for RPE aging and age-related macular degeneration. *Exp Eye Res*; 76: 397-403.

- **Lommatzsch A, Hermans P, Muller KD, Bornfeld N, Bird AC and Pauleikhoff D (2008):** Are low inflammatory reactions involved in exudative age-related macular degeneration? Morphological and immunohistochemical analysis of AMD associated with basal deposits. *Graefes Arch Clin Exp Ophthalmol*; 246: 803-810.

- **Lüke M, Ziemssen F, Völker M , Altpeter E et al; (2009):** Full macular translocation (FMT) versus photodynamic therapy (PDT) with verteporfin in the treatment of neovascular age-related macular degeneration: 2-years results of a prospective, controlled, randomized pilot trial (FMT-PDT). *Graefes Arch Clin Ophthalmol*; 247(6): 745-754.

- **Ma N and Streilein JW (1998):** Contribution of microglia as passenger leukocytes to the fate of intraocular neural retinal grafts. *Invest ophthalmol Vis Sci*; 39: 2384-2393.

- **Maaijwee KJ, Van Meurs JC, Kirchhof B et al; (2007):** Histological evidence for revascularization of an autologus RPE-choroid graft in the pig. *Br J Ophthalmol*; 91(4): 546-550.

- **MacLaren RE, Pearson RA, MacNeil A, Douglas RH et al ; (2006):** Retinal repair by transplantation of photoreceptor precursors. *Nature*; 444: 203-207.

- **Majji AB, Humayun MS, Weiland JD, Suzuki S, D'anna SA and de Juan Jr E (1999):** Long-term histological and electrophysiological

results of an inactive epiretinal electrode array implantation in dogs. Invest Ophthalmol Vis Sci; **40**: 2073–2081.

- **Marc RE (1999):** The structure of vertebrate retinas. In "The retinal basis of vision" Ed. Todyo et al; Elsevier Science BV; pp 3-19.
- **Marc RE, Jones BW and Watt CB (2003):** Neural remodeling in retinal degeneration. Prog Retin Eye Res; 22: 607-655.
- **Meister M and Berry MJ (1999):** The neural code of the retina. Neuron 22(3): 435-50.
- **Meyer JS, Katz ML, Maruniak JA and Kirk MD (2006):** Embryonic stem cell -derived neural progenitors incorporate into degenerating retina and enhance survival of host photoreceptors; Stem Cells; 24: 274-283.
- **Mitchell P (2002):** Five-year incidence of age-related maculopathy lesions: The Blue Mountains Eye Study; 109: 1092-1097.
- **Miyamura N (2004):** Topographic and age-dependent expression of heme oxygenase-1 and catalase in the human retinal pigment epithelium. Invest Ophthalmol Vis Sci; 45: 1562-1565.
- **Mohand-Said S, Hick D and Dreyfus H (2000):** Selective transplantation of rods delays cone loss in a retinitis pigmentosa model. Arch Ophthalmol; 118: 807-811.
- **Moiseyev G, Chen Y, Takahashi Y, Wu BX and Ma JX (2005):** Retinal pigment epithelium is isomerohydrolase in the retinoid visual cycle. Proc. Nat. Acad. Sci; U S A 102:12413–12418.

- ***Nakata K (2005):*** Crystallin distribution in Bruch's membrane-choroid complex from AMD and age-matched donor eyes. *Exp Eye Res*; 80: 821-826.
- ***Nolte J (2002):*** The Human Brain: An Introduction to Its Functional Anatomy. 5th ed. St. Louis: Mosby. pp. 416–7.
- ***Novak-Laus K, Suzana Kukuli S, Zoric-Geber M and Bastaic O (2002):*** Primary tapetoretinal dystrophies as the cause of blindness and impaired vision in the republic of Croatia. *Acta Clin Croat*; 41: 23-27.
- ***Ogden TE (1989):*** Retina: basic science and inherited retinal disease. Vol.1; St. Louis; Mosby CV, pp 130-142.
- ***Okubo A (1999):*** The relationships of age changes in retinal pigment epithelium and Bruch's membrane. *Invest Ophthalmol Vis Sci*; 40: 443-449.
- ***Osterberg G (1935):*** Topography of the layer of rods and cones in the human retina, *Acta Ophthalmol*; in Tasman W., Jaeger EA eds; vol. 1, chapter 21, pp. 1–102.
- ***Pardianto G (2009):*** Mastering phacoemulsification in *Mimbar Ilmiah Oftalmologi Indonesia*; 10:26.
- ***Pennings RJ, Fields RR, Huygen PL, Deutman AF, Kimberling WJ and Cremers CW (2003):*** Usher syndrome type III can mimic other types of Usher syndrome. *Ann Otol Rhinol Laryngol*; 112: 525-530.
- ***Peyman G, Chow AY, Liang C, Chow VY, Perlman JI and Peachey NS (1998):*** Subretinal semiconductor microphotodiode array. *Ophthalm Surg Lasers*; 29: 234–241.

- ***Pieramici DJ, Bressler SB, Koester JM and Bressler NM (2006):*** Occult with no classic subfoveal choroidal neovascular lesions in age-related macular degeneration: clinically relevant natural history information in larger lesions with good vision from the Verteporfin in Photodynamic Therapy (VIP) Trial. *Arch Ophthalmol*; 124: 660-664.
- ***Pinilla I, Cuenca N, Martinez-Navarrete G, Lund RD and Sauvé Y (2009):*** Intraretinal processing following photoreceptor rescue by non-retinal cells. *Vision Research*; 49: 2067-2077.
- ***Qiu G, Seiler MJ, Mui C, Arai S, Aramant RB, de Juan Jr E and Sadda S (2005):*** Photoreceptor differentiation and integration of retinal progenitor cells transplanted into transgenic rats. *Exp Eye Res*; 80: 515-525.
- ***Radtke and Norman D (2002):*** Transplantation of intact sheets of fetal neural retina with its retinal pigment epithelium in retinitis pigmentosa patients. *Am J Ophthalmol*; 133(4): 544-550.
- ***Radtke ND, Aramant RB, and Seiler MJ (2004):*** Vision change after sheet transplant of fetal retina with RPE to a patient with retinitis pigmentosa. *Arch Ophthalmol*; 122: 1159-1165.
- ***Radtke ND, Aramant RB, Petry HM, Green PT, Pidwell DJ and Seiler MJ (2008):*** Vision improvement in retinal degeneration patients by implantation of retina together with retinal pigment epithelium. *Am J Ophthalmol*; 146: 172-182.
- ***Rakyan VK (2002):*** Metastable epialleles in mammals. *Trends Genet*; 18: 348-351.

- **Rauer, O and Ghosh F (2001):** Survival of full thickness retinal xeno transplants without immunosuppression. Graefes Arch Clin Exp Ophthalmol; 239: 145-151.
- **Reale E, Groos S, Eckardt C and Luciano L (2008):** New components of basal laminar deposits in age-related macular degeneration; 20: 344-351.
- **Rosenfeld PJ, Brown DM, Heier JS et al; (2006):** Ranibizumab for neovascular age-related macular degeneration. N Engl J Med; 335(14): 1419-1431.
- **Ruberti JW (2003):** Quick-freeze / deep-etch visualization of age-related lipid accumulation in Bruch's membrane. Invest Ophthalmol vis sci; 44: 1753-1759.
- **Sagdullaev BT, Aramant RB and Seiler MJ (2003):** Retinal transplantation-induced recovery of retinotectal visual function in a rodent model of retinitis pigmentosa. Invest Ophthalmol Vis Sci; 44: 1686-1695.
- **Sahel JA, Mohand-Said S, Leveillard T, Hicks D, Picaud S and Dreyfus H (2001):** Rod-cone interdependence: implications for therapy of photoreceptor cell disease. Pro Brain Res.; 131: 649-661.
- **Saint-Geniez M, Maharaj ASR, walshe TE et al; (2008):** Endogenous VEGF is required for visual function: evidence for a survival role on Müller cells and photoreceptors. Invest Ophthalmol Vis Sci; 3554.
- **Sarks S, Cherepanoff S, Killingsworth M and Sarks J (2007):** Relationship of basal laminar deposit and membranous debris to the

clinical presentation of early age-related macular degeneration. Invest Ophthalmol Vis Sci; 48: 968-977.

- **Schaumberg DA (2001):** Body mass index and the incidence of visually significant age-related maculopathy in men. Arch Ophthalmol; 119: 1259-1265.
- **Schmitz-Valckenberg S (2006):** Correlation between the area of increased autofluorescence surrounding geographic atrophy and disease progression in patients with AMD. Invest. Ophthalmol. Vis. Sci; 47: 2648- 2654.
- **Seiler MJ and Aramant RB (1998):** Intact sheets of fetal retina transplanted to restore damaged rat retinas. Invest Ophthalmol Vis Sci; 39: 2121-2131.
- **Sharma RK and Ehinger B (1997):** Retinal cell transplants: how close to clinical application? Acta Ophthalmol Scand; 75: 355–363.
- **Sibulesky L, Hayes KC, Pronczuk A et al; (1999):** Safety of <7500 RE (<25000 IU) vitamin A daily in adults with retinitis pigmentosa. Am J Clin Nutr; 69(4): 656-663.
- **Slakter JS (2000):** Retinal choroidal anastomoses and occult choroidal neovascularization in age-related macular degeneration; 107: 742-753.
- **Spaide RF, Laud K, Fine HF et al; (2006):** Intravitreal Bevacizumab treatment of choroidal neovascularization secondary to age related macular degeneration; 26(4): 383- 390.
- **Sparrow JR (2005):** RPE lipofuscin and its role in retinal pathobiology. Exp. Eye Res; 80: 595-606.

- **Stanga PE (2002):** Retinal pigment epithelium translocation after choroidal neovascular membrane removal in age-related macular degeneration . Ophthalmology ; 109: 1492-1498.
- **Steinberg RH, Fisher SK and Anderson DH (1980):** Disc morphogenesis in vertebrate photoreceptors. J Comp Neurol; 190: 501–518
- **Stone EM (2001):** Molecular genetics of age-related macular degeneration. Human Mol Genet; 10: 2285-2292.
- **Streilein JW, Ma N, Wenkel H, Ng TF and Zamiri P (2002):** Immunobiology and privilege of neuronal retina and pigment epithelium transplants. Vision Res;42: 487-495.
- **Strettoi E, Pignatelli V, Rossi C, Parciatti V and Falsini B (2003):** Remodling of second-order neurons in the retina of rd/rd mutant Mice. Vision Res;43: 867-877.
- **Stryer L (1991):** Visual excitation and recovery. J. Biol; Chem. 266, 10711-24.
- **Sundelin SP (2001):** Lipofuscin-formation in cultured retinal pigment epithelial cells is related to their melanin content. Free Radic Biol Med; 30: 74-81.
- **Takahashi M, Palmer TD, Takahashi J and Gage FH (1998):** Widespread integration and survival of adult-derived neural progenitor cells in the developing optic retina. Mol. Cell Neurosci; 12: 340–348.

- ***Tezel Th and Del Priore LV (1999):*** Repopulation of different layers of host human Bruch's membrane by retinal pigment epithelial cell grafts. Invest ophthalmol Vis Sci; 40: 767-774.
- ***Tezel TH (2004):*** Reengineering of aged Bruch's membrane to enhance retinal pigment repopulation. Invest Ophthalmol vis sci; 45: 3337-3348.
- ***Tian J (2005):*** Advanced glycation endproduct-induced aging of the retinal pigment epithelium and choroid: a comprehensive transcriptional response. PNAS; 102: 11846- 11851.
- ***Treumer F, Bunse A, Klatt C et al; (2007):*** Autologous retinal pigment epithelium-choroid sheet transplantation in age related macular degeneration: morphological and functional results. Br. J. Ophthalmol;91(3),349-353
- ***Tropepe V, Coles BLK, Chiasson BJ, Horsford DJ, Elia AJ, McInnes RR and van der Kooy D (2000):*** Retinal stem cells in the adult mammalian eye. Science 287: 2032–2036.
- ***Van Hoffelen SJ, Young MJ, Shatos MA and Sakaguchi DS (2003):*** Incorporation of murine brain progenitor cells into the developing mammalian retina. Invest Ophthalmol Vis Sci; 44: 426-434.
- ***Van Meurs JC (2004b):*** Autologous peripheral retinal pigment epithelium translocation in patients with subfoveal neovascular membranes. Br J Ophthalmol; 88: 110-113.
- ***Van Woerkom C and Ferrucci S (2005):*** Sector retinitis pigmentosa. Optometry; 76: 309-317.

- ***Vaughan D and Asbury T (1980):*** General ophthalmology, ninth ed., Lange medical publication, California, pp. 9-13.
- ***Verma L (2000):*** New approaches in the management of choroidal neovascular membrane in age-related macular degeneration. *Ind J Ophthalmol*; 48: 263-278.
- ***Virgili G and Bini A (2007):*** Laser photocoagulation for neovascular age-related macular degeneration; 131 (5): 541- 560.
- ***Wenkel H and Streilen JW (1998):*** Analysis of immune deviation elicited by antigens injected into the subretinal space. *Invest ophthalmol Vis Sci*; 39: 1823-1834.
- ***Wenkel H and Streilein JW (2000):*** Evidence that retinal pigment epithelium functions as an immune privileged tissue. *Invest Ophthalmol Vis Sci*; 41: 3467-3473.
- ***Wong D, Stanga P, Briggs M et al; (2004):*** Case selection in macular relocation surgery for age related macular degeneration. *Br J Ophthalmol*; 88(2): 186-190.
- ***Yamada E (1969):*** Some structural features of the fovea centralis in the human retina. *Arch. Ophthal*; **82**, 151-159.
- ***Yan M, Manor D, Weng G et al; (1991):*** Ultrafast spectroscopy of visual pigment rhodopsin. *Proc. Natl. Sci; USA*, 88: 9809-9812.
- ***Yang P, Seiler MJ, Aramant RB and Whittemore SR (2002):*** Differential lineage restriction of rat retinal progenitor cells in vitro and in vivo. *J Neurosci Res*; 69: 466-476.

- ***Yau KW (1994):*** Phototransduction mechanisms in retinal rods and cones. Invest. Ophthalm. Vis. Sci; 35, 9-32.
- ***Young RW (1994):*** The family of sunlight related eye disease. Optom Vis Sci; 71: 125-144.
- ***Young RW (1971):*** The renewal of rod and cone outer segments in the rhesus monkey. J. Cell Biol; 49, 303-318.
- ***Zarbin MA (2004):*** Current concepts in the pathogenesis of age-related macular degeneration. Arch Ophthalmol; 122: 598-614.
- ***Zhang Y, Amer K and Ehinger B (2003):*** Limitation of anatomical integration between subretinal transplants and the host retina. Invest ophthalmol Vis Sci; 44: 324-331.
- ***Zrenner E, Stette A, Weiss S, Aramant RB, Grenther E, Kohler K, Miliczek KD, Seiler MJ and Haemmerle H (1999):*** Can subretinal microphotodiodes successfully replace degenerated photoreceptors? Vision Res; **39**: 2555–2567.