

References

- Abbasoglu O, Levy MF and Vodapally MS (1997):** Hepatic artery stenosis after liver transplantation—incidence, presentation, treatment, and long term outcome. *Transplantation* 63:250–255.
- Akahoshi T, Nishizaki T and Wakasugi K (2000):** Portal-systemic encephalopathy due to a congenital extrahepatic portosystemic shunt: three cases and literature review. *Hepatogastroenterology* 47, 1113–1116.
- Akhan O, Karaosmanoglu AD and Ergen B (2007):** Imaging findings in congenital hepatic fibrosis. *Eur J Radiol* 61:18–24.
- Akiyoshi H and Terada T (1999):** Centrilobular and perisinusoidal fibrosis in experimental congestive liver in the rat. *J Hepatol* 30, 433–439.
- Aldrighetti L, Arru M and Ronzoni M (2001):** Extrahepatic biliary stenoses after hepatic arterial infusion (HAI) of floxuridine (FUdR) for liver metastases from colorectal cancer. *Hepatogastroenterology* 48:1302–1307.
- Amitrano L, Brancaccio V, Guardascione MA, Margaglione M, Sacco M and Martino R (2002):** Portal vein thrombosis after variceal endoscopic sclerotherapy in cirrhotic patients: role of genetic thrombophilia. *Endoscopy* 34:535–538.
- Amitrano L, Guardascione MA, Brancaccio V, Margaglione M, Manguso F and Iannaccone L (2004):** Risk factors and clinical presentation of portal vein thrombosis in patients with liver cirrhosis. *J Hepatol* 40:736–741.
- Andrade ZA, Guerret S and Fernandes AL (1999):** Myofibroblasts in schistosomal portal fibrosis of man. *Mem Inst Oswaldo Cruz* 94:87–93.
- Angehrn W, Schmid E and Althaus F (1980):** Effect of dopamine on hepatosplanchnic blood flow. *J Cardiovasc Pharmacol* 2:257–265.

Arcidi JM Jr, Moore GW and Hutchins GM (1981): Hepatic morphology in cardiac dysfunction. *Am J Pathol* 104, 159–166.

Arenson DM, Lewis JH and Zimmerman HJ (1984): Post-transfusion hepatitis after cardiac surgery. *Br Med J (Clin Res Ed)* 288, 403–404.

Arora A, Tandon N and Sharma MP (1991): Constrictive pericarditis masquerading as Budd-Chiari syndrome. *J Clin Gastroenterol* 13:178–181.

Arora NK, Lodha R, Gulati S, Gupta AK, Mathur P and Joshi MS (1998): Portal hypertension in north Indian children. *Indian J Pediatr* 65: 585-591.

Azoulay D, Castaing D, Lemoine A, Hargreaves GM and Bismuth E (2000): Transjugular intrahepatic portosystemic shunt (TIPS) for severe veno-occlusive disease of the liver following bone marrow transplantation. *Bone Marrow Transplant* 25:987-992.

Bachet JB, Condat B, Hagege H, Plessier A, Consigny Y and Belghiti J (2007): Long-term portosystemic shunt patency as a determinant of outcome in Budd-Chiari syndrome. *J Hepatol* 46:60-68.

Bailey RW, Brengman ML and Fuh KC (2000): Hemodynamic pathogenesis of ischemic hepatic injury following cardiogenic shock/ resuscitation. *Shock* 14, 451–459.

Balta G, Altay C and Gurgey A. (2002): PAI-1 gene 4G/5G genotype: A risk factor for thrombosis in vessels of internal organs. *Am J Hematol* 71:89- 93.

Baril N, Wren S, Radin R, Ralls P and Stain S (1996): The role of anticoagulation in pylephlebitis. *Am J Surg* 172:449-452; discussion 452-443.

Barnard JA, Marshall GS, Neblett WW, Gray G and Ghishan FK (1986): Noncirrhotic portal fibrosis after Wilms' tumor therapy. *Gastroenterology* 90:1054–1056.

Bates SM and Ginsberg JS (2004): Clinical practice. Treatment of deep-vein thrombosis. *N Engl J Med* 351:268-277.

Bearman SI, Lee JL, Baron AE and McDonald GB (1997): Treatment of hepatic venocclusive disease with recombinant human tissue plasminogen activator and heparin in 42 marrow transplant patients. *Blood* 89:1501- 1506.

Bechstein WO, Blumhardt G and Ringe B (1987): Surgical complications in 200 consecutive liver transplants. *Transpl Proc* 19, 3830–3831.

Bellomo-Brandao MA, Morcillo AM, Hessel G, Cardoso SR, Servidoni Mde F and Costa-Pinto EA (2003): Growth assessment in children with extrahepatic portal vein obstruction and portal hypertension. *Arq Gastroenterol* 40:247-250.

Bessman An and Evans JM (1955): The blood ammonia in congestive heart failure. *Am Heart J* 50:715–719.

Bianchi L, Ohnacker H and Beck K (1972): Liver damage in heatstroke and its regression. *Hum Pathol* 3:237–248.

Bismuth H and Chiche L (1994): Surgical anatomy and anatomical surgery of the liver. In: Blumgart LH. Ed. *Surgery of the liver and biliary tract*, 2nd ed. Edinburgh: Churchill Livingstone 3–9.

Blendis LM, Smith PM, Lawrie BW, Stephens MR and Evan ND (1978): Portal hypertension in vinyl chloride monomer workers. A hemodynamic study. *Gastroenterology* 75:206– 211.

Blewitt RW, Brown CM and Wyatt JI (2003): The pathology of acute hepatic disintegration in hereditary haemorrhagic telangiectasia. *Histopathology* 42, 265–269.

Blostein MD, Paltiel OB, Thibault A and Rybka WB (1992): A comparison of clinical criteria for the diagnosis of veno-occlusive disease of the liver after bone marrow transplantation. *Bone Marrow Transplant* 10:439-443.

Bohmer T, Kjekshus E and Nitter-Hauge S (1994): Studies on the elimination of bilirubin pre-operatively in patients with mitral valve disease. *Eur Heart J* 15, 10–16.

Boon LM, Burrows PE and Paltiel HJ (1996): Hepatic vascular anomalies in infancy: a twenty-seven-year experience. *J Pediatr* 129, 346–354.

Boyer JL. Non-cirrhotic portal hypertension. In: Hoofnagle JH and Goodman Z (1991): Liver Biopsy: Interpretation for the 1990s. *Clinicopathological Correlation in Liver Disease*. Thorofare, NJ: Slack/AASLD; 428–439.

Bree RL, Schwab RE, Glazer GM and Fink-Bennett D (1987): The varied appearances of hepatic cavernous hemangiomas with sonography, computed tomography, magnetic resonance imaging and scintigraphy. *Radiographics* 7:1153–1175.

Bruguera M, Caballero T and Carreras E (1987): Hepatic sinusoidal dilatation in Hodgkin's disease. *Liver* 7, 76–80.

Brunaud L, Antunes L, Collinet-Adler S, Marchal F, Ayav A and Bresler L (2001): Acute mesenteric venous thrombosis: case for nonoperative management. *J Vasc Surg* 34:673-679.

Budd GT (2002): Management of angiosarcoma. *Curr Oncol Rep* 4:515–519.

Buetow PC, Buck JL, Ros PR and Goodman ZD (1994): Malignant vascular tumors of the liver: radiologic-pathologic correlation. *Radiographics* 14:153–156.

Burrows PE, Dubois J and Kassarian A (2001): Pediatric hepatic vascular anomalies. *Pediatr Radiol* 31, 533–545.

Buscarini E, Danesino C and Olivieri C (2004): Doppler ultrasonographic grading of hepatic vascular malformations in hereditary hemorrhagic telangiectasia – results of extensive screening. *Ultraschall Med* 25, 348–355.

Buscarini E, Plauchu H and Garcia-Tsao G (2006): Liver involvement in hereditary hemorrhagic telangiectasia: consensus recommendations. *Liver Int* 26, 1040–1046.

Bushkin FL, MacGregor AM and Hawkins IF (1972): Hepatic artery dissections as a result of abdominal trauma. *Surg Gynaecol Obstet* 135, 721–726.

Busuttil RW and Brin BJ (1980): The diagnosis and management of visceral artery aneurysms. *Surgery* 88, 619–624.

Bynum TE, Boitnott JK and Maddrey WC (1979): Ischemic hepatitis. *Dig Dis Sci* 24:129–135.

Calleja HB, Rosenow OF and Clark TE (1961): Pulsations of the liver in heart disease. *Am J Med* 30, 202–210.

Caselitz M, Bahr MJ and Bleck JS (2003): Sonographic criteria for the diagnosis of hepatic involvement in hereditary hemorrhagic telangiectasia (HHT). *Hepatology* 37, 1139–1146.

Cavallari A, Vivarelli M, Bellusci R, Jovine E, Mazziotti A and Rossi C (2001): Treatment of vascular complications following liver transplantation: multidisciplinary approach. *Hepatogastroenterology* 48:179-183.

Cazals-Hatem D, Vilgrain V and Genin P (2003): Arterial and portal circulation and parenchymal changes in Budd–Chiari syndrome: a study in 17 explanted livers. *Hepatology* 37, 510–519.

Cerri GG, Habr-Gama A, Paranagua-Vezozzo D, Machado MC, Pinotti HW and Magalhaes A (1991): Doppler demonstration of cystic vein dilatation secondary to portal vein thrombosis. *Surg Endosc* 5:92-93.

Chait Y, Condat B, Cazals-Hatem D, Rufat P, Atmani S and Chaoui D (2005): Relevance of the criteria commonly used to diagnose

myeloproliferative disorder in patients with splanchnic vein thrombosis. *Br J Haematol* 129:553-560.

Chalandon Y, Roosnek E, Mermillod B, Newton A, Ozsahin H and Wacker P (2004): Prevention of veno-occlusive disease with defibrotide after allogeneic stem cell transplantation. *Biol Blood Marrow Transplant* 10:347-354.

Chaudhary A, Dhar P, Sarin SK, Sachdev A, Agarwal AK and Vij JC (1998): Bile duct obstruction due to portal biliopathy in extrahepatic portal hypertension: surgical management. *Br J Surg* 85:326-329.

Chawla Y, Kumar S, Dhiman RK, Suri S and Dilawari JB (1999): Duplex Doppler sonography in patients with Budd-Chiari syndrome. *J Gastroenterol Hepatol* 14:904-907.

Chawla YK, Dilawari JB and Dhiman RK (1997): Sclerotherapy in noncirrhotic portal fibrosis. *Dig Dis Sci* 42:1449– 1453.

Chen MF, Chou FF and Wang CH (1983): Hematobilia from ruptured hepatic artery aneurysm. Report of two cases. *Arch Surg* 118, 759–761.

Chen V, Hamilton J and Qizilbash A (1976): Hepatic infarction: a clinicopathologic study of seven cases. *Arch Pathol Lab Med* 100:32–36.

Cheng YF, Huang TL and Chen CL (1997): Variations of the middle and inferior right hepatic vein: application in hepatectomy. *J Clin Ultrasound* 25:175–182.

Chou CK, Mak CW, Tzeng WS and Chang JM (2004): CT of small bowel ischemia. *Abdom Imaging* 29:18-22.

Chu CM, Chang CH and Liaw YF (1984): Jaundice after open heart surgery: a prospective study. *Thorax* 39, 52–56.

Clavien PA (1990): Diagnosis and management of mesenteric infarction. *Br J Surg* 77:601-603.

Cohen CD, Kirsch RE and Saunders SJ (1981): Hepatic sequelae of congestive cardiac failure: evidence for a liver lesion in patients in whom cardiac function had been restored to normal. *S Afr Med J* 59, 213–216.

Cohen SE, Safadi R and Verstandig A (1997): Liver-spleen infarcts following transcatheter chemoembolization. *Dig Dis Sci* 42:938–943.

Collins JD, Bassendine MF and Ferner R (1983): Incidence and prognostic importance of jaundice after cardiopulmonary bypass surgery. *Lancet* 1, 1119–1123.

Condat B, Pessione F, Denninger MH, Hillaire S and Valla D (2000): Recent portal or mesenteric venous thrombosis: increased recognition and frequent recanalization on anticoagulant therapy. *Hepatology* 32:466-470.

Condat B, Pessione F, Hillaire S, Denninger MH, Guillin MC and Poliquin M (2001): Current outcome of portal vein thrombosis in adults: risk and benefit of anticoagulant therapy. *Gastroenterology* 120:490-497.

Condat B, Vilgrain V, Asselah T, O'Toole D, Rufat P and Zappa M (2003): Portal cavernoma-associated cholangiopathy: a clinical and MR cholangiography coupled with MR portography imaging study. *Hepatology* 37:1302-1308.

Cordonnier C, Maury S, Esperou H, Pautas C, Beaune J and Rodet M (2005): Do minitransplants have minicosts? A cost comparison between myeloablative and nonmyeloablative allogeneic stem cell transplant in patients with acute myeloid leukemia. *Bone Marrow Transplant* 36:649- 654.

Couinaud C (1954): Les enveloppes vasculobiliaires du foie ou capsule de Glisson. Leur interet dans la chirurgie vesiculaire, les resections hepatiques et l'abord du hile du foie. *Lyon Chir.* 49:589.

Couinaud C (1989): Surgical anatomy of the liver revisited. Paris: Couinaud, 1989.

Coutinho A (1968): Hemodynamic studies of portal hypertension in schistosomiasis. *Am J Med* 44:547–556.

Czaja AJ (2005): Current concepts in autoimmune hepatitis. *Ann Hepatol* 4:6–24.

Das G, Nussbaum HE and Leff WA (1974): Hepatic function in acute myocardial infarction. *JAMA* 230, 1558–1560.

Davies and Coupland (1967): *Gray's Anatomy*, 1512 – 1526.

De Franchis R (2005): Evolving consensus in portal hypertension. Report of the Baveno IV consensus workshop on methodology of diagnosis and therapy in portal hypertension. *J Hepatol* 43:167-176.

DeLeve LD, Shulman HM and McDonald GB (2002): Toxic injury to hepatic sinusoids: sinusoidal obstruction syndrome (venoocclusive disease). *Semin Liver Dis* 22:27–42.

Deltenre P, Denninger MH and Hillaire S (2001): Factor V Leiden related Budd–Chiari syndrome. *Gut* 48, 264–268.

Demachi H, Matsui O, Kawamori Y, Ueda K and Takashima T (1995): The protective effect of portoarterial shunts after experimental hepatic artery embolization in rats with liver cirrhosis. *Cardiovasc Intervent Radiol* 18:97–101.

Denninger MH, Chait Y, Casadevall N, Hillaire S, Guillin MC and Bezeaud A (2000): Cause of portal or hepatic venous thrombosis in adults: the role of multiple concurrent factors. *Hepatology* 31:587-591.

Desmet VJ (1992): What is congenital hepatic fibrosis? *Histopathology* 20:465–467.

Devaney K, Goodman ZD, Epstein MS, Zimmerman HJ and Ishak KG (1993): Hepatic sarcoidosis. Clinicopathologic features in 100 patients. *Am J Surg Pathol* 17:1272–1280.

Devarbhavi H, Abraham S and Kamath PS (2007): Significance of nodular regenerative hyperplasia occurring de novo following liver transplantation. *Liver Transpl* 13:1552– 1556.

Dhiman RK, Chawla Y and Vashista RK (2002): Noncirrhotic portal fibrosis (idiopathic portal hypertension) experience with 151 patients and a review of the literature. *J Gastroenterol Hepatol* 17:6–16.

Dietrich CF, Mertens JC and Braden B (2007): Contrastenhanced ultrasound of histologically proven liver hemangiomas. *Hepatology* 45:1139–1145.

Dogliotti E (2006): Molecular mechanisms of carcinogenesis by vinyl chloride. *Ann Ist Super Sanita* 42:163–169.

Dominguez IB, Annet L and Waignein F (2005): Extensive ischemic liver necrosis complicating hereditary hemorrhagic telangiectasia: a rare indication for liver transplantation. *Liver Int* 25, 677–679.

Dominique V, Harry J, Juan-Carlos G, Elwyn E, Antoine H, Philippe L, Helena M, Mathias B, Massimo P and Frits R (2009): European network for vascular disorders of the liver EN-Vie; Guidelines for the management of patients with Budd-Chiari syndrome.

Dominique-Charles Valla (2007): Disorders of the hepatic veins and hepatic sinusoids. In: Juan Rodés, Jean-Pierre, Andres T., Jürg Reichen, Mario Rizzetto. *Textbook of Hepatology* 3:1390-1423.

Douglas BE, Baggenstoss AH and Hollinshead WH (1979): the anatomy of the portal vein and its tributaries. *Surg Gynecol Obstet* 91, 562–576.

Dourakis SP, Tsochatzis E, Alexopoulou A and Archimandritis AJ (2006): Pylephlebitis complicating silent diverticulitis. *Lancet* 368:422.

Dubois A, Dauzat M and Pignodel C (1993): Portal hypertension in lymphoproliferative and myeloproliferative disorders: hemodynamic and histological correlations. *Hepatology* 17, 246–250.

Dumortier J, Vaillant E, Boillot O, Poncet G, Henry L and Scoazec JY (2003): Diagnosis and treatment of biliary obstruction caused by portal cavernoma. *Endoscopy* 35:446-450.

Dunn GD, Hayes P and Breen KJ (1973): The liver in congestive heart failure: a review. *Am J Med Sci* 265:174–189.

Eapen CE, Velissaris D, Heydtmann M, Gunson B, Olliff S and Elias E (2006): Favourable medium term outcome following hepatic vein recanalisation and/or transjugular intrahepatic portosystemic shunt for Budd Chiari syndrome. *Gut* 55:878-884.

Eguchi A, Hashizume M and Kitano S (1991): High rate of portal thrombosis after splenectomy in patients with esophageal varices and idiopathic portal hypertension. *Arch Surg* 126:752–755.

El Tourabi H, El Amin AA and Shaheen M (1994): Propranolol reduces mortality in patients with portal hypertension secondary to schistosomiasis. *Ann Trop Med Parasitol* 88:493–500.

Elias H and Petty D (1952): Gross anatomy of the blood vessels and ducts within the human liver. *Am J Anat.* 90:59–111.

England RW, Grathwohl KW and Powell GE (2002): Constrictive pericarditis presenting as chylous ascites. *J Clin Gastroenterol* 35, 104–105.

Erdogan D, Busch OR and van Delden OM (2007): Management of liver hemangiomas according to size and symptoms. *J Gastroenterol Hepatol* 22:1953–1958.

Esteban JI, Gomez J and Martell M (1996): Transmission of hepatitis C virus by a cardiac surgeon. *N Engl J Med* 334, 555–560.

Estruch R, Fernandez-Sola J and Sacanella E (1995): Relationship between cardiomyopathy and liver disease in chronic alcoholism. *Hepatology* 22, 532–538.

Ezzat WR and Loutt WW (1987): Hepatic arterial pressure-flow autoregulation is adenosine mediated. *Am J Physiol.* 252, 836–845.

Fan RF, Chai FL and He GX (2006): Laparoscopic radiofrequency ablation of hepatic cavernous hemangioma. A preliminary experience with 27 patients. *Surg Endosc* 20:281–285.

Fisher A and Miller CH (1995): Ischemic-type biliary strictures in liver allografts: the Achilles heel revisited? *Hepatology* 21: 589–591.

Fisher NC, McCafferty I, Dolapci M, Wali M, Buckels JA and Olliff SP (1999): Managing Budd-Chiari syndrome: a retrospective review of percutaneous hepatic vein angioplasty and surgical shunting. *Gut* 44:568- 574.

Francoz C, Belghiti J, Vilgrain V, Sommacale D, Paradis V and Condat B (2005): Splanchnic vein thrombosis in candidates for liver transplantation: usefulness of screening and anticoagulation. *Gut* 54:691-697.

Fred HL (1999): Curable conspicuous ascites: the forgotten four. *Hosp Pract (Minn.)* 34, 98–100.

Friedman AC (1987): Radiology of the Liver, Biliary Tract, Pancreas and Spleen. Baltimore: Williams and Williams.

Fuerle GE (1990): Arteriovenous shunting and cholestasis in hepatic hemangiomatosis associated with metoclopramide. *Gastroenterology* 99, 252–262.

Futagawa S, Fukazawa M and Horisawa M (1980): Portographic liver changes in idiopathic noncirrhotic portal hypertension. *AJR Am J Roentgenol* 134:917–923.

Gallego C, Miralles M and Marin C (2004): Congenital hepatic shunts. *Radiographics* 24, 755–772.

Garcia-Tsao G (2001): Current management of the complications of cirrhosis and portal hypertension: varices and variceal hemorrhage, ascites and spontaneous bacterial peritonitis. *Gastroenterology* 120, 726–748.

Garcia-Tsao G, Korzenik JR and Young L (2000): Liver disease in patients with hereditary hemorrhagic telangiectasia. *N Engl J Med* 343, 931–936.

Garcia-Tsao G, Sanyal AJ, Grace ND and Carey W (2007): Prevention and management of gastroesophageal varices and variceal hemorrhage in cirrhosis. *Hepatology* 46:322-338.

Gelbmann CM, Rummele P and Wimmer M (2007): Ischemic like cholangiopathy with secondary sclerosing cholangitis in critically ill patients. *Am J Gastroenterol* 102:1221– 1229.

Geubel AP, De Galocsy C, Alves N, Rahier J and Dive C (1991): Liver damage caused by therapeutic vitamin A administration: estimate of dose-related toxicity in 41 cases. *Gastroenterology* 100:1701–1709.

Ghaferi AA and Hutchins GM (2005): Progression of liver pathology in patients undergoing the Fontan procedure: chronic passive congestion, cardiac cirrhosis, hepatic adenoma, and hepatocellular carcinoma. *J Thorac Cardiovasc Surg* 129, 1348–1352.

Ghandur-Mnaymneh L (1976): Anemic infarction of the liver resulting from hepatic and portal vein thrombosis. *Johns Hopkins Med J* 139 (Suppl):78–81.

Giannitrapani L, Soresi M and La Spada E (2006): Sex hormones and risk of liver tumor. *Ann N Y Acad Sci* 1089:228–236.

Gilfillan RS (1950): Anatomic study of the portal vein and its main branches. *Arch Surg* 61:449–461.

Gitlin N and Serio KM (1992): Ischemic hepatitis: widening horizons. *Am J Gastroenterol* 87:831–836.

Gomez Guindal JA, Roldan Rabadan I and Perea Egido J (1999): Ictericia inducida por estreptocinasa [Streptokinase-induced jaundice]. *Rev Esp Cardiol* 52, 1025–1027.

Goodman ZD and Terraciano LM (2007): Tumours and tumour-like lesions of the liver. In: Burt AD, Portmann BC, Ferrell LD, eds. *Mac Sween's Pathology of the Liver*. 5th ed. Oxford: Churchill Livingstone; 761–814.

Gore RM, Mathieu DG and White EM (1994): Passive hepatic congestion: crosssectional imaging features. *AJR Am J Roentgenol* 162:71–75.

Gouya H, Vignaux O and Legmann P (2001): Peliosis hepatis: triphasic helical CT and dynamic MRI findings. *Abdom Imaging* 26, 507–509.

Grendell JH and Ockner RK (1982): Mesenteric venous thrombosis. *Gastroenterology* 82:358-372.

Grimaud JA and Borojevic R (1977): Chronic human schistosomiasis mansoni. Pathology of the Disse's space. *Lab Invest* 36:268–273.

Guadalupe García-Tsao (2007): Congenital vascular malformations. In: Juan Rodés, Jean-Pierre, Andres T., Jürg Reichen, Mario Rizzetto. *Textbook of Hepatology* 3:1390-1423.

Gupta D, Vijaya DR, Gupta R, Dhiman RK, Bhargava M and Verma J (2001): Prevalence of hepatopulmonary syndrome in cirrhosis and extrahepatic portal venous obstruction. *Am J Gastroenterol* 96:3395-3399.

Guttmacher AE, Marchuk DA and White RI (1995): Hereditary hemorrhagic telangiectasia. *N Engl J Med* 333, 918–924.

Hadengue A, Poliquin M and Vilgrain V (1994): The changing scene of hepatic vein thrombosis: recognition of asymptomatic cases. *Gastroenterology* 106, 1042–1047.

Hagglund H, Remberger M, Klaesson S, Lonnqvist B, Ljungman P and Ringden O (1998): Norethisterone treatment, a major risk-factor for veno-occlusive disease in the liver after allogeneic bone marrow transplantation. *Blood* 92:4568-4572.

Hampton WW, Townsend MC and Schirmer WJ (1989): Effective hepatic blood flow during cardiopulmonary bypass. *Arch Surg* 124, 458–459.

Hart GR, Anderson RJ and Crumpler CP (1982): Epidemic classical heat stroke: clinical characteristics and course in 28 patients. *Medicine* 61:189–197.

Hasegawa K, Kubota K and Aoki T (2000): Ischemic cholangitis caused by transcatheter hepatic arterial chemoembolization 10 months after resection of the extrahepatic bile duct. *Cardiovasc Intervent Radiol* 23:304–306.

Hassanein T, Razack A and Gavalier J (1992): Heatstroke: its clinical and pathological presentation with particular attention to the liver. *Am J Gastroenterol* 87:1382–1389.

Hassn AM, Al-Fallouji MA, Ouf TI and Saad R (2000): Portal vein thrombosis following splenectomy. *Br J Surg* 87:362-373.

Heller C, Schobess R, Kurnik K, Junker R, Gunther G and Kreuz W (2000): Abdominal venous thrombosis in neonates and infants: role of prothrombotic risk factors - a multicentre case-control study. For the Childhood Thrombophilia Study Group. *Br J Haematol* 111:534-539.

Henrion J, Colin L and Schmitz A (1993): Ischemic hepatitis in cirrhosis: rare but lethal. *J Clin Gastroenterol* 16:35–39.

Henrion J, Minette P and Colin L (1999): Hypoxic hepatitis caused by acute exacerbation of chronic respiratory failure: a case-controlled, hemodynamic study of 17 consecutive cases. *Hepatology* 29, 427–433.

Henrion J, Schapira M and Luwaert R (2003): Hypoxic hepatitis: clinical and hemodynamic study in 142 consecutive cases. *Medicine* 82, 392–406.

Hernandez-Guerra M, Lopez E, Bellot P, Piera C, Turnes J and Abraldes JG (2006): Systemic hemodynamics, vasoactive systems, and plasma volume in patients with severe Budd-Chiari syndrome. *Hepatology* 43:27- 33.

Hiatt JR, Gabbay J and Busuttil RW (1994): Surgical anatomy of the hepatic arteries in 1000 cases. *Ann. Surg.* 220: 50.

Hidaka H, Ohbu M and Kokubu S (2005): Hepatocellular carcinoma associated with idiopathic portal hypertension: review of large nodules in seven non-cirrhotic portal hypertensive livers. *J Gastroenterol Hepatol* 20:493–494.

Hillaire S, Bonte E and Deninger MH (2002): Idiopathic noncirrhotic intrahepatic portal hypertension in the West: a re-evaluation in 28 patients. *Gut* 51:275–280.

Hinshaw JL, Laeseke PJ, Weber SM and Lee FT Jr (2007): Multipleelectrode radiofrequency ablation of symptomatic hepatic cavernous hemangioma. *AJR Am J Roentgenol* 189: 146–149.

Hintze RE, Adler A and Veltzke W (1997): Endoscopic management of biliary complications after orthotopic liver transplantation. *Hepatogastroenterology* 44:258–262.

Hohn DC, Stagg RJ and Friedman MA (1989): A randomized trial of continuous intravenous versus hepatic intraarterial floxuridine in patients with colorectal cancer metastatic to the liver: the Northern California Oncology Group trial. *J Clin Oncol* 7:1646–1654.

Hollingshead M, Burke CT, Mauro MA, Weeks SM, Dixon RG and Jaques PF (2005): Transcatheter thrombolytic therapy for acute mesenteric and portal vein thrombosis. *J Vasc Interv Radiol* 16:651-661.

Horita T, Tsutsumi A and Takeda T (2002): Significance of magnetic resonance imaging in the diagnosis of nodular regenerative hyperplasia of the

liver complicated with systemic lupus erythematosus: a case report and review of the literature. *Lupus* 11:193–196.

Hubert C, Sempoux C and Horsmans Y (2007): Nodular regenerative hyperplasia: a deleterious consequence of chemotherapy for colorectal liver metastases? *Liver Int* 27:938–943.

Hyodo M, Mogensen AM and Larsen PN (2004): Idiopathic extensive peliosis hepatitis treated with liver transplantation. *J Hepatobiliary Pancreat Surg* 11:371–374.

Ianora AA, Memeo M and Sabba C (2004): Hereditary hemorrhagic telangiectasia: multi-detector row helical CT assessment of hepatic involvement. *Radiology* 230, 250–259.

Iman F, Kuge K and Komaba M (1993): Interim report on IPH survey. In: Futagawa S, ed. 1992 Report of the Research Committee on Aberrant Portal Hemodynamics (in Japanese). Tokyo, Japan: Tokyo Ministry of Health & Welfare; 107–110.

Inagaki H, Nonami T and Kawagoe T (2000): Idiopathic portal hypertension associated with systemic lupus erythematosus. *J Gastroenterol* 35:235–239.

Ioachim HL, Adsay V, Giancotti FR, Dorset B and Melamed J (1995): Kaposi's sarcoma of internal organs. *Cancer* 75:1376–1385.

Ishak KG, Sesterhenn IA, Goodman ZD, Rabin L and Stromeyer FW (1984): Epithelioid hemangioendothelioma of the liver: a clinicopathologic and follow-up study of 32 cases. *Hum Pathol* 15:839–852.

Ishii M and Katada Y (2003): Idiopathic portal hypertension in a systemic sclerosis patient heterozygous for factor V Leiden mutation. *Rheumatol Int* 23:44–46.

Itai Y, Ohtomo K and Kokubo T (1988): CT and MR imaging of postnecrotic liver scars. *J Comput Assist Tomogr* 12:971–975.

Iwata M, Sasaki M and Harada K (2001): Intrahepatic cholangitis and arteritis after transcatheter arterial embolization in a patient with tumor-like lesion-associated autoimmune hepatitis. *Pathol Res Pract* 197:59–63.

Jacobi D, de Muret A, Arbeille B and Perarnau JM (2006): Transjugular intrahepatic portosystemic shunt for the treatment of portal hypertension secondary to non-cirrhotic perisinusoidal hepatic fibrosis. *Eur J Gastroenterol Hepatol* 18: 549–551.

Janssen HL, Garcia-Pagan JC, Elias E, Mentha G, Hadengue A and Valla DC (2003): Budd-Chiari syndrome: a review by an expert panel. *J Hepatol* 38:364-371.

Janssen HL, Meinardi JR, Vleggaar FP, Van Uum SH, Haagsma EB and Van Der Meer FJ (2000): Factor V Leiden mutation, prothrombin gene mutation, and deficiencies in coagulation inhibitors associated with Budd-Chiari syndrome and portal vein thrombosis: results of a case-control study. *Blood* 96:2364-2368.

Jenkins JG, Lynn AM and Wood AE (1982): Acute hepatic failure following cardiac operation in children. *J Thorac Cardiovasc Surg* 84, 865–871.

Joh JH, Kim DI (2005): Mesenteric and portal vein thrombosis: treated with early initiation of anticoagulation. *Eur J Vasc Endovasc Surg* 29: 204-208.

Jones RJ, Lee KS, Beschorner WE, Vogel VG, Grochow LB and Braine HG (1987): Venooclusive disease of the liver following bone marrow transplantation. *Transplantation* 44:778-783.

Juan C, Manuel H and Jaime B (2008): Vascular Diseases of the Liver. *Semin Liver Dis* 28:282–292.

Kage M (2004): Budd–Chiari syndrome and hepatocellular carcinoma. *J Gastroenterol* 39, 706–707.

Kaiserling E and Muller H (2005): Neoplasm of hepatic stellate cells (spongiotic pericytoma): a new tumor entity in human liver. *Pathol Res Pract* 201:733–743.

Kamath PS, Carpenter HA and Lloyd RV (2000): Hepatic localization of endothelin-1 in patients with idiopathic portal hypertension and cirrhosis of the liver. *Liver Transpl* 6:596–602.

Kerguenec C, Hillaire S and Molinie V (2001): Hepatic manifestations of hemophagocytic syndrome: a study of 30 cases. *Am J Gastroenterol* 96, 852–857.

Kerr DN, Okonkwo S and Choa RG (1978): Congenital hepatic fibrosis: the long-term prognosis. *Gut* 19:514–520.

Kew MC, Varma RR and Dos Santos HA (1971): Portal hypertension in primary biliary cirrhosis. *Gut* 12:830–834.

Khoury G, Tobi M and Oren M (1990): Massive hepatic infarction in systemic lupus erythematosus. *Dig Dis Sci* 35:1557–1560.

Khuroo MS, Al-Suhabani H, Al-Sebayel M, Al Ashgar H, Dahab S and Khan MQ (2005): Budd-Chiari syndrome: long-term effect on outcome with transjugular intrahepatic portosystemic shunt. *J Gastroenterol Hepatol* 20:1494–1502.

Khuroo MS, Yattoo GN, Zargar SA, Javid G, Dar MY and Khan BA (1993): Biliary abnormalities associated with extrahepatic portal venous obstruction. *Hepatology* 17:807-813.

Kibbler CC, Cohen DL and Cruickshank JK (1985): Use of CAT scanning in the diagnosis and management of hepatic artery aneurysm. *Gut* 26, 752–756.

Kim BW, Won JH and Lee BM (2006): Intraarterial thrombolytic treatment for hepatic artery thrombosis immediately after living donor liver transplantation. *Transplant Proc* 38:3128–3131.

- Kingham JG, Levison DA, Stansfeld AG and Dawson AM (1981):** Non-cirrhotic intrahepatic portal hypertension: a long term follow-up study. *Q J Med* 50:259–268.
- Kisloff B and Schaffer G (1976):** Fulminant hepatic failure secondary to congestive heart failure. *Am J Dig Dis* 21:895–900.
- Ko WF, Cello JP, Rogers SJ and Lecours A (2003):** Prognostic factors for the survival of patients with AIDS cholangiopathy. *Am J Gastroenterol* 98:2176–2181.
- Koehler JE, Sanchez MA and Garrido CS (1997):** Molecular epidemiology of Bartonella infections in patients with bacillary angiomatosis-peliosis. *N Engl J Med* 337:1876–1883.
- Koenecke C, Kleine M, Schrem H, Krug U, Nashan B and Neipp M (2006):** Sinusoidal obstruction syndrome of the liver after hematopoietic stem cell transplantation: decision making for orthotopic liver transplantation. *Int J Hematol* 83:271-274.
- Kramann B, Daoyu H and Kubale R (1995):** Experiences with the endovascular embolization therapy of aneurysms of the splanchnic arteries – a report on 13 cases. *Rofo* 163 (5), 414–423.
- Kreel L, Freston JW and Clain D (1967):** Vascular radiology in the Budd-Chiari syndrome. *Br J Radiol* 40:755-759.
- Kreft B, Strunk H, Flacke S, Wolff M, Conrad R and Gieseke J (2000):** Detection of thrombosis in the portal venous system: comparison of contrast-enhanced MR angiography with intraarterial digital subtraction angiography. *Radiology* 216:86-92.
- Kulkarni S, Rodriguez M, Lafuente A, Mateos P, Mehta J and Singhal S (1999):** Recombinant tissue plasminogen activator (rtPA) for the treatment of hepatic veno-occlusive disease (VOD). *Bone Marrow Transplant* 23:803-807.

Kumar S, Sarr M and Kamath PS (2001): Mesenteric venous thrombosis. *N Engl J Med* 345:1683-1688.

Lagasse JP, Bahallah ML, Salem N, Debillon G, Labbariere D and Serve MP (1997): Acute thrombosis of the portal system. Treatment with alteplase and heparin or with heparin alone in 10 patients. [in French] *Gastroenterol Clin Biol* 21:919-923.

Landolfi R, Marchioli R, Kutti J, Gisslinger H, Tognoni G and Patrono C (2004): Efficacy and safety of low-dose aspirin in polycythemia vera. *N Engl J Med* 350:114-124.

Langlet P and Valla D (2002): Is surgical portosystemic shunt the treatment of choice in Budd-Chiari syndrome? *Acta Gastroenterol Belg* 65:155- 160.

Lasser EC, Lyon SG and Berry CC (1997): Reports in contrast media reactions: analysis of data from reports to the U.S. food and drug administration. *Radiology*.203:605.

Laurie D, Dominique-Charles V, Guadalupe (2009): Vascular Disorders of the Liver. *Hepatology* 1729- 1764.

Laurie D. DeLeve (2003): *Current Gastroenterology Reports* 5:63–70.

Lawrence M. Tierney, Stephen J. Mcphee and Maxine A. Papadakis (2003): *Current Medical Diagnosis and Treatment* 653 – 654.

Lee JL, Gooley T, Bensinger W, Schiffman K and McDonald GB (1999): Venooclusive disease of the liver after busulfan, melphalan, and thiotepa conditioning therapy: incidence, risk factors, and outcome. *Biol Blood Marrow Transplant* 5:306-315.

Lee JY, Choi BI, Han JK, Kim AY, Shin SH and Moon SG (2002): Improved sonographic imaging of hepatic hemangioma with contrast-enhanced coded harmonic angiography: comparison with MR imaging. *Ultrasound Med Biol* 28:287–295.

Lefer AM, Aoki N and Mulloy D (1990): Coronary endothelium-protective effects of defibrotide in ischaemia and reperfusion. *Naunyn Schmiedebergs Arch Pharmacol* 341:246-250.

Lefkowitz JH and Mendez L (1986): Morphologic features of hepatic injury in cardiac disease and shock. *J Hepatol* 2, 313–327.

Legmann P, Costes V and Tudoret L (1995): Hepatic artery thrombosis after liver transplantation: diagnosis with spiral CT. *Am. J. Roentgenol.* 164: 97.

Lehmann FS, Beglinger C, Schnabel K and Terracciano L (1999): Progressive development of diffuse liver hemangiomas. *J Hepatol* 30:951–954.

Lerut JP, Orlando G and Adam R (2007): The place of liver transplantation in the treatment of hepatic epitheloid hemangioendothelioma: report of the European liver transplant registry. *Ann Surg* 246:949–957.

Lincoln DT, Singal PK and Al-Banaw A (2007): Growth hormone in vascular pathology: neovascularization and expression of receptors is associated with cellular proliferation. *Anticancer Res* 27:4201–4218.

Liu P, McGuire GM and Fisher MA (1995): Activation of Kupffer cells and neutrophils for reactive oxygen formation is responsible for endotoxin-enhanced liver injury after hepatic ischaemia. *Shock* 3, 56–62.

Locker GY, Doroshow JH, Zwelling LA and Chabner BA (1979): The clinical features of hepatic angiosarcoma: a report of four cases and a review of the English literature. *Medicine (Baltimore)* 58:48–64.

Longeville JH, de la Hall P and Dolan P (1997): Treatment of a giant haemangioma of the liver with Kasabach-Merritt syndrome by orthotopic liver transplant a case report. *HPB Surg* 10:159–162.

Lyburn ID, Torreggiani WC and Harris AC (2003): Hepatic epithelioid hemangioendothelioma: sonographic CT and MR imaging appearances. *AJR Am J Roentgenol* 180: 1359–1364.

Mack CL, Superina RA and Whittington PF (2003): Surgical restoration of portal flow corrects procoagulant and anticoagulant deficiencies associated with extrahepatic portal vein thrombosis. *J Pediatr* 142:197-199.

Maeda T, Tateishi U and Hasegawa T (2007): Primary hepatic angiosarcoma on coregistered FDG PET and CT images. *AJR Am J Roentgenol* 188:1615–1617.

Makharia G, Dhiman RK, Chawla YK and Vasistha RK (2001): Noncirrhotic portal fibrosis in a patient with rheumatoid arthritis. *Indian J Gastroenterol* 20:197–198.

Maluf D, Cotterell A and Clark B (2005): Hepatic angiosarcoma and liver transplantation: case report and literature review. *Transplant Proc* 37:2195–2199.

Marc Ghany and Jay Hoofnagle (2005): Harrison's Principles of Internal Medicine, Sc. 2, 1867 – 2674.

Mathieu D, Kracht M and Zafrani E (1990): Budd–Chiari syndrome. In: Ferrucci J, Mathieu D (eds) *Advances in Hepatobiliary Radiology*. St Louis: C.V. Mosby Co., pp. 3–28.

Mathieu D, Vasile N and Grenier P (1985): Portal thrombosis: dynamic CT features and course. *Radiology* 154:737-741.

Mathur SK, Shah SR, Nagral SS and Soonawala ZF (1999): Transabdominal extensive esophagogastric devascularization with gastroesophageal stapling for management of noncirrhotic portal hypertension: long-term results. *World J Surg* 23:1168–1174.

Matsutani S, Maruyama H and Akiike T (2005): Study of portal vein thrombosis in patients with idiopathic portal hypertension in Japan. *Liver Int* 25:978–983.

McCarville MB, Hoffer FA, Howard SC, Goloubeva O and Kauffman WM (2001): Hepatic veno-occlusive disease in children undergoing bone-marrow transplantation: usefulness of sonographic findings. *Pediatr Radiol* 31:102-105.

McDonald GB (2004): Liver disease of uncertain cause. *Bone Marrow Transplant* 33:977-978.

McDonald GB, Hinds MS, Fisher LD, Schoch HG, Wolford JL and Banaji M (1993): Veno-occlusive disease of the liver and multiorgan failure after bone marrow transplantation - a cohort study of 355 patients. *Ann Intern Med* 118:255-267.

McDonald GB, Sharma P, Matthews DE, Shulman HM and Thomas ED (1985): The clinical course of 53 patients with venocclusive disease of the liver after marrow transplantation. *Transplantation* 36:603-608.

McHutchison JG (1997): Differential diagnosis of ascites. *Semin Liver Dis* 17:191–202.

Mehrabi A, Kashfi A and Fonouni H (2006): Primary malignant hepatic epithelioid hemangio-endothelioma: a comprehensive review of the literature with emphasis on the surgical therapy. *Cancer* 107:2108–2121.

Melear JM, Goldstein RM, Levy MF, Molmenti EP, Cooper B and Netto GJ (2002): Hematologic aspects of liver transplantation for Budd-Chiari syndrome with special reference to myeloproliferative disorders. *Transplantation* 74:1090-1095.

Mentha G, Giostra E, Majno PE, Bechstein WO, Neuhaus P and O’Grady J (2006): Liver transplantation for Budd-Chiari syndrome: A European study on 248 patients from 51 centres. *J Hepatol* 44:520-528.

Menu Y, Sebag G, Vigrain V, Arrive' L and Nahum H (1990): Budd-Chiari syndrome: MR evaluation. *Diagn Interv Radiol* 2:23-28.

Mican JM, Di Bisceglie AM and Fong TL (1995): Hepatic involvement in mastocytosis: clinicopathologic correlations in 41 cases. *Hepatology* 22, 1163–1170.

Michalopoulos A, Alivizatos P and Geroulanos S (1997): Hepatic dysfunction following cardiac surgery: determinants and consequences. *Hepatogastroenterology* 44, 779–783.

Miller WJ, Federle MP and Straub WH (1993): Budd–Chiari syndrome: imaging with pathologic correlation. *Abdom Imaging* 18, 329–335.

Mitchell L. Shiffman (2007): The Liver in Circulatory Failure. In: Schiff, Eugene R, Sorrell, Michael F, Maddrey and Willis C. *Schiff's Diseases of the Liver* 10: 1185-1198.

Morgan G and Superina R (1994): Congenital absence of the portal vein: two cases and a proposed classification system for portosystemic vascular anomalies. *J Pediatr Surg* 29, 1239–1241.

Moucari R, Plessier A, Rautou PE, Consigny Y, Denninger MH and Cazals-Hatem D (2006): Hepatocellular carcinoma in Budd-Chiari syndrome: characteristics and risk factors [Abstract]. *Hepatology* 44:461.

Mudawi H, Ali Y and El Tahir M (2008): Prevalence of gastric varices and portal hypertensive gastropathy in patients with Symmers periportal fibrosis. *Ann Saudi Med* 28:42–44.

Murad SD, Valla DC and Groen PC (2004): Determinants of survival and the effect of portosystemic shunting in patients with Budd–Chiari syndrome. *Hepatology* 39, 500–508.

Murad SD, Valla DC, Groen PC, Zeitoun G, Haagsma EB and Kuipers EJ (2006): Pathogenesis and treatment of Budd-Chiari syndrome combined with portal vein thrombosis. *Am J Gastroenterol* 101:83-90.

Murray CP, Yoo SJ and Babyn PS (2003): Congenital extrahepatic portosystemic shunts. *Pediatr Radiol* 33, 614–620.

Myers RB and Spodick DH (1999): Constrictive pericarditis: clinical and pathophysiologic characteristics. *Am Heart J* 138, 219–232.

Naber AH, Van Haelst U and Yap SH (1991): Nodular regenerative hyperplasia of the liver: an important cause of portal hypertension in non-cirrhotic patients. *J Hepatol* 12: 94–99.

Nakamura N, Nishida S and Neff GR (2005): Intrahepatic biliary strictures without hepatic artery thrombosis after liver transplantation: an analysis of 1,113 liver transplantations at a single center. *Transplantation* 79:427–432.

Nakamura S and Tsuzuki T (1981): Surgical anatomy of the hepatic veins and the inferior vena cava. *Surg Gynecol Obstet.* 152, 43–50.

Nakanuma Y, Ohta G, Kobayashi K and Kato Y (1982): Histological and histometric examination of the intrahepatic portal vein branches in primary biliary cirrhosis without regenerative nodules. *Am J Gastroenterol* 77:405–413.

Nakasaki H, Tanaka Y and Ohta M (1989): Congenital absence of the portal vein. *Ann Surg* 210, 190–193.

Narkewicz MR, Sondheimer HM and Ziegler JW (2003): Hepatic dysfunction following the Fontan procedure. *J Pediatr Gastroenterol Nutr* 36, 352–357.

Nash TE, Cheever AW, Ottesen EA and Cook JA (1982): Schistosome infections in humans: perspectives and recent findings. NIH conference. *Ann Intern Med* 97:740–754.

Nataf C, Feldmann G and Lebrec D (1979): Idiopathic portal hypertension (perisinusoidal fibrosis) after renal transplantation. *Gut* 20:531–537.

Nayak NC and Ramalingaswami V (1969): Obliterative portal venopathy of the liver. *Arch Pathol* 87:359–369.

Nevens F, Staessen D and Sciote R (1994): Clinical aspects of incomplete septal cirrhosis in comparison with macronodular cirrhosis. *Gastroenterology* 106:459–463.

Nouel O, Henrion J and Bernuau J (1980): Fulminant hepatic failure due to transient circulatory failure in patients with chronic heart disease. *Dig Dis Sci* 25:49–52.

Nuñez O, de la Cruz G, Molina J, Borrego GM, Mariñ I and Ponferrada A (2003): Interventional radiology, angioplasty and TIPS in Budd-Chiari syndrome. *Gastroenterol Hepatol* 26:461–464.

Odell JA, Rode H, Millar AJ and Hoffman HD (1995): Surgical repair in children with the Budd-Chiari syndrome. *J Thorac Cardiovasc Surg* 110: 916–923.

Oe A, Habu D and Kawabe J (2005): A case of diffuse hepatic angiosarcoma diagnosed by FDG-PET. *Ann Nucl Med* 19:519–521.

Ogren M, Bergqvist D, Bjorck M, Acosta S, Eriksson H and Sternby NH (2006): Portal vein thrombosis: prevalence, patient characteristics and lifetime risk: a population study based on 23,796 consecutive autopsies. *World J Gastroenterol* 12:2115–2119.

Ohnishi K, Saito M and Sato S (1987): Portal hemodynamics in idiopathic portal hypertension (Banti's syndrome). Comparison with chronic persistent hepatitis and normal subjects. *Gastroenterology* 92:751–758.

Okuda K (2002): Inferior vena cava thrombosis at its hepatic portion (obliterative hepatocavopathy). *Semin Liver Dis* 22, 15–26.

Okuda K, Nakashima T and Okudaira M (1982): Liver pathology of idiopathic portal hypertension. Comparison with noncirrhotic portal fibrosis of India. The Japan idiopathic portal hypertension study. *Liver* 2:176–192.

Okudaira M, Ohbu M and Okuda K (2002): Idiopathic portal hypertension and its pathology. *Semin Liver Dis* 22: 59–72.

Orloff MJ, Orloff MS, Girard B and Orloff SL (2002): Bleeding esophagogastric varices from extrahepatic portal hypertension: 40 years' experience with portal-systemic shunt. *J Am Coll Surg* 194:717-728.

Orr DW, Harrisson PM, Karani J, Rela M, Heaton ND and O'Grady JG (2005): Chronic portomesenteric and portosplenomesenteric venous thrombosis: evaluation of long term follow-up and determinants of survival. *Hepatology* 42:212A.

Ozakyol A and Kebapci M (2006): Enhanced growth of hepatic hemangiomatosis in two adults after postmenopausal estrogen replacement therapy. *Tohoku J Exp Med* 210: 257–261.

Painter (1961): Angiomatosis of liver causing fatal haemorrhage. *Br J Surg* 49, 8–10).

Pal S, Radhakrishna P and Sahni P (2005): Prophylactic surgery in non-cirrhotic portal fibrosis: is it worthwhile? *Indian J Gastroenterol* 24:239–242.

Pande C, Kumar A and Sarin SK (2006): Noncirrhotic portal fibrosis a clinical profile of 366 patients. *Am J Gastroenterol* 101:119.

Parker RGF (1959): Occlusion of the hepatic veins in man. *Medicine (Baltimore)* 38, 369–402.

Paulette B., Herve' L., Christophe L., Jean F., and Charles B (2008): Semminars in liver disease . Volume 28, 68-81.

Perkocha LA, Geaghan SM and Yen TS (1990): Clinical and pathological features of bacillary peliosis hepatis in association with human immunodeficiency virus infection. *N Engl J Med* 323:1581–1586.

Peter C. Hayes (2007): Hepatic artery diseases. In: Juan Rodés, Jean-Pierre, Andres T., Jürg Reichen, Mario Rizzetto. *Textbook of Hepatology* 3:1390-1423.

Peterson MS, Baron RL and Rankin SC (2000): HA findings on multiphasic contrast-enhanced helical CT do not mimic hepatic hemangioma. *AJR Am J Roentgenol* 175:165– 170.

Pierre D and Dominique-Charles V (2008): Seminar in Liver Diseases 28:235–246.

Pimentel JC and Menezes AP (1977): Liver disease in vineyard sprayers. *Gastroenterology* 72:275–283.

Plemmons RM, Dooley DP and Longfield RN (1995): Septic thrombophlebitis of the portal vein (pylphlebitis): diagnosis and management in the modern era. *Clin Infect Dis* 21:1114-1120.

Plessier A, Sibert A, Consigny Y, Hakime A, Zappa M and Denninger MH (2006): Aiming at minimal invasiveness as a therapeutic strategy for Budd-Chiari syndrome. *Hepatology* 44:1308-1316.

Podurriel BJ, McGill DB, Ludwig J, Taylor WF and Muller SA (1973): Liver injury associated with methotrexate therapy for psoriasis. *Mayo Clin Proc* 48:787–792.

Potter JM and Hickman PE (1992): Cardiodepressant drugs and the high mortality rate associated with ischemic hepatitis. *Crit Care Med* 20, 474–478.

Proposito D, Lornaz Segunda C and Garcia I (2001) Assessment of risk factors in the incidence of hepatic artery thrombosis in a consecutive series of 687 liver transplants. *An Ital Chir* 72, 187–205.

Qureshi H, Kamal S, Khan RA, Zuberi SJ and Alam SE (1991): Differentiation of cirrhotic vs idiopathic portal hypertension using 99mTc-Sn colloid dynamic and static scintigraphy. *J Pak Med Assoc* 41:126–129.

Rangari M, Sinha S, Kapoor D, Mohan JC and Sarin SK (2002): Prevalence of autonomic dysfunction in cirrhotic and noncirrhotic portal hypertension. *Am J Gastroenterol* 97:707–713.

Rappaport AM (1973): The microcirculatory hepatic unit. *Microvasc Res.* 6:212–228.

Richardson PD and Withrington PG (1981): Liver blood flow. I. Intrinsic and nervous control of liver blood flow. *Gastroenterology* 8, 159–173.

Rocha AJ, Braga FT and Silva CJ (2004): Reversal of parkinsonism and portosystemic encephalopathy following embolization of a congenital intrahepatic venous shunt: brain MR imaging and 1H spectroscopic findings. *Am J Neuroradiol* 25, 1247–1250.

Romano M, Giojelli A, Capuano G, Pomponi D and Salvatore M (2004): Partial splenic embolization in patients with idiopathic portal hypertension. *Eur J Radiol* 49:268–273.

Rosenthal J, Sender L, Secola R, Killen R, Millerick M and Murphy L (1996): Phase II trial of heparin prophylaxis for veno-occlusive disease of the liver in children undergoing bone marrow transplantation. *Bone Marrow Transplant* 18:185-191.

Rougier P, Degott C, Rueff B and Benhamou JP (1978): Nodular regenerative hyperplasia of the liver. Report of six cases and review of the literature. *Gastroenterology* 75:169– 172.

Rowbotham D, Wendon J and Williams R (1998): Acute liver failure secondary to hepatic infiltration: a single centre experience of 18 cases. *Gut* 42, 576–580.

Rudolph AM (1983): Hepatic and ductus venosus blood flows during fetal life. *Hepatology* 3, 254–258.

Ruiz-Guevara R, de Noya BA and Valero SK (2007): Clinical and ultrasound findings before and after praziquantel treatment among Venezuelan schistosomiasis patients. *Rev Soc Bras Med Trop* 40:505–511.

Runyon BA (1988): Cardiac ascites: a characterization. *J Clin Gastroenterol* 10, 410–412.

Saadoun D, Cazals-Hatem D and Denninger MH (2004): Association of idiopathic hepatic sinusoidal dilatation with the immunological features of the antiphospholipid syndrome. *Gut* 53, 1516–1519.

Safran AP and Schaffner F (1967): Chronic passive congestion of the liver in man: electron microscopic study of cell atrophy and intralobular fibrosis. *Am J Pathol* 50:447–463.

Saito K, Nakanuma Y and Takegoshi K (1993): Non-specific immunological abnormalities and association of autoimmune diseases in idiopathic portal hypertension. A study by questionnaire. *Hepatogastroenterology* 40:163–166.

Sakata C, Tanaka H and Takemura S (2000): Post-ischemic intraportal adenosine administration protects against reperfusion injury of canine liver. *J Hepatobiliary Pancreat Surg* 7:78–85.

Samuel D, Smadja C and Degos F (1985): Encephalopathy following portal shunting in nodular regenerative hyperplasia of the liver. *Gastroenterol Clin Biol* 9:162–165.

Santra A, Das Gupta JD, De BK, Roy B and Guha Mazumdar DN (1999): Hepatic manifestations in chronic arsenic toxicity. *Indian J Gastroenterol* 18:152–155.

Sarin SK and Kumar A (2006): Noncirrhotic portal hypertension. *Clin Liver Dis* 10:627–651.

Sarin SK, Sethi KK and Nanda R (1987): Measurement and correlation of wedged hepatic, intrahepatic, intrasplenic and intravariceal pressures in patients with cirrhosis of liver and non-cirrhotic portal fibrosis. *Gut* 28:260–266.

Saulius Rutkauskas, Vytautas Gedrimas, Juozas Pundzius, Giedrius Barauskas and Algidas Basevicius (2006): Clinical and anatomical basis for the classification of the structural parts of liver. *Medicina (Kaunas)* 42(2): 98-106.

Sawabe M, Arai T and Esaki Y (2001): Three-dimensional organization of the hepatic microvasculature in hereditary hemorrhagic telangiectasia. *Arch Pathol Lab Med* 125, 1219–1223.

Schabel SI, Rittenberg GM and Javid LH (1980): The “bull's-eye” falciform ligament: A sonographic finding of portal hypertension. *Radiology* 136:157–159.

Schiano TD, Kotler DP, Ferian E and Fiel MI (2007): Hepatoportal sclerosis as a cause of noncirrhotic portal hypertension in patients with HIV. *Am J Gastroenterol* 102:2536–2540.

Schiff, Eugene R, Sorrell, Michael F, Maddrey and Willis C (2007): The Liver in Circulatory Failure. *Schiff's Diseases of the Liver*. Schiff's Diseases of the Liver 41: 1185-1198.

Schlitt HJ, Meier PN and Nashan B (1999): Reconstructive surgery for ischemic-type lesions at the bile duct bifurcation after liver transplantation. *Ann Surg* 229:137–145.

Sebagh M, Farges O and Kalil A (1995): Sclerosing cholangitis following human orthotopic liver transplantation. *Am J Surg Pathol* 19:81–90.

Seeto RK, Fenn B and Rockey DC (2000): Ischemic hepatitis: clinical presentation and pathogenesis. *Am J Med* 109, 109–113.

Senzolo M, Tibbals J, Cholongitas E, Triantos CK, Burroughs AK and Patch D (2006): Transjugular intrahepatic portosystemic shunt for portal vein thrombosis with and without cavernous transformation. *Aliment Pharmacol Ther* 23:767-775.

Settmacher U, Nussler NC, Glanemann M, Haase R, Heise M and Bechstein WO (2000): Venous complications after orthotopic liver transplantation. *Clin Transplant* 14:235-241.

Sharma BC, Bhasin DK and Nada R (2006): Association of celiac disease with noncirrhotic portal fibrosis. *J Gastroenterol Hepatol* 21:332–334.

Sharma BC, Singh RP and Chawla YK (1997): Effect of shunt surgery on spleen size, portal pressure and oesophageal varices in patients with non-cirrhotic portal hypertension. *J Gastroenterol Hepatol* 12:582–584.

Sharma S, Texeira A, Texeira P, Elias E, Wilde J and Olliff SP (2004): Pharmacological thrombolysis in Budd Chiari syndrome: a single centre experience and review of the literature. *J Hepatol* 40:172-180.

Sheila Sherlock and James Dooley (2002): Diseases of the Liver and Biliary System. The Hepatic Artery and Hepatic Veins: the Liver in Circulatory Failure 11: 187- 205.

Sheila Sherlock, James Dooley. (2002): Diseases of the Liver and Biliary System. The Liver in Infections 11: 495- 526.

Sherlock S (1951): The liver in heart failure: relation of anatomical, functional and circulatory changes. *Br Heart J* 13:273–293.

Sherlock S (1987): The syndrome of disappearing intrahepatic bile ducts. *Lancet* ii: 493.

Shiffman ML, Jeffers L and Hoofnagle JH (1995): The role of transjugular intrahepatic portosystemic shunt for treatment of portal hypertension and its complications: a conference sponsored by the National Digestive Diseases Advisory Board. *Hepatology* 22:1591–1597.

Shimizu M, Miura J, Itoh H and Saitoh Y (1990): Hepatic giant cavernous hemangioma with microangiopathic hemolytic anemia and consumption coagulopathy. *Am J Gastroenterol* 85:1411–1413.

Shintaku M, Inoue N and Sasaki M (1991): Cytomegalovirus vasculitis accompanied by an exuberant fibroblastic reaction in the intestine of an AIDS patient. *Acta Pathol Jpn* 41:900–904.

Shiratori Y, Kiriyaama H and Fukushima Y (1994): Mediation of ischaemia and reperfusion-induced hepatic injury by Kupffer cells. *Dig Dis Sci* 39, 1265–1272.

Shulman HM, Gooley T, Dudley MD, Kofler T, Feldman R and Dwyer D (1995): Utility of transvenous liver biopsies and wedged hepatic venous pressure measurements in sixty marrow transplant recipients. *Transplantation* 59:1015-1022.

Shultz S, Drury EM and Friedman AC (1985): Common hepatic artery aneurysm: pseudo-pseudocyst of the pancreas. *Am J Radiol* 144, 1287–1288.

Silva MA, Jambulingam PS and Gunson BK (2006): Hepatic artery thrombosis following orthotopic liver transplantation: a 10-year experience from a single centre in the United Kingdom. *Liver Transpl* 12:146–151.

Singh V, Sinha SK and Nain CK (2000): Budd–Chiari syndrome: our experience of 71 patients. *J Gastroenterol Hepatol* 15, 550–554.

Siqueira ES, Rohr MR, Libera ED, Castro RR and Ferrari AP (1998): Band ligation or sclerotherapy as endoscopic treatment for oesophageal varices in schistosomotic patients: results of a randomized study. *HPB Surg* 11:27–32.

Solano FX, Young E and Talamo TS (1986): Constrictive pericarditis mimicking Budd–Chiari syndrome. *Am J Med* 80:113–115.

Sterneck M, Wiesner R and Ascher N (1991): Azathioprine hepatotoxicity after liver transplantation. *Hepatology* 14: 806.

- Stevens JC, Morton D and McElwee R (1978):** Preduodenal portal vein: two cases with differing presentation. *Arch Surg.* 113:311–313.
- Strasser SI, Myerson D, Spurgeon CL, Sullivan KM, Storer B and Schoch HG (1999):** Hepatitis C virus infection and bone marrow transplantation: a cohort study with 10-year follow-up. *Hepatology* 29:1893- 1899.
- Stridbeck H and Lorelius LE (1985):** Liver necrosis after hepatic dearterialization in pigs. *Cardiovasc Intervent Radiol.* 8:50–53.
- Stroebel P, Mayer F, Zerban H and Bannasch P (1995):** Spongiotic pericytoma: a benign neoplasm deriving from the perisinusoidal (Ito) cells in rat liver. *Am J Pathol* 146:903–913.
- Stromeyer FW and Ishak KG (1981):** Nodular transformation (nodular “regenerative” hyperplasia) of the liver. A clinicopathologic study of 30 cases. *Hum Pathol* 12:60–71.
- Superina R, Bambini DA, Lokar J, Rigsby C and Whittington PF (2006):** Correction of extrahepatic portal vein thrombosis by the mesenteric to left portal vein bypass. *Ann Surg* 243:515-521.
- Susan T., Andres T. and Mihai G (2007):** The liver in cardiovascular disease. In: Juan Rodés, Jean-Pierre, Andres T., Jürg Reichen, Mario Rizzetto. *Textbook of Hepatology* 3: 1609-1720.
- Symmers WSC (1904):** Note on a new form of liver cirrhosis due to the presence of ova of *Bilharzia hematobium*. *J Pathol Bacteriol* 9:237–239.
- Szawarski P, Sensky PR and Doshi M (2004):** Fulminant liver failure: an indicator of silent myocardial rupture. *Postgrad Med J* 80, 553–554.
- Takasaki S and Hano H. (2001):** Three-dimensional observations of the human hepatic artery (arterial system in the liver). *J Hepatol* 34:455–466.

Tanaka M and Wanless IR (1998): Pathology of the liver in Budd–Chiari syndrome: portal vein thrombosis and the histogenesis of venocentric cirrhosis, veno-portal cirrhosis, and large regenerative nodules. *Hepatology* 27, 488–496.

Tarantino L, Francica G, Sordelli I, Esposito F, Giorgio A and Sorrentino P (2006): Diagnosis of benign and malignant portal vein thrombosis in cirrhotic patients with hepatocellular carcinoma: color Doppler US, contrast- enhanced US, and fine-needle biopsy. *Abdom Imaging* 31: 537-544.

Tavill AS, Wood EJ, Kreel L, Jones EA, Gregory M and Sherlock S (1975): The Budd-Chiari syndrome: correlation between hepatic scintigraphy and the clinical, radiological, and pathological findings in nineteen cases of hepatic venous outflow obstruction. *Gastroenterology* 68:509-518.

Tekeste H, Latour F and Levitt RE (1984): Portal hypertension complicating sarcoid liver disease: case report and review of the literature. *Am J Gastroenterol* 79:389–396.

Terry RB (1959): Coupled hepatic pulsations in tricuspid incompetence. *Am Heart J* 57:158–159.

Thevenot T, Vanlemmens C and Di MV (2005): Liver transplantation for cardiac failure in patients with hereditary hemorrhagic telangiectasia. *Liver Transpl* 11, 834–838.

Trum JW, Valla D, Cohen G, Degott C, Rueff B and Santoni P (1993): Bacteroides bacteremia of undetermined origin: strong association with portal vein thrombosis and cryptogenic pylephlebitis. *Eur J Gastroenterol Hepatol* 5:655-659.

Tublin ME, Dodd GD and Baron RL (1997): Benign and malignant portal vein thrombosis: differentiation by CT characteristics. *AJR Am J Roentgenol* 168:719-723.

Tuvia J, Lebwohl O and Lefkowitz J (2000): Hepatic infarction due to thrombotic angiitis; MR appearance. Clin Radiol 55:803–805.

Tzakis AG, Gordon RD, Shaw BW Jr, Iwatsuki S and Starzl TE (1985): Clinical presentation of hepatic artery thrombosis after liver transplantation in the cyclosporine era. Transplantation 40:667–671.

Uchino T, Endo F and Ikeda S (1996): Three brothers with progressive hepatic dysfunction and severe hepatic steatosis due to a patent ductus venosus. Gastroenterology 110, 1964–1968.

Uflacker R and Saadi J (1982): transcatheter embolization of superior mesenteric arteriovenous fistula. Am J Radiol 139, 1212–1214.

Urbani L, Catalano G and Biancofiore G (2003): Surgical complications after liver transplantation. Minerva Chir 58, 675–692.

Valente JF, Alonso MH, Weber FL and Hanto DW (1996): Late hepatic artery thrombosis in liver allograft recipients is associated with intrahepatic biliary necrosis. Transplantation 61:61–65.

Valla D and Benhamou JP (1988): Drug-induced vascular and sinusoidal lesions of the liver: Bailliere's Clin Gastroenterol 2, 481–500.

Valla D, Le MG and Poynard T (1986): Risk of hepatic vein thrombosis in relation to recent use of oral contraceptives. A case-control study. Gastroenterology 90, 807–811.

Valla D, Pessegueiro-Miranda H and Degott C (1987): Hepatic sarcoidosis with portal hypertension. A report of seven cases with a review of the literature. Q J Med 63:531– 544.

Valla DC and Condat B (2000): Portal vein thrombosis in adults: pathophysiology, pathogenesis and management. J Hepatol 32:865-871.

Van Gansbeke D, Avni EF, Delcour C, Engelholm L and Struyven J (1985): Sonographic features of portal vein thrombosis. *AJR Am J Roentgenol* 144:749-752.

Van Kampen RJ, Erdkamp FL and Peters FP (2007): Thorium dioxiderelated haemangiosarcoma of the liver. *Neth J Med* 65:279–282.

Van Leeuwen MS, Fernandez A and van Es HW (1994): Variations in venous and segmental anatomy of the liver: two- and threedimensional MR imaging in healthy volunteers. *Am J Roentgenol AJR* 162, 1337–1345.

Vilgrain V (2002): Tumeurs béignes du foie. In: Vilgrain V, Menu Y, eds. *Imagerie du Foie, des Voies Biliaires, du Pancréas et de la Rate*. Paris: Médecine-France Flammarion; 13–42.

Voinchet O, Degott C and Scoazec JY (1988): Peliosis hepatis, nodular regenerative hyperplasia of the liver, and light-chain deposition in a patient with Waldenstrom's macroglobulinemia. *Gastroenterology* 95, 482–486.

Vons C, Smadja C, Franco D, Valla D, Rueff B and Benhamou JP (1984): Successful pregnancy after Budd-Chiari syndrome. *Lancet* 2:975.

Wagner M, Zollner G and Trauner M (2008): Ischemia and cholestasis: more than (just) the bile ducts! *Transplantation* 85:1083–1085.

Wanless IR (1990): Micronodular transformation (nodular regenerative hyperplasia) of the liver: a report of 64 cases among 2,500 autopsies and a new classification of benign hepatocellular nodules. *Hepatology* 11:787–797.

Wanless IR (1996): Noncirrhotic portal hypertension: recent concepts. *Prog Liver Dis* 14:265–278.

Wanless IR (1997): Anatomy and developmental anomalies of the liver. In: Feldman M, Scharschmidt BF, Sleisenger MH, eds. *Sleisenger and Fordtran's gastrointestinal and liver disease*, Philadelphia: WB Saunders 6:1057.

Wanless IR, Lentz JS and Roberts EA (1985): Partial nodular transformation of liver in an adult with persistent ductus venosus. Review with hypothesis on pathogenesis. *Arch Pathol Lab Med* 109, 427–432.

Wanless IR, Liu JJ and Butany J (1995): Role of thrombus in the pathogenesis of congestive hepatic fibrosis. *Hepatology* 21:1232–1237.

Wanless IR, Solt LC and Kortan P (1981): Nodular regenerative hyperplasia of the liver associated with macroglobulinemia. A clue to the pathogenesis. *Am J Med* 70:1203–1209.

Warren WD, Henderson JM, Millikan WJ, Galambos JT and Bryan FC (1988): Management of variceal bleeding in patients with noncirrhotic portal vein thrombosis. *Ann Surg* 207:623–634.

Weitz J, Klimstra DS and Cymes K (2007): Management of primary liver sarcomas. *Cancer* 109:1391–1396.

Wellings RM, Olliff SP and Olliff JF (1993): Duplex Doppler detection of hepatic artery thrombosis following liver transplantation. *Clin Radiol* 47:180–182.

Weninger W, Partanen TA and Breiteneder-Geleff S (1999): Expression of vascular endothelial growth factor and podoplanin suggests a lymphatic endothelial cell origin of Kaposi's sarcoma tumor cells. *Lab Invest* 79:243–251.

Whiting JH, Jr, Korzenik JR and Miller FJ (2000): Fatal outcome after embolotherapy for hepatic arteriovenous malformations of the liver in two patients with hereditary hemorrhagic telangiectasia. *J Vasc Interv Radiol* 11, 855–858.

Whiting-O'Keefe QE, Fye KH and Sack KD (1991): Methotrexate and histologic hepatic abnormalities: a meta-analysis. *Am J Med* 90, 711–716.

Wilson MW, Ring EJ, LaBerge JM, Kerlan RK and Gordon RL (1996): Percutaneous transhepatic hepatic venography in the delineation and treatment of Budd-Chiari syndrome. *J Vasc Interv Radiol* 7:133-138.

Wojcicki M, Haagsma EB and Gouw AS (2004): Orthotopic liver transplantation for portosystemic encephalopathy in an adult with congenital absence of the portal vein. *Liver Transpl* 10, 1203– 1207.

Wozney P, Zajko AB and Bron KM (1986): Vascular complications after liver transplantation, a 5 year experience. *Am J Roentgenol* 147, 657–663.

Wu JS, Saluja S and Garcia-Tsao G (2006): Liver involvement in hereditary hemorrhagic telangiectasia. Can multiphase CT determine the clinical subtype in symptomatic patients? *Am J Roentgenol* 187, W399–405.

Wyler DJ (1996): Fibrosin, a novel fibrogenic protein: discovery, cloning and implications for fibrotic disorders. *Int Arch Allergy Immunol* 111:326–329.

Yamagulin E, Yamanoi A, Ono T and Nagasue N (2007): Experimental investigation of the role of endothelin-1 in idiopathic portal hypertension. *J Gastroenterol Hepatol* 22:1134– 1140.

Yamamoto K, Sherman I and Phillips MJ (1985): Three-dimensional observations of the hepatic arterial terminations in rat, hamster and human liver by scanning electron microscopy of micro vascular casts. *Hepatology* 5: 452.

Yogesh C. and Radha K (2008): Seminar in liver disease; intrahepatic portal venopathy and related disorders of the liver.volume 28, 270- 281.

Yoshimoto Y, Shimizu R and Saeki T (2004): Patent ductus venosus in children: a case report and review of the literature. *J Pediatr Surg* 39, E1–E5.

Young ID, Segura J, Ford PM and Ford SE (1992): The pathogenesis of nodular regenerative hyperplasia of the liver associated with rheumatoid vasculitis. *J Clin Gastroenterol* 14: 127–131.

Zafrani ES, Cazier A and Baudelot AM (1984): Ultrastructural lesions of the liver in human peliosis. A report of 12 cases. *Am J Pathol* 114, 349–359.

Zafrani ES. (1989): Update on vascular tumours of the liver. *J Hepatol* 8:125–130.

Zargar SA, Javid G, Khan BA, Yattoo GN, Shah AH and Gulzar GM (2002): Endoscopic ligation compared with sclerotherapy for bleeding esophageal varices in children with extrahepatic portal venous obstruction. *Hepatology* 36:666-672.

Zeng Q, Li Y and Chen Y (2004): Gigantic cavernous hemangioma of the liver treated by intra-arterial embolization with pingyangmycin-lipiodol emulsion: a multi-center study. *Cardiovasc Intervent Radiol* 27:481–485.

Ziegenfuss MD and Mullany DV (2004): Traumatic liver injury complicating cardio-pulmonary resuscitation. The value of a major intensive care facility: a report of two cases. *Crit Care Resusc* 6, 102–104.