REFERENCES

Achenbach S, Moselewski F, Ropers D, et al. Detection of calcified and noncalcified coronary atherosclerotic plaque by contrast-enhanced, submilimeter multidetector spiral computed tomography: a segment-based comparison with intravascular ultrasound. Circulation 2004; 109: 14-17.

Achenbach S, Ropers D, Holle J, et al. In-plane coronary arterial motion velocity: measurement with electron-beam CT. Radiology 2000; 216:457-463.

A***chenbach S, Ulzheimer S, Baum et al.*** Noninvasive coronary angiography by retrospectively ECG- gated multislice spiral CT. circulation 2000; 102: 2823-2828.

Achenbach S. Detection of coronary stenoses by multideterctor computed tomography: it's all about resolution. J Am Coll Cardiol 2004; 43: 840-841.

Agatston AS, Janowitz WR, Hidner FJ, et al. Quanification of coronary artery calcium suing ultrafast computed tomography. JACC; 1990: 15, 827-832.

Alexandar W. Leber, The resten Johnson, Alexandar Backer et al. : Diagnostic accuracy of dual source multi-slice CT coronary angiography in patients with an intermediate pretest likelihood for coronary artery disease. European Heart Journal 2008.

Austen WG, Edwards JE, Frye RL, et al. A reporting system on patients evaluated for coronary artery disease. Report of the committee for grading of coronary artery disease, council on cardiovascular surgery. Circulation 1975; 51: 5-40.

Bae KT, Hong C, Whiting BR, et al. Radiation dose in multidetector row computed tomography cardiac imaging. J Magn Reson Imaging 2004; 19:859-863.

Barkhausen J. Noninvasive visualization of coronary artery bypass grafts using 16-detector row computed tomography. J Am Coll Cardiol 2004; 44 (6): 1224-1229.

Becker CR, Knez A, Leber A, et al. Detection of coronary artery stenoses with multislice helical CT angiogrpahy. J Comput Assist Tomogr 2002; 26:750-755.

Braunwald Heart Disease 1998 : A textbook of cardiovascular medicine ,second edition, published by WB. Sounds company.

Braunwald's Heart Disease 2001: A textbook of cardiovascular medicine ,fifth edition, published by WB. Sounds company .

Budoff MJ. Computed tomography in cardiac CT imaging. Diagnosis of cardiovascular disease. Budoff MJ and Shinbane JS, eds. First edition, 2006.

Ceorge RT, Silva C, Cordeiro MA, et al. Multidetector computed tomography myocardial perfusion imaging during adenosine stress. J Am Coll Cardiol 2006; 48: 153-60.

Chatterjee K, Karliner J, Rapapart E, et al.: Cardiology: An illustrated text/references. Vol. (1) 1991.Deepu, cardiovascular ct, 2009.

Dodge JT , Brown BG, Bolson EL et al.: arteries Lumen diameter of normal human coronary arteries. Influence of age, sex, anatomic variation, and left ventricular hypertrophy or dilation. Circulation. 86: 232-246 1992.

Fayad ZA, Fuster V, Nikolaou K, et al. Computed tomography and magnetic resonance imaging for noninvasive coronary angiography and plaque imaging: current and potential future concepts. Circulation 2002; 106:2026-2034.

Feuchtner GM, Schner T, Bonatti J, et al. Diagnostic performance of 64-slice computed tomography in evaluation of coronary artery bypass grafts. AJR Am J Roentgenol 2007; 189: 574-580.

Fleischmann D, Rubin GD, Bankier AA, et al. Improved uniformity of aortic enhancement with customized contrast medium injection protocols at CT angiogrphy. Radiology 2000; 214 (2): 363-371.

Flohr T and Ohnesorge B. Multislice CT Technology. Multi-slice and Dual-source CT in Cardiac Imaging Principles- Protocols-Indications – Outlook. Second Edition. Springer, P. 42. 2007.

Flohr T, Ohnesorge B.,et al Heart-rate adaptive optimization of spatial and temporal resolution for ECG-gated multislice spiral CT of the heart. JACC 2001; 25: 907-923.

Flohr T,Stierstorfer K, Raupach R, et al. Perfomance evaluation of a 64-slice CT system with z-flying focal spot. Rofo 2004; 176: 1803- 1810.

Gibbons RJ, Bablady GJ, Bricker JT, et al. ACC/AHA guideline update for exercise testing: summary article. A report of the American college of Cardiology/American Heart Association task force on practice guidelines (committee to update the 1997 exercise testing guidelines) J Am coll cardiology 2002; 40; 1531-1587.

Guillem P and Ruben L. Atlas of non-invasive coronary angiogrpahy by multidetector computed tomography. published by Springer.

Greenland P, Bonow RO, Brundage BH, et al.: ACCF/AHA 2007 clinical expert consenus document on coronary artery calcium scoring by computed tomography in global cardiovascular risk assessment and in evaluation of patients with chest pain. J Am Coll Cardiol;2007 49: 378-402.

Greenland P, LaBree L, Azen SP, Doherty TM, et al.: Coronary artery calcium score combined with Framingham score for risk prediction in asymptomatic individuals,JAMA;2005 291: 2110-5.

Hamon M, Biondi- Zoccai GL, Malagutti, et al. Diagnostic performance of multisilice spiral computed tomography of coronary arteries as compared with conventional invasive coronary angiography. J Am Cardiol 2006; 48: 1896- 1910.

Hans Scheffel, Hatem Alkadhi, Andre Plass, et al.: Accuracy of dual- source CT coronary angiogrpahy: first experience in a high pretest probability population without heart rate control, Eur Radiol, 2006.

Hartmann IJ, Lo RT, Bakker J, et al. Optimal scan delay in spiral CT for the diagnosis of acute pulmonary embolism. Computed tomography 2002; 26 : 21-25.

Hendel RC, Patel MR, Kramer CM, et al. Appropriateness criteria for cardiac computed tomography and cardiac magnetic resonance imaging: a report of the American collage of cardiology . J Am Coll Cardiol 2006; 48: 1475-97

Hong C, Becker C R, Huber A, et al. ECG-gated reconstructed multi-detector row CT coronary angiography: effect of varying trigger delay on image quality. Radiology 2001; 220: 712-717.

Hu H, He HD, Foley WD and Fox SH: Four multi-detector-row helical CT: image quality and volume coverage speed. Radiology. 215: 55- 62, 2000.

Hunold P, Vogt FM, Schmermund A, et al. Radiation exposure during cardiac CT: effective doses at multi-detector row CT and electron-beam CT. Radiology 2003; 226: 145-152.

James TN: Anatomy of the coronary arteries in health and disease. Circulation 1965; 32: 1020-1033.

Janne d'Othee B, Siebert U, Cury R et al. A systematic review on diagnostic accuracy of CT-based detection of significant coronary artery disease. Eur J Radiol 2008; 65: 449-461.

Jawdat Abdulla, Steen Z, Abildstrom, et al.: 64-multislice detector computed tomography coronary angiography as potential alternative to conventional coronary angiography a systemic review and meta-analysis, European Heart Journal 2007 ; 55: 356-367.

Jose, Rocha- Filho Ron Blankstein, Leonid D. et al. Incremental value of adenosine- induced stress myocardial perfusion imaging with dual source CT at cardiac CT angiography. Radiology; 2010, 76:623 - 678.

Keelan P, Bielak L, Ashai K, et al.: Long- term prognositc value of coronary calcification detected by electron-beam computed tomography in patients undergoing coronary angiography. Circulation; 104: 412-417, 2001.

Kefer J, Coche E, Legros G, et al.: Head-to-head comparison of three-dimensional navigator-gated magnetic resonance imaging and 16-slice computed tomography to detect coronary stenosis in patients; 2002.J Am Coll Cardiol,46: 92-100;200

Klingenbeck-Regn K, Schaller S, Flohr T, et al. Subsecond multi-slice computed tomography: basics and applications. EJR 1999; 31: 110-1

Kuettner A, Beck T, Drosch T, et al. Diagnostic accuracy of non invasive coronary imaging using 16-detector slice spiral computed tomography with 188ms temporal resolution. J. Am Coll Cardiol 2004; 45: 123-127

Leber AW, Becker A, Knex A. et al. Accuracy of 64-slice computed topography to classify and quantify plaque volumes in the proximal coronary system: a comparative study using intravascular ultrasound. J Am Coll Cardiol 2006; 47: 672-677.

Leber AW, Knez A, Becker A, et al. Accuracy of multideterctor spiral computed tomography in identifying and differentiating the composition coronary atherosclerotic plaques: a comparative study with intracoronary ultrasound. J Am Coll Cardiol 2004; 43: 1241-1247.

Leber AW, Knez A, von Ziegler F, et al. Quantification of obstructive and non obstructive coronary lesions by 64-slice computed tomography: a comparative study with quantitative coronary angiography and intravascular ultrasound.J Am Coll Cardiol 2005; 46: 147-54.

Leschka S, Alkadhi H, Plass A et al., Accuracy of MSCT coronary angiography with 64-slice technology: first experience. Eur Heart J; 2005 (26): 1482-1487.

Levin D and Fallon J: Significance of the angiographic morphology of localized coronary stenoses: histopathology correlations. Circulation 2002;66: 316-320.

Mahnken AH, Wildberger JE, Sinha AM, et al. Value of 3D-volume rendering in the assessment of coronary arteries with retrospectively ECG-gated multislice spiral CT. Acta Radiologica; 2003: 44(3): 302.

Mao S, Takasu J, Child J, et al. Comparison of LV mass and volume measurements derived from electron beam tomography using cine imaging and angiographic imaging. Int J Cardiovasc Imaging 2003; 19 (5): 439-445.

Meyer TS, Martinoff S, Hadamitzky M, et al. Improved noninvasive assessment of coronary artery bypass grafts with 64- slice computed tomographic angiography in an unselected patient population. J Am Coll Cardiol 2007; 49: 986-950.

Mollet NR, Cademartiri F, Nieman K, et al. Mulislice spiral computed tomography coronary angiography in patients with stable angina pectoris. J Am Coll Cardiol 2004; 43: 2265-2270.

Muchlenbruch G, Seyfarth T, Soo CS, et al. Diagnostic valve of 64-slice multi-detector row cardiac CTA in symptomatic patients. Eur Radiol 2007; 17: 603-9.

Nelly M. Lack of accuracy of continuous glucose sensors in healthy non diabetic children. J Pediatr, 2004;144: 770-775

Ohnesorge B and Flohr T. Principles of multislice cardiac CT imaging. In: Multil-slice and dual-source CT in cardiac imaging, principles – protocols- indications – outlook. Second edition,edited by Springer. P 71-74. 2007.

Ohnesorge B, Flohr T, Becher C, et al. Cardiac imaging by means of electro-cardiographically gated multisection spirat CT-initia experiences. Radiology 2000; 217: 564-571.

Ohnesorge B. Basic principles of CT imaging. In: ohnesorge, flohr, becker, knez, Reiser, eds. Multil-Slice and Dual-source CT in cardiac imaging, principles – protocols-indications – outlook. Second edition.edited by Springer. P. 1. 2007.

Oncel D, Oncet G, Tastan A, et al.: Detection of significant coronary artery stenosis with 64-section MDCT angiography. Eur J Radiol;2007 62: 394-405.

Ong Tk, Chin SP, Liew CK et al. Accuracy of 64-row multidetector computed tomography in detecting coronary artery disease in 134 symptomatic patient: influence of calcification. Am Heart J 2006; 151: 1323-1321 .

Pundziute G, Schuijf JD, Judema JW, et al. Prognostic value of multislice computed tomography coronary angiography in patients with known or suspected coronary artery disease. J Am Coll Cardiol 2007; 49: 62-70.

Raff GL, Gallagher MJ, Kayali F, et al. Diagostic accuracy of non invasive coronary angiography using 64-slice spiral computed tomography. J Am Coll Cardiol 2005; 46: 552-7.

Raff GL, Gallagher MJ, O'Neil WW, et al. Diagnostic accuracy of noninvasive coronary angiography using 64-slice spiral computed tomography. J Am Coll Cardiol 2005; 46: 552-557.

Ritchie CJ, Godwin JD, Crawford CR, et al. Minimum scan speed for suppression of motion artificats in CT. radiology 1992; 185: 37-42.

Rius, T, Goyenechea M, Poon M. Combined cardiac congenital anomalies assessed by multi-slice spiral computed tomography. Eur Heart. J. 2006; 27: 637.

Ropers D, Baum U, Pohle K, et al. Detection of coronary artery stenoses with thin-slice multi-detector row spiral computed tomography and multiplanar reconstruction. Circulation 2003; 107: 664-666.

Ropers U, Ropers D, Pflederer T, et al. influence of heart rate on the diagnostic accuracy of Dual-Source computed tomography coronary angiography. J Am Coll Cardiol 2007; 50: 239

Ru WANG, PING ZHONG, XIAOF ANG ZHOH et al.: Diagnostic accuracy and value of dual source multi slice CT coronary angiography in patients with an intermediate pretest likelihood for coronary artery disease. International Journal of cardiology;2009 54:87-96.

Rudnick RM, Kesselheim A, Goldfarb S; et al. Contrast-induced nephropathy: how it develops, how to prevent it. Cleve Clin J Med 2006; 73: 75-80, 83-87.

Scheffel H, Alkadhi H, Plass A, et al. Accuracy of dual-source CT coronary angiography: first experience in a high pre-test probability population without heart rate control. Radiol 2006; 16: 2739-47.

Schlosser T, Konorza T, Hunold P, et al. Non invasive evaluation coronary artery bypass grafts using 16-detector row computed tomography. J Am Coll Cardiol 2004; 44: 1224-1229.

Schroeder S, Kopp AF, Baumbach A, et al. Noninvasive detection and evaluation of atherosclerotic coronary plaques with multislice computed tomography. J Am Coll Cardiol 2001; 37: 1430-1435.

Sebastian Leschka, Hatem Alkadhi, Andre Plass, et al: Accuracy of M.S.C.T coronary angiography with 64-slice technology: first experience. Eurpean Heart Journal, 2005.

Sheth T, Amlani S, Ellins ML. et al. Computed tomographic coronary angiographic assessment to high-risk coronary anatomy in patients with suspected coronary artery disease and intermediate pretest probability. Am Heart J 2008; 155: 918-23.

Shi H, Aschoff AJ, Brambs HJ, et al. Multislice CT imaging of anomalous coronary arteries. Eur Radiol 2004;14: 2172- 2004.

Smith AD, Schoenhagen P. CT imaging for acute aortic syndrome. Cleve Clin J Med 2008; 75: 7-9, 12,15-17.

Smith SCJ, Dove JT, Jacobs AK, et al. ACC/AHA guidelines for percutaneous coronary intervention (revision of the 1993 PTCA guidelines) executive summary: a report of the American college of cardiology. Circulation 2001; 103: 3019-3041.

Stehling MK, Turner R and Mansfield P. Echo-planar imaging: magnetic resonance imaging in a fraction of a second. Science; 1991; 254: 43-50.

Sun Z, Lin CH, Davidson R, et al. Diagnostic value of 64-slice CT angiography in coronary artery disease: A systematic review. Eur J Radiol 2008; 67: 78-84.

Udo H, Thomas J and Jams M. Use of new imaging techniques to screen for coronary artery disease. Circulation 2003;108,50-53.

West JB, Best and Taylor's physiological basis of medical practice. Baltimore, MD: Williams & Wilkins, 1991: 119-139.