

References

- **Amant F, Moerman P, Neven P et al.** Endometrial cancer. Lancet 2005; 366: 491-505.
- **Anderson JC:** Gynecologic imaging . Ultrasound imaging of normal female pelvis. Churchill Livingstone: 2002; 61-80.
- **Andolf E, Dahlander K and Aspenberg P.** Ultrasonic thickness of the endometrium correlated to body weight in asymptomatic postmenopausal women. Obstet Gynecol: 1993; 82(6): 936-940
- **Ascher SM, Imaoka I & Lage JM.** Tamoxifen-induced uterine abnormalities: the role of imaging. Radiology 2000; 214: 29-38.
- **Ascher SM, Malley J, Semelka RC, Patt RH, Rajan S, Thomasson.** T2-weighted MRI of the uterus: fast spin echo vs. breath-hold fast spin echo. J Magn Reson Imaging 1999; 9: 384–90.
- **Ascher-Walsh CJ, Tu JL, Du Y & Blanco JS.** Location of adenomyosis in total hysterectomy specimens. J Am Assoc Gynecol Laparosc 2003; 10(3): 360-362.
- **Atri M, Reinhold C, Mehio AR, Chapman WB, Bret PM.** Adenomyosis: US features with histologic correlation in an in vitro study. Radiology 2000; 215: 783–90.
- **Baakos O and Heimer G:** Transvaginal ultrasonographic evaluation of endometrium growth and texture in spontaneous ovulatory cycles a descriptive study. Hum reprod: 1993; 8: 799-806.
- **Bazot M, Cortez A, Darai E, et al.** Ultrasonography compared with magnetic resonance imaging for the diagnosis of adenomyosis: correlation with histopathology. Hum Reprod 2001; 16: 2427–2433.

- **Bazot M, Darai E, Clement dG, et al.** Fast breath-hold T2 weighted MR imaging reduces interobserver variability in the diagnosis of adenomyosis. *AJR Am J Roentgenol* 2003; 180:1291–1296
- **Bazot M, Darai E, Hourani R et al.** Deep pelvic endometriosis: MR imaging for diagnosis and prediction of extension of disease. *Radiology* 2004; 232: 379-389.
- **Bazot M, Darai E, Rouger J, Detchev R, Cortez A, Uzan S.** Limitation of transvaginal sonography for the diagnosis of adenomyosis with histopathological correlation. *Ultrasound Obstet Gynecol* 2002;20:605–11.
- **BrownHK,StollBS,NicosiaSV,FioricaJV,HambleyPS,ClarkeLP,etal.** Uterine junctional zone:correlation between histologic findings and MRImaging.*Radiology*1998;179:409–413.
- **Bryan PJ, Butler HE, LiPuma JP.** Magnetic resonance imaging of the pelvis:initial experience with a 0.3 T system.*AJR*:2001;141:1111-1118
- **Carrington BM**:MRI of the pelvis.A Text Atlas,Appleton and lange United Kingdom ,Martin Dunitiz:1991;(5):96
- **Christine Bergeron,Frederic Amant &Alex Ferenczy.** Pathology&Physiopathology of adenomyosis .Best practice &research clinical obstet Gynecol2006;20(4):511-521.
- **Coleman BG,Arger PH,Grumbach K et al**:Transvaginal and transabdominal sonography : prospective comparison . *Radiology*:1998;168:639-643

- **Couto D, Mota F, Silva T et al.** Adenocarcinoma arising in adenomyosis: report of an unusual case. *Acta Obstet Gynecol Scand* 2004; 83: 406-408.
- **Devlieger R, D'Hooghe T & Timmerman D.** Uterine adenomyosis in the infertility clinic. *Hum Reprod Update* 2003; 9: 139-147.
- **Dodson MG** :The pelvis US examination and pelvic anatomy. In transvaginal ultrasound .Churchill Livingstone, New York:1992;29-52 .
- **Dueholm M, Lundorf E, Hansen ES et al.** Magnetic resonance imaging and transvaginal ultrasonography for the diagnosis of adenomyosis. *Fertil Steril* 2001; 76: 588-594
- **Dueholm M, Lundorf E, Hansen ES et al.** Transvaginal ultrasonography or MRI for diagnosis of adenomyosis Current Opinion in Obstetrics and Gynecology 2007,19:505–512
- **Ferenczy A.** Pathophysiology of adenomyosis. *Hum Reprod Update* 1998; 4: 312-322.
- **Fleischer AC, Donna M, Kepple.** Normal pelvic anatomy as depicted with Transvaginal Sonography: In sonography in obstetric & gynecology. Principle & Practice. 6th ed. The McGraw-Hill Companies:2003;949-977
- **Franchi M, Ghezzi F, Melpignano M et al.** Clinical value of intraoperative gross examination in endometrial cancer. *Gynecol Oncol* 2000; 76: 357-361

- **Fusi L, Cloke B, Brosens JJ.** The uterine junctional zone. *Best Pract Res Clin Obstet Gynaecol* 2006; 20:479–491. The authors summarize the knowledge of the junctional zone in normal uterine physiology and pathological processes.
- **Gilks CB, Clement PB, Hart WR et al.** Uterine adenomyomas excluding atypical polypoid adenomyomas and adenomyomas of endocervical type: a clinicopathologic study of 30 cases of an underemphasized lesion that may cause diagnostic problems with brief consideration of adenomyomas of other female genital tract sites. *Int J Gynecol Pathol* 2000; 19: 195-205.
- **Goldblum JR, Clement PB & Hart WR.** Adenomyosis with sparse glands: a potential mimic of low-grade Endometrial stromal sarcoma. *Am J Clin Pathol* 1995; 103: 218-223
- **Gray DJ:** Clinical anatomy 43ed .In: Warwick R, Williams P. Pub. long man. Grenberg s, Norstrom A, and Wikland M 2005; 1353-54
- **Gray DJ:** Clinical anatomy 43ed .In: Warwick R, Williams P. Pub. long man. Grenberg s, Norstrom A, and Wikland M: 2005; 1331-1338
- **Gross BH, Callen PW.** Ultrasound of the uterus. In: Callen PW, ed. *Ultrasonography in obstetrics and gynecology*. Philadelphia: Saunders, 1999:249
- **Hauth EA, Jaeger HJ, Libera H, et al.** MR imaging of the uterus and cervix in healthy women: determination of normal values. *Eur Radiol* 2007; 17:734–742. This is one of few published studies describing normal variation of MRI in healthy women

- **Hayes CE, Hattas N, Roamer PB.** Volume imaging with MR phased arrays. *Magn Reson Med* :1991; 18:309-319
- **Hricak H.** MRI of the female pelvis: a review. *American Journal of Roentgenology* 1999; 146: 1115–1122
- **Imaoka I, Ascher SM, Sugimura K et al.** MR imaging of diffuse adenomyosis changes after GnRH analog therapy. *J Magn Reson Imaging* 2002; 15: 285-290
- **Jansen RPS.** Ultrasonography of normal female pelvis. In *gynecologic imaging*. Churchill Livingstone:2002;61-79
- **Jha RC, Takahama J, Imaoka I et al.** Adenomyosis: MRI of the uterus treated with uterine artery embolization. *AJR Am J Roentgenol* 2003; 181: 851-856
- **Jorizzo JR, Gioia JR. Michael YM et al.** Sonohysterography: The Next Step in the Evaluation of the Abnormal Endometrium . *RadioGraphics* 1999 ;19: 117-130.
- **Kido A, Togashi K, Koyama Tet al.** Diffusely enlarged uterus: evaluation with MR imaging. *Radiographics* 2003; 23: 1423e1439.
- **Kido A, Togashi K, Nakai A, et al.** Oral contraceptives and uterine peristalsis: evaluation with MRI. *J Magn Reson Imaging* 2005; 22:265–270
- **Kier R:** Magnetic resonance imaging of the uterus. *MRI Clin N Am*:1999;2(2):189-210

- **Kinkel K, Frei KA, Balleyguier C et al.** Diagnosis of endometriosis with imaging: a review. *Eur Radiol* 2005.
- **Kir G, Cetiner H, Karateke A et al.** Diagnostic problems on frozen section examination of myometrial invasion in patients with endometrial carcinoma with special emphasis on the pitfalls of deep adenomyosis with carcinomatous involvement. *Eur J Gynaecol Oncol* 2004; 25(2): 211-214
- **Koshiyama M, Okamoto T & Ueta M.** The relationship between endometrial carcinoma and coexistent adenomyosis uteri, endometriosis externa and myoma uteri. *Cancer Detect Prev* 2004; 28:94-98.
- **Koshiyama M, Suzuki A, Ozawa M et al.** Adenocarcinomas arising from uterine adenomyosis: a report of four cases. *Int J Gynecol Pathol* 2002; 21: 239e245.
- **Kucera E, Kainz C, Reinthaller A et al.** Accuracy of intraoperative frozen-section diagnosis in stage I endometrial adenocarcinoma. *Gynecol Obstet Invest* 2000; 49: 62-66.
- **Kurjak A, Kupesic S, Miric D:** The assessment of benign uterine tumor vascularization by transvaginal color Doppler. *Ultrasound Med Biol*:2003;18:645-649.
- **Luca Fusi MD, Brianna Cloke, Jan J. Brosens et.al** .The uterine junctional zone. *Best Practice & Research Clinical Obstetrics and Gynaecology* 2006;20(4):479-491

- **Lyons EA, Denis Gratton RDMS and Chriss Harrington RDMS:** Transvaginal sonography of normal pelvis anatomy .Radiol Clin North Am:1999;30:663-674
- **Margit Dueholm & Erik Iundorf.** Transvaginal Ultrasound or MRI in diagnosis of adenomyosis .Current Opinion in Obstetrics and Gynecology :2007;19:505-512
- **Masui T, Katayama M, Kobayashi S et al.** Changes in myometrial and junctional zone thickness and signal intensity: demonstration with kinematic T2-weighted MR imaging. Radiology 2001; 221: 75-85.
- **Masui T, Katayama M, Kobayashi S et al.** Pseudolesions related to uterine contraction: characterization with multiphase-multisection T2-weighted MR imaging. Radiology 2003; 227: 345-352.
- **Metser U, Haider MA, Khalili K et al.** MR imaging findings and patterns of spread in secondary tumor involvement of the uterine body and cervix. AJR Am J Roentgenol 2003; 180: 765-769.
- **Mojisola Balogun.** Imaging diagnosis of adenomyosis
Reviews in Gynaecological and Perinatal Practice :2006;6:63–.69
- **Nascimento AF, Hirsch MS, Cviko A et al.** The role of CD10 staining in distinguishing invasive endometrial adenocarcinoma from adenocarcinoma involving adenomyosis. Mod Pathol 2003; 16(1): 22 - 27.
- **Nishida M.** Relationship between the onset of dysmenorrhea and histologic findings in adenomyosis. Am J Obstet Gynecol 1991; 165: 229-231.

- **Occhipinti K, Kutcher R, Rosenblatt R.** Sonographic appearance and significance of arcuate artery calcification .J Ultrasound Med. :1991;10(2):97-100.
- **Olson MC,PosniakHK,Tempany CM,Dudiak CM.**MR imaging of the female pelvis region.radiographics:1998;12:445-65
- **OtaH,IgarashiS,HatazawaJetal.**Is adenomyosis an immunedisease? HumReprodUpdate 1998; 4: 360-367.
- **OutwaterEK:**Imaging of the ovary and adnexa:clinical issues and application of MR imaging .Radiology:1995;1-18.
- **Pelage JP, Jacob D, Fazel A et al.** Midterm results of uterine artery embolization for symptomatic adenomyosis: initial experience. Radiology 2005; 234: 948-953
- **RafalRB.**Magnetic resonance imaging :physical principles and imaging Techniques:s.InGynaecologicImaging.London:Churchil Livingstone:2003;47-57.
- **Reinhold C, Tafazoli F, Wang L.** Imaging features of adenomyosis. Hum Reprod Update 1998; 4:337–349.
- **S.Paramasivam,A.Proietto BSc, M.Puvaneswary.** Pelvic anatomy &MRI.BestPractice&Research Clinical Obstetrics and Gynaecology :2006 ; 20,(1):3–22.
- **Sandra L Hagen-Ansert.** Norml anatomy and physiology of the female pelvis.In Text book of Diagnostic ultrasonography 4th ed.Mosby: 2001;2:935-952

- **Saxton DW ,Farquhar, Rae T,Beard RW, Anderson MC, Wadsworth J** Accuracy of ultrasound measurements of female pelvic organs.Journal of Obstetrics & Gynaecology:1999;79, (3) :695-699
- **SeidmanJD&KjerulffKH.**Pathologic findings from the Maryl and Women'sHealthStudy:practice patterns in the diagnosis of adenomyosis. IntJGynecolPathol 1996; 15: 217e221.
- **Smith RC&McCarthyS:**staging neoplasm.Radiologic Clinics of North America 1994; 32: 109-131.
- **Snell RS:**clinical anatomy for medical student 6th ed. Williams&Wilkins:2000;2:315-373
- **Snell RS:**clinical anatomy,7th ed. Williams&Wilkins ,Philadelphia, Baltimore,New York, London , Buenos Aires, HongKong, Sydney,Tokyo ,Lippincott:2004;386-89
- **SrodonM,KleinW,KurmanRetal.**CD10immunostaining does not distinguish endometrial carcinoma invading myometrium from carcinoma involving adenomyosis. AmJSurgPathol 2003; 27(6): 786-789
- **Takeuchi K, Yamanaka Y, Hamana S et al.** Invasive adenocarcinoma arising from uterine adenomyosis involving the rectosigmoid colon. Int J Gynecol Cancer 2004; 14: 1004-1006.
- **Tamai K, Togashi K, Ito T, et al.** MR imaging findings of adenomyosis: correlation with histopathologic features and diagnostic pitfalls. Radiographics 2005; 25:21–40.

- **Tamai k, Takashi K, Shigeaki U, Tsuneo S,et al.** Spectrum of MRI features in adenomyosis Best Practice& Research Clinical Obstetrics and Gynaecology 2006;20:583-602
- **Tanaka YO, Tsunoda H, Kitagawa Yet al.** Functioning ovarian tumors: direct and indirect findings at MR imaging. Radiographics 2004; 24(supplement 1): S147-S166
- **Taskin M, Lallas TA, Shevchuk M et al.** P53 Expression in adenomyosis in endometrial carcinoma patients. Gynecol Oncol 1996; 62: 241e246.
- **Togashi K, Ozasa H, Konishi I ,et al.** Enlarged uterus : differentiation between adenomyosis and lieomyoma with MR imaging. Radilogy 1989;171:531-534.
- **Uduwela AS, Perera MAK, Aiquig L & Fraser IS.** Endometrialemyometrial interface: relationship to adenomyosis and changes in pregnancy. Obstet Gynecol Survey 2000; 55(6): 390-400.
- **Ueda M, Otsuka M, Hatakenaka M et al.** MR imaging findings of uterine endometrial stromal sarcoma: differentiation from endometrial carcinoma. Eur Radiol 2001; 11: 28-3349.
- **Ueki K, Kumagai K, Yamashita H et al.** Expression of apoptosis-related proteins in adenomyotic uteri treated with danazol and GnRH agonists. Int J Gynecol Pathol 2004; 23: 248-258.

- **UgwumaduAHN,BowerD&HoPK.**Tamoxifen induced adenomyosis and adenomyomatous endometrial polyp. BrJObstetGynecol 1993;100:386-388.
- **Utsunomiya D, Notsute S, Hayashida Y et al.** Endometrial carcinoma in adenomyosis: assessment of myometrial invasion on T2-weighted spin-echo and gadolinium-enhanced T1-weighted images. AJR Am J Roentgenol 2004; 182: 399-404.
- **Van De Graaff KM.** Human Anatomy. 6th ed.McGraw-Hill higher education , London.2002;732-738.
- **VercelliniP,Cortesil,DeG,MerloD,CarinelliSG,CrosignaniPG.** Transvaginal ultrasonography versus uterine needle biopsy in the Diagnosis of diffuse adenomyosis.HumReprod1998;13:2884–7
- **WeseleyAC.**The pre-operative diagnosis ofadenomyosis. GynecolObstet1998;4:105–6.
- **Wiener JJ, Newcombe RG.** Measurements of uterine volume: a comparison between measurements by ultrasonography and by water displacement. J Clin Ultrasound. 1992;20(7):457-460.
- **YamashitaV,Harada M,Sawada T:**Normal uterus and FIGO stage 1 endometrial carcinoma:dynamic gadolinium enhanced MR imaging.Radiology:1993;186:495-501