

References

- 1- **Abbott CA, Vileikyte L, Williamson S Carrington AL and Boulton AJ**; *Multicenter study of the incidence and predictive factors for diabetic neuropathic foot ulceration. Diabetes Care*; 21: 1071-74, 1998
- 2- **Albrektsen SB, Henriksen BM and Holstein PE**; *Minor amputations on the feet after revascularization for gangrene. A consecutive series of 95 limbs. Acta Ortho Scand*; 68: 291-3, 1997.
- 3- **Alvarez, R.G., Barbour, T.M. and Perkins, T.D.** Tibiocalcaneal arthrodesis for nonbraceable neuropathic ankle deformity. *Foot and Ankle Internat.*15: 354-359, 1994.
- 4- **Armstrong DG, Abu-Rumman PL, Nixon BP and Boulton AJ**; *Continuous activity monitoring in persons at high risk for diabetes-related lower-extremity amputation. J Am Podiatr Med Assoc.* Oct; 91(9):451-5, 2001.
- 5- **Armstrong DG, Lavery LA, Vela SA, Quebedeaux TL and Fleischli JG**; *choosing a practical screening instrument to identify patients at risk for diabetic foot ulceration. Arch Intern Med*; 158:289-92, 1998.
- 6- **Armstrong DG, Lavery LA**; *Elevated peak plantar pressures in patients who have Charcot arthropathy. J. Bone and joint Surg Am*; 80(3): 365–9, 1998.
- 7- **Armstrong DG, Lavery LA**; *Acute Charcot's arthropathy of the foot and ankle. Phys Ther*; 78: 74–80, 1998

8- Armstrong DG, Short B, Espensen EH, Abu-Rumman PL, Nixon BP and Boulton AJ; *Technique for fabrication of an “instant total-contact cast” for treatment of neuropathic diabetic foot ulcers. J Am Podiatr Med Assoc.* Jul-Aug;92(7):405-8,2002

9- Armstrong D.G., Stacpoole-Shea S., Nguyen H. and Harkless L.B.: *Lengthening of the Achilles Tendon in Diabetic Patients Who are at High Risk for Ulceration of the Foot. J .Bone and Joint Surg* 81-A: 535-538, 1999.

10- Armstrong DC, Todd WF, Lavery LA, Harkless LB and Bushman TR; *The natural history of acute Charcot arthropathy in the diabetic foot. specialty clinic. Diab. Med.* 24: 357, 1997.

11- Backonja M, Beydoun A, Edwards KR, Schwartz SL, Fonseca V, Hes M, et al., *Gabapentin for the symptomatic treatment of painful neuropathy in patients with diabetes mellitus: a randomized controlled trial. J.Am Med Assoc;* 280: 1831-6, 1998.

12- Baker.N, Green.A, Krishnan.S and Rayman.G, *Microvascular and C-Fiber Function in Diabetic Charcot Neuroarthropathy and Diabetic Peripheral Neuropathy.* *Diabetes Care* 30:3077-3079, DOI: 10.2337/dc07-1063, 2007.

13- Bamberger DM, Daus GP and Gerding DN; *Osteomyelitis in the feet of diabetic patients: long-term results, prognostic factors, and the role of antimicrobial and surgical therapy. Am J Med;*83: 653, 1987.

14- Banks AS and McGlamry ED; *Charcot foot. J Am Podiatr Med Assoc;* 79: 213–7, 1989.

- 15- **Berman AT, Bosacco SJ, Parks BG, et al:** *Compression arthrodesis of the ankle by triangular external fixation: biomechanical and clinical evaluation, Orthopedics 22:1129, 1999.*
- 16- **Bono, J.V., Roger, D.J. and Jacobs, R.L.** *Surgical arthrodesis of the neuropathic foot. Salvage procedure. Clin. Orthop., 296: 14-20,1993.*
- 17- **Boulton.A.J.M;** *Diabetic complication, US Endocrine Disease - diabetic neuropathy and diabetic foot; pp104, 2006.*
- 18- **Braly WG, Baker JK, Tullos HS:** *Arthrodesis of the ankle with lateral plating, Foot and Ankle Internat; 15:649, 1994.*
- 19-**Brodsky, J. W., and Rouse, A. M.:** *Exostectomy for symptomatic bony prominences in diabetic Charcot feet. Clin. Orthop., 296: 21-26, 1993.*
- 20- **Brodsky JW.** *The diabetic foot; In: Mann RA, Coughlin MJ, eds. Surgery of the foot and ankle. 6th ed. St. Louis: Mosby, 1993.*
- 21-**Brodsky JW.** *Outpatient diagnosis and care of the diabetic foot. Instr Course Lect;42:121-39,1993.*
- 22- **Brodsky JW;** *The diabetic foot. In: Coughlin MJ, Mann RA, eds. Surgery of the Foot and Ankle. 7th ed. St. Louis, MO: Mosby; 895-969, 1999.*
- 23- **Brower AC, Allman RM;** *The neuropathic joint: a neurovascular bone disorder. Radiol Clin North Am;19(4): 571–9, 1981.*

- 24- **Brower AC and Allman RM**; *Pathogenesis of the neurotrophic joint: neurotraumatic vs. neurovascular*. *Radiology*; 139: 349–54, 1981.
- 25- **Caputo G M, Cavanagh PR, and Paul Juliano** ; *The Charcot Foot in Diabetes: Six Key Points* *Am Fam physician* vol57\ no.11(june, 1998).
- 26- **Carrier DA, Harris CM**: *Ankle arthrodesis with vertical Steinmann pins in rheumatoid arthritis*, *Clin. Orthop.*, 268:10, 1991.
- 27- **Charcot JM**; *Sur quelques arthropathies qui paraissent dépendre d'une lésion du cerveau ou de la moelle épinière*. *Arch Physiol Norm Path*, 1868; 1: 161–71. In *Charcot's arthropathy of the foot*. by David G. Armstrong¹ and Edgar J.G. Peters ; *International Diabetes Monitor*, vol 13, no; 5, 2001.
- 28- **Charnley J**: *Compression arthrodesis of the ankle and shoulder*, *J. Bone and Joint Surg*; 33B:180, 1951. In *Chuinard EG, Peterson RE: Distraction-compression bone graft arthrodesis of the ankle: a method especially applicable in children*, *J. Bone and Joint Surg*; 45A:481, 1963.
- 29- **Civitelli R** ; *Calcitonin*. In *Marcus R, Feldman D & Kelsey J (eds) Osteoporosis 1st ed. Academic Press, London, p 1235-1258, 1996*.
- 30- **Cleveland, M**. *Surgical fusion of unstable joints due to neuropathic disturbance*. *Am. J. Surg.* 43: 580-584. 1939. In; *Charcot foot-operative versus non operative management* by *Nagi .M. k. and Duerksen.F*; *Am Fam physician*; vol.64, no.9 november 1, 2001.
- 31- **Craig JG, Amin MB, Wu K, Eyler WR, van Holsbeeck MT, Bouffard JA, Shirazi K**; *Osteomyelitis of the diabetic foot: MR imaging-pathologic correlation*. *Radiology Jun*; 203(3):849-550, 1997.

32- **Crane M and Werber B**; *Critical pathway approach to diabetic pedal infections in a multidisciplinary setting. J. Foot and Ankle Surg ; 38: 30-3, 1999.*

33-**Dabov G and Edward A.Perez**; *neuropathic arthropathy Charcot joint.Campbel, s text book, 10TH edition by S.Terry Canale.pp957-959, 1998.*

34-**Dalla Paola L, Volpe A, Varotto D, et al.** Use of retrograde nail in ankle arthrodesis in Charcot neuroarthropathy: a limb salvage procedure. *Foot Ankle Int.*;28(9):967–970, 2007.

35- **David G. Armstrong¹ and Edgar J.G. Peters** ; *Charcot's arthropathy of the foot. International Diabetes Monitor*,vol 13,no; 5, 2001.

36- **Dennis DA, Clayton ML, Wong DA, et al:** *Internal fixation compression arthrodesis of the ankle, Clin. Orthop.*, 253:212, 1990.

37- **Dhalla R, Johnson JE and Engsberg J**; *Can the use of a terminal device augment plantar pressure reduction with a total contact cast Foot and Ankle Internat ;Jun ; 24 (6) : 500 -5, 2003.*

38- **Early, J.S. and Hansen, S.T.** *Surgical reconstruction of the diabetic foot: a salvage approach for midfoot collapse. Foot and Ankle Internat. 17: 325-330, 1996.*

39 -**Eckardt A, Schollner C, Decking J, et al.** *The impact of Syme amputation in surgical treatment of patients with diabetic foot syndrome and Charcot-neuro-osteoarthropathy. Arch Orthop Trauma Surg.*;124(3):145–150, 2004.

40- **Edelson GW, Jensen JL, Kaczynski R**; *Identifying acute Charcot arthropathy through urinary cross-linked N-telopeptides. Diabetes; 45 (suppl 2): 108A, 1996.*

41-**Edmonds ME, Clarke MB, Newton JB et al**; *Increased uptake of radiopharmaceutical in diabetic neuropathy. Quart. J. Med; 57: 843–55, 1985.*

42- **Edmonds ME**.*The neuropathic foot in diabetes. Part1: blood flow. Diabetic Med; 3: 111–5, 1986.*

43- **E.Greer Richardson** ;*Diabetic foot ,Neuropathic arthropathy Charcot joint.Campbel,s text book,10TH edition by S.Terry Canale; pp4117-4123, 1998.*

44- **Eichenholz SN**; *Charcot joints. Springfield, IL: Charles C. Thomas, 1966.*

45- **Eloesser L**; *On the nature of neuropathic affections of the joint. Ann Surg 1917; 66: 201–6.IN Charcot’s arthropathy of the foot.by David G. Armstrong1 and Edgar J.G. Peters ; International Diabetes Monitor,vol 13,no; 5, 2001.*

46-**Erdman WA, Tamburro F, Jayson HT, Weatherall PT, Ferry KB, Peshock RM**; *Osteomyelitis: Characteristics and pitfalls of diagnosis with MR imaging. Radiology; 180:553-539, 1991.*

47-**Faglia E, Favales F, Aldeghi A, Calia P, Quarantiello A, Barbano P, Puttini M, Palmieri B, Brambilla G, Rampoldi A, Mazzola E, Valenti L, Fattori G, Rega V, Cristalli A, Oriani G, Michael M and**

Morabito A.; *Change in major amputation rate in a center dedicated to diabetic foot care during the 1980s: prognostic determinants for major amputation. J Diabetes Complications*; 12: 96-102, 1998.

48-Farber DC, Juliano PJ, Cavanaugh PR, Ulbrecht J, Caputo G. *Single stage correction with external fixation of the ulcerated foot in individuals with Charcot neuroarthropathy. Foot Ankle Int.*;23(2):130–134, 2002.

49- Finsterbush A and Friedman B; *The effect of sensory denervation on rabbit's knee joints. J. Bone and joint Surg*; 57A: 949–57, 1975.

50- Fleischli JG, Lavery LA, Vela SA, Ashry H and Lavery DC; *Comparison of strategies for reducing pressure at the site of neuropathic ulcers. J Am Podiatr Med Assoc. Oct*;87(10):466-721997.

51- Friedman RL, Glisson RR, Nunley JA II: *A biomechanical comparative analysis of two techniques for tibiotalar arthrodesis, Foot and Ankle Internat*; 15:301, 1994.

52- Frykberg RG and Mendeszoon E: *Management of the diabetic Charcot foot. Diabetes Metab Res Rev*; Vol. 16, Supplement 1: 559-65, 2000.

53- Fujimori J, Yoshino S, Koiwa M, et al: *Ankle arthrodesis in rheumatoid arthritis using an intramedullary nail with fins, Foot and Ankle Internat. 20*:485, 1999.

54-**Catagni MA, Ottaviani G, Combi A, Elhence A.** *External circular fixation: a comparison of infection rates between wires and conical half-pins with threads outside or inside the skin. J. Trauma.*;61(5):1186–1191), 2006.

55- **Giurini J.M. and Rosenblum B.I.:** *The Role of Foot Surgery in Patients with Diabetes. Clin Podiat Med Surg*, 12: 119-127, 1995.

56- **Giurini j and Steinberg J** *Podiatry Today* - ISSN: 1045-7860 - Volume 18 - Issue 11 - November - Pages: 16-21, 2005.

57- **Gough A, Abraha H, Li F et al;** Measurement of markers of osteoclast activity in patients with acute and chronic diabetic Charcot arthropathy. *Diabetic Med*; 14(7): 527–31, 1997.

58- **Gruen GS, Mears DC:** *Arthrodesis of the ankle and subtalar joints, Clin. Orthop.*, 268:15, 1991.

59- **Guis S, Pellissier JF, Arniaud D, Turck F, Witjas T, Roux H and Mattei JP.:** *Healing of charcot's joint by pamidronate infusion. J. Rheumatology*; Vol. 26, No. 8: 1843-45, 1999.

60-**Guse St and Alvine FG;***Treatment of diabetic foot ulcer sand Charcot neuroarthropathy using the patellar tendon bearin brace.Foot and Ankle Internat.*Oct;18(10):675-7,1997

61- **Hammerschlag WA:** *Ankle arthrodesis using a ring external fixator, Tech Orthop* 11:263, 1996.

62- **Hartsell HD, Fellner C and Saltzman CL**; *Pneumatic bracing and total contact casting have equivocal effects on plantar pressure relief. Foot and Ankle Internat*; Jun;22(6):502-6, 2001.

63-**Hkenneth walker**, *deep tendon reflexes in Cinical methods the history,physical and laboratory examinations*;3rd edition,by HKenneth Wlker,WDllas Hll and j wills hurst,pp366-368,1990.

64- **Holt ES, Hansen ST, Mayo KA, Sangeorzan BJ**: *Ankle arthrodesis using internal screw fixation, Clin. Orthop.*, 268:21, 1991.

65-**JEFFREY E. JOHNSON, and LOUIS, MISSOURI**.Instructional Course Lectures, The American Academy of Orthopaedic Surgeons - Operative Treatment of Neuropathic Arthropathy of the Foot and Ankle *The Journal of Bone and Joint Surgery* 80:1700-9,1998.

66- **Johnson, J.E., Kennedy, E.J., Shereff, M.J., Patel, N.C. and Collier B.D.** *Prospective study of bone, indium-111 labeled white blood cell, and gallium-67 scanning for the evaluation of osteomyelitis in the diabetic foot. Foot and Ankle Internat.* 17: 10-16, 1996.

67-**Johnson, J. E.**: Surgical reconstruction of the diabetic Charcot foot and ankle. *Foot and Ankle Clin.*, 2: 37-55, 1997.

68- **Johnson, J.E.**: *Operative Treatment of Neuropathic Arthropathy of the Foot and Ankle. J .Bone and Joint Surg*; 80-A: 1700-1709, 1998.

69- **Jordan WR**; *Neuritic manifestations in diabetes mellitus. Arch Intern Med* 1936; 57: 307–12. *Charcot's arthropathy of the foot.*by David G. Armstrong¹ and Edgar J.G. Peters ; *International Diabetes Monitor*,vol 13,no; 5, 2001.

70- **Jude EB, Selby PL, Burgess J, Lilleystone P, Mawer EB, Page SR, Donohoe M, Foster AV, Edmonds ME and Boulton AJ;** *Bisphosphonates in the treatment of Charcot neuroarthropathy: a double-blind, randomized controlled trial. Diabetologia; 44: 2032–7, 2001.*

71- **Kanis JA, Johnell O, Gullberg B, Allander E, Dilsen G, Gennari C, Lopes Vaz AA, Lyritis GP, Mazzuoli G, Miravet L .** *Evidence for efficacy of drugs affecting bone metabolism in preventing hip fracture. BMJ 305: 1124-1128,1992*

72- **Kastenbauer T, Sokol G, Auinger M and Irsigler K;** *Running shoes for relief of plantar pressure in diabetic patients. Diab Med; 15: 518-22, 1998.*

73- **Kelly M. William Musgrave's;** *De arthritide symptomatica(1703): his description of neuropathic arthritis.Bull Hist Med 37: 372–6, 1963.In Charcot's arthropathy of the foot.by David G. Armstrong1 and Edgar J.G. Peters ; International Diabetes Monitor,vol 13,no; 5, 2001.*

74- **Khan.A.N;** *Neuropathic Arthropathy (Charcot Joint) e -medicine: February 21, 2007.*

75- **Kile TA, Donnelly RE, Gehrek JC, et al:** *Tibiotalocalcaneal arthrodesis with an intramedullary device, Foot and Ankle Internat; 15:669, 1994*

76- **Kish G, Eberhart R, King T, et al:** *Ankle arthrodesis: placement of cannulated screws, Foot and Ankle Internat; 14:223, 1993.*

77- **Larsson J, Apelqvist J, Agardh CD and Stenstrom A;** *Decreasing incidence of major amputation in diabetic patients: a consequence of a multidisciplinary foot care team approach. Diab Med; 12: 770-6, 1995.*

78- **Lavery LA, Vela SA, Fleischli JG, Armstrong DG and Lavery DC**; *Reducing plantar pressure in the neuropathic foot. A comparison of footwear. Diabetes Care. Nov;20(11):1706-10, 1997.*

79- **Litzelman DK, Slemenda CW, Langefeld CD, Hays LM, Welch MA, Bild DE, Ford ES and Vinicor F.**; *Reduction of lower extremity clinical abnormalities in patients with non insulin dependent diabetes. Ann Intern Med; 119:36-41, 1993.*

80- **Mann RA, Van Manen JW, Wapner K, Martin J**: *Ankle fusion, Clin. Orthop., 268:49, 1991.*

81-**Maurer RC, Cimino WR, Cox CV and Satow GK**:*Transarticular cross –screw fixation atechneque of ankle Arthrodesis, Clin. Orthop., P268:56, 1991.*

82-**McQuay H, Carroll D, Jadad AR, Wiffen P, Moore A.** *Anticonvulsant drugs for management of pain: a systematic review. BMJ; 311: 1047-52, 1995.*

83- **McQuay HJ, Tramer M, Nye BA, Carroll D, Wiffen PJ, Moore RA.** *A systematic review of antidepressants in neuropathic pain. ; 68: 217-27, 1996.*

84- **Mears DC, Gordon RG, Kann SE, Kann JN**: *Ankle arthrodesis with an anterior tension plate, Clin. Orthop., 268:70, 1991.*

85- **Michael H.Ellman**; *neuropathic joint disaease (Charcot joints).Arthrities and Allied conditions text book of rheumatology by william j,koopman and daniel j, Mc Carty; 13 edition; chapter85: p1644-1645, 1997.*

- 86- **Mitchell, J.R., Johnson, J.E., Collier, B.D., Gould and J.S.** *Stress Fracture of the Tibia following Extensive Hindfoot and Ankle Arthrodesis: A Report of three cases.* *Foot and Ankle Internat.* 16: 445-448. 1995.
- 87- **Moeckel BH, Patterson BM, Inglis AE, Sculco TP:** *Ankle arthrodesis: a comparison of internal and external fixation,* *Clin. Orthop.*, 268:78, 1991.
- 88- **Monroe MT, Beals TC, Manoli A:** *Clinical outcome of arthrodesis of the ankle using rigid internal fixation with cancellous screws,* *Foot and Ankle Internat;* 20:227, 1999.
- 89- **Moore TJ, Prince R, Pochatko D, et al:** *Retrograde intramedullary nailing for ankle arthrodesis,* *Foot and Ankle Internat;* 16:443, 1995.
- 90- **Moran CG, Pinder IM, Smith SR:** *Ankle arthrodesis in rheumatoid arthritis: 30 cases followed for 5 years,* *Acta Orthop Scand* 62:538, 1991.
- 91- **Morgan JM, Biehl WC 3rd and Wagner FW Jr;** *Management of neuropathic arthropathy with the Charcot Restraint Orthotic Walker.* *Clin. Orthop.*, Nov; (296) : 58-63, 1993.
- 92- **Morton DJ, Barrett-Connor EL & Schneider DL :***Vitamin C supplement use and bone mineral density in postmenopausal women.* *J Bone Miner Res* 16: 135-140,2001.
- 93- **Myerson M, Papa J, Eaton K and Wilson K;** *The total-contact cast for management of neuropathic plantar ulceration of the foot.* *J. Bone and Joint Surg [Am]* ;74: 261-9, 1992.

- 94-**Myerson, M. S.; Henderson, M. R.; Saxby, T.; and Short, K. W.:** Management of midfoot diabetic neuroarthropathy. *Foot and Ankle Internat.*, 15: 233-241, 1994.
- 95- **Myerson MS;** *Evaluation of diabetic neuroarthropathy guides treatment.Biomechanics,1999.*
- 96- **Nagi .M. k. and Duerksen.F;** *Charcot foot-operative versus non operative management. Am Fam physician, vol.64, no.9 November 1,2001.*
- 97- **Newman LG, Waller J, Palestro CJ, Schwartz M, Klein MJ, Hermann G, Harrington E, Harrington M, Roman SH, Stagnaro-Green A.:** *Unsuspected osteomyelitis in diabetic foot ulcers. Diagnosis and monitoring by leukocyte scanning with Indium In-111 oxyquinolone. J.Am Med Assoc. 266(9):1246-1251, 1991.*
- 98-**Ogilvie-Harris DJ, Fitsialos D, Hedman TP:** *Arthrodesis of the ankle: a comparison of two versus three screw fixation in a crossed configuration, Clin. Orthop., 304:195, 1994.*
- 99- **Ogilvy-Harris DJ, Leiberman I and Fitsialos D:***arthroscopic associated Arthrodesis for osteoarthritis ankle, J. Bone and Joint Surg; 75A:1167, 1993.*
- 100-**Pakarinen, T. K.; Laine, H. J.; Honkonen, S. E.; Peltonen, J.; Oksala, H., and Lahtela, J.** *Charcot arthropathy of the diabetic foot. Current concepts and review of 36 cases. Scand J Surg.; 91(2):195-201, 2002.*

- 101- **Papa J., Myerson M. and Girard P.:** *Salvage, with Arthrodesis, in Intractable Diabetic Neuropathic Arthropathy of the Foot and Ankle. J Bone and Joint Surg. 75-A 1056-1066, 1993.*
- 102- **Perry JE, Ulbrecht JS, Derr JA and Cavanagh PR;***The use of running shoes to reduce plantar pressures in patients who have diabetes. J. Bone and Joint Surg Am; 77: 1819-28, 1995.*
- 103- **Pinzur, M.S., Gold, J., Schwartz, D. and Gross, N.** *Energy demands for walking in Dysvascular amputees as related to the level of amputation. Orthopedics 15: 1033-1037. 1992.*
- 104- **Pinzur MS, Shields N, Trepman E, Dawson P and Evans A;** *Current practice patterns in the treatment of Charcot foot. Foot and Ankle Internat. Nov;21(11):916-20,2000.*
- 105- **Pollard.J and Stess.R;** *A Guide To Bracing For Charcot Podiatry Today - ISSN: 1045-7860 - Volume 17 - Issue 6 - June Pages: 44 – 56, 2004.*
- 106- **Pollo FE, Brodsky JW, Crenshaw SJ and Kirksey C;** *Plantar pressures in fiberglass total contact casts vs. a new diabetic walking boot. Foot and Ankle Internat; Jan;24(1):45-9.2003.*
- 107- **Quill GE Jr:** *Tibiototalcalcaneal arthrodesis, Tech Orthop 11:269, 1996.*
- 108- **Rith-Najarian S, Branchaud C, Beaulieu O, Gohdes D, Simonson G and Mazze R;** *Reducing lower-extremity amputations due to diabetes. Application of the staged diabetes management approach in a primary care setting. J Fam Pract; 47: 127-32, 1998.*

109-Rith-Najarian SJ, Stolusky T and Gohdes DM; *Identifying diabetic patients at high risk for lower-extremity amputation in a primary health care setting. A prospective evaluation of simple screening criteria. Diabetes Care; 10: 1386-9, 1992.*

110- R. M. Marks, M. S. Myerson; *The foot: Neuroarthropathy. February 18th, 1997.*

111-Robert.M Pickering; *neuropathic arthropathy Charcot joint,Campbel, s text book, 10TH edition.pp155-177, 1998.*

112-Rogers LC, Bevilacqua NJ, Frykberg RG, Armstrong DG. *Predictors of postoperative complications of Ilizarov external ring fixators in the foot and ankle. J Foot Ankle Surg.;46(5):372–375, 2007.*

113- Rönnemaa T, Hamalainen H, Toikka T and Liukkonen I; *Evaluation of the impact of podiatrist care in the primary prevention of foot problems in diabetic subjects. Diabetes Care; 20: 1833-7, 1997.*

114- Rowan R, Davey KJ: *Ankle arthrodesis using an anterior AO T plate, J. Bone and Joint Surg; 81B:113, 1999.*

115- Rubin G, Staros A and Cohen-Sobel E; *The patellar tendon-bearing brace as treatment for neurotropic arthropathy: a dynamic force monitoring study. Foot and Ankle Internat; Jan;15(1):56-7, 1994.*

116- Saltzman CL, Johnson KA, Goldstein RH and Donnelly RE; *The patellar tendon-bearing brace as treatment for neurotrophic arthropathy: a dynamic force monitoring study. Foot and Ankle internat. Jan;13(1):14-21,1992.*

117- **Sammarco G.J. and Conti S.F.:** Surgical Treatment of Neuroarthropathic Foot Deformity. *Foot and Ankle Internat.* 19: 102-109, 1998.

118-**Sayner LR, Rosenblum BI.** External fixation for Charcot foot reconstruction. *Curr Surg.*;62(6):618–623., 2005.

119-**Schon LC, Easley ME, Cohen I, Lam PW, Badekas A, Anderson CD.** The acquired midtarsus deformity classification system—interobserver reliability and intraobserver reproducibility. *Foot Ankle Int.*;23:30-6, 2002.

120- **Schon LC, Easley ME and Weinfeld SB;** *Charcot neuroarthropathy of the foot and ankle. Clin. Orthop., Apr;(349):116-31, 1998.*

121-**Schon, L. C., and Marks, R. M.:** The management of neuroarthropathic fracture-dislocations in the diabetic patient. *Orthop. Clin. North America*, 26: 375-392, 1995.

122- **Selby PL,Young MJ and Boulton AJ;** *Bisphosphonates: a new treatment for diabetic Charcot neuroarthropathy.Diabetic Med; 11(1): 28–31, 1994.*

123- **Sella EJ, Barrette C;** *Staging of Charcot neuroarthropathy along the medial column of the foot in the diabetic patient. J. Foot Ankle Surg; 38(1): 34–40, 1999.*

124- **Shah.M and Panis.W ;** *Charcot Arthropathy Article. e.medicin,; Aug 29, 2007.*

125- **Simon S.R., Tejawani, S.G., Wilson D.L., Santner T.J and Denniston M.L.:** *Arthrodesis as an Early Alternative to Nonoperative Management of Charcot Arthropathy of the Diabetic Foot. J .Bone and Joint Surg* 82-A: 939-950, 2000.

126-**Smieja M, Hunt DL, Edelman D, Etchells E, Cornuz J and Simel DL;** *Clinical examination for the detection of protective sensation in the feet of diabetic patients. International Cooperative Group for Clinical Examination Research. J Gen Internat. Med ; 14:418-24, 1999.*

127-**Sticha RS, Frascone ST, Wertheimer SJ.** Major arthrodesis in patients with neuropathic arthropathy. *J Foot Ankle Surg.* 1996;35(6):560–566.

128- **Stone KH, Helal B:** *A method of ankle stabilization, Clin. Orthop., 268:102, 1991.*

129- **Strauss E and Gonya G.** *Adjunct low intensity ultrasound in Charcot neuroarthropathy. Clin. Orthop., 349:132-8, 1998.*

130- **Stuart, M.J. and Morrey, B.F.,** *Arthrodesis of the diabetic neuropathic ankle joint. Clin. Orthop., 253: 209-211, 1990.*

131- **Swärd L, Hughes JS, Howell CJ, Colton CL:** *Posterior internal compression arthrodesis of the ankle, J. Bone and Joint Surg; 74B:752, 1992.*

132- **Thomas Brosky and Stephanie Grant** *The effect of teriparatide [human parathyroid hormone (1-34] therapy on fracture healing in charcot neuroarthropathy of the lower extremity .national osteoporosis foundation.org. 6 April 2005.*

133- **Tisdell, C.L., Marcus, R.E. and Heiple, KG.** Triple arthrodesis for diabetic peritalar neuroarthropathy. *Foot and Ankle Internat.* 16: 332-338, 1995.

134- **T. Leach and A. Gentili;** *Advanced Imaging of the Diabetic Foot and Its Complications;* November 16, 2004.

135-**Todd C. Sommer and Thomas H. Lee;** *Charcot Foot: The Diagnostic Dilemma;* *Am Fam Physician*;64:1591-8; 2001.

136- **Trepman E and Donnelly P;** *Patellar tendon-bearing, patten-bottom caliper suspension orthosis in active Charcot arthropathy: crutch-free ambulation with no weight bearing in the foot.* *Foot and Ankle Internat* Apr;23(4):335-9, 2002.

137- **Unger E, Moldofsky P, Gaenby R, Hartz W and Broder G;** *Diagnosis of osteomyelitis by MR imaging. A J R;* Mar; 150(3):605-610, 1988.

138-**V. James Sammarco, , G. James Sammarco, , Earl W. Walker, Jr. and Ronald P. Guiao,** Midtarsal Arthrodesis in the Treatment of Charcot Midfoot Arthropathy *The Journal of Bone and Joint Surgery (American).*;91:80-91, 2009.

139- **Vialle, Raphael; Mary, Pierre; Tassin, Jean-Louis; Parker, Fabrice,Guillaumat and Michel ;***Charcot's Disease of The Spine: Diagnosis and Treatment. Spine journal.* 30(11):E315-E322, June 1, 2005.

140- **Wagner FW ;** *The diabetic foot. Orthopedics;* 10:163-72, 1987.

141- **Wang GJ, Shen WJ, McLaughlin RE, Stamp WG:** *Transfibular compression arthrodesis of the ankle joint, Clin. Orthop.*, 289:223, 1993.

142- **Waters R.L., Perry J., Antonelli D. and Hislop H.:** Energy Cost of Walking of Amputees: The Influence of Level of Amputation. *J .Bone and Joint Surg* 58: 42-46, 1976.

143- **Weltmer JB Jr, Choi SH, Shenoy A, Schwartzman V:** *Wolf blade plate ankle arthrodesis, Clin. Orthop.*, 268:107, 1991.

144- **Williams and Airey;** *The size of the problem: Epidemiological and economic aspects of foot problems in diabetes In "The Foot in diabetes" 3rd ed. Boulton, AJM, Connor, H, Cavanagh, PR (Eds.) John Wiley & Sons, Chicester2000.*

145- **W. R. Timperley, J. D. Ward, F. E. Preston, T. Duckworth and B. C. O'Malley;** *Clinical and Histological Studies in Diabetic Neuropathy A Reassessment of Vascular Factors in Relation to Intravascular Coagulation,Diabetologia* 12, 237-243 (1976).

146-**Young MJ, Breddy JL, Veves A and Boulton AJ;***The prediction of diabetic neuropathic foot ulceration using vibration perception thresholds. A prospective study. Diabetes Care;* 17: 557-60, 1994.

147-**Young MJ, Marshall A, Adams JE et al;** *Osteopenia, neurological dysfunction, and the development of Charcot neuroarthropathy. Diabetes Care;* 18(1):34–8, 1995.