

REFERENCES

- **Abdel Azim H. (2008):** Metal on metal hip arthroplasty. Thesis, DrChOrth; Ain Shams Faculty of medicine, Ain Shams University.
- **Abdel Aziz H. (2009):** Evaluation of the Results of Cementless Metal on Metal Total Hip Replacement. Thesis, DrChOrth; Alexandria Faculty of medicine, Alexandria University.
- **Affatato S, Leardini W, Jedenmalm A, Ruggeri O, Toni A. (2006):** Larger Diameter Bearings Reduce Wear in Metal-on-Metal Hip Implants. Clin Orthop 19: 18-27.
- **Amstutz H.C., Grigoris P. (1996):** Metal on metal bearing in hip arthroplasty. Clin. Orthop. 329 (suppl.): 11-34.
- **Amstutz H.C.; Beaule P.E.; Dorey F.J.; LeDuff M.J.; Campbell P.A.; and Gruen T.A. (2004):** Metal on metal hybrid surface arthroplasty: two to six-years follow-up study. J. Bone and Joint Surg., 86-A (1): 28-39.
- **Archibeck J, Jacobs J, Black J. (2000):** Alternate bearings surfaces in total joint arthroplasty: Biologic considerations. Clin Orthop ; 379:12-21.
- **Astrand J, Aspenberg P. (2004):** Topical, single dose bisphosphonate treatment reduces resorption in a rat model for prosthetic loosening. J Orthop Res; 22: 244-249.
- **Barrack RL, Stephen R, Burnett J. (2007):** Preoperative planning In: The Adult hip. Edited by Callaghan JJ, Rosenberg AG and Rubash HE. 2nd ed. Lippincott Williams & Wilkins, Philadelphia; 887-910.
- **Bartz RL, Noble PC, Kadakia NR, Tullos HS. (2000):** The Effect of Femoral Component Head Size on Posterior dislocation of the Artificial Hip Joint. J Bone Joint Surg (Am); 2A: 32-9.

- **Bauer TW, Parvizi J, Kobayashi N, Krebs V. (2006):** Diagnosis of periprosthetic infection. J Bone Joint Surg (Am); 88A: 869-82.
- **Berger RA, Jacobs JJ, Quigley LR, Rosenberg AG, Galante JO. (1997):** Primary cementless acetabular reconstruction in patients younger than 50 years old. 7- to 11-year results. Clin Orthop; 344: 216-26.
- **Bergmann G, Deuretzbacher G, Heller M. (2001):** Hip contact forces and gait patterns from routine activities. J Biomech.; 34: 859-71.
- **Black J. (1997):** Biomaterials overview. In the adult hip. Edited by Callaghan J.J. et al., 1st ed., Lippincott-Raven (USA).
- **Black J. (2005):** Biological Performance of Materials: Fundamentals of Biocompatibility. Boca Raton: Taylor and Francis;
- **Bolognesi M, Pietrobon R, Clifford P. (2004):** Comparison of a Hydroxyapatite-Coated Sleeve and a Porous-Coated Sleeve with a Modular Revision Hip Stem: A Prospective randomized study. J Bone Joint Surg (Am); 86A: 2720-5.
- **Box G, Noble PC. (1993):** The position of the joint center and the functional outcome of total hip replacement. Transactions of the Orthopedic Research Society;18:525-
- **Brand RA, Crowninshield RD. (1980):** The effect of cane use on hip contact force. Clin Orthop 1980; 147: 181-4.
- **Brodner W, Grohs JG, Bancher T. (2004):** Does the placenta inhibit the passage of chromium and cobalt after metal-on-metal total hip arthroplasty? J Arthroplasty; 19(Suppl):102-6.
- **Brodner W.; Bitza P.; Meisinger V.; Kaider A.; Wolf F.G.; and Kotz R. (2003):** Serum cobalt level after metal on metal total hip arthroplasty. J. Bone and Joint Surg., 85-A: 2168-2173.

- **Brokker A.F., Bowerman J.W., Robinson R.A., Riley Jr L.H. (1973):** Ectopic ossification following total hip replacement. Incidence and method of classification. J. Bone Joint Surg. 55A: 1629-1632.
- **Brown S.R; Daviews A.; DeHeer D.H.; and Swanson A.B. (2002):** Long term survival of McKee-Farrar hip prostheses. Clin. Orthop., 402: 157-163.
- **Brown TE, Larson B, Shen F, et al (2002):** Thigh pain after cementless total hip arthroplasty; evaluation and management, J Am Acad Orthop Surg 10:385-392.
- **Byrd JWT. (2005):** Gross Anatomy. In: operative hip arthroscopy .2nd ed. Newyork, Springer,; 6: 100-10.
- **Callaghan J.J. (1997):** Revision of the femoral component. In the adult hip. Edited by Callaghan J.J. et al. 1st ed., Lippincott-Ravn (USA).
- **Callaghan JJ, Salvati EA, Pellicci PM, Wilson PD, Ranawat CS. (1985):** Results of revision for mechanical failure after cemented total hip replacement: A two to five-year follow-up. J Bone Joint Surg (Am); 67A(7): 1074-85.
- **Canale S, Beaty J, eds. (2008):** Campbell's operative orthopaedics, ed 11, Philadelphia, Mosby Elsevier.
- **Capello WN. (1986):** Preoperative planning of total hip arthroplasty, iustr Course Let 35: 249-257.
- **Catelas I, Campbell PA, Dorey F. (2003):** Semi-quantitative analysis of cytokines in MM THR tissues and their relationship to metal particles. Biomaterials 2003; 24: 4785-97.
- **Chan fW, Bobyn JD, Medley JB, et al. (1999):** The otto aufrance award: wear and lubrication of metal-on metal hip implants, Clin Orthop Relat Res (369): 10.

- **Christian H., Mauricio S., and Thomas P.S. (2004):** Bearing surface options for total hip replacement in young patients .In AAOS Instructional Course Lectures , Volume 53.; 49-65.
- **Clarke MT, Lee PT and Villar RN. (2003):** Dislocation after total hip replacement in relation to metal-on-metal bearing surfaces. J Bone Joint Surg (Br) 2003; 85B: 650–4.
- **Claus Am, Engh CA Jr, Sychterz CJ, Xeinos JS. Orishimo KF, Engh CA Sr. (2003):** Radiographic definition of pelvic osteolysis following total hip arthroplasty. J Bone Joint Surg Am: 85: A:1519-1526.
- **Clohisy JC, Hirayama T, Frazier E. Han S-K, Abu-Amer Y. (2004):** NF-kB signaling blockade abolishes implant particle-induced osteoclastogenesis. J Orthop Res, 22: 13-20.
- **Crowninshield RD, Maloney WJ, Wentz DH, Humphrey SM, Blanchard CR. (2004):** Biomechanics of Large Femoral Heads: What They Do and Don't Do. Clin Orthop; 429: 102-7.
- **Cuckler JM. (2005):** The rationale for metal-on-metal hip arthroplasty. Clin Orthop; 441:132-6.
- **Daniel J, Pynsent PB, McMinn DJW. (2004):** Metal-on-metal resurfacing of the hip in patients under the age of 55 years with osteoarthritis. J Bone Joint Surg (Br); 86B: 154-62.
- **Daniel J, Ziaee H, Pradham C, et al. (2006):** Blood and urine metal ion levels in young and active patients after Birmingham hip resurfacing arthroplasty. Four-year results of a prospective longitudinal study, J Bone Joint Surg (Br) 89B: 169-173.
- **Daniel J, Ziaee H, Pradhan C, et al. (2007):** Blood and urine metal ion levels in young and active patients after Birmingham hip resurfacing arthroplasty, J Bone Joint Surg (Br) 89B: 169-173.
- **Davey J.R., O'Connor D.O., Burke D.W., and Harris W.H. (1993):** Femoral component offset: its effect on strain in bone-cement. J. Arthroplasty; 8: 23.

- ***Delaunay CP. (2004):*** Metal-on-Metal Bearings in Cementless Primary Total Hip Arthroplasty. J Arthroplasty; 19: 35-40.
- ***DeLee JG, Charnley J. (1976):*** Radiological demarcation of cemented sockets in total hip replacement. Clin Orthop; 121: 20-32.
- ***Della Valle AG, Padgett DE, Salvati EA. (2005):*** preoperative planning for primary total hip arthroplasty, J Am Acad Orthop Surgions 13(7):455-462.
- ***Denave P.A.; Bourne R.B.; Rorabeck O.H.; Hardie R.M.; and Horne J.G.; (1995):*** Measurement of polyethylene wear in metal backed acetabular cups. Clin. Orthop., 319: 317-326.
- ***Di-Cesare PE, Chang E, Preston CF, Liu CJ. (2005):*** Serum interleukin-6 as a marker of periprosthetic infection following total hip and knee arthroplasty. J Bone Joint Surg [Am] ;87-A:1921-7.
- ***Door L.D.; Wan Z.; Longjohn D.B.; Dubios B.; and Murken R. (2000):*** Total hip arthroplasty with the use of metasul metal on metal articulation. J. Bone and Joint Surg.; 82-A (6): 789-798.
- ***Doorn PF, Campbell PA, Worrall J. (1998):*** Metal wear particle characterization from metal on metal total hip replacements: Transmission electron microscopy study of periprosthetic tissues and isolated particles. J Biomed Mater Res; 42: 103-11.
- ***Dorr L, Wan Z. (1998):*** Causes of and treatment protocol for instability of total hip replacement. Clin Orthop; 355: 144-51.
- ***Dorr LD, Faugere MC, Mackel AM, et al. (1993):*** Structural and cellular assessment of bone quality of proximal femur, Bone 14 (3): 231-242.
- ***Dowson D, Hardaker C, Flett , Isaac G.H.A (2004):*** Hip Joint Simulator study of the performance of Metal-on-Metal Joints. Part 1- The role of materials. J Arthroplasty, 19 (8 suppl 3), 118-123.

- **Dowson D, Hardaker C, Flett M, Isaac G.H. (2004):** Hip Joint Simulator study of the performance of Metal-on-Metal Joints. Part 2- Design. J Arthroplasty, 19 (8 Suppl 3), 124-130.
- **Dowson D, Jin ZM. (2006):** Metal-on-metal hip joint tribology. Proc Inst Mech Eng; 220(2): 107-18.
- **Dowson D, Wright V. (1973):** Bio-tribology. In: Proceedings of the conference on the rheology of lubrication. The Institution of Mechanical Engineers and the British Society of Rheology: 81–8.
- **Dowson D. (2006):** Tribological principles in metal-on-metal hip joint design. Proc Inst Mech Eng; 220(2): 161-71.
- **Duffy PJ, Masri BA, Garbuz DS,et al (2005):** evaluation of patients with pain following total hip replacement, J Bone Joint Surg(Am)87A:2566-2575,
- **Dumbleton J, Manley M. (2004):** Hydroxyapatite-Coated Prostheses in Total Hip and Knee Arthroplasty. J Bone Joint Surg (Am); 86A: 2526-40.
- **Dumbleton JH, Manley MT. (2005):** Metal-on-Metal Total Hip Replacement: what does the literature say? J Arthroplasty; 20(2): 174-88.
- **El-Desoky I. (2004):** Metal on metal Total hip replacements. Thesis, DrChOrth; Cairo: Faculty of medicine, Cairo University.
- **Engl CA, Hopper RH JR. (1998):** Porous-coated total hip arthroplasty in the young. Orthopedics; 21: 953-6.
- **Fisher J. (1994):** Surface damage to femoral head prothesis. . J Bone Joint Surg (Br); 76B: 852-5.
- **Fisher J. (2005):** Tribology of high performance bearings. J Eng Med Biomat: 32-9.

- **Frankel VH, Nordin M. (1980):** Biomechanics of the hip joint. In: Basic Biomechanics of the Skeletal System. 2nd ed. Philadelphia, Lea & Fibiger; 303-40.
- **Garellick G., Malchau H., Herberts P., Hansson E., Axelsson H., Hansson T (1998):** Life expectancy and cost utility after total hip replacement. Clin Orthop ;346;141-51.
- **Gilbert JL. (2007):** Metals. In: The Adult hip. edited by Callaghan JJ, Rosenberg AG, Rubash HE. 2nd ed. Philadelphia, Lippincott Williams & Wilkins; 10: 128-43.
- **Gonzalez Della Valle A, Slullitel G ,Piccaluga F, et al (2005):** the precision and usefulness of preoperative planning for cemented and hybrid primary total hip arthroplasty , JArthroplasty 20(1):51-58.
- **Greidanus NV, Masri BA, Garbuz DS, et al. (2007):** Use of erythrocyte sedimentation rate and C-reactive protein level to diagnose infection before revision total knee arthroplasty: A prospective evaluation. J Bone Joint Surg [Am];89-A:1409-16.
- **Grose and Zelicof, (2005)** osteolysis in OKU hip and knee reconstruction 3 by AAOS 2005 chap.45 pages. 521-528
- **Gruen TA, McNeice GM, Amstutz HC. (1979):** “Modes of failure” of cemented stem type femoral components: a radiographic analysis of loosening. Clin Orthop; 141: 17-27.
- **Gurney B, Mermier C, Robergs R, Gibson A, Rivero D. (2001):** Effects of Limb-Length Discrepancy on Gait Economy and Lower-Extremity Muscle Activity in Older Adults. J Bone Joint Surg (Am); 83A(6): 907-15.
- **Hallab N, Merritt K, Jacobs JJ. (2001):** Metal sensitivity in patients with orthopaedic implants. J Bone Joint Surg (Am); 83A:428-36.
- **Hardinge K. (1982):** The direct lateral approach to the hip. J Bone Joint Surg (Br); 64-B: 17-29.
- **Harkess JW and Crockarell JR. (2008):** Arthroplasty of the hip. In: Campbell's Operative Orthopaedics. Edited by Canale ST. 11th ed. St. Louis, Mosby ; 1: 312- 481.

- **Harkess JW. (2003):** Arthroplasty of the hip. In: Campbell's Operative Orthopaedics. Edited by Canale ST. 10th ed. St. Louis, Mosby, 1: 296- 471.
- **Harris WH. (1969):** Traumatic arthritis of the hip after dislocation and acetabular fractures: treatment by mold arthroplasty. An end-result study using a new method of result evaluation, J Bone Joint Surg 51 (4): 737-755.
- **Harty M. (1984):** the anatomy of the hip joint. In: Surgery of the hip joint. Edited by Tronzo RC. 2nd ed. Newyork, Springer-Verlag, 2: 45-9.
- **Heisel C, Silva M, Schmalzried TP. (2003):** Bearing Surface Options for Total Hip Replacement in Young adults. J Bone Joint Surg (Am); 85A (7): 1366-79. .
- **Henry AK. (1973):** Extensile Exposures, 2nd ed. New York, Churchill Livingstone,: 115-43
- **Hodge WA, Andriacchi TP, Galante JO. (1991):** A relationship between stem orientation and function following total hip arthroplasty. J Arthroplasty; 6: 229-35.
- **Hulbert SF, Cooke FW, Klawitter JJ. (1973):** Attachment of prostheses to the musculoskeletal system by tissue ingrowth and mechanical interlocking. J Biomed Mater Res; 7: 11-4.
- **Iida H.; Kaneda E.; Takada H.; Uchida K.; Kawanabe K.; and Nakamura T. (1999):** Metallosis due to impingement between the socket and femoral neck in metal on metal bearing total hip prosthesis. J. Bone and Joint Surg., 81-A (3): 400-403.
- **Ito H.; Matsuno T.; Minami A.; and Aoki Y. (2003):** Intermediate term results after hybrid total hip arthroplasty for the treatment of dysplastic hip. J. Bone and Joint Surg., 85-A (9): 1725-1732.

- **Jasty M, Kienapfel H, Griss P. (2007):** Fixation by Ingrowth. In: The Adult hip. edited by Callaghan JJ, Rosenberg AG, Rubash HE. 2nd ed. Philadelphia, Lippincott Williams & Wilkins; 15: 195-206.
- **Jin Z.M., Stone M., Ingham E., Fisher J. (2006):** Biotribology;mini-symposium: biomechanics for the FRCS orth. Exam. Current Orthopaedics (2006) 20, 32–40 Available at www.sciencedirect.com
- **Johnston JD, Noble PC, Hurwitz DE, Andriacchi TP. (2007):** Biomechanics of the Hip. In: The Adult hip. edited by Callaghan JJ, Rosenberg AG, Rubash HE. 2nd ed. Philadelphia, Lippincott Williams & Wilkins 2007; 5: 81-90.
- **Kabo J.M.; Gerhard J.S.; Loren G.; and Amstutz H.C. (1993):** In vivo wear iof polyethylene acetabular component. J Bone and Joint Surg., 75-B: 254-258.
- **Katti K. (2004):** Biomaterials in total joint replacement: Colloids and Surfaces. Biointerfaces ; 39: 133–42.
- **Kim Y.K.; Kook H.K.; and Kim J.S. (2002):** Total hip replacement with a cementless acetabular cup and a cemented femoral component in patient younger than 50 years of age. J. Bone and Joint Surg., 84-A (5): 770-774.
- **Kjaersgaard-Andersen P, Nafei A, Teichert G. (1993):** Indomethacin for prevention of heterotopic ossification: a randomized controlled study in 41 hip arthroplasties. Acta Orthop Scand 1993; 64: 639-47.
- **Konyves A, Bannister GC. (2005):** The importance of leg length discrepancy after total hip arthroplasty. J Bone Joint Surg (Br); 87B: 155-7.
- **Kothari M, Bartel DL, Booker JF. (1996):** Surface geometry of retrieved McKee-Farrar total hip replacements. Clin Orthop; 329(Suppl):141-7.

- **Kurtz SM, Muratoglu OK, Evans M, Edidin AA. (1999):** Advances in the processing, sterilization, and crosslinking of ultra-high molecular weight polyethylene for total joint arthroplasty. *Biomaterials*; 20: 1659-88.
- **Kurtz SM. (2004):** The UHMWPE Handbook: Ultra-High Molecular Weight Polyethylene in Total Joint Replacement. New York: Academic Press.
- **Kwong I.M, Jasty M, Mulroy RD (1992):** : the histology of the radiolucent line, *J Bone Joint Surg(Br)*74B:67-63.
- **Lachiewicz PE. (1994):** Total hip arthroplasty in rheumatoid arthritis. *J Arthroplasty* 9: 9-15.
- **Le-Geros RZ. (2002):** Properties of osteoconductive biomaterials: calcium phosphates. *Clin Orthop*; 395: 81-98.
- **Lhotka C, Szkeres T, Steffan I, et al. (2003):** Four-year study of cobalt and chromium blood levels in patients managed with two different metal-on-metal total hip replacements, *J Orthop Res* 21: 189-195.
- **Li S, Burstein AH. (1994):** Ultra-high molecular weight polyethylene. The material and its use in total joint implants. *J Bone Joint Surg (Am)*; 76A: 1080-90.
- **Livermore J, Ilstrup D, Morrey B. (1990):** Effect of femoral head size on wear of the polyethylene acetabular component. *J Bone Joint Surg (Am)*; 72A: 518–26.
- **Long WT, Dorr L, (2004):** Gendelman V. An American Experience With Metal-on-Metal Total Hip Arthroplasties A 7-Year Follow-Up Study. *J Arthroplasty*; 19: 29-34.
- **Macauro G.; Piconi C.; Proietti L.; Timpanro M.; DeSantis V.; Magliocchetti G.; and DeSantis E. (2001):** Analysis of the catastrophic failure of a total hip replacement, the role of the acetabular component. *Hip International*, vol. 11 (4): 201-208.

- **MacDonald SJ, McCalden RW, Chess D. (2002):** Metal-on-metal versus polyethylene in hip arthroplasty: a randomized clinical trial. Clin Orthop; 402:282-96.
- **MacDonald SJ. (2004):** Can a safe level for metal ions in patients with metal-on-metal total hip arthroplasties be determined? Jarthroplasty 19 (8 suppl 3): 71-77.
- **Mai MT, Schmalzried TP, Dorey FJ, Campbell PA, Amstutz HC. (1996):** The contribution of frictional torque to loosening at the cement-bone interface in Tharies hip replacements. J Bone Joint Surg (Am) 1996; 78A:505-11.
- **Malik A, Maheshwari A, Door LD (2007):** impingement with total hip replacement, J Bone Joint Surg(Am)89A:1832-1842.
- **Maloney W.J.; and Hartford J.M. (1997):** The cemented femoral component. In the adult hip. Edited by Callaghan J.J. et al. 1st ed., Lippincott-Raven.
- **Mandalia V., Eyres K., Schranz P., Toms A. D. (2008):** Evaluation of patients with a painful total knee replacement, REVIEW ARTICLE, J Bone Joint Surg [Br]; 90-B: 265-71.
- **Mauricio S, Christian H, Thomas P. (2005):** Metal-on-Metal Total Hip Replacement. Clin Orthop; 430: 53-61.
- **McKee G.K. (1970):** Development of total prosthetic replacement to the hip. Clin. Orthop. 72: 85-103.
- **McKee GK, Chen SC (1973):** The statistics of the McKee-Farrar method of total hip replacement. Clin Orthop; 95: 26-33.
- **McKellop HA, Campbell P, Park SH, Schmalzried TP, Grigoris P, Amstutz HC. (1995):** The origin of submicron polyethylene wear debris in total hip arthroplasty. Clin Orthop 1995; 311: 3–20.

- **McKellop HA. (2001):** Bearing surfaces in total hip replacements: state of the art and future developments. Instr Course Lect.; 50: 165-79.
- **Michael T. L. and John D. (2006):** Bearing surfaces ,Hip and knee reconstruction ; chapter 22 . OKU In AAOS; 333-344 .
- **Migaud H, Jobin A, Chantelot C, Giraud F, Laffargue P, Duquennoy A. (2004)** Cementless Metal-on-Metal Hip Arthroplasty in Patients Less Than 50 Years of Age. J Arthroplasty; 19: 23-8.
- **Morlock MM, Bishop N. (2007)** Critical Aspects of Acetabular Fixation: Intelligent Hip Surgery, Cadaver Instructional Course, Graz, 52: 135-59.
- **Mow V.C.; Flatow E.L.; and Ateshian G.A. (2000):** Biomechanics. In Orthopedic basic science. P. 133-180. edited by Buckwalter J.A. et al. 2nd ed., American academy of orthopedic surgeons.
- **Mow VC, Foster RJ. (2007):** Tribology. In: The Adult hip. edited by Callaghan JJ, Rosenberg AG, Rubash HE. 2nd ed. Philadelphia, Lippincott Williams & Wilkins; 17: 215-26.
- **Murray DW, O'Connor JJ. (1998):** Superolateral wear of the acetabulum. J Bone Joint Surg(Br) , 80B(5): 197-200.
- **Nevelos J, Shelton J.C, Fisher J. (2004):** Metallurgical considerations in the wear of Metal-on-Metal Hip Bearings. Hip International, 14, 1-10.
- **O'Connor DT. Choi MG, Kwon SY. Sung K-LP. (2004):** New in-sight into the mechanism of hip prosthesis loosening. J Orthop Res; 22: 229-236.
- **Patil S, Bergula A, Chen PC, Colwell CW Jr, D'Lima DD. (2003):** Polyethylene wear and acetabular component orientation. J Bone Joint Surg Am; 85-A (suppl 4): 56-63.

- **Peters CL, McPherson E, Jackson JD, Erickson JA. (2007):** Reduction in Early Dislocation Rate With Large-Diameter Femoral Heads in Primary Total Hip Arthroplasty. *J Arthroplasty* ; 22 (6): 140-4.
- **Platzer and, Werner. (2004):** *Color Atlas of Human Anatomy, Vol. 1: Locomotor System* (5th ed.).
- **Porter AE, Hobbs LW, Rosen VB, Spector M. (2002):** The ultrastructure of the plasma-sprayed hydroxyapatite-bone interface predisposing to bone bonding. *Biomaterials*; 23: 725-33.
- **Rady AE, Sayed MN, Abdel Aal EHM (2004):** Modified lateral approach to the hip. European hip society domestic meeting,
- **Rahbek O, Overgaard S, Lind M, Bendix K, Bunger C, Soballe K. (2001):** Sealing effect of hydroxyapatite coating on peri-implant migration of particles. An experimental study in dogs. *J Bone Joint Surg (Br)*; 83B: 441-7.
- **Ranawat CS, Rodriguez JA. (1997):** Functional leg-length inequality follow-up total hip arthroplasty, *J Arthroplasty* 12 (4): 359-364.
- **Ranjan Gupta, Vincent J. Caiozzo, Stephen D. Cook, Robert L. Barrack and Harry B. Skinner . (2006):** basic science in orthopedic surgery ,in current diagnosis & treatment in orthopedics,fourth edition 2006, Chap.1 pages 1-64, copyright 2006 by the McGraw-Hill Companies,Inc.
- **Ring PA. (1989):** Press-Fit Prostheses: Clinical Experience. In:. *Osteoarthritis in the Young Adult Hip-Options for Surgical Management*. Edited by Reynolds D, Freeman M (eds) Edinburgh, Churchill Livingstone: 210-32.
- **Rokkum M., Brandet M.,Bye K., et al. (1999):** Polyethylene wear, osteolysis and acetabular loosening with an HA-coated hip prosthesis:a follow-up of 94 arthroplasties.*J Bone Joint Surg (Br)* ;81-B: 582-9

- **Russotti GM, Harris WH. (1991):** Proximal placement of the acetabular component in THA: a long-term study. J Bone Joint Surg (Am); 73A: 587–92.
- **Sabokbar A, Kudo O, Athanasou NA. (2003):** Two distinct cellular mechanisms of osteoclast formation and bone resorption in periprosthetic osteolysis. J Orthop Res; 21: 73-80.
- **Savarino L, Granchi D, Ciapetti G, et al. (2003):** Ion release in stable hip arthroplasties using metal-on-metal articulating surface a comparison between short-and medium-term results, J Biomed Mater Res 66A: 450.
- **Savarino L, Greco M, Cenni E, et al. (2006):** Differences in ion release after ceramic-on-ceramic and metal-on-metal total hip replacement. Medium-term follow-up J Bone Joint Surg (Br) 88B: 472-476.
- **Scales JT, Wilson JN. (1969):** Some aspects of the development of the Stanmore total hip joint prosthesis. Reconstr Surg Traumat; 1: 20-39.
- **Schey JA. (1996):** System view of optimizing metal on metal bearings. Clin Orthop; 329:115-25
- **Schmalzried T.P.; Peter Z.; Maurer B.; Bragdon C.; and Harris W.H. (1996):** Long duration of metal on metal total hip replacements with low wear of the articulating surfaces. J. Arthroplasty, 11: 322-331.
- **Schmalzried TP, Callaghan J. (1999):** Wear in Total Hip and Knee Replacements. J Bone Joint Surg (Br); 81A:115-36.
- **Schmalzried TP, Clarke IC, McKellop HA. (2007):** Bearing Surfaces. In: The Adult hip. edited by Callaghan JJ, Rosenberg AG, Rubash HE. 2nd ed. Philadelphia, Lippincott Williams & Wilkins; 20: 248-75.

- **Scholes SC, Unsworth A. (2006):** The tribology of metal-on-metal total hip replacements. *Proc Inst Mech Eng*; 220(2):183-94.
- **Siber HP, Rieker CB, Kottling P. (1999):** Analysis of 188 second-generation metal-on-metal retrieved hip implants .*J Bone Joint Surg(Br)*;81-B:46-50
- **Silva M, Heisel C, Schmaizried T. (2005):** Metal-on-metal total hip replacement. *Clin Orthop*; 430: 53-61.
- **Smith TH, Berend KR, Lombardi AV, Emerson RH, Mallory TH. (2005):** Metal-on-Metal Total Hip Arthroplasty with Large Heads May Prevent Early Dislocation. *Clin Orthop*; 441: 137–42.
- **Streicher R.M., Semlitsch M., Schon R., Weber H. (1996):** Metal on metal articulation for artificial hip joints: Laboratory studies and clinical results. *J. Eng. Med.* 210: 223-232.
- **Streicher RM, Schon R, Semlitsch M. (1990):** Investigation of the tribological behaviour of metal-on-metal combinations for artificial hip joints. *Biomed Tech* 1990; 35: 1-7.
- **Stuchin SA. (2008):** Anatomic Diameter Femoral Heads in Total Hip Arthroplasty: A Preliminary Report. *J Bone Joint Surg (Am)*; 90A (3): 52-6.
- **Sun L, Berndt CC, Gross KA, Kucuk A. (2001):** Material fundamentals and clinical performance of plasma-sprayed hydroxyapatite coatings: a review. *J Biomed Mater Res.*; 58: 570-92.
- **Thieme (2006):** *Atlas of Anatomy* pp 383,
- **Toms AD, Davidson D, Masri BA, Duncan CP. (2006):** The management of peri-prosthetic infection in total joint arthroplasty. *J Bone Joint Surg (Br)*; 88B: 149-55.
- **Treacy RBC, McBryde CW, Pynsent PB. (2005):** Birmingham hip resurfacing arthroplasty. *J Bone Joint Surg (Br)*; 87B: 29-36.

- ***Tsui YC, Doyle C, Clyne TW. (1998):*** Plasma sprayed hydroxyapatite coatings on titanium substrates: mechanical properties and residual stress levels. *Biomaterials* ; 19: 2015-29.
- ***Vassiliou K, Scholes SC, Unsworth A. (2007):*** Laboratory studies on the tribology of hard bearing hip prostheses: ceramic on ceramic and metal on metal. *Proc Inst Mech Eng*; 221(1): 11-20.
- ***Visuri TI, Pukkala E, Pulkkinen P, et al. (2006):*** Cancer incidence and causes of death among total hip replacement patients: a review based on Nordic cohorts with a special emphasis on metal-on-metal bearings, *Proc Inst Mechb Eng (H)* 220 (2): 399-407.
- ***Visuri TI, Pulkkinen P, Paavolainen P. (2006):*** Malignant tumors at the site of total hip prosthesis. Analytic review of 46 cases, *J Arthroplasty* 21 (3): 311-323.
- ***Von-Knoch M, Jewison DE, Sibonga JD, et al. (2004):*** The effectiveness of polyethylene versus titanium particles in inducing osteolysis in vivo. *J Orthop Res*; 22: 237-243.
- ***Von-Recum. (1999):*** Handbook of Biomaterials Evaluation, Scientific, Technical and Clinical Testing of Implant Materials. 2nd ed. Paris, Taylor and Francis,: 915
- ***Wagner M, Wagner H. (2000):*** Medium-Term Results of a modern metal-on-metal System in Total Hip Replacement. *Clin Orthop*; 379: 123-33.
- ***Wagner M.; and Wagner H. (1996):*** Preliminary results of uncemented metal on metal stemmed and resurfacing hip arthroplasty *Clin. Orthop.* 329S: S78-S87.
- ***Walker PS, Gold BL. (1996):*** The tribology of all artificial hip joints: the classic article. *Clin Orthop*; 329: 4-10.

- **Wiles P (2007):** The surgery of the osteoarthritic hip. Br J Surg 1958; 45:488–97. Quoted from: Peltier LF. A History of Hip Surgery. In: The Adult hip. edited by Callaghan JJ, Rosenberg AG, Rubash HE. 2nd ed. Philadelphia, Lippincott Williams & Wilkins; 1: 3-31.
- **Willert HG, Semlitsch M. (1977):** Reactions of the articular capsule to wear products of artificial joint prostheses, J Biomed Mater Res. 11: 57-164.
- **William T. L (2005) :** The clinical performance of metal-on-metal as an articulation surface in total hip replacement. In The Iowa Orthopaedic Journal; 10-16
- **Williams S, Tipper JL, Ingham E, et al. (2003):** In vitro analysis of the wear, wear debris and biological activity of surface-engineered coatings for use in metal-on-metal total hip replacements, Proc Inst Mech Eng (H) 217: 155-163.
- **Wilson JN, Scales JT. (1973):** The Stanmore metal on metal total hip prosthesis using a three pin type cup: A follow- up of 100 arthroplasties over nine years. Clin Orthop ; 95: 230-50.
- **Witzleb WC, Ziegler J, Krummenauer F, et al. (2006):** Exposure to chromium, cobalt and molybdenum from metal-on-metal total hip replacement and hip resurfacing arthroplasty, Acta Orthop 77 (5): 697-705.
- **Woo RY, Morrey BF. (1982):** Dislocations after total hip arthroplasty, J Bone Joint Surg (Am); 64A:1295-302.
- **Wright T.M.; and Stephen L. (2000):** Biomaterials. In orthopedic basic science, p. 181-216. edited by Buckwalter J.A. et al. 2nd ed., American academy of orthopedic surgeon.
- **Yeung Y, Chiu KY, Yau WP, et al. (2006):** Assessment of the proximal femoral morphology using plain radiograph-can a product the bone quality? J Arthroplasty 21 (4): 508-513.

- **Ziaee H, Daniel J, Datta AK, Blunt S, McMinn DJW. (2007):** Transplacental transfer of cobalt and chromium in patients with metal-on-metal hip arthroplasty. J Bone Joint Surg (Br) 2007; 89B: 301-5.
- **Zicat B, Engh CA. Gokcen E. (1995):** Patterns of osteolysis around total hip components inserted with and without cement. J Bone Joint Surg Am: 77 (3): 432-439.