

REFERENCES

- Al-Ghamdi, S.; Freedman, A. and Just, N. (1992):*
Fourth branchial cleft cyst.
J. Otolaryngol., 21: 447-449.
- Ali, Y.E.; Saleh, E.M. and Mancuso, A.A. (1992):*
Does conventional tomography still have a place in glottic lesion evaluation?
Clin Radiol., 45: 114-9.
- Ariji, E.; Moriguchi, Kuraki, T. and Kandas (1991):*
Computed tomography of maxillofacial infection.
Dentomaxillofacial (Radiol, 20: 147-151).
- Archer, C.R. and Yeager, V.L. (1979):*
Evaluation of laryngeal cartilages by computed tomography.
J. Comput. Assist. Tomogr., 3: 604-611.
- Arjun, V.K.; Tamara, M. and Joel, D.S. (1997):*
Imaging of cervical lymphadenopathy seminarsin ultrasound, CT and MRI.
Vol. 18, No. 3 (June) PP 220-249.
- Barney, P.L. (1970):*
Histopathologic problems and frozen section diagnosis of the larynx.
Otolaryngol. Clin. North. Am., 3: 493.
- Bashist, B.; Ellis, K. and Gold, R.P. (1983):*
Computed tomography of intrathoracic goiters.
A.J.R. 140: 455-460.
- Batsakis, J.G. (1979):*
Tumors of the head and neck: clinical and pathological considerations, ed. 2, Baltimore, the Williams and Wilkins Co.
- Batsakis, J.G. and McWhirter, J.D. (1972):*
Non neoplastic diseases of the salivary glands, Am. J. Gastroenterol., 57: 226-247.

- Bergeron, R.T.; Osborn, A.G. and Som, P.M. (1984):**
Head and neck imaging- excluding the brain.
St. Louis, CV Mosby.
- Bohman, L.; Mancuso, A. and Thompson, J. (1981):**
A CT approach to benign nasopharyngeal masses.
A.J.R., 136: 173-180.
- Braum, I.F. and Hoffman, J.C. (1984):**
Computed tomography of the buccomasseteric region: 1-
Anatomy. AJNR Am. J. Neuroradiol., 5: 605-610.
- Braun, I.F.; Torres, W.E. and Landman, J.A. (1985):**
Computed tomography of benign masseteric hypertrophy.
J. Comput. Assist. Tomogr., 9: 167-170.
- Bryan, R.N.; Miller, R.H. and Ferreyro, R.I. (1982):**
Computed tomography of the major salivary glands.
A.J.R. Am. J. Roentgenol., 139: 547-554.
- Coit, W.E.; Harnsberger, H.R. and Osborn, A.G. (1987):**
Ranulas and their mimics: CT evaluation.
Radiology, 163: 211-216.
- Davis, W.L.; Harnsberger, H.R. and Smoker, W.R.K. (1990):**
Retropharyngeal space: Evaluation of normal anatomy and
diseases with CT and MR imaging.
Radiology, 174: 59-64.
- De Pena, C.A.; Van Tassel, P. and Lee, Y.Y. (1990):**
Lymphoma of the head and neck. Radio. Clin. North. Am., 28:
723-743.
- Disantis, D.J.; Balfe, D.M.; Hayden, R.; Sessions, D. and Sagel, S.S.
(1984):**
The neck after vertical hemilaryngectomy: Computed
tomography study.
Radiology, 151: 683-687.
- Doppman, J.L.; Krudy, A.G. and Brennan, M.F. (1982):**
CT appearance of enlarged parathyroid glands in the posterior
superior mediastinum.
J. Comput. Assist. Tomogr., 6: 521-526.

- Duvall, E.R.; Eupta, K.L.; Vitek, J.J. and Stanely, R.J. (1986):**
CT demonstration of extra-cranial carotid artery aneurysms.
J. Comput. Assist. Tomogr., 10(3): 404-408.
- Ellis, F.H. (1995):**
Pharyngoesophageal (Zenkers) diverticulum.
Ady. Surg., 28: 171-185.
- Endicott, J.N.; Nelson, R.J. and Saraceno, C.A. (1982):**
Diagnosis and management decisions in infections of the deep
facial spaces of the head and neck utilizing computerized
tomography.
- Eneroth, C.M. (1964):**
Histological and clinical aspects of parotid tumors.
Acta Otolaryngol., 191: 111.
- Eneroth, C.M. (1971):**
Salivary gland tumors in the parotid gland, submandibular
gland and the palate region, Cancer 27: 1415-1418.
- Erlandson, R.A. and Woodruff, J.M. (1988):**
Computed tomographic evaluation of recurrent and residual
tumors of the upper aerodigestive tract and neck.
North America 223: 310-319.
- Fishman, S.J. and Mulliken, J.B. (1993):**
Hemangiomas and vascular malformations of infancy and
childhood.
Pediatr. Clin. North. Am. 40: 1177-1200.
- Fobbe, F.; Finke, R. and Reichenstein, R. (1989):**
Appearance of thyroid disease using colour-coded duplex
sonography. Eur. J. Radiol., 9: 29.
- Fritsch, M.H. (1992):**
Branchial cleft cyst with fistula. Otolaryngol Head Neck
Surg., 107: 133-134.
- Foxx, S.D.; Smoker, W.R.K. and Johnson, M.H. (1995):**
Pediatric neck masses: solid and cystic (a review).
Radiologist, 2: 331-342.

Gamsu, G. (1983):

Computed tomography of the larynx and pyriform sinuses. In: Moss, A.A.; Gamsu, G.; Genant, H., eds., Computed Tomography of the body, Philadelphia: W.B. Saunders Company, PP. 65-144.

Ginsberg, L.E. (1992):

Neoplastic diseases affecting the central skull base: CT and MR imaging. A.J.R., 159: 581-590.

Glazer, G.M.; Axel, L. and Moss, A.A. (1982):

CT diagnosis of mediastinal thyroïd, A.J.R., 138: 495-498.

Glazer, H.S.; Balfe, D.M. and Sagel, S.S. (1989):

Neck. In: computed body tomography with MRI correlation, 2nd ed., edited by Lee, J.K.; Sagel, S.S. and Stanely, R.J.; Raven Press, New York, 6: 109-167.

Glazer, H.S.; Mauro, M.A. and Aronberg, D.J. (1983):

Computed tomography of laryngoceles, A.J.R., 140: 549-550.

Glazer, H.S. and Sagel, S.S. (1985):

The larynx and hypopharynx. In: Computed tomography of the head and neck, edited carter, B.C., Vol. 5, 1st edition, New York, Churchill, London, and Melbourne, PP. 1-30.

Glazier, C.M.; Stark, J.E.; Jacobs, R.F.; Mancias, P.; Leithiser, R.E.Jr.; Seibert, R.W. and Seibert, J.J. (1992):

CT and ultrasound imaging of retropharyngeal abscesses in children. AJNR, 13: 1191-1195.

Gooding, A.W. (1993):

Sonography of the thyroid and parathyroid. RCNA. 31: 967-989.

Harnsberger, H.R. (1995):

Hand book of head and neck imaging, 2nd ed. Chicago, IL, Mosby Year-Book, PP. 283-298.

Harnsberger, H.R.; Bragg, D.G. and Osborn, A.G. (1987):

Non Hodgkin's lymphoma of the head and neck: CT evaluation of nodal and extranodal sites. Am. J. Roentgenol, 149: 785-791.

- Harnsberger, H.R.; Mancuso, A.A. and Muraki, A.S. (1983):**
The upper ero-digestive tract and neck: CT evaluation of recurrent tumors. Radiology, 149: 503-509.
- Harnsberger, H.R.; Mancuso, A.A. and Muraki, A.S. (1984):**
Branchial cleft anomalies and their mimics: Computed tomographic evaluation. Radiology, 152: 739-748.
- Harnsberger, H.R. and Osborn, A.G. (1991):**
Differential diagnosis of head and neck lesions based on their space of origin. 1- The suprahyoid part of the neck. A.J.R. Am. J. Roentgenol., 157: 147-154.
- Herts, B.R.; Megibow, A.J. and Birnbaum, B.A. (1992):**
High attenuation lymphadenopathy in AIDS patients: significance of findings at CT-radiology, 185: 777-781.
- Higgins, C.B. and Fisher, M.R. (1987):**
The neck in: magnetic resonance imaging of the body, edited by Higgins, C.B., and Hricak, H. Chapter (9), Raven Press, New York, PP. 145-172.
- Holt, C.R.; McManus, K. and Newman, R.K. (1982):**
Computed tomography in the diagnosis of deep neck infections, Arch. Otolaryngol., 108: 693-699.
- Hoover, L.A.; Calcaterr, T.C.; Wolter, G.A. and Larrison, S.G. (1984):**
Preoperative CT scan evaluation for laryngeal carcinoma: correlation with pathologic findings, Laryngoscope, 94: 310-315.
- Jones, B. and Donner, M.W. (1988):**
Examination of the patient with dysphagia. Radiology, 167: 319-326.
- Jones, A.S.; Cook, J.A. and Phillipis, D.E. (1993):**
Squamous carcinoma presenting as an enlarged cervical lymph node.
Cancer, 72: 1756-1761.
- Kasai, N. and Tsujā, A. (1981):**
Xeroradiography of the thyroid. Radiology 41: 439-442.

Kennedy, T.L. (1989):

Cystic hygroma-lymphangioma: A rare and still unclear entity. Laryngoscope, 99: 1-10.

Kirchner, J.A. (1977):

Two hundred laryngeal cancers: patterns of growth and spread as seen in serial section. Laryngoscope, 87: 474-482.

Kumar, A.J.; Kuhajda, F.P.; Martinez, C.R.; Fishman, E.K.; Jezic, D.V.; Siegelman, S.S. (1983):

Computed tomography of extracranial nerve sheath tumors with pathological correlation. J. Comput. Assist. Tomogr., 7: 857-865.

Lalwani, A.K. and Engel, T.L. (1992):

Teratoma of the tongue: A case report and review of the literature. Int. J. Pediatr. Otorhinolaryngol, 24: 261-268.

Landing, B.H. and Dixon, L.G. (1979):

Congenital malformations and genetic disorders of the respiratory tract, American review of respiratory diseases, 120: 151.

Larsson, S.G.; Mancuso, A.A. and Hanafee, W.N. (1988):

Computed tomography of the tongue and floor of the mouth, Radiology, 256: 588-600.

Larssons, S.; Mancuso, A.A.; Hoover, L. and Hanafee, W.N. (1981):

Differentiation of pyriform sinus cancer from supraglottic laryngeal cancer by computed tomography, radiology, 141: 427-432.

Leegaard, T. and Lindeman, H. (1970):

Salivary gland tumors clinical picture and treatment, Acta Otolaryngol. 263: 155.

Lloyd, G.A.S. and Phelps, P.D. (1996):

Juvenile angiofibroma imaging by magnetic resonance, CT and conventional techniques. Clin. Otolaryngol, 11: 247-259.

Mafee, M.F. (1984):

CT of the normal larynx, Radio. Clin. North Am. 22 (1): 251-264.

- Mafee, M.F.; Schild, J.A.; Valvassori, G.E. and Cape, K.V. (1983):*
CT of laryngeal carcinoma. Radiolog., 147: 123-128.
- Mafee, M.F.; Schild, J.A.; Michal, A.S.; Choi, K.H. and Capek, V. (1984):*
Cartilage involvement in laryngeal carcinoma: correlation of CT and pathologic macrosection studies. J. Complet. Assist. Tomogr. 8: 969-973.
- Mancuso, A.A. (1985):*
Cervical lymph node metastases. In: Bragg, D.G., Rubin, P.; Youker, J.E.; eds. Oncologic imaging, New York, Pergamon Press, PP. 47-61.
- Mancuso, A.A. and Dillon, W.P. (1989):*
The neck. Radiol. Clin. of North Am., 27(2): 407-434.
- Mancuso, A.A. and Hanafee, W.N. (1979):*
Computed tomography of the injured larynx, Radiology 133: 139-144.
- Mancuso, A.A. and Hanafee, W.N. (1985):*
Computed tomography and magnetic resonance imaging of the head and neck. 2 ed., Baltimore, the Williams and Wilkins, Co.
- Mancuso, A.A. and Hanafee, W.N. (1989):*
Computed tomography and magnetic resonance imaging of the head and neck. 4th ed. Baltimore, the Williams and Wilkins, 169-357.
- Mancuso, A.A.; Calcaterra, t.C. and Hanafee, W.N. (1978):*
Computed tomography of the larynx. Radiol. Clin. of North Am., 16: 195-208.
- Mancuso, A.A.; Harnsberger, H.R. and Dillon, W.P. (1989):*
Workbook for MRI and CT of the head and neck, 2 ed., Williams & Wilkins, USA.

- Mancuso, A.A.; Harnsberger, H.R.; Muraki, A.S.; Stevens, M.H. (1983):*
Computed tomography of cervical and retropharyngeal lymph nodes: Normal anatomy, variants of normal and staging head and neck cancer. Part I: Normal anatomy. Radiology, 148: 709-714.
- Mancuso, A.A.; Maceri, D.; Rice, D. and Hanafee, W.N. (1981):*
CT of cervical lymph node cancer.
A.J.R., 136: 381-385.
- Mancuso, A.A.; Rice, D. and Hanafee, W. (1984):*
Computed tomography of salivary gland during contrast, sialography, Radiology, 132: 211-213.
- Mancuso, A.A.; Tamakawa, Y. and Hanafee, W.N. (1980):*
CT of the fixed vocal cords.
A.J.R. 135: 429-434.
- Margolis, M.T.; Stein, R.L. and Newton, T.H. (1972):*
Extracranial aneurysms of the internal carotid artery.
Neuroradiology 4: 78-89.
- Mason, D.K. and Chisholm, D.M. (1975):*
Salivary gland in health and disease, London, W.B. Saunders Co., Ltd.
- McGahan, J.P.; Walter, J.P. and Bernstein, L. (1984):*
Evaluation of the parotid gland: Comparison of sialography, non-contrast computed tomography and CT sialography.
Radiology, 12: 453-458.
- McCaffrey, T.V.; Meyer, F.B. and Michels, V.V. (1994):*
Familial paragangliomas of the head and neck.
Archotolaryngol Head Neck Surg., 120: 1211-1216.
- McCoy, M.C.; Kuller, J.A. and Chescheir, N.C. (1995):*
Prenatal diagnosis and management of massive bilateral axillary cystic lymphangioma. Obstet. Gynecol., 85: 853-856.
- Miller, M.B. and Devits, M.A. (1995):*
Cervical thymic cyst. Otolaryngol Head and Neck Surg. 112: 586-588.

- Moran, C.J.; Vannier, M.W. and Erickson, K.K. (1992):**
Diagnosis extracranial vascular diseases with spiral CT.
Radiology, 181: 162.
- Moss, A.A.; Gamsu, G. and Genant, H.K. (1983):**
Computed tomography of the body. 4 ed. W.B. Saunders
Company, Philadelphia- London-Toronto, PP. 23-140.
- Muraki, A.S.; Mancuso, A.A. and Harnsberger, H.R. (1983):**
CT of the oropharynx, Tongue base, and floor of the mouth:
Normal anatomy and range of variations and applications of
Staging carcinoma. Radiology, 148: 725-731..
- Muraki, A.S.; Mancuso, A.A. and Harnsberger, H.R. (1984):**
Metastatic cervical adenopathy from tumors of unknown
origin: The role of CT. Radiology, 152: 749-753.
- Niemeyer, J.H.; Balfe, D.M. and Hayden, R.E. (1987):**
Barium and CT evaluation of neck following supraglottic
subtotal laryngectomy. Radiology, 162: 493-498.
- Noyek, A.; Shuman, H.S.; Steinhardt, M.I.; Zizmor, J. and Soon, P.M.
(1984):**
The larynx. In: Head and neck imaging excluding the brain.
Edited by Bergeron, R.T.; Osborn, A.G. and Som, P.M. the
C.V. Mosby Company, St. Louis, Toronto, PP 402-490.
- Nyberg, D.A.; Jeffrey, B. and Federle, M. (1985):**
Computed tomography of the cervical infections.
J. of Comput. Assist. Tomogr., 9 (2): 288-296.
- Olsen, K.D.; Margos, N.E. and Weiland, L.H. (1980):**
First branchial cleft anomalies, laryngoscope 90: 423-436.
- Papay, F.A.; Kalucis, C. and Eliachar, I. (1994):**
Nasopharyngeal presentation of second branchial cleft cysts,
Otolaryngol Head neck surg. 110: 232-234.
- Parker, G.D. and Harnsberger, H.R. (1991):**
Radiologic evaluation of the normal and diseased posterior
cervical space. A.J.R. Am. J. Roentgenol, 157: 161-165.

- Parsons, C.A.; Chapman, P.; Counter, R.T. and Grundy, A. (1981):*
The role of computed tomography in tumors of the larynx.
Clinical radiology, 31: 529-533.
- Pounds, L.A. (1981):*
Neck masses of congenital origin. Pediatric clinics of North America, 28: 841-844.
- Rabinov, K.; Kell, T. and Gordon, P.H. (1984):*
CT of the salivary glands, Radiol. Clin. Of North Am. 22(1).
- Rankow, R.M. and Polayes, I.M. (1976):*
Diseases of the salivary glands, Philadelphia, W.B. Saunders Co.
- Reede, D.L. (1985):*
The neck-thyroid and parathyroid glands in: Computed tomography of the head and neck edited by Barbara L. Carter, Churchill, Livingstone. New York, London and Melbourne, 2: 31-57.
- Reede, D.L. and Bergeron, R.T. (1985):*
Cervical tuberculous adenitis: CT manifestations, Radiology, 154: 701-704.
- Reede, D.L.; Bergeron, R.T. and Osborn, A.G. (1984):*
CT of the soft tissue of the neck. In: Head and neck imaging excluding the brain edited by Bergeron, R.T.; Osborn, A.G. and Som, P.M. the C.V. Mosby Company, St. Louis, Toronto, PP. 491-530.
- Reede, D.L.; Bergeron, R.T. and Som, P.M. (1985):*
CT of thyroglossal duct cysts, Radiology, 157: 121-125.
- Reede, D.L.; Whelan, M.A. and Bergeron, R.T. (1982):*
Computed tomography of the infrahyoid neck. Part I and II, Radiology 145: 389-402.
- Rifaai, M.A. (1988):*
Thyroid and parathyroid In: A manual of surgery, 5th. Edit., the Scienlific Book Centre Cairo, PP. 477-499.

- Robbins, K.T.; Medina, J.E. and Wolfe, G.T. (1991):**
Standardizing neck dissection terminology official report of the Academy's committee for head and neck surgery and oncology. Arch Otolaryngol Head neck Surg., 117: 601-605.
- Rossiter, J.L.; Hendrix, R.A. and Tom, L.W.C. (1993):**
Intramuscular hemangioma of the head and neck. Head Neck Surg., 108: 18-26.
- Rthomas Bergeron, R.; Anne, G.; Osborn and Peter M. Som (1984):**
CT of soft tissue neck, head and neck imaging.
C.V. Mosby Comp. 491-506.
- Sagel, S.S.; Aufderheide, J.F.; Aronberg, D.J.; Stanley, R.J. and Archer, C. (1981):**
High resolution computed tomography in the staging of carcinoma of the larynx, Laryngoscope 91: 292-300.
- Silver, A.J.; Mawad, M.E.; Hilal, S.K.; Ascherl, G.F.Jr.; Chynn, K.Y. and Baredes, S. (1984):**
Computed tomography of the carotid space and related cervical spaces. Part II. Neurogenic tumors. Radiology 150: 709-735.
- Silverman, P.M. (1986):**
CT staging of laryngeal and hypopharyngeal carcinoma In: Glazer, G.M., ed. Staging of neoplasms. New York, Churchill Livingstone, PP. 55-77.
- Silverman, P.M.; Korobkin, M. and Moore, A.V. (1983):**
CT diagnosis of cystic hygroma of the neck, J. Comput. Assist. Tomogr., 7: 519-520.
- Silverman, P.M.; Newman, G.E.; Korobkin, M.; Workman, J.B.; Moore, A.V. and Coleman, R.E. (1984):**
Computed tomography in the evaluation of thyroid disease, A.J.R. 141: 897-902.
- Silverman, P.M.; Zeiberg, A.S.; Sessions, R.B.; Troost, T.R. and Zeman, R.K. (1995):**
Three dimensional imaging of the hypopharynx, larynx using spiral CT, Ann. Otol. Rhinol. Laryngol., 104: 425-431.

Sobeih, A.M. (1982):

The thyroid gland. In: An introduction to surgery, 5 ed., S.O.P. press, Cairo, PP. 217-239.

Som, P.M. (1987):

Lymph nodes of the neck: Radiology, 165: 593-600.

Som, P.M. (1996):

Lymph nodes, in Som PM, Curtin HD (eds): Head and neck Imaging: 3rd ed. Chicago, IL. Mosby Year-Book, 772-792.

Som, P.M.; Scherl, M.P. and Rao, V.M. (1986):

Rare presentations of ordinary lipomas of the head and neck: A review. AJNR, 7: 657-664.

Som, P.M. (1992):

Detection of metastasis in cervical lymph nodes: CT and MR criteria and differential diagnosis. AMJ Roentgenol, 158: 961-969.

Smoker, W.R.K. (1991):

The infrahyoid neck: A method of spatial analysis. Semin Ultrasound CT MR, 12: 191-287.

Smoker, W.R.K. (1996):

Normal anatomy of the neck, in Som P.M., Curtin H.D. (eds): Head and neck imaging, Vol. 2, ed. 3 St. Louis, Mo, Mosby, PP. 711-737.

Sturgis, E.M. and Miller, R.H. (1993):

Thyroglossal duct cysts. J. Louisiana State Med. Soc., 145: 459-461.

Swartz, J.D.; Yussen, P.S. and Popky, G.L. (1991):

Imaging of the neck: Nodal disease: CRC Critical Reviews in Diagn. Imag. 31: 413-467.

Tuker, G.F. (1974):

The anatomy of laryngeal cancer, Can. J. Otolaryngol. 3: 417-427.

- Unger, J.M. and Chintapalli, K.N. (1983):*
Computed tomography of the parapharyngeal space. J. Comput. Assist. Tomogr. 7: 605-609.
- Valvassori, G.E.; Buckingham, R.A.; Carter, B.L.; Hanafee, W.N. and Mafee, M.F. (1988):*
Head and neck imaging, Salivary glands. Chapters 5-8 PP. 285-309, George Thieme Verlag, Stuttgart, Thiema Medical Publishers, Inc., New York.
- Van den Brekel M.W.M.; Castelijns, J.A. and Snow, G.B. (1996):*
Imaging of cervical lymphadenopathy. Neuroimaging Clin. North Am. 6: 417-434.
- Van den Brekel, M.W.M.; Stel, H.V.; Castelijns, J.A. and Naut, J.J.P. (1990):*
Cervical lymph node metastasis: Assessment of radiologic criteria. Radiology, 177: 379-384.
- Van den Brekel, M.W.M.; Castelijns, J.A. and Stel, H.V. (1991):*
Occult metastatic neck disease: Detection with U.S. and US guided fine-needle aspiration cytology. Radiology, 180: 457-461.
- Waldron, J.; Kreel, L.; Metreweli, C.; Woo, J.K.S. and Van Hassel, C.A. (1992):*
Comparison of plain radiographs and computed tomographic scanning in Nasopharyngeal carcinoma. Clin Radio, 145: 404-406.
- Waugh, I.M. (1922):*
Relation between disease of the thyroid gland and laryngeal function: The thyroid gland, Clinics of George W. Grile and Associates, 2nd ed., W.B. Saunders, Philadelphia, PP. 55-64.
- Willams, D.W. (1997):*
An imager's Guide to normal neck anatomy. Seminars in ultrasound, CT, and MRI, Vol. 18 PP. 157-181.
- Yeager, V.L. and Archer, C.R. (1982):*
Anatomical routes for cancer invasion of laryngeal cartilages, Laryngoscope 92: 449-452.

Young, S.W.; Noon, M.A. and Marincek, B. (1987):

Dynamic computed tomography, Radiology, 16: 36.

Yousem, D.M.; Montone, K.T. and Sheppard, L.M. (1994):

Head and neck neoplasms: Magnetization transfer analysis.
Radiology, 192: 703-707.

Yousem, D.M.; Som, P.M. and Hackney, D.B. (1992):

Central nodal necrosis and extracapsular neoplastic spread in
cervical lymph nodes: MR imaging versus CT. Radiology,
182: 753-759.