

REFERENCES

- Ahmadi, J.; Destians, S. and Apuzzo, M.L. (1992) :**
Cystic fluid in craniopharyngomas : MR imaging and quantitative analysis.
Radiology, 182: 783-785.
- Aicardi, J. and Goutieres, F. (1972) :**
Multicystic encephalomalacia of infants and its relationship to abnormal gestation and hydranencephaly.
Journal of Neurological sciences, 15:357-372.
- Altman, N.R; Naidich, T.P. and Braffman, B. H. (1992) :**
Posterior fossa malformations.
AJNR, 13: 691-724.
- Anad, A.K. and Potts, D.G. (1982) :**
Calcified brain metastases, demonstration by computed tomography.
AJNR, 3: 527-529.
- Atlas, S.W., Shkolnick, A. and Naidich, T.P. (1985) :**
Radiological recognition of agenesis of corpus callosum.
AJR, 145 : 167-173.
- Babcock, D.S. and Han, B.K. (1981) :**
The accuracy of high resolution real time ultrasonography of the head in infancy.
Radiology, 139: 676.
- Baerts, V. (1990) :**
Ultrasonnic diagnosis of congenital defects of brain development.
Pediatrics, 4: 78-84.
- Barkovich, A.J. (1990) :**
Congenital malformations of the brain in pediatric neuroimaging.
AJNR, 9: 1107-1114.
- Barkovich, J.; Kjos, B.O.; Norman, D. and Edward, M.S. (1989) :**
Classification of posterior fossa cysts based upon results of MR imaging.
AJNR, 10: 977-988.

- Barloon, T.J.; Yuh, W.T. and Knepper, L.E. (1990) :**
Cerebral ventriculitis; MR findings.
J. Comp. Asst., 14: 272-275.
- Barnes, P.D. (1992) :**
Imaging of central nervous system in pediatrics.
The pediatric clinics of North America, 39 (4) : 743-776.
- Becker, L.E. (1992) :**
Infections of the developing brain.
AJNR, 13:537-549.
- Becker, T.; Wagner, M. and Hoffmann, E. (1991) :**
Do arachnoid cysts grow? A retrospective CT study.
Neuroradiol, 33:341-345.
- Bindal, A.K.; Storrs, B.B. and MacLone D.G. (1992) :**
Occipital meningoceles in patients with the Dandy-walker syndrome.
Neurosurg, 28:844-847.
- Braun, I.F.; Naidich, T.P. and Leeds, N.E. (1987) :**
Dense intracranial epidermoid tumors.
Radiology, 122:717-719.
- Brooks, B.S.; Durall, E.R. and El-Gammal T. (1993) :**
Features of neurenteric cysts, analysis of nine cases and review of the literature.
AJNR, 14: 735-746.
- Brun, A. and Probst, F. (1973) :**
The influence of associated cerebral lesions in the morphology of the callosal brain.
Neuroradiology, 6:121-131.
- Byrd, S.E.; Harwood Nash, D.C. and Fitz, C.R. (1978) :**
CT in evaluation of encephaloceles in infants and children.
J. Comp. Asst. Tomog., 2 : 81-87.
- Byrd, S.E.; Osborn, R.E. and Radkowski, M.A. (1988) :**
Disorders of midline structures; holoprosencephaly and absence of the corpus callosum.
AJR, 149:902 - 910 .
- Carmel , A.D. (1977) :**
The value of CT in the Dandy - walker syndrome .
Radiology ,117 : 330 .

- Chang, K.H.; Lee, J. H.; Han, M.H. and Han, M.C. (1991) :**
The role of contrast enhanced CT imaging in the diagnosis of neurocysticercosis.
AJNR, 12:509-512.
- Chang, K.H.; Chi, J.G. and Cho, S. Y. (1992) :**
Cerebral hydatid disease; analysis of 34 cases with emphasis on CT features.
Neuroradiol, 34:1-8.
- Chilton, S.J. and Cremin, B.J. (1983) :**
Ultrasound diagnosis of CSF cystic lesions.
BJR, 56 : 613-620.
- Crenshaw, W.B. and Chew, F.S. (1993) :**
Rathke's cleft cyst.
AJR, 159:1312-1313.
- Del Brutto, O.H.; Santibanz, R. and Noboa, C.A. (1992) :**
Epilepsy due to neurocysticercosis; analysis of 203 patients.
Neurol., 42: 389-392.
- Diren, H.B.; Ozcanli, H.; Bolok, M. and Kilic, C. (1993) :**
Unilocular orbital, cerebral and intraventricular cysts; CT diagnosis.
Neuroradiol, 35:149-150.
- Drolshagen, L.F. and Standefer, M. (1991) :**
Dense dermoid cyst of the posterior fossa.
AJNR, 12:317-318.
- Dublin, A.B. and French, B.N. (1980) :**
diagnostic image evaluation of hydranencephaly with emphasis on computed tomography.
Radiology, 137:81-89.
- Elster, A.D. and Arthur, D.W. (1988) :**
Intracranial hemangioblastoma; CT and MR findings.
J. Comp. Asst. Tomogr., 12:736-739.
- Enzmann, D.R.; Britt, R.H. and Yeager, A.S. (1979) :**
Experimental brain abscess evaluation; computed tomographic and neuropathologic correlation.
Radiology, 133:113-122.

- Enzmann, D.R.; Britt, R.H. and Placone, R. (1983) :**
Staging of human brain abscess by computed tomography.
Radiology, 146: 703-708.
- Eustace, S.; Toland, J. and Stack, J. (1992) :**
CT and MRI of arachnoid cyst with complicating
intracystic and subdural hemorrhage.
J. Comp. Asst. Tomogr., 16:995-997.
- Fit, C.R. (1992) :**
Inflammatory diseases of the brain in childhood.
AJNR, 13:551-567.
- Friede, R.L. (1975) :**
Developmental neuropathology.
Vienna : springer. PP. 73.
- Gado, M. (1983) :**
Normal functional anatomy of hte brain in : computed
tomography of the whole body, 1st ed. C.V. Mosby
Campany, Toronto, PP. 23-43.
- Gao, P.Y.; Osborn, A.G.; Smirniotopoulos, J.G. and Harris,
C.P. (1992) :**
Epidermoid tumor of the cerebellopontine angle.
AJNR, 13:863-872.
- Garcia Santos, J.M.; Martinez Lage, J. and Ubeda, A.G.
(1993) :**
Arachnoid cysts of the middle cranial fossa, a
consideration of their origins based on imaging.
Neuroradiology, 39: 395-398.
- Gardner, E. (1979) :**
The dandy-walker and arnold-chiari malformations.
Arch. Neurol., 32: 393-407.
- Gibson, J.B. (1955) :**
Congenital hydrocephalus due to atresia of foramen of
magendie.
J. Neuropathol. Exp. Neurol., 14:244-262 Quoted In Leven
et al., (1985).

Go, K.G.; Hew, H.M.; Kamman, R.L.; Molenaar, W.M.; Pruim, J. and Blaauw, E.H. (1993) :

Cystic lesions of the brain; a classification based upon the pathogenesis, with consideration of histological and radiological features.

European Journal of Radiology, 17:69-84.

Guibert-Tramer, F.; Piton, J.; Billarey, J. and Caille, J.M. (1982) :

Agensis of the corpus callosum.

J. Neuroradiology, 9: 135-160.

Haaga, J.R. ; Lanzieri, C.F. ; Sartoris, D.J. and zerhouni, E.A. (1994) :

Computed tomography and magnetic resonance imaging of the whole body . chapter 4 , volume 1, third edition .

Mosby ,St . Louis , Baltimore , Berlin , Boston , Chicago , London , Madrid ,Naples , New York , Philadelphia , Sydney , Tokyo , Toronto . PP. 81-101 .

Hagen-Ansert, S.L. (1995) :

Neonatal encephalography in textbook of diagnostic ultrasonography. Chapter 16, volume I, fourth edition.

Mosby. St. Louis. Baltimore, Boston, chicago, London, Madrid, Philadelphia, sydney, Toronto. PP. 375-423.

Hanaway, J. and Frank, R. (1979) :

Functional anatomy of the cerebral cortex by CT.

Journal of computed assisted tomography, 3:1-19.

Harwood-Nash, D.C. and Fitz, C.R. (1976) :

Neuroradiology in infants and children st. louis, C.V.

Mosby co. Volume I, PP. 3-32, vlume II, PP. 550-561,

Volume III, PP. 1030-1031.

Ho, V.B.; Smirniotopoulos, J.G.; Murphy, F.M. and Rushing, E.J. (1992) :

Radiologic pathologic correlation of hemangioblastoma.

AJNR, 13:1342-1352.

Hoffman, H.J.; De Silva, M. and Humphries, R.P. (1992) :

Aggressive surgical management of craniopharyngiomas in children.

J.Neurosurg, 76: 47-52.

- Ito, S.; Fujiwara, S. and Mizoi, K. (1992) :**
Enterogenous cysts at the cerebellopontine angle; case report.
Surg. Neurol., 37:366-370.
- Jakson, A.; Dobson, M.J. and Cooper, P.N. (1992) :**
The swiss cheese brain.
BJR, 65: 1042-1044.
- Johnson, M.L.; Dunne, M.G. and Mack, L.A. (1980) :**
Evaluation and fetal intracranial anatomy by static and real time ultrasound.
J. Clin. Ultrasound, 8: 311-312.
- Kollias, S.S.; Prenger, E.C. and Becket, W.W. Jr. (1992) :**
Posterior fossa cystic malformations, possible pitfalls in radiographic diagnosis.
Radiology, 185: 403-404.
- Kondziolka, D. and Bilbao, J.M. (1989) :**
An immunohistochemical study of neuroepithelial cysts.
J. Neurosurg, 71: 91-97.
- Last, R.J. (1986) :**
Anatomy, regional and applied. Seeveth Edition.
Longman. Group. Ltd., PP. 498.
- Lee, S.H. and Rao, K.C. (1983) :**
Normal cranial CT anatomy in cranial computed tomography 1st edition, MC Graw Hill book company; Landon, PP. 58-70.
- Lee, S.R.; Sanches, J. and Mark, A.S. (1989) :**
Posterior fossa hemangioblastoma, MR imaging.
Radiology, 171:463-468.
- Lee, Y.Y.; Van Tassel, P. and Bruner, J. M. (1989) :**
Juvenile pilocytic astrocytomas, CT and MR characteristics.
AJNR, 10: 363-370.
- Lunardi, P. and Missori, P. (1991) :**
Supratentorial dermoid cysts.
J. Neurosurg, 75: 262-266.

- Levene, M.I.; Williams, J.L. and Fawer, C.L. (1985) :**
Ultrasound of the infant brain. spastic international
medical publications. Oxford; blackweel scientific
publications ltd. Philadelphia, J.B. Lipincott, Co.
- Mack, L.A. Rumack, C.M. and Johnson, M.L. (1980) :**
CT evaluation of cystic lesions.
Radiology, 137: 451-455.
- Malcolm, G.P. Symon, L.; Kendall, B. and Pires, M. (1991) :**
Intracranial neurenteric cysts.
J. Neurosurg, 75: 115-120.
- Manelfe, C. and Severly, A. (1982) :**
Neuroradiological study of holoprosencephaly.
J. Neuroradiology, 9: 15-45.
- Martinez, H.R.; rangel-Guerra, R., and Elizando, G. (1989):**
MR imaging in neurocysticercosis, a study of 56 cases.
AJNR, 10: 1011-1019.
- Mathews, V.P. and Smith, R.R. (1992) :**
Choroid plexus infections; neuroimaging appearance of
four cases.
AJNR, 13: 374-378.
- Mathiesen, T.; Grane, P.; Lindquist, C. and Von-Holst, H.
(1993) :**
High recurrence rate following aspiration of colloid cysts
in the third ventricle.
J. Neurosrg, 78: 748-752.
- Mc Gahan, J.P.; Nyberg, D. A. and Mack, L.A. (1990) :**
Sonography of facial features of alobar and semilobar
holoprosencephaly.
AJR, 154 : 143-148.
- Meschan, I. (1978) :**
The brain in radiographic positioning and related anatomy
2nd edition, WB sanders company, philadelphia and
Landon, PP. 331.
- Milano, E. and Johnson, C. (1990) :**
Detection of brain metastases; comparison. of contrast
enhanced MR with unenhanced MR and enhanced CT.
AJNR, 11:789-791

- Naeye, R.L. (1978) :**
 Amniotic fluid infection, Neonatal hyperbilirubinemia and psychomotor impairment.
 Pediatrics, 62: 497.
- Naidich, T.P. (1977) :**
 The tentorium in axial sections, normal CT appearance and non-neoplastic pathology.
 Radiology, 123: 631-638.
- Nakase, H.; Ishida, Y. and Tada, T. (1992) :**
 Neuroepithelial cysts of the lateral ventricle.
 Surg. Neurol., 37: 94-100.
- Neumann, H.P.; Eggert, H.R. and Scheremet, R. (1992) :**
 Colloid cysts of the third ventricle.
 J. Neurosurg, 55: 896-901.
- Numaguchi, Y.; Kumra, A.; Schmidt, R.D. and Martino, C. (1988) :**
 Non-colloidal neuroepithelial cysts in the lateral ventricles, CT features.
 J.Comp. Tomogr., 12:174-181.
- Numaguchi, Y.; Foster, R.W. and Gum, G.K. (1989) :**
 Large symptomatic non-colloidal cysts in the lateral ventricle, CT and MR features.
 Neuroradial, 31: 98-101.
- Okazaki, H. (1989) :**
 Neoplasms and related lesions. In fundamentals of Neuropathology, ed 2, PP. 203-274, New York, Igaku-shoin.
- Palma, L. and Guidetti, B. (1985) :**
 Cystic pilocytic astrocytomas of the cerebellar hemispheres.
 J. Neurosurg., 62: 811-815.
- Pumar, J., Otero, E. and Castneira, A. (1993) :**
 Intradiploic epidermoid tumor of the occipital bone; CT, MR and x-ray findings.
 European radiology, 3: 183-189.

Robbins, S.L. (1974) :

Pathological bases of diseases.

W.B. Saunders Co. Philadelphia, Landon, Toronto. PP. 1478-1538.

Robertson, S.J.; Wolport, S.M. and Runge, V.M. (1989) :

MR imaging of middle cranial fossa arachnoid cysts.

AJNR, 10:1007-1010.

Romances, G.J. (1973) :

Cunningham's manual of practical anatomy. Volume three
3rd edition. The English Language Book Society and
Oxford University Press. PP. 205.

Ross, D.A., Norman, D. and Wilson; C.B. (1992) :

Radiologic characteristics and results of surgical
management of Rathke's cysts in 43 patients.

Neurosurg, 30: 173-179.

Ruge, J.R.; Tomashitas, T. and Naidich, T.P. (1988) :

Scalp and calvarial masses of infants and children.

Neurosurg, 22: 1037-1042.

Rumack, C.M. and Johnson, M.L. (1984) :

Perinatal and infant brain imaging; Role of computed
tomography and ultrasound.

Year. Book. Publishers, Inc., Chicago.

Russell, D.S. and Rubinstein, L.J. (1989) :

Pathology of tumors of the nervous system, ed 5,
Baltimore, Williams and Wilkins.

**Searce, T.A.; Shaw, C.M.; Bronstein, A.D. and Swanson, P.D.
(1993) :**

Intraventricular fat from a ruptured sacral dermoid cyst;
clinical, radiographic and pathological correlation.

J. Neurosurg, 78: 666-668.

Sener, R.N. and Jenkins, J.R. (1991) :

CT of intrasellar colloid cysts.

J. Comp. Asst. Tomogr, 15: 671-672.

Shaw, C.M. and Alvord, E.C. Jr. (1989) :

Cava septi pellucidi et verger, their normal and pathological
states.

Brain, 92: 213-224.

- Sherman, J.L.; Camponovo, E. and Citrin, C.M. (1990) :**
MR imaging of CSF like choroidal fissure and parenchymal cysts of the brain.
AJNR, 11: 939-945.
- Skeffington, F.S. (1982) :**
Agenesis of the corpus callosum neonatal, CT appearance
Archives of diseases in childhood, 57: 713-714.
- Smith, A.S. (1989) :**
Myth of the mesoderm; ectodermal origin of dermoids.
AJNR, 9:940.
- Snell, R. S. (1975) :**
Clinical embryology for medical students. 2nd edition.
Little Brown and company, Boston. The nervous system.
Chapter, 19, PP. 277-300.
- Snell, R.S. (1992) :**
Clinical neuroanatomy for medical students. Third edition.
Little brown and company. Boston-Toronto-London.
Chapter 1, PP. 1-45.
- Tatler, G.L. and Kendall, B.E. (1991) :**
The radiological diagnosis of epidermoid tumors.
Neuroradiol, 33: 324-325.
- Tien, R.D.; Macfall, J. and Heinz, E.R. (1992) :**
Evaluation of cystic masses of the brain.
AJR, 158: 1049-1055.
- Tritrakaren, A.; Khanjanasthiti, P. and Bhoopat, W. (1989):**
Ultrasound diagnosis of dandy-walker cyst.
J. Med. Assoc. thai, 72 (1) : 25-55.
Quoted in Hagen-Ansert (1995).
- Tsuchiya, K.; Makita, K. and Furui, S. (1992) :**
Contrast enhanced magnetic resonance imaging of sub-and epidural empyemas.
Neuroradiol, 34: 494-496.
- Van-Burken; Sarioglu, A.C. and O'Donnell, H.D. (1992) :**
Supratentorial arachnoid cyst with intracystic and subdural hematoma.
Neurochir, 35:199-203.

- Voelker, J.L.; Campbell, R.L. and Muller, J. (1991) :**
Clinical, radiographic and pathological features of symptomatic rathke's cleft cysts.
J. Neurosurg. 74: 535-544.
- Waggenpack, G.A. and Guinto, F.C. Jr. (1989) :**
MR and CT of masses of the anterosuperior third ventricle.
AJNR, 10: 105-110.
- Weingarten, K.; Simmerman, R.D. and Becker, R.D. (1989):**
Subdural and epidural empyemas; MR imaging.
AJNR, 10: 81-87.
- Wester, K. (1992) :**
Gender distribution and sidedness of middle fossa arachnoid cysts; a review of cases diagnosed with computed tomography.
Neurosurg, 31: 940-944.
- Whyte, A.M.; Sage, M.R. and Brophy, B.P. (1993) :**
Imaging of large rathke's cleft cysts by CT and MRI; report of two cases.
Neuroradiol, 35: 258-260.
- Wilkins, R.H. and Burger, P.C. (1988) :**
Benign intraparenchymal brain cysts; without an epithelial lining.
J. Neurosurg., 68: 378-382.
- Wilms, G.; Marchal, G. and Van Hecke, P. (1990) :**
Colloid cysts of the third ventricle, CT findings.
J. Comp. Asst. Tomogr., 14: 527-531.
- Wilms, G., Venderschuere, G. and Demaeral, P.H. (1993) :**
CT and MRI in infants with pericerebral collections; benign enlargement of the subarachnoid spaces versus subdural collections.
AJNR, 14: 855-860.
- Yakovelev, P.I. and Wadsworth, R.C. (1947) :**
Schizencephalies; study of congenital clefts of the cerebral mantle.
Journal of neuropathology and experimental neurology, 5:116-206. Quoted In chilton and cremin (1983).

Young, J.N.; Oakes, W.J. and Hatten, H.P. Jr. (1992) :

Dorsal third ventricular cysts; an entity distinct from holoprosencephaly.

J. Neurosurg., 77:556-561.

Zimmerman, R.D. and Weingarten, K. (1991) :

Neuroimaging of cerebral abscesses.

Neuroimaging. Clin. N. Amer. 1 : 1-16.