

# References

# References

- Abbitt PL (1995):** Ovary and adnexa. In: Abbitt PL (ed): *Ultrasound, A Pattern Approach*, 1<sup>st</sup> edition. McGraw-Hill Inc., New York, P. 347.
- Altchek A (1991):** Management of uterine leiomyomata. In: Altchek A, and Deligdisch L (eds): *The Uterus*. Springer-Verlag, New York, P. 344.
- Alvarez RD, Soong SJ, Kinney WK, et al. (1989):** Identification of prognostic factors and risk groups in patients found to have nodal metastasis at time of radical hysterectomy for early stage squamous carcinoma of the cervix. *Gynecol. Oncol.*; 35 : 130.
- Athey PA, and Malone RS (1987):** Sonography of ovarian fibromas / thecomas. *J. Ultrasound Med.*; 6 : 431.
- Athey PA, and Siegel MF (1987):** Sonographic features of Brenner tumor of the ovary. *J. Ultrasound Med.*; 6 : 367.
- Baltarowich OH, Kurtz AB, and Pennell RG (1988):** Pitfalls in the sonographic diagnosis of uterine fibroids. *AJR*; 151 : 725.
- Bermaschek G, Deutinger J, Bartl W, et al. (1986):** Endosonographic staging of carcinoma of the uterine cervix. *Arch. Gynecol.*; 239 : 21.
- Bermaschek G, Deutinger J, and Kratochwil A (1990):** Safety aspects of endosonography. *Arch. Gynecol.*; 200 : 40.
- Bohlman ME, Ensor RE, Sanders RC, et al. (1987):** Sonographic findings in adenomyosis of the uterus. *AJR*; 148 : 765.
- Borgstein RL, Shaw JJ, and Pearson RH (1989):** Uterine leiomyomata: sonographic mimicry. *Br. J. Radiol.*; 62 : 1019.
- Boring CC, Squires TS, and Tong T (1992):** Cancer Statistics 1992. CA, 42 : 19.

**Brammer HM III, Buck IL, Hayes WS, et al. (1990):** From the archives of AFIP: Malignant germ cell tumors of the ovary, radiologic-pathologic correlation. *Radiographics*; 10 : 715.

**Campbell J (1991):** Rule out pelvic mass. In: Sanders RC (ed): Clinical Sonography, A Practical Guide, 2<sup>nd</sup> edition. Little, Brown & Company, Boston.

**Carter J, Carson LF, and Elg S (1992):** Transvaginal sonography as an aid in the clinical staging of carcinoma of the cervix. *J. Clin. Ultrasound*; 20 : 283.

**Chambers CB, and Unis JS (1986):** Ultrasonographic evidence of uterine malignancy in the postmenopausal uterus. *Am. J. Obstet. Gynecol.*; 154 : 1194.

**Coleman BG, Arger PH, Grumbach K, et al. (1988):** Transvaginal and transabdominal sonography: prospective comparison. *Radiology*; 168 : 639.

**Donson MC, and Deter RL (1990):** Definition of anatomical planes for use in transvaginal sonography. *J. Clin. Ultrasound*; 18 : 239.

**Eissa MF, Savers RS, Docker MF, et al. (1987):** Characteristics and incidence of dysfunctional ovulation patterns detected by ultrasound. *Fertil. Steril.*; 47 : 603.

**Fleischer AC (1991):** Transabdominal and transvaginal sonography of ovarian masses. *Clin. Obstet. Gynecol.*; 34 : 433.

**Fleischer AC, Gordon AN, Enteman SS, et al. (1990):** Transvaginal scanning of the endometrium. *J. Clin. Ultrasound*; 18 : 337.

**Fleischer AC, and Kepple DM (1992):** Sonographic evaluation of the uterus and related disorders. In: Fleischer AC, Manning FA, and Jeanty P (eds): Ultrasonography in Obstetrics and Gynecology, 4<sup>th</sup> edition. Prentice-Hall, New York, P. 365.

**Fleischer AC, Kalemeris GC, and Enteman SS (1986):** Sonographic depiction of the endometrium during normal cycles. *Ultrasound in Med. and Biol.*; 12 : 217.

**Fleischer AC, Pittaway D, Went A, et al. (1983):** The uses of sonography for monitoring ovarian follicular development. *Ultrasound Annual 1983*. New York.

**Fraine D, Fox HE, Jakobson S, and Timor-Tritsch E (1988):** Vaginal ultrasound for diagnosis of placenta previa. *Am. J. Obstet. Gynecol.*; 159 : 566 -

**Friedman H, Vogelzang R, Mendelson E, et al. (1985):** Endometriosis detection by ultrasound with laparoscopic correlation. *Radiology*; 157 : 217.

**Gordon AN, Fleischer AC, Dudley BS, et al. (1989):** Preoperative assessment of myometrial invasion of endometrial adenocarcinoma by sonography and MRI. *Gynecol. Oncol.*; 34 : 175.

**Graif M, and Itzcha KY (1988):** Sonographic evaluation of ovarian torsion in childhood and adolescence. *AJR*; 150 : 647.

**Granberg S, and Tansson I (1990):** Early detection of primary carcinoma of the fallopian tube by endovaginal ultrasound. *Acta Obstet. Gynaecol. Scand.*; 69 : 667.

**Grech P, Rowlands PC, and Crofton M (1989):** Cystic uterine fibroids: An unusual ultrasonic appearance. Case report. *Br. J. Obstet. Gynaecol.*; 96 : 992.

**Green B (1980):** Pelvic ultrasonography. In: Sarti DA, and Sample WP (eds): *Diagnostic ultrasound*. GK Hall, Boston, P. 502.

**Gross B, and Cullen R (1983):** Ultrasound of the uterus. In: Callen P (ed): *Ultrasonography in Obstetrics and Gynecology*. Philadelphia: Saunders, PP. 227 -

**Grunfeld Lawrence (1991):** Physiology of the menstrual cycle. *Infertility and Reproductive Medicine Clinics of North America*; 2 : 673 -

**Hall DA (1983):** Sonographic appearance of the normal ovary, of polycystic ovary disease, and of functional ovarian cysts. *Semin. Ultrasound*; 4 : 149.

- Hata K, Hata T, and Makihawa K (1990):** Sonographic finding of uterine leiomyosarcoma. *Gynecol. Obstet. Invest.*; 30 : 242.
- Helvie MA, and Silver TM (1989):** Ovarian torsion: sonographic evaluation. *J. Clin. Ultrasound*; 17 : 327.
- Hoffer AF, Kozakewich H, Colondy A, and Goldstein DP (1988):** Peritoneal inclusion cysts: ovarian fluid in peritoneal adhesions. *Radiology*; 169 : 189 -
- Hurwitz KS (1988):** Yolk sac sign: sonographic appearance of the fetal yolk sac in missed abortion. *J. Ultrasound Methods*; 5 : 435 -
- Jain KA, Friedman DL, Pettinger, Alagappan, Jeffrey RB, and Graham Sommer (1993):** Adnexal masses: Comparison of specificity of endovaginal U.S. with pelvic MR imaging. *Radiology*; 186 : 697 -
- Jenkin JPR (1998):** MRI in gynecology. In: Sutton D (ed): Textbook of Radiology and Imaging, 6<sup>th</sup> edition. Churchill Livingstone, Edinburgh, P. 1253.
- Johnson MA, Graham MF, and Cooperberg PL (1982):** Abnormal endometrial echoes: sonographic spectrum of endometrial pathology. *J. Ultrasound Med.*; 1 : 161.
- Karasick S, Lev-Toaff AS, and Toaff ME (1992):** Imaging of uterine leiomyomas. *AJR*; 158 : 799 -
- Kissane JM (1990):** Female genitalia. In: Kissane JM (ed): Anderson's Pathology, 9<sup>th</sup> edition. Mosby, St. Louis, PP. 1643.
- Kupfer MC, Schwimer SR, and Levovic J (1992):** Transvaginal sonographic appearance of endometriomata: spectrum of findings. *J. Ultrasound Med.*; 11 : 129.
- Kurman RJ, and Norris HJ (1987):** Endometrial carcinoma. In: Kurman RJ (ed): Blaustein's Pathology of the Female Genital Tract, 3<sup>rd</sup> edition. Springer, New York, PP. 338 -
- Laing FC (1990):** Technical aspects of vaginal ultrasound. *Seminar. Ultrasound*; 11 : 4 -

- Lande IM, Hill MC, Cosco FE, et al (1988):** Adnexal and cul-de-sac abnormalities: TVS. *Radiology*; 166 : 325 .
- Lees WK (1998):** Gynecological imaging; ultrasound. In: Sutton D (ed): Textbook of Radiology and Imaging, 6<sup>th</sup> edition. Churchill-Livingstone, Edinburgh, P. 1235.
- Leibman AJ, Kruse B, and McSweeney MB (1988):** Transvaginal sonography? Comparison with transabdominal sonography in the diagnosis of pelvic masses. *AJR*; 151 : 89 .
- Lens Suzan (1985):** Ultrasonic study of the follicular maturation, ovulation and development of corpus luteum during normal menstrual cycles. *Acta Obstet. Gynaecol. Scand.*; 64 : 15 .
- Leopold GL (1987):** Pelvic ultrasonography. In: Sarti DA (ed): Diagnostic Ultrasound. Year Book, Chicago, PP. 684 .
- Lerner JP, Timor-Tritsch IE, and Monteagudo A (1996):** Use of transvaginal sonography in the evaluation of endometrial hyperplasia and carcinoma. *Obstet. Gynecol. Surv.*; 51 (12) : 718 .
- Levine D (1995):** Gynecologic ultrasound – pelvic disease. In: Hangen-Ansert, and Sandra L (eds): Textbook of Diagnostic Ultrasonography, 4<sup>th</sup> edition. Mosby, St. Louis, P. 797.
- Lonsdale RN, Roberts PF, and Trowell JE (1991):** Autoimmune oophritis associated with polycystic ovaries. *Histopathology*; 19 : 77 .
- Lyons EA, Gratton D, and Harrington C (1992):** Transvaginal sonography of normal pelvic anatomy. *Radiol. Clin. North Am.*; 30 : 663.
- Mais V, Guerriero S, Ajossa S, et al (1993):** The efficiency of transvaginal ultrasonography in the diagnosis of endometrioma. *Fertil. Steril.*; 60 (5) : 776.
- McCarthy KA, Hall DA, Kopans DB, et al (1986):** Postmenopausal endometrial fluid collection: always an indicator of malignancy? *J. Ultrasound Med.*; 5 : 647.

- Mendelson EB, and Böhm-Vélez M (1992):** Transvaginal ultrasonography of pelvic neoplasms. *Radiol. Clin. North Am.*; 30 : 703.
- Mendelson EB, Böhm-Vélez M, Josef N, et al. (1988):** Gynecologic imaging: Comparison of transabdominal and transvaginal sonography. *Radiology*; 166 : 321.
- Meyer JS, Kim CS, and Price HM (1987):** Ultrasound presentation of primary carcinomas of the fallopian tube. *J. Clin. Ultrasound*; 15 : 132.
- Miller E, Thomas R, and Cines P (1977):** The atrophic postmenopause uterus. *J. Clin. Ultrasound*; 5 : 261.
- Moscicki AB, Palefsky TM, and Gonzales J (1991):** The association between human papilloma virus deoxyribonucleic acid status and the results of cytologic rescreening tests in young, sexually active women. *Am. J. Obstet. Gynecol.*; 165 : 67.
- Nicolini U, Bellotti M, Bonazzi D, Zambeletti D, and Canadiani GB (1987):** Can ultrasound be used to screen for uterine malformations? *Fertil. Steril.*; 47 : 89.
- Nyberg DA, Hill LM, Bohm-Velez, et al. (1992):** Transvaginal sonography. In: Nyberg DA, and Velez B (eds): *Transvaginal Ultrasound*, 1<sup>st</sup> edition. Mosby, St. Louis.
- Nyberg DA, Hughes MP, Mack LA, et al. (1991):** Extrauterine findings of ectopic pregnancy at TVS: importance of echogenic fluid. *Radiology*; 178 : 823.
- Odwin CS, Fleischer AC, Kepple DM, and Chiang DT (1990):** Probe covers and disinfectant for transvaginal transducers. *J. Diag. Med. Sonography*; 6 : 130.
- Orisini LF, Venturoli S, Lorusso R, Pluchinotta V, Paradisi R, Paradisi R, and Bovicelli L (1985):** Ultrasonic findings in polycystic ovarian disease. *Fertility and Sterility*; 43 : 709.
- Osmers K, Volksen M, and Schauer A (1990):** Vaginosonography for early detection of endometrial carcinoma? *Lancet*; 335 : 1569.

**Owre A, and Pedersen JF (1991):** Characteristic fat-fluid level at ultrasonography of ovarian dermoid cyst. *Acta Radiologica*; 32 : 317.

**Pache TD, Wladimiroff JW, Hop WGJ, and Fauser BCG (1992):** How to discriminate between normal and polycystic ovaries: transvaginal U.S. study. *Radiology*; 183 : 421.

**Parsons AK, and Ryva TC (1989):** Gynecologic ultrasound. In: Hangen-Ansert Sandra L (ed): *Textbook of Diagnostic Ultrasonography*, 3<sup>rd</sup> edition. Mosby, St. Louis.

**Peel KR (1995):** Premalignant and malignant diseases of the cervix. In: Whitefield CR (ed): *Dewhurst's Textbook of Obstetrics and Gynecology for Postgraduates*, 5<sup>th</sup> edition. Blackwell Science, London, PP. 717.

**Poster RB (1997):** Ovarian and adnexal imaging. In: Katz DS, Math KR, and Groskin SA (eds): *Radiology Secrets*, 1<sup>st</sup> edition. Hanley and Belfus Inc., Philadelphia, P. 236.

**Radecki PD, and McKrisky PJ (1990):** Female pelvis: neoplastic and non-neoplastic masses. In: Friedman AC, Radecki PD, Lev-Toaff AS, and Hilpert PL (eds): *Clinical Pelvic Imaging CT, US and MRI*. CV Mosby Co., St. Louis, PP. 152.

**Reece EA, Golstein I, and Hobbins JC (1994):** Fundamentals of Obstetric and Gynecologic Ultrasound, 1<sup>st</sup> edition. Appleton and Lange, Library of Congress, PP. 243.

**Reuter KL, and Meyer RN (1987):** unusual features of paraovarian cysts, a report of two cases. *J. Reprod. Med.*; 32 : 371.

**Ritchie AC (1990):** Female reproductive system. In: Ritchie AC (ed): *Boyd's Textbook of Pathology*, 9<sup>th</sup> edition. Lea and Febiger, Philadelphia, P. 1294.

**Ritchie William GM (1986):** Sonographic evaluation of normal and induced ovulation. *Radiology*; 161 : 1.

**Rottem S, Thaler I, Goldstein SR, Timor-Tritsch IE, and Brandes JM (1990):** Transvaginal sonographic techniques: Targeted organ scanning without resorting to "planes". *J. Clin. Ultrasound*; 18 : 243.

- Sample W, Lippe B, and Gyepes M (1977):* Gray scale ultrasonography of the normal female pelvis. *Radiology*, 125 : 477.
- Sanders RC, and Campell J (1998):* Rule out pelvic mass. In: Sanders RC (ed): *Clinical Sonography, A Practical Guide*, 3<sup>rd</sup> edition. Lippincott-Raven, Philadelphia, P. 52.
- Sanders RC, and Wilson C (1991):* Cause for ovulation induction. In: Sanders RC (ed): *Clinical Sonography, A Practical Guide*, 2<sup>nd</sup> edition. Little, Brown and Company, London, P. 43.
- Sandler M, and Karo J (1978):* The spectrum of sonographic findings in endometriosis. *Radiology*, 127 : 229.
- Santos AA (1987):* Adenomyosis: HSG and ultrasonic scans. *Contr. Gynecol. Obstet.*; 16 : 176.
- Sarti DA (1993):* Transvaginal sonography: A call for tempered enthusiasm. *AJR*; 161 : 95.
- Sauwakon A, Yaovalak B, and Nathpong I (1988):* Ultrasound appearance of fallopian tube carcinoma. *J. Clin. Ultrasound*; 16 : 516.
- Schoenfeld A, Levavi H, and Hirsch M (1990):* Transvaginal sonography in postmenopausal women. *J. Clin. Ultrasound*; 18 : 350.
- Sherif MS, and Ibrahim AS (1987):* The Profile of Cancer in Egypt. The National Cancer Institute, Cairo University, PP. 89.
- Sheth S, Fishman EK, Buck JL, Hamper UL, and Sanders RC (1988):* The variable sonographic appearance of ovarian teratomas: correlation with CT. *AJR*; 151 : 331.
- Sheth SH, Hamper UM, and Kurman RJ (1993):* Thickened endometrium in the postmenopausal woman: sonographic-pathologic correlation. *Radiology*, 187 : 135.
- Shimizu H, Yamasaki M, Ohama K, et al. (1990):* Characteristic ultrasonographic appearance of the Krukenberg tumor. *J. Clin. Ultrasound*; 18 : 697.