

References



Abe T, Yachi A, Ishii Y, et al (1992): Thoracic extramedullary hematopoiesis associated with hereditary spherocytosis. *Internal Med* 31 (9) : 1151-4.

Adler DD, Glazer GM, Aisen AM (1986) : MRI of the spleen : normal appearance and findings in sickle cell anemia. *AJR* 147:843-845.

Alavi A, Heyman S, Kim HC (1987): Scintigraphic examination of bone and marrow infarcts in sickle cell disorders. *Semin Roentgenol* 22:213.

Amundsen TR, Siegel MJ, Siegel BA (1984): Osteomyelitis and infarction in sickle cell hemoglobinopathies. Differentiation by combined technetium and gallium scintigraphy. *Radiology* 153:807-812.

Aquino SL, Gamsu G, Fahy JV, et al (1994) : Chronic pulmonary disorders in sickle cell disease: findings at thin section CT. *Radiology* 193:807-11.

Arman MI, Butan B, Doseyen A, et al (1992) : Frequency and features of rheumatic findings in thalassemia minor: a blind controlled study. *Br J Hematol* 31:197-199.

Ayuo PO, Abinya NAO, Zoshi MD, et al (1993): Cardiovascular features in adolescents and adults with sickle cell anemia. *East African Medical Journal* 70 (5) : 270.

B

Babior BM, Stossel TP (1989): Hematology : A pathophysiological approach. New York, Churchill Livingstone: 218 .

Balkaran B, Char G, Morris JS, et al (1992): Stroke in a cohort of patients with homozygous sickle cell disease. *J Pediatr* 120:360-366.

Balls SK, Harner L, Smith ED, et al (1988): Rheologic predictors of the severity of the painful sickle cell crises. *Blood* 72:1216.

Barrett CE (1971): Acute pulmonary disease and sickle cell anaemia. *Medicine* 50:97.

Beltran J, Noto AM, McGhee RB, et al (1987) : Infections of the musculoskeletal system: high field strength MR imaging, *Radiology* 164: 449-454.

Bennett OM, Namnyak SS (1990): Bone and Joint manifestation of sickle cell anaemia. *J Bone Joint Surgery [Br]* 72 (B) : 494.

Bennett OM, (1992): Sallmonella osteomyelitis and hand foot syndrome in sickle cell disease. *J Ped Orthop* 12:534.

Benz EI, Schwartz E (1990): Thalassemia syndromes. In Miller DR et al (eds). *Textbook of blood disease of infancy and childhood*, 16 th ed: 428.

Beutler E (1995): The sickle cell diseases and related disorders. In Beutler E, Lichtman MA, Collier BS, Kipps TJ (eds). *Williams Hematology*, 5 th ed. New York, Mc Graw-Hill, Inc.:616.

Beutler E (1995): Glucose-6-phosphate dehydrogenase deficiency and other enzyme abnormalities. In Beutler E, Lichtman MA, Collier BS, Kipps TJ (eds). *Williams Hematology*, 5th ed. New York, Mc Graw-Hill, Inc. :564.

Bhalla M, Abboud MR, Mcloud TC, et al (1993) : Acute chest syndrome in sickle cell disease: CT evidence of microvascular occlusion. *Radiology* 187: 45.

Bick RJ, Haaga JR, Solomon EH (1988): The mediastinum. Extramedullary haematopoiesis. In Haaga JR, Alifidi RJ (eds). *Computed tomography of the whole body*, 2nd ed. St.Louis C.V. Mosby company: 642.

Blankenberg F, Eisenberg S, Scheinman MV, et al (1994): The use of Cine GRASS MR in the imaging of cardiac hemochromatosis : a case report. *J comput Assist Tomog* 18:136-138

Bohrer SP (1987): Bone changes in the extremities in sickle cell anemia. *Semin Roentgenol* 22:176.

Bonnerot V, Sebag G, de Montalembert M, et al (1994): Gadolinium DOTA enhanced MRI of painful osseous crises in children with sickle cell anemia. *Pediatr Radiol* 24: 92-95.

Brasch RC, Wesbey GE, Gooding CA, et al (1984): Magnetic resonance imaging of transfusional hemosiderosis complicating thalassemia major. *Radiology* 150:767-771.

Brill PW, Winchester P, Giardina PJ, et al (1991) : Deferoxamine-induced bone dysplasia in patients with thalassemia major. *AJR* 156: 561-565.

Brown DW , Henkelman RM , Poon PY, et al (1985) : Nuclear magnetic resonance study of iron overload in liver tissue. *Magn Reson Image* 3:275-282.

Bunn HF (1994): Disorders of hemoglobin. In Isselbacher KG, Braunwald E, Wilson JD, et al (eds): *Harrison's principles of internal medicine*, 13th ed. New York, McGraw-Hill, Vol. 2:1734-1754.

Carell RW, Lehmann H (1984):The Hemoglobinopathies. In Dawson AM, Compston N, Besser GM (eds). *Recent advances in medicine*. Churchill Livingstone (19): 223-55.

Cassady JR, Berdon WE, Baker DH (1967): The “typical” spine changes of sickle cell anemia in a patient with thalassemia major (Cooley’s anemia). *Radiology* 89:1065.

Chen H (1991): Diffuse aseptic bone infarcts in a child with sickle cell disease. *AJR* 156:1318.

Chezmar JL, Nelson RC, Malko JA, et al (1990): Hepatic iron overload : diagnosis and quantification by non invasive imaging. *Gastrointest Radiol* 15:27-31.

Chung SMR, Ralston EL (1971): Necrosis of the humeral head associated with sickle cell anemia and its genetic variants. *Clin Orthop* 80:105.

Cohen MD (1990): Infection .In Cohen MD, Edwards MK (eds). *Magnetic resonance imaging in children*, 2nd ed. Philadelphia BC Decker: 913-926.

Cooper DM, Masell AL, Weiner MA, et al (1980): Lung capacity and hypoxemia in children with thalassemia major. *Am Rev Respir Dis* 121:639-646.

D

Dangman BC, Hoffer FA, Rand F, et al (1992): Osteomyelites in children : Gadolinium-enhanced MR imaging. *Radiology* 182:743-747.

David HG, Bridgman SA , Davis SC , et al (1993): The shoulder in sickle cell disease. *J Bone Joint Surg [Br]* 75(4): 538.

Dawson KL, Moore SG, Rowland JM (1992): Age related marrow changes in the pelvis : MR and anatomic findings. *Radiology* 183:47-51

Deely DM, Schweitzer ME (1997): MR imaging of bone marrow disorders. *Radiol Clin North Am* 35(1) : 193-212.

De Virgiliis S, Congia M, Frau F, et al (1988) : Deferoxamine-induced growth retardation in patients with thalassemia major. *J Pediatr* 113:661.

Dines DM, Canale VC, Arnold WD (1976): Fractures in thalassemia. *J Bone Joint Surg [Am]* 58:662.

Dorwart BB, Schumacher RH (1981): Arthritis in β thalassemia trait. Clinical and pathological features. *Ann Rheum Dis* 40: 185-189.

E

Edelman RR, Ahn SS, Chien D, et al (1992): Improved time of flight MR angiography of the brain with magnetization transfer contrast. *Radiology* 84:395-399.

Ehlers KH, levin AR, Markensan AL, et al (1980) : Longitudinal study of cardiac function in anemia. *Ann NY Sci* 344:397.

Eisenberg RL, Dennis CA (1990) : Hematopoietic system. In *Comprehensive radiographic pathology*. St Louis, C.V. Mosby: 271-286

El Gammal T, Adams RJ, Nichols FT, et al (1986): MR and CT investigation of cerebrovascular disease in sickle cell patients. *AJNR* 7: 1043-1049.

Emy PY, Levin TZ, Sheth SS, et al (1997) : Iron overload in reticuloendothelial systems of pediatric oncology patients who have undergone transfusions: MR observations. *AJR* 168: 1011-1015.

Engle MA (1964): Cardiac involvement in Cooley's anemia. *Ann NY Acad Sci* 119:694-702

Epps CH, Bryant DD, Coles MM, et al (1991): Osteomyelitis in patients who have sickle cell disease. *J.Bone Joint Surg* 73(A): 1281.

Ernst O, Sergent G, Bonvarlet P, et al (1997): Hepatic iron overload: diagnosis and quantification with MR imaging. *AJR* 168:1205-1208.

F

Flyer MA, Haller JO, Sundaram R (1993): Transfusional hemosiderosis in sickle cell anemia: another cause of an echogenic pancreas. *Pediatr Radiol* 23:140-142.

Freedman MH, Bentur Y, Koren G, (1989): Complications of deferoxamine therapy. In Lucarelli G (ed). *Bone marrow transplantation in thalassemia and related problems*. New York, Alan R-Liss.

Freeman AP, Giles RW, Bedoukas VA, et al (1983) : Early left ventricular dysfunction and chelation therapy in thalassemia major. *Ann of intern Med* 99: 450-454.

G

Gamsu G, Stark D, Webb WR, et al (1984): Magnetic resonance imaging of benign mediastinal masses. *Radiology* 151:709-713

Gandon Y, Guyader D, Heautol JF, et al (1994): Hemochromatosis: diagnosis and quantification of liver iron with gradient echo MR imaging. *Radiology* 193: 533-538

Gelfand MJ, Daya SA, Ruchnagel DL, et al (1993): Simultaneous occurrence of rib infarction and pulmonary infiltrates in sickle cell disease patients with acute chest syndrome. *J Nucl Med* 34:614-613.

Genez BM, Wilson MR, Houk RW, et al (1988): Early osteonecrosis of the femoral head: detection in high risk patients with MR imaging. *Radiology* 168: 521-524.

Gerald B, Sebes JL, Langston JW (1980): Cerebral infarction secondary to sickle cell disease: arteriographic findings. *AJR* 134:1209-1212.

Gerry JL, Baird MG, Fortuin NJ (1976) : Evaluation of left ventricular function in patients with sickle cell anemia. *Am J Med* 60: 968

Gillespy T, Genant HK, Helms CA (1986): Magnetic resonance imaging of osteonecrosis. *Radiol Clin North Am* 24:193-208.

Githens JH, Hathaway WE (1991): Hematologic disorders. In Hathaway et al (eds). *Current pediatric diagnosis and treatment*, 10 th ed. Lang medical book :470-517

Gold RH, Hawkins RA, Kat Z (1991): Bacterial osteomyelitis: findings on plain radiography, CT, MRI and Scintigraphy. *AJR* 157:365.

Gomori JM, Grossman RI, Drott HR (1988): MR relaxation times and iron content of thalassemic spleens: an in vitro study. *AJR* 150:567-569.

Gorry FM (1987): Radiological changes in sickle cell anemia and other hemoglobinopathies. *The medical J of teaching hospitals and institutes* Vol.1, No. 1 .

Greene WB, Mc Millan CW (1987): Salmonella osteomyelitis and hand foot syndrome in a child with sickle cell anemia. *J Pediatr Orthop* 7:716

Griffith RC, Janney CG (1990): Hemopoietic system, bone marrow and blood, spleen and lymph node. In Kissane JM (ed) . *Anderson's pathology*. 9th ed St. Louis C.V. Mosby company.

Grisaru D, Goldfarb AW, Gotsman MS, et al (1986): Desferroxamine improves left ventricular function. *Arch Intern Med* 146:2344-9.

Grossman H, Dischl MR, Winchester PH, et al (1971): Renal enlargement in thalassemia major. *Radiology* 100:645.

Grossman CB (1996): The skull, face, paranasal sinuses and nasopharynx. In *Magnetic resonance and computed tomography of the head and spine* 2nd ed. Williams & Wilkins A Waverly company: 549

Guyader D, Deugnier Y, Jouanolle H, et al (1989): Evaluation of computed tomography in the assessment of liver iron overload. *Gastroenterology* 97:737-743.

Guyton AC (1992): Red blood cells, white blood cells and resistance of the body to infection . In *Human physiology and mechanism of disease*, 15 th ed. Philadelphia, W.B. Saunders company: 203-232.

Gzervionke LF, Berquist TH (1997): Imaging of the spine; Techniques of MR imaging. *Orthop Clin North Am.* 28 (4) : 583-616.

H

Hahn PF, Stark DD, Glastod K (1992): Biliary system, pancreas, spleen and alimentary tract. In: Stark DD, Bradley WG (eds). *Magnetic resonance imaging*, 2 nd ed. St Louis, Mosby year book, Vol. 2: 1769.

Hall TR, Kangarloo H (1989): Magnetic resonance imaging of the musculoskeletal system in children. *Clinical orthopedics and related research* 244:119-130.

Hartkamp MJ, Babyn PS, Olivieri F (1993): Spinal deformities in deferoxamine treated homozygous beta- thalassemia major patients. *Pediatr Radiol* 23:525-528

Haupt HM, Moore GM, Bauer TW, et al (1982): The lung in sickle cell disease. *Chest* 81:332.

Hebbel RB, Yamada O, Moldow CF (1980) : Abnormal adherence of sickled erythrocytes to cultured vascular endothelium. *J Clin Invest* 65:154.

Henry WL, Nienhuis AW, Weiner M, et al (1978) : Echocardiographic measurements in normal subjects: growth related changes that occur between infancy and early adulthood. *Circulation* 57:278.

Higgins CB (1997): Cardiomyopathies in acquired heart disease . In Higgins CB, Hricak H, Helms CA (eds). *Magnetic resonance imaging of the body*, 3rd ed. Philadelphia, Lippincott- Raven: 431.

Hoffman R, Benz EJ, Shatil SJ, et al (1991) : *Hematology, Basic principles and practice*

Honig GR (1996): Hemoglobin disorders. In Nelson WE, Behrman RE, Kliegman RM, et al (eds). *Nelson textbook of pediatrics* 15th ed. Philadelphia, W.B. Saunders company:1246

Hoyt RW, Scarpa N, Wilmot RW, et al (1986): Pulmonary functional abnormalities in homozygous thalassemia. *J Ped* 109:452-455.

J

Johanson NA (1990) : Musculoskeletal problems in hemoglobinopathy. *Orthop Clin North Am*, Vol. 21 (1).

Johanston DL, Rice L, Vick GW III, et al (1989): Assessment of tissue iron overload by nuclear magnetic resonance imaging. *Am J Med* 87: 40-47.

K

Kan YW (1986): Thalassemia : molecular mechanism and detection. *Am J Hum Genet* 38:40.

Kanal E, Burk DL, Brunberg JA, et al (1988): Pediatric musculo-skeletal magnetic resonance imaging. *Radiol Clin North Am*

26: 211-239.

Kandeel AY, Zimmerman RA, Ohene-Frempong K (1996): Comparison of magnetic resonance angiography and conventional angiography in sickle cell disease: clinical significance and reliability. *Neuroradiology* 38: 409-416.

Kandelwal N, Malik N, Khosla VK, et al (1992): Spinal cord compression due to epidural extramedullary haematopoiesis in thalassemia. *Pediatr Radiol* 22:70-71.

Kaneko K, Humbert JH, Kogutt MS, et al (1993) : Iron deposition in cranial bone marrow with sickle cell disease: MR assessment using a fat suppression technique. *Pediatr Radiol* 23:435-438.

Kaplan PA, Dussault RG (1997): Bone marrow . In: Higgins CB, Hricak H, Helms CA (eds). *Magnetic resonance imaging of the body*, 3rd ed. New York, Lippincott- Raven: 1295-1320.

Kelley MJ (1988): Diseases of myocardium. In Putamen CE, Ravin CE (eds). *Textbook of diagnostic imaging*. W.B. Saunders company, Philadelphia, Vol. 3: 1855.

Khalifa AS, Shier S, Abu-El Mag L, et al (1985): The Kidney in β thalassemia major. *Acta Hematol* 74:60.

Kogutt MS, Goldwag SS, Gupta KL, et al (1994): Correlation of transcranial Doppler ultrasonography with MRI and MRA in the evaluation of sickle cell disease patients with prior stroke. *Pediatr Radiol* 24:204.

Koo KH, Kim R, Cho SH, et al (1994): Angiography, scintigraphy, introsseous pressure, and histologic findings in high risk osteonecrotic femoral heads with negative magnetic resonance imaging. *Clin Orthop* 308:127-138.

Koren A, Garty I, Antonelli D, et al (1987): Right ventricular cardiac dysfunction in β thalassemia major. *Am J Dis Child* 141:93-96.

Kouides PA, Slapak CA, Rosenwasser LJ, et al (1988): Pneumocystis carinii pneumonia as a complication of desferrioxamine

therapy . *British J Hematol* 70: 382-384.

Kricun ME (1985): Red-Yellow marrow conversion: Its effect on the location of some solitary bone lesions. *Skeletal Radiol* 14:10-19.

Kugler S, Anderson B, Cross D, et al (1992) : Clinical implications of an abnormal cranial MRI in sickle cell disease. Presented at the *17th annual Sickle Cell Disease Conference*, Meharry Medical College, Nashville, Tenn, March 14-18.

L

Lane PA (1996): Sickle cell disease. *Pediatr Clin North Am* 43 (3) : 639-664.

Lawson JP , Ablow RC , Pearson HA (1981) : The ribs in thalassemia, part II pathogenesis. *Radiology* 140:663-679.

Lawson JP, Ablow RC, Pearson HA (1983) : Premature fusion of the epiphysis in thalassemia. *Am J Roentgenol* 140: 293-244.

Lee CR, Bithel TC, Foster J, et al (1993): *Wintrobe's clinical hematology*, 9th ed. Leo Febriger Co.:1062.

Levin TL, Sheth SS, Ruzal-Shapiro C, et al (1995) : MRI marrow observation in thalassemia: the effects of the primary disease, trans-fusional therapy, and chelation. *Pediatr Radiol* 25(8): 607-13.

Lewis BS , Rachmilewitz ED , Amitati N , et al (1978) : Left ventricular function in anemia and the effect of multiple transfusions. *Am Heart J* 96(5): 636.

Lukens JN (1993): The thalassemia and related disorders. In: *Wintrobe's, clinical hematology* 9th ed.

M

Magid D, Fishman EK, Siegelman SS (1982) : Computed tomography of the spleen and liver in sickle cell disease. *AJR* 143:245.

Mandell GA, Kricun ME (1979): Exaggerated anterior vertebral notching. *Radiology* 131:367.

Margolies SI, Minkin SD (1969) : Sickle cell disease : the roentgenographic manifestations of urinary tract abnormalities in adults. *AJR* 107:702

Marquis JR, Khazem B (1971) : Sickle cell disease: renal roentgenographic changes in children. *Radiology* 98:47.

Master J, Engle MA, Stren G (1961): Cardiac complications of chronic, severe, refractory anemia with hemochromatosis I. Acute pericarditis of unknown etiology. *J Ped* 58:455-63.

Mathews VP, Bryan RN (1992) : Intracranial hemorrhage in occlusive vascular disease. *Neuroimaging Clin North Am* 2:221-233.

McCall IW, Vaidya S, Serjeant GR (1981) : Splenic opacification in homozygous sickle cell disease. *Clin Radiol* 32:611.

Miller DR (1990) : Hematologic malignancies : leukaemia and lymphoma. In Miller DR and Bachner RL (eds). *Blood disease in infancy and childhood*, 6th ed: Chapter 20.

Miller TT, Caldwell G, Kaye JJ, et al (1993): MR imaging of deferoxamine-induced bone dysplasia in an 8-year-old female with thalassemia major. *Pediatr Radiol* 23:523-524.

Milner PF, Kravs AP, Sebes JT, et al (1993) : Osteonecrosis of the humeral head in sickle cell disease. *Clin Orthop* 289:136.

Mitchell DG, Kressel HY, Arger PH, et al (1986): Avascular necrosis of the femoral head: morphologic assessment by MR imaging with CT correlation. *Radiology* 161:739.

Mitchell DG, Rao VM, Dalinka MK, et al (1987): Femoral head

avascular necrosis: correlation of MR imaging, radiographic staging, radionuclide imaging, and clinical findings. *Radiology* 162:709.

Mitchell DG, Stark DD (1992): Liver. In Stark DD, Bradley WG (eds). *Magnetic resonance imaging*, 2 nd ed. St Louis Mosby year book: 1652.

Modic MT, Pflanze W, Feiglin DH, et al (1986) : Magnetic resonance imaging of musculoskeletal infections. *Radiol Clin North Am* 24:247-258.

Moore SG, Dawson KL (1990): Red and Yellow marrow in the femur: age related changes in appearance at MR imaging. *Radiology* 175:219-223.

Moore SG, Sebag GH (1990): Primary disorders of bone marrow . In Cohen MD, Edwards MK (eds). *Magnetic resonance in children*, 2nd ed. Philadelphia, BC Decker: 765-824.

Moore SG, Bisset GS, Siegel MJ, et al (1991) : Pediatric musculoskeletal MR imaging. *Radiology* 179:345.

Moore SG (1992): Pediatric musculoskeletal system. In Stark DD, Bradley WG (eds). *Magnetic resonance imaging*, 2nd ed. St Louis, Mosby year book, Vol. 2 :2223-2259.

Moran CJ, Siegel MJ, DeBaun MR (1998): Sickle cell disease : imaging of cerebrovascular complications. *Radiology* 206(2): 311-321

Moseley JE (1974): Skeletal changes in anemias. *Semin Roentgenol* 9:169-184.

Moser FG, Miller ST, Bello JA, et al (1996) : The spectrum of brain MR abnormalities in sickle cell disease: a report from the cooperative study of sickle cell disease. *AJNR* 17:965-972.

Munk PL, Helms CA, Holt RG (1989) : Immature bone infarcts: findings on plain radiography and MR scans. *AJR* 152:547.

N

Nieman KNW (1990): Pediatric orthopedic. In Morrissy RT (ed). *Lovell and Winter's* 3rd ed.

Noguchi CT, Schechter AN (1981): The intracellular polymerization of sickle hemoglobin and its relevance to sickle cell disease. *Blood* 58:1057.

Noguchi K, Ogawa T, Inugami A, et al (1995): Acute subarachnoid hemorrhage: MR imaging with fluid attenuated inversion recovery pulse sequences. *Radiology* 196: 773-777.

O

Okada Y, Shigeki A, Barkovich AJ, et al (1989): Cranial bone marrow in children : assessment of normal development by MR imaging. *Radiology* 171:161-164

Olivieri NF, liu P, Scully F , et al (1988): Assessment of cardiac iron and function in young adults with homozygous beta thalassemia. *Blood* 72:689.

Omojola MF, Annobil S, Adazaku F, et al (1993): Bone changes in sickle cell anemia. *East African Medical Journal* 70(3):154.

Orvieto R, Leicheter I, Margulies JY (1992) : Bone density, mineral content, and cortical index, in patient with thalassemia major and correlation to their bone fractures, blood transfusion and treatment with deferoxamine. *Calcif. Tissue, Int.* 50(5): 397-399. (Abstract).

Orzincolo C, Scutellari PN, Castaldi G (1992) : Growth plate injury of the long bones in treated β thalassemia. *Skeletal Radiol* 21:39.

P

Palek J, Jarolim P (1995): Hereditary spherocytosis, elliptocytosis related disorders. In Beutler E, Lichtman MA, Coller BS, Kipps TJ (eds). *Williams Hematology*, 5th ed. New York, Mc Graw-Hill, Inc.:

536-556.

Pantongrag BL, Suwanwela N (1992) : Case report: chronic spinal cord compression from extramedullary hematopoiesis in thalassemia-MRI findings. *Clin Radiol* 46(4): 281-3.

Papavasiliou C , Trakadas S , Gouliamos A , et al (1988): Magnetic resonance imaging of marrow heterotopia in hemoglobinopathy. *Eur J Radiol* 8:50.

Papavasiliou C , Gouliamos A , Vlahos L, et al (1990): CT and MRI of symptomatic spinal involvement by extramedullary hemopoiesis. *Clin Radiol* 42(2) :91-92

Pastore G, Tanniola N, Angarano G, et al (1983): Chronic viral hepatitis in thalassemic liver disease. *Vox Sang* 44:14-24.

Piehl FC, Davis RZ, Purgh ST (1993): Osteomyelitis in sickle cell disease. *J Pediatr Orthop*.

Pippard MJ (1983): Iron loading and chelation therapy. In: Weatherall DJ (ed). *The thalassemia*. Edinburg, London, Churchill Livingstone: 103-13.

Porter BA, Shields AF, Olson DO (1986) : Magnetic resonance imaging of bone marrow disorders. *Radiol Clin North Am* 24 (2) : 269-289.

Powell LW, Isselbacher KJ (1994): Hemochromatosis. In Isselbacher KG, Braunwald E, Wilson JD, et al (eds). *Harrisons's Principles of internal medicine*, 13th ed. New York, Mc Graw-Hill: 2069-2073.

Provenzale JM , Barboriak D (1997): Brain infarction in young adults: etiology and imaging findings. *AJR* 169:1161-1168.

R

Rao VM, Solomon N, Miller S, et al (1985): Scintigraphic differentiation of bone infarction from osteomyelitis in children with sickle cell disease. *J Pediatr* 107(5) : 685.

Rao VM, Fishman M, Mitchell DG, et al (1986): Painful sickle cell crisis: Bone marrow patterns observed with MR imaging. *Radiology* 161: 211-215.

Rao VM, Mitchell DG, Steiner RM, et al (1988): Femoral head avascular necrosis in sickle cell anemia: MR characteristics. *Magn Reson Imag* 6:661.

Rao VM, Mitchell DG, Rifkin MD, et al (1989) : Marrow infarction in sickle cell anaemia: Correlation with marrow type and distribution by MRI. *Magn Reson Imag* 7:39.

Rasmussen S, Carya BC, Black MJ (1982): Unreliability of M-mode left ventricular dimensions for calculating stroke volume and cardiac output in patients without heart disease. *Chest* 81:614.

Rebsamen SL, Bilaniuk LT, Granet D, et al (1993): Orbital wall infarction in sickle cell disease: MR evaluation. *AJNR* 14 (3) :777-9.

Reeves WF, Parker CJ (1985) : Paroxysmal nocturnal hemoglobin. *Clin Hematol Anemia Hosp Pract* 20(8) :105 .

Resnick D (1988): Hemoglobinopathies and other anemia. In Resnick D, Niwayama G (eds). *Diagnosis of bone and joint disorders*, 2nd ed. Philadelphia, W.B. Saunders company: 2321:2357.

Reynolds J (1977): Radiologic manifestations of sickle cell hemoglobinopathies. *JAMA* 288 (3) : 247

Ricci C, Cova M , Kang YS, et al (1990): Normal age-related patterns of cellular and fatty marrow distribution in the axial skeleton: MR imaging study. *Radiology* 177:83-88.

Rifai A, Nyman R (1997): Scintigraphy and ultrasonography in differentiating osteomyelitis from bone infarction in sickle cell disease *Acta Radiol* 38:139-143.

Rosse W, Bunn HF (1994): Hemolytic anemias. In Isselbacher KG,

Braunwald E, Wilson JD, et al (eds). *Harrison's principles of internal medicine*, 13th ed. New York, Mc Graw-Hill, Vol. 2:1743.

Rowan RM (1992): The blood and bone marrow. In MacSween RN, Whaley K. *Muir's Textbook of Pathology*, 13th ed. Arnold, London: 524.

Roy SB, Bhatia ML, Mathur VS, et al (1963): Hemodynamics effect of chronic severe anemia. *Circulation* 28:346-355.

Russell MO, Goldberg HI, Hodson A, et al (1984): effect of transfusion therapy on arteriographic abnormalities and on recurrence of stroke in sickle cell disease. *Blood* 63:162-169.

S

Sadat AM, Geeranager SS, Suhaimi AS (1992): Orthopedic complications in sickle cell disease. *Int. Orthop* 16:307.

Sarnaik S, Slovis TL, Corbett DP, et al (1980): Incidence of cholelithiasis in sickle cell anemia using ultrasonic grey scal technique. *J Pediatr* 96: 1005

Scutellari PN, Orzincolo C, Tomarozzi R (1985): Xeroradiography in beta thalassemia. *Skeletal Radiol* 13:39.

Sebes JJ, Diggs LW (1979): Radiographic changes of the skull in sickle cell anemia. *AJR* 132:373.

Sebes JJ, Brown DL (1983): Terminal phalangeal sclerosis in sickle cell disease. *AJR* 140:763-765.

Sebes JJ (1989): Diagnostic imaging of bone and joint abnormalities associated with sickle cell hemoglobinopathies. *AJR* 152: 1153-1159.

Segel GB (1996): Hemolytic anemias. In: Nelson WE, Behrman RE, Kliegman RM, et al (eds). *Nelson textbook of pediatrics* 15th ed. Philadelphia, W.B. Saunders company : 1390-1410.

Seibert JJ, Miller SF, Kirby RS, et al (1993): Cerebrovascular disease in symptomatic and Asymptomatic patients with sickle cell anemia: screening with duplex transcranial Doppler US-Correlation with MR imaging and MR angiography. *Radiology* 189:457-466.

Semelka RC, Mitchell DG, Reinhold C (1997): The liver and biliary system. In Higgins CB, Hricak H, Helms CA (eds). *Magnetic resonance imaging of the body*, 3rd ed. New York, Lippincott -Raven: 591.

Sharrard WJW (1993) : Metabolic and endocrine disease, reticuloendotheliosis and hemoglobinopathies. In *Pediatric orthopedic and fractures*, 3rd ed.

Sharsgard E, Doski J, Jaksic T, et al (1993): Thrombosis of the portal venous system after splenectomy for pediatric hematologic disease. *J pediatr Surg* 28:1109-1112.

Sheir S, Khalifa AS, Moktar GM, et al (1988): Hepatic changes in β -thalassemia major by ultrasonography. *Egypt J Pediat* 5 (1-2): 1-12.

Sherlock S, Dooley J (1993): Hematology of liver disease (Chapt.4). Ultrasound, Computed tomography and magnetic resonance imaging (Chapt.5). Iron overload states (Chapt. 21). In *Disease of the liver and biliary system*, 9th ed. Oxford.

Siegelman ES , Mitchell DG, Rubin R, et al (1991): Parenchymal versus reticuloendothelial iron overload in the liver : distinction with MR imaging. *Radiology* 179:361-366.

Siegelman ES, Outwater E, Hanau CA, et al (1994): Abdominal iron distribution in sickle cell disease: MR findings in transfusion and non transfusion dependent patients. *J comput Assist Tomog* 18:63-67.

Siegelman ES, Mitchell DG, Semelka RC (1996): Abdominal iron deposition: metabolism, MR findings, and clinical importance. *Radiology* 199: 13-22.

Silverman FN (1993): Bone changes with diseases of the blood and blood forming organs. In Silverman RN, Kuhn JP (eds). *Caffey's pediatric x-ray diagnosis : an integrated imaging approach*, 9 th ed. St Louis, Mosby, vol. 2: 1911-1926.

Simmons BE, Sathanam V, Castaner A, et al (1988): Sick cell heart disease. *Arch Intern Med* 148:1526.

Simson TM, Kao SCS (1992): Normal childhood developmental patterns in skull bone marrow by MR imaging. *Pediatr Radiol* 22:556-559.

Stark JE, Glasier CM, Blasier RD, et al (1991): Osteomyelitis in children with sickle cell disease: early diagnosis with contrast-enhanced CT. *Radiology* 179:731.

Steiner RM, Mitchell DG, Rao VM, et al (1993): Magnetic resonance imaging of diffuse bone marrow disease. *Radiol Clin North Am* 31 (2): 383-409.

Stephens GG, Scott RB (1980): Cholelithiasis in sickle cell anemia : surgical or medical management. *Arch Intern Med* 140:648.

Stoker DJ (1997): Myeloproliferative and similar disorders . In Grainger RG, Allison DJ (eds). *Diagnostic Radiology an Anglo-American Textbook of imaging*, 3rd ed. Great Britain, Churchill Livingstone: 1691-1712.

Stoller DW, Porter BA, Steinkirchner TM (1993): Marrow imaging . In Stoller DW (ed). *Magnetic resonance imaging in orthopaedic & sports medicine*. JP Lippincott company, Philadelphia.965-1029.

Sze G, Bravo S, Baierl P, et al (1991): Gadolinium- enhanced MR imaging. *Radiology* 180:497-502.

T

Tang JSH, Gold RH, Bassette LW, et al (1988) : Musculoskeletal infection of the extremities: evaluation with MR imaging. *Radiology* 166: 205-209.

Trubowitz S, Davis S (1982): The bone marrow matrix. In *The human bone marrow : anatomy, physiology, and pathophysiology*. Boca Rato, Fla. CRC : 43-75.

U

Unger E, Moldofsky P, Gatenby R, et al (1988) : Osteomyelitis by MR imaging. *AJR* 150: 605-610.

V

Valdez-Cruz LN, Reinech C, Routrowski M, et al (1982) : Pre-clinical abnormal segmental cardiac manifestations of anemia in children on transfusion chelation therapy . *AM Heart J* 83:415

VandeBerg BE, Malghem JJ, Labaisse MA, et al (1992): Avascular necrosis of the hip: Comparison of contrast enhanced and non contrast MR imaging with histologie correlation. *Radiology* 182:445-450.

Varat MA, Adolpha RJ, Flover NO (1972): Cardiovascular effects of anemia. *Am heart J* 83:415.

Villari N, Caramella D, Lippi A, et al (1992): Assessment of liver iron overload in thalassemic patients by MR imaging. *Acta Radiol* 33:347-350.

Voglar JB, Murphy WA (1988): Bone marrow imaging. *Radiology* 168:679-693.

W

Walter JB, Talbot IC (1996): Some disorders of the blood: the red cells. In *Walter and Israel general pathology*, 7th ed. New York,

Churchil Livingstone, Vol. 2: 831-859.

Wang Z, Bogdan AR, Zimmerman RA, et al (1992): Investigation of stroke in sickle cell disease by IH nuclear magnetic resonance spectroscopy. *Neuroradiology* 35: 57-65.

Ware HE, Brooks AP, Toye R, et al (1991): Sickle cell disease and silent avascular necrosis of the hip. *J Bone Joint Surg (Br)*, 73 (B)(6):407.

Ware RE, Schultz WH, Filston HC, et al (1992): Diagnosis and management of common bile duct stones in patients with sickle cell hemoglobinopathies. *Journal of Pediatric surgery* 27 (5) :572.

Wasi P (1971): Streptococcal infection leading to cardiac and renal involvement in thalassemia. *Lancet i* : 449-50

Watson RJ, Burko H, Megas H, et al (1963): The hand foot syndrome in sickle cell disease in young children. *Pediatrics* 31: 975.

Watt I, Cobby M (1998): Disorders of the lymphoreticular system and other hematopoietic disorders. In Sutton D (ed). *Textbook of Radiology and Imaging*, 6th ed. New York, Churchill Livingstone : 203-232.

Weatherall DJ, Clegg JB (1981): *The thalassemia syndrome*, 3rd ed. Blackwell, Oxford.

Weatherall DJ (1995): The thalassemias. In Beutler E, Lichtman MA, Coller BS, Kipps TJ (eds). *Williams Hematology*, 5th ed. New York, Mc Graw-Hill, Inc.: 581-615.

Wethers DR, Grover R (1983): Pitfalls in diagnosis of osteomyelitis in children with sickle cell disease. *Clin Pediatr* 22:614.

Wiener MD, Halvorsen RA, Vollmer RT, et al (1987): Focal intrahepatic extramedullary hematopoiesis mimicking neoplasm. *AJR* 149:1171.

Wiznitzer M, Ruggieri PM, Mosaryk TJ, et al (1990): Diagnosis of

cerebrovascular disease in sickle cell anemia by magnetic resonance angiography. *J pediatr* 117:551-555.

Wolfe L, Olivieri N, Sallan D, et al (1985): Prevention of cardiac disease by subcutaneous desferroxamine in patients with thalassemia major. *N Engle J Med* 312:1600-3.

Y

Yano T, Kodama T, Suzuki Y, et al (1997): Gadolinium-enhanced 3D time-of-flight MR angiography-Experimental and clinical evaluation. *Acta Radiologica* 38: 47-54.

Yee H, Mra R, Nyunt KM (1984): Cardiac abnormalities in the thalassemia syndromes. *South East Asian J Trop Med Pub Health* 15 (3): 414.

Z

Zawin JK, Jaramillo D (1993): Conversion of bone marrow in the humerus, sternum, and clavicle: changes with age on MR images. *Radiology* 188:159-164.

Zimmerman RA, Gill F, Goldberg HI, et al (1987): MRI of sickle cell infarction. *Neuroradiology* 29:232-237.

Zinn D, Jack OH, Harris LC (1993): Focal and diffuse increased echogenicity in the renal parenchyma in patients with sickle cell hemoglobinopathies. *J Ultrasound M.* 4:211-214.
