

References

- 1- Webster's New World, Medical Dictionary, 2003.**
- 2- Diehl SJ, Lehmann KJ , Sadick M, et al. 1998 Pancreatic cancer: Value of dual-phase helical CT in assessing respectability . Radiology.;206:373-378.**
- 3- McNulty NJ, Francis IR , Platt JF, et al. 2001 Multi-detector row helical CT of the pancreas: Effect of contrast-enhanced multiphasic imaging on enhancement of the pancreas , peripancreatic vasculature , and pancreatic adenocarcinoma. Radiology.;220:97-102.**
- 4- Tabuchi T , Itoh K , Ohshio G, et al. 1999 Tumor staging of pancreatic adenocarcinoma using early- and late-phase helical CT. *AJR*; 173:375-380**
- 5- Rizwan Aslam, MD; Judy Yee, MD, 2006.**
- 6- American Cancer Society, 2004. Cancer Facts & Figures. Atlanta, GA: American Cancer Society, 2004.**
- 7- Fletcher JG, Wiersema MJ , Farrell MA, et al. 2003 Pancreatic malignancy: Value of arterial , pancreatic, and hepatic phase imaging with multi-detector row CT. Radiology.;229:81-90.**
- 8- Raptopoulos V, Steer ML, Sheiman RG, 1997 The use of helical CT and CT angiography to predict vascular involvement from pancreatic cancer: Correlation with findings at surgery. *AJR Am J Roentgenol.*;168:971-977.**
- 9- Van Hoe L, Gryspeerdt S, Marchal G, et al 1995. Helical CT for the preoperative localization of islet cell tumors of the pancreas: Value of arterial and parenchymal phase images. *AJR Am J Roentgenol.*;165:1437-1439**
- 10- Vargas R, Nino-Murcia M , Trueblood W , Jeffrey RBJr. 2004. MDCT in pancreatic adenocarcinoma: Prediction of vascular invasion and resectability using a multiphasic technique with curved planar reformations. *AJR Am J Roentgenol.*; 182: 419-425.**

- (1) **Russell R.C., Williams N.S. and Culstrode C.K.:** The pancreas. In *Bailey & Love's, Short Practice of Surgery*, 5th ed. London: Arnold, 2000;987-1006.
- (2) **Crawford J.M., And Cotran R.S.:** The pancreas. In Cotran R.S., Kumar V. and Collins I. & *Pathologic Basis of Diseases* 6th ed. Philadelphia: W.B. Saunders Company, 1999: 897-925.
- (3) **Snell R.:** Anatomy of the gastrointestinal tract. In Snell R.S. *clinical anatomy for Medical Students*, 6th ed. Philadelphia: Lippincott Williams & Wilkins Company. 2000; 191-283.
- (4) **Ryan S.P., and McNicholas M.M. :** The pancreas. In *Anatomy for diagnostic imaging*. Philadelphia: WB Saunders Company, 1998; 147-204.
- (5) **Freeny P.C., and Lawson T.L.:** The pancreas. In Putman E.G., and Ravin E.G. *Textbook of diagnostic imaging*. Philadelphia: W.B. Saunders Company, 1988;1054-1077. .
- (6) **Stanley R.J., and Semelka R.C.:** Pancreas in Lee J.K., Sagel S.S.; Stanley R.J. and Heiken J.P. *Computed Body Tomography with MRI Correlation*, 3rd ed. Philadelphia: Lippincott- Raven, 1998;873 -911.
- (7) **Federle M.P., and Goldberger H.I.:** Computed tomography of the pancreas. In Moss A.A., Gamsu G., and Genant H.K. *Computed Tomography of the Body* 2nd ed. Philadelphia: W.S. Saunders, 1983;699-762.
- (8) **Charnsangave C:** Anatomy of the pancreas. In: Gazelle G Saini A., and Muller P.R. *Hepatobiliary and Pancreatic Radiology, Imaging and Intervention*. New York- Thieme Medical Publishers, 1998;1-23.
- (9) **Kloppel G., and Bogoiuoletz W.:** Tumors of the exocrine pancreas. In Fletcher C. *Diagnostic Histopathology of Tumors. Volume -1*, 2nd ed. London:

Churchill Livingstone, 2000;461-474.

(10) House M.G., Yeo C.J., and Schulick R.D.: *Periampullary Pancreatic Somatostatinoma.* *Annals of Surgical Oncology* 2002;9:869-874.

(11) Nino-Murcia M., Tamm E.P., Charnsangavej C., and Jeffrey R.B.: Multidetector-row helical CT and advanced postprocessing techniques for the evaluation of pancreatic neoplasms. *Abdom Imaging* 2003;28:366-377.

(12) Gold E.P., and Golden S.B. : Epidemiology of and risk factors for pancreatic cancer *Surg. Oncol N. Am.* 1998;7(1): 67-91.

(13) Konner J., and O'Reilly E.: *Pancreatic cancer: epidemiology, genetics and approaches to screening.* *Oncology (Huntingt)* 2002; 16(12): 1615-1622.

(14) Watt P.C., and Spence R.A. : The Pancreas. In *Pathology for Surgeons.* Bristol: IOP Publishers, 1986;206-217.

(15) Kloppel G., and Heitz P.U.: *Tumors of the endocrine pancreas.* In *Fletcher Ch.D. Diagnostic Histopathology of Tumors. Volume 2, 2nded.* London: Churchill Livingstone, *2000;i083-1195. \$J?I^{ferences} (References £Q

(16)Vargas R, Nino-Murcia M, Trueblood W, Jeffrey RB Jr. MDCT in pancreatic adenocarcinoma: Prediction of vascular invasion and resectability using a multiphasic technique with curved planar reformations. *AJR Am J Roentgenol.* 2004; 182: 419-425.

(17) Sandhu A., Peacock J,L., and Smith J.L.: Cancer of the Major Diagnostic Glands: Pancreas, Liver, Bile Ducts, QallblaHHer In Rubin P., and Williams J.P. *Clinical Oncology*, 8thed. Philadelphia: W.B. Saunders Company, 2001;765-786.

(18) Rosai J.: Pancreas and ampullary region. In *Ackeriran's Surgical*

Pathology, 5th ed. New York. Raven Press, 1996;969-1007.

(19) Taouli B., Vilgrain V., Terris B., Sauvanet A., Hammel P., and Menu Y.: Intraductal Papillary Mucinous Tumors of the Pancreas: Helical CT with Histopathologic Correlation. *Radiology* **2000**; 217:757-764.

(20) Grainger R.G., Allison D.J., Adam A., and Dixon A.K. : *Diagnostic radiology* 4th ed. London: Churchill Livingstone, in Selected Pa,ien«s Nonfunctioning Islet Cell Tumors. *Annals of Surgical Oncology* 2001,8.249-253

(21) Fernandez-Del C., and Warshaw A.L.: Cystic tumors of the pancreas. *SurgClin North Am* 1995;75:1001-1016.

(22) Montenarano H., Loneragan G.J., Bulas D.I., and Selby D.M.: *Pancicatablastoiv.i: Imaging Findings in 1C Patients and Review of the Literature* ^ *Radiology* 2QW'92\4: -"-482. C.F.: duct

(23) Ichikawa T, Peterson MS, Federle MP, et al. Islet cell tumor of the pancreas: Biphasic CT versus MR imaging in tumor detection. *Radiology*. 2000; 216:163-171.

(24) Horton KM, Fishman EK. Adenocarcinoma of the pancreas: CT imaging. *Radiol Clin N Am*. 2002;40:1263-1272.

(25) Dussek J.E., and Ferguson M.W.: Surgical aspects of pancreatic disease and surgery of the endocrine glands. In *Clinical Surgery* 1sted, London: W.B. Saunders Company, 2001;497-527.

(26) Thoeni R.F., Muelier U.G. and Chan R.: Detection of small functional islet cell tumors in the pancreas: Selection of MR imaging sequences for optimal

sensitivity. /tadzo/ogy2000;214:484-490.

(27) Rydberg J., Liang Y., and Teague S.D.: Fundamentals of multichannel CT. *Radio! Clin North Am* 2003;41(3):465-74. **(28) Dr. D.F. Hardwick**

(29) Jerrold T.B., Boone J.M., and Edwin M.L.: *Computed tomography. In The Essential Physics of Medical Imaging 2nd ed. Philadelphia: Lippincot^ Williams, 2002;327-372.*

(30) Tucker J. : CT techniques. Tn Gazelle G., and Saini S., and Muelier PR. *Hepatobiliary and Pancreatic Radiology Imaging c.nd Intervention.* New York: Thieme Medical Publishers, **1998;38-61.**

(31) Joseph K.T., Robert J., and Stuart S.: *Conventional spiral computed tomography. In Computed Body Tomography with MRI Correlation 3rd cd. Philadelphia: Lippinct-Raven, 1998;1-20.*

(32) Elliot J., Jeffry R.B., and Napel S.: Basic principles of spiral CT. In *Spiral CT; principles, technique , and clinical applications 2nd ed. Philadelphia: Lippincot-Raven, 1998; 3-i5.~*

(33) Murfitt J., Robinson P., Whitehouse R.W., Jenkins J., Andrew R., and Wright A.R.: *The normal chest: methods of investigations and c.rferential diagnosis. In Sutton D. Textbook of raudiolog, ind imaging 7th ed. London: Churchill Livingstone, 2002: 1-2 SI.*

(34) Prokop M.: Multislice CT: Technical principles and future trends.

(35) Takeshita K., Furui S., and Takada K.: MulticLtector row helica' CT of the pancreas: value of 3D images, 2D. reformations, and contrast-enhanced multiphasic imaging. *J Hep.itobiliary Pancreat Surg* 2002;9:576-582.

(36) Fidler J.L., Fletcher J.G., Reading C.C., Andrews J.C, Thompson G.B.,

and Service F.J. : Preoperative detection of pancreatic insulinomas on multihasic helical CT. *A/#2003;181:775-780.*

(37) Kim T., Murakami T., Takahashi S., Okada A., and Nakamura H.: *Pancreatic CT imaging: effect of different injection rates and dose of contrast material.* *Radiology* 1999;212:219-225.

(38)Fletcher JG, Wiersema MJ, Farrell MA, et al. Pancreatic malignancy: Value of arterial, pancreatic, and hepatic phase imaging with multi-detector row CT. *Radiology.* 2003;229:81-90.

(39) Lawler L.P., Horton K.M., and Fishman E.K.: *Peripancreatic Masses That Simulate Pancreatic Disease: Spectrum of Disease and Role of CT.* *Radiographics* 2003;23:1117-1131.

(40) Johnson P.T., Heath D.G., Hofmann L.V., and Horton K.M.: *Multidetector-Row Computed Tomography with Three-Dimensional Volume Rendering of Pancreatic Cancer: A Complete Preoperative Staging Tool Using Computed Tomography Angiography and Volume-Rendered Cholangiopancreatography.* *J Comput Assist Tomogr* 2003;27(3):347-353.*an*

- (41) **Imftriaco M., Megibow A.J., Ragozzino A., Liuzzi R., Mamenti P., Bortone S., Camera L., and Salvatore M.:** Value of the Single-Phase Technique in MDCT Assessment of Pancreatic Tumors. *AJR* 2005; 184:1 U 1-1117.
- (42) **Brugel M., Rummency E.J., and Dobritz M.:** Vascular invasion in pancreatic cancer: value of multislice helical CT. *Abdom Imaging* 2004;29:23^245. *References C9 ^ (Referenc*
- (43) **Yassa NA, Agostini JT, Ralls PW.** Accuracy of CT in estimating extent of pancreatic necrosis. *Clin Imaging* 1997;21:407 – 10.
- (44) **Balthazar EJ.** Acute pancreatitis: assessment of severity with clinical and CT evaluation. *Radiology* 2002;223:603 – 13.
- (45) **Cohen-Scali F, Vilgrain V, Brancatelli G, et al.** Dis-crimination of unilocular macrocystic serous cyst-adenoma from pancreatic pseudocyst and mucinous cystadenoma with CT: initial observations. *Radiology* 2003;228:727 – 33.
- (46) **Gumaste VV, Pitchumoni CS.** Pancreatic pseudocyst. *Gastroenterologist* 1996;4:33 – 43.
- (47) **Yeo CJ, Bastidas JA, Lynch-Nyhan A, et al.** The natural history of pancreatic pseudocysts docu- mented by computed tomography. *Surg Gynecol Obstet* 1990;170:411 – 7.
- (48) **Pitchumoni CS, Agarwal N.** Pancreatic pseudocysts. When and how should drainage be performed? *Gastroenterol Clin North Am* 1999;28:615 – 39.
- (49) **Katsohis CD, Jardinoglou E, Basdanis G, et al.** Pan-creatic abscess following acute pancreatitis. *Am Surg* 1989;55:427 – 34.
- (50) **Ranson JH, Balthazar E, Caccavale R, et al.** Com-puted tomography and the prediction of pancreatic abscess in acute pancreatitis.

Ann Surg 1985;201:

(51) vanSonnenberg E, Wittich GR, Chon KS, et al. Per-cutaneous radiologic drainage of pancreatic ab-scesses. AJR Am J Roentgenol 1997;168:979 – 84.

(52)Belli AM, Jennings CM, Nakielny RA. Splenic and portal venous thrombosis: a vascular complication of pancreatic disease demonstrated on computed tomog-raphy. Clin Radiol 1990;41:13 – 6.

(53)Mortele KJ, Mergo PJ, Taylor HM, et al. Peripancre-atic vascular abnormalities complicating acute pan-creatitis: contrast- enhanced helical CT findings. Eur J Radiol 2004;52:67 – 72.

(54)Moody AR, Poon PY. Gastroepiploic veins: CT ap-pearance in pancreatic disease. AJR Am J Roent-genol 1992;158:779 – 83.

(55)Heider TR, Azeem S, Galanko JA, et al. The natural history of pancreatitis- induced splenic vein throm-bosis. Ann Surg 2004;239:876 – 80.

(56)Balthazar EJ, Fisher LA. Hemorrhagic complications of pancreatitis: radiologic evaluation with emphasis on CT imaging. Pancreatology 2001;1:306 – 13.

(57)Carr JA, Cho JS, Shepard AD, et al. Visceral pseu-doaneurysms due to pancreatic pseudocysts: rare but lethal complications of pancreatitis. J Vasc Surg 2000; 32:722 – 30.

(58)Dasgupta R, Davies NJ, Williamson RC, et al. Haemo-succus

pancreaticus: treatment by arterial embolization. Clin Radiol 2002;57:1021 – 7.

(59)Pitkaranta P, Haapiainen R, Kivisaari L, et al. Diagnostic evaluation and aggressive surgical approach in bleeding pseudoaneurysms associated with pancreatic pseudocysts. Scand J Gastroenterol 1991;26: – 64.

(60)Savastano S, Feltrin GP, Antonio T, et al. Arterial complications of pancreatitis: diagnostic and therapeutic role of radiology. Pancreas 1993;8:687 – 92.

(61)de Perrot M, Berney T, Buhler L, et al. Management of bleeding pseudoaneurysms in patients with pancreatitis. Br J Surg 1999;86:29 – 32.

(62)Ferrucci JT, Wittenberg J, Black EB, et al. Computed body tomography in chronic pancreatitis. Radiology 1979;130:175 – 82.

(63)Luetmer PH, Stephens DH, Ward EM. Chronic pancreatitis: reassessment with current CT. Radiology 1989;171:353 – 7.

(64)Remer EM, Baker ME. Imaging of chronic pancreatitis. Radiol Clin North Am2002;40:1229 – 42.

65)Kim T, Murakami T, Takamura M, et al. Pancreatic mass due to chronic pancreatitis: correlation of CT and MR imaging features with pathologic findings. AJR Am J Roentgenol 2001;177:367 – 71.

66)Karasawa E, Goldberg HI, Moss AA, et al. CT pan-creatogram in carcinoma of the pancreas and chronic pancreatitis. Radiology 1983;148:489 – 93.

67)Weber SM, Rikkers LF. Splenic vein thrombosis and gastrointestinal bleeding in chronic pancreatitis. World J Surg 2003;27:1271 – 4.

68)Rey P, Carrere C, Tissier S, et al. Groove pancreatitis. Diagnostic impact of dynamic radiology. Presse Med 2003;32:1705 – 6.

69)Becker V, Mischke U. Groove pancreatitis. Int J Pancreatol 1991;10:173 – 82.

70)Itoh S, Yamakawa K, Shimamoto K, et al. CT find-ings in groove pancreatitis: correlation with histo-pathological findings. J Comput Assist Tomogr 1994; 18:911 – 5.

71)Winter TC, Ager JD, Nghiem HV, et al. Upper gastrointestinal tract and abdomen: Water as an orally administered contrast agent for helical CT. Radiology. 1996;201:365-370.

72)Tublin ME, Tessler FN, Cheng SL, et al. Effect of injection rate of contrast medium on pancreatic and hepatic helical CT. Radiology. 1999;210:97-101.

73)McNulty NJ, Francis IR, Platt JF, et al. Multi-detector row helical CT of the pancreas: Effect of contrast-enhanced multiphasic

imaging on enhancement of the pancreas, peripancreatic vasculature, and pancreatic adenocarcinoma. *Radiology*. 2001;220:97-102.

74) Lu DS, Vedantham S, Krasny RM, et al. Two-phase helical CT for pancreatic tumors: Pancreatic versus hepatic phase enhancement of tumor, pancreas and vascular structures. *Radiology*. 1996; 199:697-701.

75) American Cancer Society. Cancer Facts & Figures 2004. Atlanta, GA: American Cancer Society, 2004.

76) Ariyama J, Suyama M, Satoh K, Sai J. Imaging of small pancreatic ductal adenocarcinoma. *Pancreas*. 1998;16:396-401.

77) Tsuchiya R, Noda T, Harada N, et al. Collective review of small carcinomas of the pancreas. *Ann Surg*. 1986;203:77-81.

78) Legmann P, Vignaux O, Dousset B, et al. Pancreatic tumors: Comparison of dual-phase helical CT and endoscopic sonography. *AJR Am J Roentgenol*. 1998;170:1315-1322.

79) Ichikawa T, Haradome H, Hachiaya J, et al. Pancreatic ductal adenocarcinoma: Preoperative assessment with helical CT versus dynamic MR imaging. *Radiology*. 1997;202:655-662.

80) Bronstein YL, Loyer EM, Kaur H, et al. Detection of smaller pancreatic tumors with multiphasic helical CT. *AJR Am J Roentgenol*. 2004;182:619-623.

81) Bluemke DA, Cameron JL, Hruban RH, et al. Potentially resectable adenocarcinoma: Spiral CT assessment and surgical and pathological correlation. *Radiology*. 1995;197:381-385.

- 82)Prokesch RW, Chow LC, Beaulieu CF, et al.** Isoattenuating pancreatic adenocarcinoma at multi-detector row CT: Secondary signs. *Radiology*. 2002;224:764-768.
- 83)Diehl SJ, Lehmann KJ, Sadick M, et al.** Pancreatic cancer: Value of dual-phase helical CT in assessing resectability. *Radiology*. 1998;206:373-378.
- 84)Lu DS, Reber HA, Krasny RM, et al.** Local staging of pancreatic cancer: Criteria for unresectability of major vessels as revealed by pancreatic-phase, thin-section helical CT. *AJR Am J Roentgenol*. 1997;168:1439-1443.
- 85)Horton KM, Fishman EK.** 3D CT angiography of the celiac and mesenteric arteries with multidetector CT data sets: Preliminary observations. *Abdom Imaging*. 2000;25:523-525.
- 86)Raptopoulos V, Steer ML, Sheiman RG, et al.** The use of helical CT and CT angiography to predict vascular involvement from pancreatic cancer: Correlation with findings at surgery. *AJR Am J Roentgenol*. 1997;168:971-977.
- 87)Williams PL, Bannister LH, Berry MM, et al, eds.** *Gray's Anatomy*. 38th ed. New York, NY: Churchill Livingstone; 1995.
- 88)Zeman RK, Cooper C, Zeiberg AS, et al.** TNM staging of pancreatic carcinoma using helical CT. *AJR Am J Roentgenol*. 1997;169:459-464.
- 89)Muller MF, Meyberger C, Bertschinger P, et al.** Pancreatic tumors: Evaluation with endoscopic US, CT and MR imaging. *Radiology*. 1994;190:745-751.

90)Phan GQ, Yeo CJ, Hruban RH, et al. Surgical experience with pancreatic and peripancreatic neuroendocrine tumors: Review of 125 patients. J Gastrointest Surg. 1998;2:472-482.

91)Sheth S, Fishman EK. Imaging of uncommon tumors of the pancreas. Radiol Clin N Am. 2002; 40:1273-1287.

92)Van Hoe L, Gryspeerdt S, Marchal G, et al. Helical CT for the preoperative localization of islet cell tumors of the pancreas: Value of arterial and parenchymal phase images. AJR Am J Roentgenol. 1995;165:1437-1439.

93)Stafford-Johnson DB, Francis IR, Eckhauser FE, et al. Dual-phase helical CT of nonfunctioning islet cell tumors. J Comput Assist Tomogr. 1998; 22:335-339.

94)Sheth S, Hruban RK, Fishman EK. Helical CT of islet cell tumors of the pancreas: Typical and atypical manifestations. AJR Am J Roentgenol. 2002;179:725-730.

95)Anderson MA, Carpenter S, Thompson NW, et al. Endoscopic ultrasound is highly accurate and directs management in patients with neuroendocrine tumors of the pancreas. Am J Gastroenterol. 2000; 95:2271-2277.

96)Bouvet M, Staerke GA, Spitz FR, et al. Primary pancreatic lymphoma. Surgery. 1998;123: 382-390.

97)Merkle EM, Bender GN, Brambs HJ. Imaging findings in pancreatic lymphoma: Differential aspects. AJR Am J Roentgenol. 2000;174:671-675.

98)Salvatore JR, Cooper B, Shah I, Kummet T. Primary pancreatic lymphoma: A case report, literature review, and proposal for nomenclature. *Med Oncol.* 2000;17:237-247.

99)Nayer H, Weir EG, Sheth S, Ali SZ. Primary pancreatic lymphomas: A cytopathologic analysis of a rare malignancy. *Cancer.* 2004;102:315-321. 34.

100)Ichikawa T, Federle MP, Ohba S, et al. Atypical exocrine and endocrine pancreatic tumors (anaplastic, small cell, and giant cell types): CT and pathologic features in 14 patients. *Abdominal Imaging.* 2000;25:409-419.

101)Klein KA, Stephens DH, Welch TJ. CT characteristics of metastatic disease of the pancreas. *Radiographics.* 1998;18:369-378.

102)Scatarige JC, Horton KM, Sheth S, Fishman EK. Pancreatic parenchymal metastases: Observations on helical CT. *AJR Am J Roentgenol.* 2001;176:695-699.

103)Demos TC, Posniak HV, Harmath C, et al: Cystic lesions of the pancreas. *AJR Am J Roentgenol.* 2002;179:1375-1388.

104)Curry CA, Eng J, Horton KM, et al. CT of primary cystic pancreatic neoplasms: Can CT be used for patient triage and treatment? *AJR Am J Roentgenol.* 2000;175:99-103.

105)Sarr MG, Carpenter HA, Prabhakar LP, et al. Clinical and pathologic correlation of 84 mucinous cystic neoplasms of the pancreas: Can one reliably differentiate benign from malignant (or premalignant) neoplasms? *Ann Surg.* 2000;231:205-212.

106)Procacci C, Carbognin G, Accordini S, et al. CT features of malignant mucinous cystic tumors of the pancreas. Eur Radiol. 2001;11:1626-1630.

107)Silas AM, Morrin MM, Raptopoulos V, Keogan MT. Intraductal papillary mucinous tumors of the pancreas. AJR Am J Roentgenol. 2001;176:179-185.