

CONTENTS

INTRODUCTION.....	1
HISTORICAL REVIEW	4
A- Physico-chemical Studies:.....	4
B- Biological studies:.....	10
MATERIALS AND METHODS.....	18
I-Area of investigation:.....	18
II-Stations sampled:.....	19
III-Collection and analysis of samples:.....	22
1-Collection and analysis of water samples:.....	23
2-Microinvertebrates sampling and analysis:.....	27
1-Planktonic microinvertebrates:.....	27
2-Epiphytic microinvertebrates:.....	27
3 Collection of fish samples and stomach contents analysis:.....	28
IV- Statistical analyses:.....	29
1- Similarity Index:.....	29
2- Canonical Correspondence Analysis (CCA):.....	29
RESULTS	
I- PHYSICO-CHEMICAL PARAMETERS.....	30
1-Water temperature:.....	30
2-Transparency:.....	30
3-Electrical Conductivity (EC):	31
4-Total Solids (TS):	36
5-Hydrogen Ion Concentration (pH):.....	38
6-Dissolved Oxygen (DO):	40
7-Chemical Oxygen Demand (COD):.....	41
8-Alkalinity:	45
9-Sulphate:.....	46
10-Calcium:	51
11-Magnesium:	53
12-Nitrite:	55
13-Orthophosphate:	56
14-Total Phosphorus:	58
15-Silicate:	59
II- Description of the dominant holozooplankton:.....	65
1-Phylum: Arthropoda.....	65
2-phylum: Rotifera	75

CONTENTS

III- Microinvertebrates.....	79
1-Planktonic microinvertebrates - PM (zooplankton).....	79
I-Community Composition:	79
II-Variations of total zooplankton:.....	79
A-Copepoda.....	83
I-Community Composition:.....	83
II-Variations of total Copepoda:	83
III-Variations of the recorded copepod species:.....	86
1- <i>Thermodiaptomus galebi</i> :.....	86
2- <i>Mesocyclops ogunnus</i>	87
3- <i>Thermocyclops neglectus</i> :.....	88
IV. Variations of the juvenile stages of Copepoda:.....	88
1. Nauplius larvae:	88
2. Copepodite Stages:.....	90
B-Rotifera.....	97
I-Community Composition:.....	97
II-Variations of total Rotifera	97
III-The most dominant genera of Rotifera:	100
1- <i>Keratella</i> :.....	100
2- <i>Conochillus</i> sp.....	103
3- <i>Synchaeta</i> :	103
IV-Rare forms of Rotifera:	103
1- <i>Platyias</i> :	103
2- <i>Annuraeopsis</i> :.....	104
3- <i>Asplanchna</i> :.....	104
4- <i>Brachionus</i> :.....	104
5- <i>Colurella</i> :	104
6- <i>Polyarthra</i> :	105
7- <i>Trichocerca</i> :	105
8- <i>Monostyla</i> :.....	105
9- <i>Lecane</i> :	106
10- <i>Lepadella</i> :.....	106
11- <i>Filina</i> :.....	107
12- <i>Hexarthra</i> :.....	107
C-Total Cladocera	108
I-Community composition:.....	108
II- Variations of total Cladocera:.....	108
III- The most dominant genera of Cladocera:.....	111
1- <i>Bosmina</i> :.....	111
2- <i>Diaphanosoma</i> :	113

CONTENTS

3- <i>Ceriodaphnia</i> :	115
4- <i>Daphnia</i> :	117
IV- Rare forms of Cladocera:	119
1- <i>Chydorus</i> :	119
2- <i>Alona</i> :	121
3- <i>Macrothrix</i> :	121
4- <i>Simocephalus</i> :	122
D-Rare zooplankton groups:	122
1- Turbellaria:	122
2- Nematoda:	122
3- Oligochaeta:	122
4- Insecta	123
5- Protozoa:	123
2- Epiphytic microinvertebrates - EM:	124
Community composition:	124
Variations of total epiphytic microinvertebrates (TEM):	124
A-Nematoda:	125
B-Rotifera:	130
I- Community Composition:	130
II. Variations of total epiphytic rotifera (TER):	130
III- Variations of the recorded genera:	133
1. <i>Keratella</i> :	133
2. <i>Monostyla</i> :	133
3. <i>Lecane</i> :	134
4. <i>Anuraeopsis</i> :	135
5. <i>Macrochaetus</i> :	135
4. <i>Lepadella</i> :	135
7. <i>Colurella</i> :	136
8. <i>Euchlanis</i> :	136
9. <i>Tripleuchlanis</i> :	137
10- <i>Platylas</i> :	137
11. <i>Trichocerca</i> :	137
C-Protozoa:	137
I. Community Composition:	137
II. Variations of total epiphytic Protozoa (TEP):	137
III. Variations of the recorded genera of Protozoa:	140
1. <i>Centropyxis</i> :	140
2. <i>Acropisthium</i> :	140
3. <i>Trachelomonas</i> :	140
4. <i>Euglypha</i> :	140

CONTENTS

5. <i>Arcella</i> :	140
D- Cladocera:	141
I- Community Composition:	141
II. Variations of total epiphytic Cladocera (TECL):	141
III. Variations of the recorded genera of Cladocera:	144
1. <i>Alona</i> :	144
2. <i>Chydorus</i> :	144
3. <i>Diphanosoma</i> :	144
4. <i>Bosmina</i> :	145
5. <i>Pleuroxus</i> :	145
6. <i>Oxyours</i> :	145
7. <i>Macrothrix</i> :	145
E-Insecta:	145
F- Oligochaeta:	146
I- Community Composition:	146
II. Variations of total epiphytic Oligochaeta (TEO):	146
III. Variations of the recorded genera of Oligochaeta:	147
1. <i>Chaetogaster</i>	147
2. <i>Aeolosoma</i>	147
G- Copepoda	150
I. Community Composition:	150
II. Variations of the total epiphytic Copepoda (TEC) :	150
III. Variations of the different copepod stages:	151
1. Nauplius larvae	151
2. Copepodite stages:	151
3. Adult stage:	151
3- Submerged macrophyte communities (SMC) and their associated microinvertebrates:	154
1- <i>Myriophyllum Spicatum</i> Community:	154
2- <i>Najas horrida</i> Community:	154
3- <i>M. Spicatum</i> – <i>N. horrida</i> Community:	154
4- <i>M. Spicatum</i> – <i>Potamogeton schweinfurthii</i> community:	154
IV- Food habits of some fish species:	157
1- Stomch contents of <i>Oreochromis niloticus</i> :	157
2- <i>Sarotherodon galilous</i> :	158
3- <i>Lates niloticus</i> :	159
4- <i>Alestes</i> sp.	159
5- <i>Hydrocynus forskalii</i>	160
V- Statistical analyses:	167
1-Similarity index	167

CONTENTS

A- Similarity index between stations:.....	167
B- Similarity index between the dominant zooplankters:.....	167
2-Canonical Correspondence Analysis (CCA):.....	169
A- CCA of environmental parameters and planktonic microinvertebrates:.....	169
B-CCA of environmental parameters and epiphytic microinvertebrates:.....	172

DISCUSSION.....	175
------------------------	------------

SUMMARY.....	193
---------------------	------------

REFERENCES.....	208
------------------------	------------

ARABIC SUMMARY	
-----------------------------	--