

References

References

Abd elhassib, D.M. (2001):

Screening for genetic disorders in pediatric patients in kalubia province. M.Sc. Thesis, faculty of medicine, Benha university.

Al-Mufti, R.; Hambley, H.; Farzaneh, F. and Nicolaides, K.H. (1999) :

Investigation of maternal blood enriched for fetal cells: role in screening and diagnosis of fetal trisomies.

Am. J. Med. Genet. Jul. 2, 8.5 (1): 66-75.

Amiel, A.; korenstein, A.; Gaber, E. and Avivi, L. (1999):

Asynchronous replication of alleles in genomes carrying an extra autosome.

Eur. J. Hum. Genet. Feb.-Mar., 7 (2): 223-30.

Antonarakis, S.E. (2001):

10 years of Genomics, chromosome 21, and Down syndrome.

Genomics, 51(1):1-16.

Arrighi, F.E. and Hsu, T. (1971) :

Localization of Heterochromatin in Human Chromosomes.

Cytogenetics, 10: 81-6.

Baker, D.J.; Jeganathan, K.B.; Cameron, J.D.; Thompson, M. and Juneja, S. (2004):

BubR1 insufficiency causes early onset of aging-associated phenotypes and infertility in mice.

Nat. Genet. 36: 744–749.

Ball, R.H.; Caughey, A.B. and Malone, F.D. (2007):

First- and second-trimester evaluation of risk for Down syndrome" ([dead link]).

Obstet. Gynecol. 110 (1): 10–7.

Barlow, A.L.; Tease, C. and Hultén, M.A. (2002):

Meiotic chromosome pairing in fetal oocytes of trisomy 21 human females.

Cytogenet. Genome. Res. 96(1–4):45-51.

Barr, M.L. and Bertram, E.G. (1949):

A morphological distinction between neurones of the male and female and the behavior of the nucleolar satellites during accelerated nucleoprotein synthesis. Nature 163:676.

Be, C.; Velasquez, P. and Youlton, R. (1997) :

Spontaneous abortion: cytogenetic study of 609 cases.

Rev. Med. Chil. Mar. 125 (3): 317-22.

Been, P.A. (2002):

Advances in prenatal screening for down syndrome ,general principle and second trimester testing

Clin.Chim.Acta323 (1-2):1-6.

Benadiva, C.A.; Kligman, I. and Munne, S. (1996):

Aneuploidy 16 in human embryos increases significantly with maternal age.

Fertil. Steril. Aug., 66 (2): 248-55.

Berney, T.P.; Ireland, M. and Burn, J. (1999) :

Behavioural phenotype of conelia de lange syndrome.

Arch. Dis. Child. Oct., 81 (4): 333-6.

Bewley, S. (1996) :

Screening of fetal trisomies by maternal age and fetal nuchal translucency thickness at 10 to 14 weeks of gestation.

Br. J. Obstet. Gynecol. Oct., 103 (10): 105-4.

Brown, A.S.; Feingold, E.; Broman, K.W. and Sherman, S.L. (2000):

Genome widevariation in recombination in female meiosis: A risk factorfor no disjunction of chromosome 21.

Hum. Mol. Genet. 9(4):515-523.

Bugge, M.; Collins, A.; Petersen, M.B.; Fisher, J.; Bradt, C.; Hertz, J.M.; Tranebjaerg, L.; Lozier-Blanchet, C.; Nicolaides, P.; Brondum-Nielsen, K.; Morton, N. and Mikkelsen, M. (1998) :

Non-disjunction of chromosome 18.

Hum. Mol. Genet, 7 (4): 661-9.

Bugge, M.; Collins, A.; Hertz, JM.; Eiberg, H.; Lundsteen, C.; Brandt, C.A.; Bak, M.; Hansen, C.; Lozier-Blanchet, C.; Lespinasse, J.; Tranebjaerg, L., Hahnemann, J.M.D.; Rasmussen, K.; Bruun-Petersen, G.; Duprez, L.; Tommerup, N. and Petersen, M.B. (2007):

Non-disjunction of chromosome 13.

Hum. Mol. Genet. 16 (16): 2004-2010.

Camp, B.W.; Broman, S.H.; Nichols, P.L. and Leff, M. (1998) :

Maternal and neonatal risk factors for mental retardation defining the "at-risk" child.

Early. Hum. Develo. Jan. 9, 50 (2): 159-73.

Cicero, T. (1994):

Effects of paternal exposure to alcohol on offspring development.

Alcohol Health and Research World 18, 37–41.

Coming, D.E.; Avelino, E.; Okada, T. and Wynadt, H.E.(1973) :

The mechanism of C-and G-banding of chromosomes.

Exp. Cell. Res. 77: 469-493.

Connor, J.M. and Ferguson-Smith, M.A. (1993) :

Essential medical genetics, third edition.

Blackwell Scientific, Oxford. Human Genetics 1- 14 and p. 69, 81 and 113.

Cooley, W.C. and Graham, J.M.(1997):

Down Syndrome: An update and review for the primary physician.

Clin. Pediatr. 30:223.

Cozzi, J.; Conn, C.M.; Harper, J.C.; Winston, R.M.L.; Rindl, M.; Farndon, P. and Delhanty, J.D.A. (1999):

A trisomic germ cell line and precocious chromatid separation causes repeated trisomic conceptions.

Hum. Genet. 104:23-28.

Donnelly, G.; McClure, N.; Kennedy, M. and Lewis, E. (1999):

Direct effect of alcohol on the motility and morphology of human spermatozoa.

Andrologia 31, 43–47.

Down, J.H.L. (1866):

Observation on an ethnic classification of idiots.
London Hosp.
Clin. Lect. Rep. 3: 259.

Drigan, A.; Yaron, J.; Zamir, R.; Ebrahim, S.A.; Johnson, M.P. and Evans, M.I. (1999) :

Differential effect of advanced maternal age on prenatal diagnosis of trisomies 13, 18 and 21.
Fetal. Diagn. Ther. May-Jun, 14 (3): 181-4.

Eichenlaub-Ritter, U. (1996):

Parental agrelated aneuploidy in human germ cells and offspring: a story of post and present.
Environ. Mol. Mutagen, 28 (3):211-36.

Emery, A.E.H. and Rimoin, D.L. (1983):

Principles and practice of medical genetics (2 volumes).
Churchill Living-Stone, Edinurgh.

Epstein, C.J. (2001):

Down syndrome (trisomy 21). In: Scriver CR, Beaudet AL, Sly WS, Valle D, Chills B, Kinzler KW and Vogelstein B, editors. The metabolic and molecular bases of inherited disease. 8th ed.
McGraw-Hill Companies, Inc; USA, p. 1223-1256.

Faden, V.B.; Graubard, B.I. and Dufour, M. (1997):

The relationship of drinking and birth outcome in a US national sample of expectant mothers.
Pediatric Prenatal Epidemiology; 11:167–80.

Filkins, K.; Rao, N.; Robinson, W.; Chen, L.; Markuson, T.; Poggi, S.; Kaselonis, F. and Cederbaum, S. (1999):

Multiple congenital anomalies in a fetus, with male and female cell lines: a chimera?
A. J. Hum. Genet. Perinatal Genetics, 172-180

Fisher, J.M.; Harvey, J.F.; Morton, N.E. and Jacobs, P.A. (1995):

Trisomy 18: studies of the parent and cell division of origin and the effect of aberrant recombination on nondisjunction.

Am. J. Hum. Genet. 56: 669–675.

Fortier, I.; Marcoux, S. and Beaulac-Baillargeon, L. (1993):

Relation of caffeine intake during pregnancy to intrauterine growth retardation and preterm birth.

Am. J. Epidemiol. 137:931–40.

George, T. and Capone, M.D. (2001):

Down Syndrome: Advance in molecular biology and neurosciences.

J. Dev. Behav. Pradiatr. 22: 40-59.

Ghani, F.; Maniar, S.; Khilji, Z.; Azim, M. and Khurshid, M. (1995) :

Diagnosis of genetic defects by chromosomal analysis.

J. Pakis. Med. Associ. Nov., 45 (11): 295-6.

Hakim, R.B.; Gray, R.H. and Zacur, H. (1998):

Alcohol and caffeine consumption and decreased fertility.

Fertil. Steril. 70:632–7.

Hamer, G.; Novak, I.; Kouznetsova, A. and Hg, C. (2008):

Disruption of pairing and synapsis of chromosomes causes stage-specific apoptosis of male meiotic cells.

Theriogenology, 69:333-339.

Hamerton, J.L. (1971):

Human Cytogenetics, Vol 1. In General Cytogenetics. New York. Academic.

Harnden, D.G. (1961):

Normal and abnormal cell division, in Hamerton JL (ed): Chromosomes in Medicine.
London, Heinemann, p. 17

Hassold, T. and Hunt, P. (2001):

To err (meiotically) is human: the genesis of human aneuploidy.
Nat. Rev. Genet. 2:280–291

Hassold, T.J. and Hunt, P.A. (2008):

Human female meiosis: what makes a good egg go bad?
Trends Genet. 24:86-93.

Hassold, T.; Merrill, M.; Adkins, K.; Freeman, S. and Sherman, S. (1995) :

Recombination and maternal age-dependent non disjunction: Molecular studies of Trisomy 16.
Amer. Jour. Gene. Octo. 57 (4): 867-74.

Hassold, T. and Sherman, S. (2003):

Down Syndrome: Genetic recombination and the origin of the extra chromosome 21.
Clin. Genet. 57(2):95-100.

Hattori, M.; Fujiyama, A.; Taylor, T.D.; Watanabe, H.; Yada, T.; Park, H.S. and Toyoda, A. (2000):

The DNA sequence of human chromosome 21.
Nature 405:311–319

Hook, E.B. and Hamerton, J.L.(1977):

The frequency of chromosome abnormalities detected in consecutive new born studies- differences between studies- results by sex and severity of phenotypic involvement, in Hook EB, porter IH (eds): population Cytogenetics: Studies in Human. New York, Academic, p.63.

Howe, D.T.; Kilby, M.D.; Sirry, H.; Barker, G.M.; Roberts, E.; Davison, E.V.; Mchugo, J. and Whittle, M.J. (1996) :

Structural chromosome anomalies in congenital diaphragmatic hernia.
Pren. Diag., Nav. 16 (11): 1003-9.

Hsu, L.Y.; Gertner, M.; Leiter, E. and Hirschhorn, K. (1971):

Paternal trisomy 21 mosaicism and Down's syndrome.
Am. J. Hum. Genet. 23:592-601.

Huderer-Duric, K.; Skrablin, S.; Kuvacic, I.; Sonicki, Z.; Rubala, D. and Suchanek, E. (2000) :

The triple-marker test in predicting fetal aneuploidy: a compromise between sensitivity and specificity.
Eur. J .Obstet. Gynecol. Reprod .Biol. Jan, 88 (1): 49-55.

Huggins, M.J. and Mernagh, J. (1999):

Trisomy 21 and Ebstein Anomaly.
Amer. Jour. Hum. Genet. Clinical Genetics, Morphology and Dysmorphology, 139-155.

Hultén, M.A.; Patel, S.D.; Tankimanova, M.; Westgren, M.; Papadogiannakis, N.; Jonsson, A.M. and Iwarsson, E., (2008):

On the origin of trisomy 21 Down syndrome.
Mol. Cytogen. 1:21.

Ibrahim, M.A. and Riad, M.S. (2002):
Essentials of medical genetics.

Jackson, L.G. and Schimke, R.N. (1979):
Clinical genetics .A source book for physicians.
A wiley medical publication.

James, S.J.; Pogribna, M.; Pofribny, I.P.; Melnyk, S.; Hine, R.J.; Gibson, J.B.; Yi, P.; Swenson, D.H.; Wilson, V.L. and Gaylor, D.W. (1999):
Abnormal folate metabolism and mutation in the methylenetetrahydrofolate reductase gene may be maternal risk factors for Down syndrome.
Am. J. Cli. Nut. 70(4):495-501.

Jones, K.T. (2008):
Meiosis in oocytes: predisposition to aneuploidy and its increased incidence with age.
Hum. Reprod. Update. 14:143-158.

Kagan-Krieger, S.; Selby, P.; vohra, S. and Koren, G. (2002):
Paternal alcohol exposure and turner syndrome.
Alcohol & Alcoholism, 37(6):613-617.

Källen, K. (1997):
Down's syndrome and maternal smoking in early pregnancy.
Gene. Epidemiol. 14:77–84.

King, R.C. and Stansfield, W.D. (1990):
A dictionary of genetics, 4th ed, New York: Oxford University Press.

Kirby, R.S.; Brewster, M.A.; Conino, C.U. and Pavin, M. (1995):

Early childhood surveillance of developmental disorders by a birth defects surveillance system: Methods, prevalence comparisons and mortality patterns.

Develop. Beha. Pedia., Oct., 16 (5): 318-26.

Koehler, K.E.; Hawley, R.S.; Sherman, S. and Hassold, T. (1996):

Recombination and nondisjunction in humans and flies.

Hum. Mol. Genet. 5 Spec No: 1495–1504.

Kong, A.; Barnard, J.; Gudbjartsson, D.; Thorleifsson, G.; Jonsdottir, G.; Sigurdardottir, S.; Richardson, B.; Jonsdottir, J.; Thorgeirsson, T.; Frigge, M.; Lamb, N.; Sherman, S.; Gulcher, J. and Stefansson, K. (2004):

Recombination rate and reproductive success in humans.

Nat. Genet. 36:1203–1206

Kovaleva, N.V. (2007):

Parenatal mosaicism for trisomy 21. Problems with its detection and an approach to determining its population rate.

Genetic Testing, 11:341-344.

Kowal–Vern, A.; Bharati, S.; Melnyk, A. and husain, A.N. (1995):

Congenital polyvalvular cardiac disease without chromosomal abnormalities.

Pediatr. Pathol. Lab. Med. Mar-Apr. 15 (2):299-308.

Krawchuk, M.D. and Wahls, W.P. (1999):

Centromere mapping functions for aneuploid meiotic products: analysis of rec8, rec10 and rec11 mutants of the fission yeast *Schizosaccharomyces pombe*.
Genetics 153:49–55

Kuhn, P. (1995) :

Fetal nuchal edema in the 11th to 14th week of pregnancy, an indication of trisomy?
Schweiz-Med. Wochenschr. Dec., 26, 125 (51-52):
2494-8.

Lamb, N.E.; Feingold, E.; Savage, A.; Avramopoulos, D.; Freeman, S.; Gu, Y.; Hallberg, A.; Hersey, J.; Karadima, G.; Pettay, D.; Saker, D.; Shen, J.; Taft, L.; Millelsen, M.; Petersen, M.B.; Hassold, T. and Sherman, S.L. (1999):

Characterization of susceptible chiasma configuration that increases the risk for maternal non-disjunction of chromosome 21.
Hum. Mol. Genet.6:1391-1399.

Lamb, N.E.; Feingold, E. and Sherman, S.L. (1997):

Estimating meiotic exchange patterns from recombination data: an application to humans.
Genetics 146: 1011–1017.

Lamb, N.E.; Freeman, S.B.; Savage-Austin, A.; Pettay, D.; Taft, L.; Hersey, J.; Gu, Y.; Shen, J.; Saker, D.; May, K.M.; Avramopoulos, D.; Petersen, M.B.; Hallberg, A.; Mikkelsen, M.; Hassold, T.J. and Sherman, S.L. (1996):

Susceptible chiasmate configurations of chromosome 21 predispose to non-disjunction in both maternal meiosis I and meiosis II.
Nat. Genet. 14:400–405.

Lamb, N.E.; Sherman, S.L. and Hassold, T.J. (2005a):

Effect of meiotic recombination on the production of aneuploid gametes in humans.

Cytogenet. Genome. Res. 111: 250–255.

Lamb, N.E.; Yu, K.; Shaffer, J.; Feingold, E. and Sherman, S.L. (2005b):

Association between maternal age and meiotic recombination for trisomy 21.

Am. J. Hum. Genet. 76:91–99.

Lamlertkittikul, S. and Chandeying, V. (2007):

Experience on triple markers serum screening for

Down syndrome fetus in Hat Yai, Regional Hospital

J. Med. Assoc. Thai. 90(10):1970-6.

Lohiya, G.S.; Lohiya, S. and Tan-Figueroa, L. (1999):

Eighteen fractures in a man with profound mental retardation.

Ment. Retard. Feb., 37 (I): 47-51.

Mailhes, J.B. (2008):

Faulty spindle checkpoint and cohesion protein activities predispose oocytes to premature chromosome separation and aneuploidy.

Environ. Mol. Mutagen. 2008 in press.

Mal, B.W.; Pajkrt, E.; Van-Lith, J.J. and Bilardo, C.M. (1996) :

Screening for fetal trisomies by maternal age and fetal nuchal translucency thickness at 10 to 14 weeks of gestation.

Br. J. Gynecol. October, 103 (10): 1051-2.

Malini, S.S. and Ramachandra, N.B. (2006):

Influence of advanced age of maternal grandmother on Down syndrome.

BMC Med. Genet. 7:4.

Malini, S.S. and Ramachandra, N.B. (2007):

Possible risk factors for down syndrome and sex chromosomal aneuploidy in mysore, south India.
Ind. J. of Hum. Genet. 13:3.

McKay, R.D.G. (1973):

The mechanism of G and C banding in mammalian metaphase chromosome.
Chromosome, 44: 1-14.

Milerad, J.; Larson, O.; Phd, D.; Hagberg, C. and Ideberg, M. (1997) :

Associated malformations in infant with cleft lip and palate: a prospective population based study.
Pedia. Aug., 100 (2 pt. 1): 180-6.

Milunsky, A. (1976):

Current concepts in genetics. Prenatal diagnosis of genetic disorders.
N. Engl. Med. 295:377.

Molteno, C.; Smart, R.; Viljoen, D.; Sayed, R. and Roux, A. (1997):

Twenty year birth prevalence of down syndrome in cope town, South Africa.
Paediatr. Perinat. Epidemiol. Octo. 11 (4): 428-35.

Moorhead, P.S.; Nowell, P.C. and Mellman, W.J. (1960) :

Chromosome preparation of leukocytes cultured from human peripheral blood.
Ex. Cell. Res. 20: 613-16.

Morava, E.; Storcz, J. and Kosztalanyi, G. (1996) :

X-linked mental retardation syndrome.
Am. J. Med. Genet. Jul. 12-64 (1): 59-62.

NICHHD National Registry for Amniocentesis Study Group (1976):

Midtrimester amniocentesis for prenatal diagnosis.
Safety and accuracy.
JAMA 236:1471.

Nicolaidis, P. and Peterson, M.B. (1998):

Origin and mechanisms of non-disjunction in human
autosomal trisomies.
Hum. Reprod. Feb. 13 (2): 313-9.

***Oliver, T.R.; Feingold, E.; Yu, K.; Cheung, V.; Tinker, S.;
Yadav-Shah, M.; Masse, N. and Sherman, S.L. (2008):***

New insights into human nondisjunction of
chromosome 21 in oocytes.
PLoS Genet. 4:e1000033.

Patau, K.A.; Smith, D.W.; Therman, E.M. and Inborn, S.L.(1960):

Multiple congenital anomalies caused by an extra
autosome.
Lancet 1:790.

Pellestor, F.; Andreo, B.; Anahory, T. and Hamamah, S. (2006):

The occurrence of aneuploidy in human: lessons
from the cytogenetic studies of human oocytes.
Eur. J. Med. Gene. 49:103-116.

Ratcliffe, S. (1999):

Long-term outcome in children of sex chromosome
abnormalities.
Arch. Dis. Child. 80:192-195

Robinson, W.P.; Kuchinka, B.D.; Bernasconi, F.; Petersen, M.B.; Schulze, A.; Brondum-Nielsen, K.; Christian, S.L.; Ledbetter, D.H.; Schinzel, A.A.; Horsthemke, B.; Schuffenhauer, S.; Michaelis, R.C.; Langlois, S. and Hassold, T.J. (1998):

Maternal meiosis I nondisjunction of chromosome 15: dependence of the maternal age effect on the level of recombination.

Hum. Mol. Genet. 7:1011–1109

Robles, P.; Roig, I.; Garcia, R.; Ortega, A.; Egozcue, J.; Cabero, L.L. and Garcia, M. (2007):

Pairing and synapsis in oocytes from female fetuses with euploid and aneuploid chromosome complements. Reproduction, 133:899-907.

Schiff, J.D.; Palermo, G.D.; Veeck, L.L.; Goldstein, M.; Rosenwaks, Z. and Schlegel, P.N. (2005):

Success of testicular sperm injection and intracytoplasmic sperm injection in men with Klinefelter syndrome.

J. Clin. Endocrinol. Metab. 90:6263-6267.

Schuh, B.E.; Korf, B.R. and Salwen, M.J. (1975) :

Dynamic aspects of trypsin-Giemsa banding.

Hum. Genet. 28: 233-38.

Shetty, A.K.; Chatters, R.; Tilton, A.H. and Lacassie, Y. (2000) :

Syndrome of microcephally, mental retardation, and tracheoesophageal fistula associated with features of rett syndrome.

J. Child. Neurl. Jan, (1): 61-3.

Simpson, N.E.; Dallaire, L.; Miller, J.R. and Siminovich, L. (1976):

Prenatal diagnosis of genetic disease in Canada:
Report of a collaborative study.
Can. Med. Assoc. J. 115:739.

Smyth, C.M. and Bremner, W.J.(1998):

Klinefelter syndrome.
Arch. Intern. Med., 158:1309-1314

Snijders, R.J.; Sebire, N.J.; Faria, M.; Patel, F. and Nicolaides, K.H. (1995a) :

Fetal mild hydronephrosis and chromosomal defects:
relation to maternal and gestation.
Fet. Diag. Dis., Nov.-Dec., 10 (6): 349-55.

Snijders, R.J.; Sebire, N.J.; Psara, N.; Souka, A. and Nicolaides, K.H. (1995b) :

Prevalence of fetal facial cleft at different stages of
pregnancy.
Ultras. Obst. Gyn., Nov., 6 (5): 327-9.

SOGC Society of Obstetricians and Gynaecologists of Canada (2001):

Clinical Practice Guidelines, Canadian Guidelines
for Prenatal Diagnosis, Genetic indication for
prenatal diagnosis.
J. Soc. Obstet. Gynaecol. Can.;23(6):525-31

Sram, R.J.; Binkova, B.; Rossner, P.; Rubes, T.; Topillka, J. and Dejmek, J. (1999) :

Adverse reproductive outcomes from exposure to
environmental mutagens.
Metal. Res. Jul. 16,428 (1-2): 203-15.

Szabo, J.; Gellen, J. and Szemere, G. (1995):

First trimester ultrasound screening for fetal aneuploidies in women over and under 35 years old. *Ultras. Obst. Gyn., Mar., 5 (3): 161-3.*

Tennes, K.; Puck, M.; Bryant, K. and Frankenburg, W. (1975):

A developmental study of girls with trisomy X
Am. J. Hum. Genet. 27:71.

Thomas, N.S.; Ennis, S.; Sharp, A.J.; Durkie, M.; Hassold, T.J.; Collins, A.R. and Jacobs, P.A. (2001):

Maternal sex chromosome non-disjunction: evidence for X chromosome-specific risk factors.
Hum. Mol.Genet. 10:243–250

Torfs, C.P. and Christianson, R.E. (1998) :

Anomalies in down syndrome individuals in a large population based registry.
Am. J. Med. Genet. June 5, 77 (5): 431-8.

Toth-Pal, E.; Oroszne-Nagy, J.; Papp, C.; Szabo, M.; Veress, L.; Torok, O.; toth, Z. and Papp, Z. (1995) :

Screening for congenital anomalies in mid-term pregnancy. Prospective epidemiologic study fetal trisomy.
Orv. Helil. Feb. 26, 136 (9): 483-9.

Trofts, C.P. and Christianson, R.E. (2000):

Effects of maternal smoking and coffe consumption on the risk of having a recognized down syndrome pregnancy.
Am. J. of. epidemiol; 152:1185-91.

Vekemans, M. (2005):

Trisomy: Human trisomy is a leading cause of fetal wastage, perinatal and infant mortality, congenital malformation and mental retardation.

Encyclopedia of life sciences , John Wiley & Sons, Ltd. ,1-4

Verma, I.C.; Kabra, M. and Gangakhedkur, A.K. (1996) :

Optimal care for children with down syndrome in India.

Indian. J. Pediatr. Jan.-Feb., 63 (1): 121-6.

Visootsak, J. and Graham, J.M. J.r. (2006):

Klinefelter syndrome and other sex chromosomal aneuploidies

Orphanet Journal of Rare Diseases , 1:42

Wald, N.J.; Morris, J.K.; Ibison, J.; Wu, T. and George, L.M. (2006):

Screening in early pregnancy for pre-eclampsia using Down syndrome quadruple test markers.

Prenat. Diagn. 26 (6): 559–64.

White, D.M.; Pillers, D.A.; Reiss, J.A.; Brown, G.M. and Magenis, R.E. (1995) :

Four patients with a combination of multiple minor anomalies and mental retardation.

Am. J. Med. Gene., 57 (4): 538-97.

Yencilek, F. and Baykal, C. (2005):

46,XX male syndrome: a case report.

Clin. Exp. Obst. Gyn. 2005, 32:263-264.

Zetka, M.C. and Rose, A.M. (1995):

Mutant rec-1 eliminates the meiotic pattern of crossing over in *Caenorhabditis elegans*.

Genetics 141: 1339–1349.

Zheng, C.J.; Guo, S.W. and Byers, B. (2000):

Modeling the maternal-age dependency of reproductive failure and genetic fitness.
Evol. Dev, 2:203-7.

Zlotogora, J. (1997) :

Genetic disorders among palestinian Arabs: effects of consanguinity.
Am. J. Med. Genet. Feb. 11, 68 (4): 472-5.

Zowail, M.E.M. (1981):

Studies on chromosomal abnormalities and the effect on behavior.
M.Sc. Thesis, Faculty of science, Al-Azhar univ.,pp.73