

References

Abdalla, R.R. ; Samaan, A.A. and Ghobrial, M.G. (2000): Eutrophication in Lake Mariut. Bull. Inst. Oceanogr. & Fish., 17 (1): 157-166.

Abdalla, A.A.F.; McNabb, C.D. and Batterson, T.R. (1991): Ammonia dynamics in fertilized fish ponds stocked with Nile tilapia. Progressive Fish-Culturist, 58: 117-123.

Abdel-Aziz, N.E.; Fahmy, M.A.; and Dorgham, M.M. (2000): Hydrography, nutrients and plankton abundance in the hot spot of Abu-Qir Bay, Alexandria, Egypt. Egypt. J. Aquat. Biol. and Fish., Vol. 4, No. 4: 171-195.

Abdel-Baky, T.E. (1997): Food habits of four cichlid species according to their length variations in Lake Manzala, Egypt. J. Egypt. Ger. Soc. Zool., 23 (B): 45-57.

Abdel-Baky, T.E.; Hagra, A.E.; Hassan, S.H. and Zyadah, M.A. (1998b): Heavy metals concentration in some organs of *Oreochromis aureus* (Stein.) in Lake Manzala, Egypt. J. Egypt. Ger. Soc. Zool., 25 (A), Comparative Physiology, 237-256.

Abdel-Moniem, A.M. (1991): Changes in phytoplankton composition of lake Qarun in relation to variation in salinity. M.Sc. Thesis, college of Girls, Ain Shams Univ. Egypt.

Abdel-Satar, A.M. (2005): Water quality assessment of River Nile from Idfo to Cairo. Egyptian journal of aquatic research. 31 (2): 200-223.

Abo-Salem, M.E.; Edrees, A.M; El-Shawarby; R.M. and Ashoub, M.M. (1992): **Water pollution and implication in the accumulation of heavy metals in fish.** Alex. J. Vet. Sci., 8(1): 13-16.

Abd El-Fattah, I.M. (1992): Water quality in Aquaculture. Master Thesis, Zagazig Univ. Faculty of Agriculture.

Abd El-Karim, M.S. (2009): Present and Long-Term Changes of Phytoplankton Communities in Hypertrophic Mediterranean Lagoon, Lake Manzala, Egypt. American-Eurasian J. Agric. & Environ. Sci., 5 (2): 171-178.

Abdel-Tawwab, M.; Abdelghany, A.E.; El-Ayouty, Y.M. and El-Essawy, A.A. (2002 a): Effect of different doses of inorganic fertilizer on water quality, primary productivity and production of Nile tilapia (*Oreochromis niloticus*) in earthen ponds. Egyptian Journal of Agricultural Research, 80(4): 1891-1907.

Abdel-Tawwab, M.; Abdelghany, A.E.; El-Ayouty, Y.M. and El-Essawy, A.A. (2002 b): Effect of inorganic fertilizers with different n/p/k ratios on water quality, primary productivity and production.

Abel, P.D. (1998): Water pollution biology, 2nd ed. Printed in Great Britain by T.J. international Ltd. London. 286 pp.

Adham, K.G. (2001): Metallic micropollutants in the harvest of *Oreochromis niloticus* (Linnaeus, 1757) from polluted waters: wild life and human concerns. Pakistan journal of biological science 4 (12): 1550-1558.

Affan, M.A.; Jewel, A.S.; Haque, M.; Khan, S. and Lee, J.B. (2005): Seasonal cycle of phytoplankton in aquaculture ponds in Bangladesh. Algae. 20 (1): 43-52.

Ahlgren, G.L. ; Lundstedt, L. ; Brett, M. and Forsberg, C. (1990): Lipid composition and food quality of some freshwater phytoplankton for cladoceran zooplankters. J. Plankton Res., 12: 809-818.

Alabaster, J.S. and Lioted, R. (1982): Water Quality Criteria of Freshwater Fish. 2nd. Butterworth Scientific, London.

Almazan, G. and Boyd, C.E. (1978): Phytoplankton and Tilapia yields in ponds. Aquaculture, 15:75-77.

Ali, M.H.H. (2002): Impact of agricultural and sewage effluents on the ecosystem of lake Qarun, Egypt, Ph.D. Thesis, Fac. Sci, Al-Azhar Univ. Egypt.

AL-Hammem, F. H. (1986): "Limnology". (Mosul Univ. Press). 218pp.

American Public Health Association (APHA) (1985): Standard methods for the examination of water and wastewater. 16th ed., Washington, D. C., 1268 pp.

Arredondo, M.; Uauy, R. and Gonzalez, M. (2000): Regulation of copper uptake and transport in intestinal cell monolayers by acute and chronic copper exposure. Biochim. Biophys. Acta 1474: 169-176.

Arrignon, J. (1999): **Management of Freshwater Fisheries. Published by Science Publishers, Inc.,USA.**

Audrys, S.; Schafer, J.; Blanc, G. and Jouanneau, J.M. (2004): Fifty-year sedimentary record of heavy metal pollution (Cd, Zn, Cu, Pb) in the Lot River reservoirs (France). *Environ. Pollut.* 132(3): 413-426.

Awofolu, O.R.; Zambolekwa, V. and Fatoki, O.S. (2005): Issn 6. 378-4738 water SA. 31. (1).

Ayars, J.E. ; Benes, S.E.; Basinal, L.M. and Jacobsen, T.A. (2005): Drainage water. Technical Advisors Manual; drainage water, chapter 1-4.

Ayres, R.S. and Westcot, D.W. (1994): Water quality for agriculture FAO irrigation and drainage paper 29 Rev 1. Rome, Italy.

Badr, M.H.; Elewa, A.; Shehata, M.B.; Mohamed, L.F. and Abdelaziz, G.S. (2006): Studies on the effect of EL-Rahaway drain on the river Nile water pollution by trace metals and major cations at EL-Kanater-EL.Khyria area under the effect of seasonal variation. *Ass. Univ. Ass. Univ. Bull. Environ.* 9 (2).35-54.

Benson, N.U.; Etesin, M.U; Essien, J.P.; Umoren, I.U. and Umoh, M.A. (2006): Tissue elemental levels in fin-fishes from Imo river system, Nigeria: assessment of liver/muscle concentrations ratio. *Journal of Fisheries and Aquatic Science* 1 (3): 277-283.

Birungi, Z.; Masola, B.; Zaranyika, M.F.; Naigaga, I. and Marshall, B. (2007): Active biomonitoring of trace heavy metals using fish (*Oreochromis niloticus*) as bioindicator species. The case of Nakivubo wetland along Lake Victoria. *Physics and chemistry of the earth* 32: 1350-1358.

Bowling, L. (1994): Occurrence and possible causes of a severe cyanobacterial bloom in Lake Cargelligo, New South Wales. *Aust. J. Mar. freshwater Res.* 45: 737-745.

Boyd, C.E. (1990): Water Quality in Ponds for Aquaculture. Alabama Agriculture Experiment Station, Auburn University, Auburn, Alabama, USA.

Boyd, C.E. (1995): Bottom soils, sediment, and pond aquaculture, New York.

Bryan, G.W. and Langston, W.J. (1992): Bioavailability, accumulation and effects of heavy metals in sediments with special reference to United Kingdom estuaries: A Review. *Environ. Pollu.* 76(2): 89-131.

Burke, J. and Handy, R.D. (2005): Sodium sensitive and insensitive copper accumulation by isolated intestinal cells of rainbow trout. (*Oncorhynchus mykiss*). *J. Exp. Biol.* 208: 391-407.

Bury, N. and Grosell, M. (2003): Iron acquisition by teleost fish. *Comparative biochemistry and physiology part C.* 135: 97-105.

Bury, N.R.; Walker, P.A. and Glover, C.N. (2003): Nutritive metal uptake in teleost fish-review. *J. Exp. Biol.* 206: 11-23.

Central Environmental Authority (CEA) (2001): Proposed Ambient Water Quality Standards for Inland waters Sri Lanka. Colombo, Sri Lanka: Environment Action 1 Project (Funded by ADB).

Chrastny, V.; Komarek, M.; Tlustos, P.; and Svehla, J. (2006): Effects of flooding on lead and cadmium speciation in sediments from a drinking water reservoir. *Environ Monit Assess.*, 118(1-3): 113-123.

Chakraverty, A. and Kaleemullah, S. (1991): Production of morphous silica and combustible gas from rice straw. Journal of materials science. 26: 4554-4560.

Chan, H.M.; Trifonopoulos, M.I.A.; Receveur, O. and Johnson, E. (1999): “Consumption of Freshwater Fish in Kahnawake: Risks and Benefits.” *Environ. Res.*, 80, 2, Pt 2, 213-222.

Clearwater, S.J.; Wood, C.M. and McDonald, D.G. (2000): Gastrointestinal uptake and distribution of copper in rainbow trout. *J. Exp. Biol.* 203: 2455-2466.

Collins, G. (1984): Fish Growth and Lethality Versus Dissolved Oxygen. *Proc. Specially Conference On Environmental Engineering.* p 750-755. ASCE, Los Angeles, Calif.

Coveney, M.F. (1982): Bacterial uptake of photosynthetic carbon from fresh water phytoplankton. *Oikos*, 38: 8-20.

Dassenakis, M.; Scoullous, E.; Foufa, E.; Krasakopoulou, A. and Kloukiniotou, P.M. (1997): Effects of multiple source pollution on a small Mediterranean River. *J. App. Geochem.* 13: 197-211.

Dawah, M.A. and Nagdy, A.Z. (2000): Drainage-Grown microalgae as a protein supplement for cultivation of *Tilapia nilotica* (*Oreochromis niloticus*). Proc. 1st Int. Conf. Biol. Sci. (ICBS) Fac. Sci., Tanta Univ. 7-8 May 2000, Vol. 1: 123-135.

Department Of Water Affairs and Forestry (DWAF) (1996): South African water quality guidelines- Second edition. 7: aquatic ecosystems. 159pp.

Dean, R.B. and Suess; M.J. (1985): **The risk to health of chemicals in sewage sludge applied to land.** *Waste Management Research*, 3: 251-278.

DeBiase, A.E.; Sanders, R.W. and Porter, K.G. (1990): Relative nutritional value of ciliate protozoa and algae as food for daphnia. *Microbiol. Ecol.*, 19: 190-210.

De León, L. and Chalar, G. (2003): Abundancia y diversidad del fitoplancton en el Embalse de Salto Grande (Argentina-Uruguay). *Ciclo estacional y distribución espacial.* *Limnetica*, 22:103-113.

Dojlido, J. and Best, G.A. (1993): Chemistry of water and water pollution. West Sussex: Ellis. Horwood. Limited.

Drenner, R.W.; Smith, J.D.; Mummert, J.R. and Lancaster, H.F. (1990): Responses of an eutrophic pond community to separate and combined effects of N:P supply and planktivorous fish: a mesocosm experiment. *Hydrobiologia*, 208: 161-167.

D'Silva, A.M. and Maughan, O.E. (1995): Effects of density and water quality on Red tilapia (*Oreochromis mossambicus* X.O. *Urolepis hornorum*) in pulsed-flow culture systems. *Journal of applied aquaculture* 5 (1): 69-75.

Duarte, C.M.; August, S. and Canfield, D.E. (1992): Patterns in phytoplankton community structure in Florida Lakes. *Limnol. Oceanogr.* 37: 155-161.

Dupler, D. (2001): Heavy metal poisoning. *Gale Encyclopedia of Alternative Medicine*. Farmington Hills, MI: Gale Group.

Easa, M.; Shereif, M.M.; Shaaban, A.I. and Mancey, K.H. (1995): Public health implications of waste water reuse for fish production. *Wat.Tech.* 32 (11): 145-152

Edmondson, W.T. (1972): Nutrients and phytoplankton in lake Washington. In: G.E. Likens (ed.). *Nutrients and Eutrophication: The Limiting Nutrient Controversy*. Special Symposium, Amer. Soc. Limnol. Oceanogr., 1: 172-193.

Edmondson, W.T. and Lehman, J.T. (1981): The effect of changes in the nutrient income on the conditions of lake Washington. *Limnol. Oceanogr.* 26: 1-29.

El-Ameen, M.; Farragallah, A.; and Essa, M.A. (2005): Physical-chemical and macro-micro morphological characteristics of some alluvial soils irrigated with different water resources. *Ass. Univ. Bull. Environ. Res.* 8 (1): 51-69.

Elewa, A.A. and Ghallab, M.H. (2000): Water-sediment interaction in front of El-Rahawy drain, Rosetta branch, River Nile, Egypt, presented at 4th international symposium on sediment quality assessment. Otsu, Japan, October, 24-27.

Elewa, A.A.; Shehata, A.M.; Abdel-Satar, M.H.H.; and Gohar, M.E. (2001): Effect of the drainage water on lake Qarun ecosystem, Egypt. Presented in 9th international Conference on the Conservation and Management of lakes, 11-16 November, 2001. Shigha prefectural Government-Japan.

El-Ghobashy, H.A.; Zaghloul, K.H. and Metwally, A.A. (2001): Effect of some water pollutants on the Nile tilapia *Oreochromis niloticus* collected from the River Nile and some Egyptian Lakes. *Egypt. J. Aquat. Biol. & Fish.* 5, (4): 251-279.

Elsa, M.S. (1991): *Metal poisoning in fish*. CRC Press Boca, Ann Arbor, Boston.

El-Moselhy, K.H.M. (1999): Levels of some metals in fish, Tilapia species caught from certain Egyptian Lakes and River Nile. Egypt. J. Aquat. Biol. & Fish., 3, (1): 73-83.

El-Nagaawy, A.M. (2000): Some ecological effects of agricultural drain canals water on aquatic environment. M.V.Sc. Thesis, Institute of Environmental studies and Research. Ain Shams Univ, Egypt.

El-Nabawi, A.; Heinzow, B. and Kruse, H. (1987): As, Cd, Cu, Pb, Hg and Zn in fish from Alexandria region, Egypt. Bull. Environ. Contam. Toxicol., 39: 889.

El-Naggar, M.E. (1977): Studies on the Algae in Dakahlia Area. M.Sc. Thesis, Mansoura University., Egypt.

Fleisher, M.; Sarafim, A.F.; Fasset, D.W.; Hammond, P.; Shacklette, H.T.; Nisbet, I.C.T. and Epstein, S. (1974): **Environmental impact of cadmium. Environ. Hlth., 253.**

Food and Agriculture Organization (FAO) (1983). Compilation of legal limits for hazardous substances in fish and fishery products. FAO Fishery Circular. 464: 5-100.

Geer, T.S. and Singh, K. (2005): Training course on tilapia seed production. Mon Repos Fresh water Aquaculture Road, Mon Repos, East Coast Demerara. (May 30th to June 3rd): 1-63.

Geiger, J.G. (1983): A review of Pond Zooplankton Production and Fertilization for the Culture of Larvae and Fingerling Striped Bass. Aquaculture, 35:353–369.

Goher, M.E (2002): Chemical studies on the precipitation and dissolution of some chemical elements in Lake Qarun. Ph.D.Thesis, Fac. Sci, Al-Azhar Univ., Cairo, Egypt.

Goldman, C.R. and Horne, A.J. (1983): Limnology. McGraw-Hill Book Co., New York, NY, 464 pp.

Grosell, M.; Gerdes, R.M. and Brix, K.V. (2005): Chronic toxicity of lead to three fresh water invertebrates (*Brachionus calyciflorus*, *Chironomus tentans*, and *Lymnaea stagnalis*. Environ. Toxicol. 24.

Greichus, Y.A.; Greichus, A.; Ammann, B.D. and Hoperfat, J. (1978): Insecticides, polychlorinated biphenyls and Metals in African lake ecosystem. III. Lake Nakuru, Kenya. Bull. Environ. Contam. Toxicol., 19: 454.

Gunnars, A.; Blomavist, S.; Johansson, D. and Andersen, C. (2002): Formation of Fe (III) oxyhydroxide colloids in fresh water and brackish sea water with incorporation of phosphate and calcium. Geochim. Cosmochim. Acta 66: 745-758.

Gurer-orhan, H.; Sabýr, H.V. and özgünes, H. (2004): Correlation between clinical indicators of lead poisoning and oxidative stress parameters in controls and lead-exposed workers. Toxicology. 115: 147-154.

Haggag, A. M.; Marie, M.A.S. and Zaghloul, K.H. (1999): Seasonal effects of the industrial effluents on the Nile catfish; *Clarias Gariepinus*. J. Egypt. Ger. Soc. Zool., 28(A), comparative physiology, 365-391.

Hamed, M.A. (1998): Distribution of trace metals in the River Nile ecosystem, Damietta branch between Mansoura city and Damietta Province. J. Egypt. Ger. Soc. Zool., 27(A), Comparative Physiology, 399-415.

Handy, R.D. (1996): Dietary exposure to toxic metals in fish. In: Taylor, E.W. (Ed), toxicology of aquatic pollution. Cambridge university press, Cambridge, pp. 29-60.

Handy, R.D.; Musonda, M.M.; Phillis, C. and Falla, S.J. (2000): Mechanisms of gastrointestinal copper absorption in the African walking catfish: copper dose-effects and a novel anion-dependent pathway in the intestine. J. Exp. Biol. 203: 2365-2377.

Hansson, L. A.; Johansson, L. and Persson, L. (1987): Effects of fish grazing on nutrient release and succession of primary producers. Limnol., Oceanogr., 32: 723-729

Harrison, M.D. and Dameron, C.T. (1999): Molecular mechanisms of copper metabolism and the role of the menkes disease protein. J. Biochem. Mol. Toxicol. 13: 93-106.

Hayton, W.L. and Barron, M.G. (1990): Rate-limiting barriers to xenobiotic uptake by the gill. Environ. Toxi. And Chem. 9: 151-157.

Herbst, D.B. (2002): Gradients of salinity stress, environmental stability and water chemistry as a template for defining habitat types and physiological strategies in inland salt waters. *Hydrobiology*, 466 (1-3): 209-219.

Hietala, J.; Vakkilainen, K. and Kairesalo, T. (2004): Community resistance and change to nutrient enrichment and fish manipulation in a vegetated lake littoral. *Freshwater Biology*, 49: 1525–1537

Ho, E. (2000): Zinc deficiency, DNA damage and cancer risk. *Journal of nutritional biochemistry* 15: 572-578.

Hollis, L.; Mcgeer, J.C.; Mcdonald, D.G. and Wood, C.M. (1999): Cadmium accumulation, gill Cd binding, acclimation, and physiological effects during long term sublethal Cd exposure in rainbow trout. *Aquatic Toxicology*. 46: 101-119.

Hovanec, T.A. and Delong, E.F. (1996): Comparative analysis of nitrifying bacteria associated with freshwater and marine aquaria. *APPL. Environ. Microbiol.*, 62: 2888-2893.

Huntley, M. (1986): Experimental approaches to the study of vertical migration of zooplankton. *Contribution of Marine Sciences Supplementation* 27: 2107-2114.

Isail, J.; and Host, K. (2003): Diffuse pollution conference Dublin Poster Paper.

Issa, Y.M.; Elewa, A.A.; Shehata, M.B. and Abdel-Satar, A.M. (1997): Factors affecting the distribution of some major and minor elements in River Nile at Greater Cairo Area, Egypt *J. Anal. Chem.*, 6: 58-68.

Jarrup, L. (2003): Hazards of heavy metal contamination. *Br Med Bull*, 68: 167-182.

John, D.M. (1986): The Inland Waters of Tropical West Africa. *Arch. Hydrobiol. Beih. Ergebn. Limnol.*, 23: 1-244.

Jobling, M. (1995): *Environmental Biology of Fishes*. First edition. Printed in Great Britain. Chapman and Hall, London.

Judova', P. and Jansky', B. (2005): Water quality in rural areas of the Czech Republic : key study Slapanka River Catchment. *Limnologica*. 35: 160-168.

Kargin, F. and Cogun, H.Y. (1999): Metal interactions during accumulation and elimination of zinc and cadmium in tissues of the fresh water fish, *tilapia nilotica*. Bull. Environ. Contam. Toxicol. 63: 511-519.

Kendrick, M.H.; May, M.T.; Plishka, M.J. and Robinson, K.D. (1992): Metals in biological system. Ellis Horwood Ltd., England.

Khalil, M.T. (1998): Impact of pollution on productivity and fisheries of Lake Mariut, Egypt. Egypt. J. Aquat. Biol. & Fish., 2 (2): 1-17.

Khallaf, E.A. and El-Ne-Na-ei, A.A. (1987): Feeding ecology of *Oreochromis niloticus* (Linn) and *Tilapia zillii* (Gerv.) in a Nile canal, Egypt. Hydrobiol., 164 (1): 57-62.

Khallaf, E.A.; Galal, M. and Authman, M. (1998): Assessment of heavy metals pollution and their effect on *Oreochromis niloticus* in aquatic drainage canals. J. Egypt. Ger. Soc. Zool., 26 (B), Vertebrate Anatomy & Embryology, 39-74.

Kiran, B.R.; Shashi-Shekhar, T.R.; Puttaiah, E.T. and Shivaraj, Y. (2006): Trace metal levels in the organs of Finfish *Oreochromis mossambicus* (Peter) and relevant water of Jannapura Lake, India. J. Environ. Sci and Engg. 48(1): 15-20.

KiØrboe, T. and Saiz, E. (1995): Planktivorous feeding in calm and turbulent environments, with emphasis on copepods. Mar. Ecol. Prog. Ser., 122: 135-145.

Kilham, S. S. (1984): The importance of resource supply rates in determining phytoplankton community composition. In: D.G. Meyers and J.R. Strickler (eds.), Tropical Dynamics of Aquatic Ecosystems. AAAS Symposium, PP 7-27.

Kilham, S.S. (1986): Dynamics of lake Michigan natural phytoplankton communities in continuous cultures along a Si:P loading gradient. Can.J. Fish. Aquat. Sci., 43: 351-360.

Kotze, P.; Dupreez, H.H. and Vanvuren, J.H.J. (1999): Bioaccumulation of copper and zinc in *Oreochromis mossambicus* and *Clarias gariepinus*, from the Olifants River, Mpumalanga, South Africa. Water SA. 25 (1): 99-110.

Koussa, A.A. (2000): Effect of industrial and organic pollution on potential productivity and fish stock of Lake Mariut, Northern Egypt with a predictive study of that effect on the Lake. Ph. D. Thesis. Fac. Sci. Ain Shams Univ.

Lawson, T.B. (1995): Fundamentals of aquacultural engineering. New York.

Lauridsen, T.L. and Buenk, I. (1996): Diel changes in the horizontal distribution of zooplankton in the littoral zone of two shallow eutrophic lakes. Arch. Hydrobiol., 137: 161-176.

Lauridsen, T.L.; Jeppesen, E.; Mitchell, S.F.; Lodge, D.M. and Burks, R.L. (1999): Horizontal distribution of zooplankton in lakes with contrasting fish densities and nutrient levels. Hydrobiologia, 408/409: 241-250.

Lauridsen, T.L.; Pedersen, L.J.; Jeppesen, E. and Søndergaard, M. (1996): The importance of macrophyte bed size for cladoceran composition and horizontal migration in a shallow lake. Journal of Plankton Research 18: 2283-2294.

Lazzaro, X. (1987): A review of planktivorous fishes: their evolution, feeding behaviours, selectivities and impacts. Hydrobiologia, 146: 97-167.

Lathrop, R.C. (1988): Evaluation of whole-lake nitrogen fertilization for controlling blue-green algal blooms in a hypereutrophic lake. Can. J. Fish. Aquat. Sci., 45: 2061-2075.

Lampert, W. and Sommer, U. (1997): The Ecology of Lakes and Streams. Oxford University Press, New York. Limnology.

Lee, G.F. (1970): Eutrophication. University of Wisconsin, Water Resources Center, Madison, Wisconsin. Occasional Paper No. 2, P 39.

Lehman, J. T. and Sandgren, C.D. (1985): Species-specific rates of growth and grazing loss among freshwater algae. Limnol. Oceanogr., 30: 34-46.

Lloyd, R. (1992): Pollution and fresh water fish. West Byfleet: Fishing News Books.

Lide, D. (1992): CRC Handbook of Chemistry and Physics. 73rd Edition. Boca Raton, FL: CRC Press.

Linder, M.C. (1991): Biochemistry of copper. Plenum press, New York.

Ludwig, G. M.(1999): Zooplankton Succession and Larval Fish Culture in Freshwater Ponds. SRAC Publication No. 700

Lynch, M. and Shapiro, J. (1981): Predation, enrichment and phytoplankton community structure. *Limnol. Oceanogr.*, 26: 86-102.

Macdonald, A.; Silk, L.; Schwartz, M. and Playle, R.C.(2002): A lead-gill binding model to predict acute lead toxicity to rainbow trout (*Oncorhynchus mykiss*). *Comp. Biochem. Physiol. C-Toxicol. Pharmacol.* 133: 227–242.

Mainping, Z. (2002): On salinology. *Hydrobiology*, 466 (1-3): 339-347.

Maria, V.; Arno, H.O.; Revel, G.; Pinte, G.; Aytsult, S. and Toulhoat, P. (2000): Study of water and sediment interactions in the Dasvalhas River, Brazil-Major and trace elements. ISSN 0378-4738: *Water SA*. 25 (2): 255-274.

Marr, J.C.A.; Lipton, J.; Cacela, D.; Hansen, J.A.; Bergman, H.L.; Meyer, J.S. and Hogstrand, C. (1996): Relationship between copper exposure duration, tissue copper concentration, and rainbow trout growth. *Aquatic toxicology*. 36: 17-30.

Martin, J.H.; Gordon, R.M. and Fitzwater, S.E. (1991): The case for iron. *Limnol. Oceanogr.* 36: 1793-1802.

Martinez, M.; Delramo, J.; Torreblanca, A. and Diaz-Maysns, J. (1999): Effect of cadmium exposure on zinc levels in the brine shrimp *Artemia parthenogenetica*. *Aquaculture*. 172: 315-325.

Mason, C. F. (2002): Biology of freshwater pollution. 4rd ed. Essex Univ. England. 387 pp.

Mason, C.F. (1996): Biology of Freshwater Pollution. Third edition. Essex Uni. England.

Masser, M.P. (1997): Cage culture (Site Selection and Water Quality). Southern Regional Aquaculture Center (SRAC Publication No. 161), the United States Dept. of Agriculture.

Mazumder, A.; McQueen, D.J.; Taylor, W.D. and Lean, D.R.S. (1988): Effect of fertilization and planktivorous fish (yellow perch) predation on size distribution of particulate phosphorus: Large enclosure experiments. *Limnol. Oceanogr.*, 33: 421-430.

Mahar, M.A.; Jafri, S.I. H.; Leghari, S.M. and Khuhawar, M.Y. (2004): Environmental degradation of Manchhar lake (Distt. Dadu) Sindh, Pakistan. Proc. Nat. Sem. Env., Soc. and Cult. Impact of water Scarcity in Sindh.

Mahar, M.A.; Jafri, S.I. H.; Leghari, S.M. and Khuhawar, M.Y. (2009): Seasonal periodicity of phytoplankton and chlorophyll content in lake Manchar. Pak. J. Bot., 41 (2):871-884.

Mehta, R.; Templeton, D.M. and Brien, O.P.J. (2006): Mitochondria involvement in genetically determined transition metal toxicity II. Copper toxicity. Chemico-Biological interactions 163: 77-85.

Mesner, N. and Geiger, J. (2005): Understanding your watershed, phosphorus. Water quality, UTAH State University Extension :1-4.

Medani, G.G. and Ahmed, A.M. (1999): “Cadmium, Copper and Lead Residues in Meat and Edible Offals of Migratory Quail at El-Manzala Lake.” Suez Canal Vet. Med. J., 2: 373-385.

Messyasz, B. (2002): Phytoseston community as an element of mixing in the cross-section of Welna and Nielba, [in:] physicochemical problems of natural waters ecology, Gurgul, H., Department of Sea and Environmental Physics, University of Szczecin, 25.

Murkin, H. R. (1989): The basis for food chain in prairie wetland. Pages 316-338. In: A.G. van der Valk (ed.), Northern prairie wetlands. Iowa State University Press, Ames, Iowa, USA.

Mvungi, A.; Hranova, R.K. and Love, D. (2003): Impact of home industries on water quality in a tributary of the Marimba River, Harare: implications for urban water management. Physics and chemistry of the earth. 28: 1131-1137.

National Water Resources Plan for Egypt (NWRP) (2000): Fisheries and Water Resources. NWRP Technical Report No. 6. Ministry of water Resources and Irrigation, Egypt. Planning Sector.

Nour El-Din, M. (2007): Water, energy, and climate change in the Mediterranean. Plan Bleu Meditep Regional Workshop. (Ain Shams University, Cairo). 17 December.

Northcote, T.G. (1988): Fish in the structure and function of freshwater ecosystems: a "top-down" view. *Can. J. Aquat. Sci.*, 45: 361-379.

Nussy, G. (1998): Metal ecotoxicology of the upper Olifants river at selected localities and the effect of copper and zinc on fish blood physiology. Ph.D-thesis, Rand Afrikaans University, South Africa.

Official Methods of Analysis of the Association of Official Analytical Chemists (1980): Atomic absorption method for fish. 13th ed., P. 399.

Ogunseitan, O.A.; Yang, S. and Ericson, J. (2000): Microbial and aminolevulinate dehydratase as a biosensor of lead bioavailability in contaminated environments. *Soil. Biol. Biochem.* 32: 1899-1906.

Parker, R. C. (1972): Water analysis by atomic absorption spectroscopy. Varian techtron, Switzerland.

PÁL, G. (1998): Szaprobiológiai indikátorfajok jegyzéke: 50-52. – Vízi természet és környezetvédelem. Budapest.

Penãa, M.M.O.; Lee, J. and Thiele, D.J. (1999): A delicate balance: homeostatic control of copper uptake and distribution. *J. Nutr.* 129: 1251-1260.

Pennak, R.W. (1953): Freshwater Invertebrates of the United States. The Ronald Press Co., New York, New York.

Powell, S.R. (2000): The antioxidant properties of zinc. *Journal of nutritional biochemistry* 130: 1447s-1454s.

Prescott, G.W. (1962): Algae of the Western Great Lake Area with an Illustrated Key to the Genera of Desmids and Freshwater Diatoms. W.M.C. Brown Co., Publishers, Iowa, USA.

Prescott, G.W. (1978): How to Know the Freshwater Algae. WMC Brown Co. Publishers, Iowa, USA.

Radwan, M. ;Williams, P.; El-Sadek, A.; and Barcament, J. (2003): Modeling of dissolved oxygen and biochemical oxygen demand in River water using detailed and simplified models. *Int. J. River Basin Management*, 1 (2): 97-103.

Rai, A.K. (2000): Limnological characteristics of subtropical Lakes Phewa, Begnas and Rupa in Pokhara Valley, Nepal. Japanese J. Limno. 1: 33-46.

Rattner, B.A. and Heath, A.G. (1995): Environmental factors affecting contaminant toxicity in aquatic and terrestrial vertebrates. In: Handbook of ecotoxicology. Eds.

Reynolds, C.S. (1984): The Ecology of Freshwater Phytoplankton. Cambridge Univ. Press, Cambridge, UK.

Rema, L.P. and Babu, P. (1997): Accumulation of an essential metal (zinc) and a non-essential metal (mercury) in different tissues of *Oreochromis mossambicus* (peters). Indian J. Exper. Biol. 35: 67-69.

Reid P.C.; Battle, E.J.V.; Batten, S.D. and Brander, K.M. (2000): Impact of fisheries on plankton community structure. ICES J. Mar. Sci., 57: 495-502.

Riemann, B. (1983): Biomass and production of phyto- and bacterio-plankton in eutrophic lake Tystrup, Denmark. Fresh water biology, 13: 389-398.

Roberts, J.R. (1999): Metal toxicity in children. Training Manual on Pediatric Environmental Health: Putting it into Practice. Emeryville, CA: Children's Environmental Health Network.

Romanenko, V.D.; Malyzheva, T.D. and Yevtushenko, N.Y (1986): The role of various organs in regulating zinc metabolism in fish. Hydrobiol. J., 21(3): 7-12.

SAS, (2000): SAS user's guide: statistics, version 6 edition. SAS Institute Inc., Cary, NC, USA.

Saad, A.A. and Emam, W.M. (1998): Toxicity and bioaccumulation of some heavy metals in the freshwater bivalve *Caelatura teretiusculua*. Egypt. J. Aquat. Biol. & Fish., 2(4): 15-27.

Sabae, S.Z. (1996): Bacteriological and chemical studies on benthic layers of Lake Qarun El-Fayoum, Egypt. Ph.D. Thesis, Fac. Sci, Tanta Univ, Egypt.

Sabae, S.Z. (2004): Monitoring of microbial pollution in the River Nile and the impact of some human activities on its waters, Proc. 3rd Int. Conf. Biol. Sci. Fac. Sci. Tanta Univ., 28-29 April. 3: 200-214.

Saeed, S.M. (1999): A study on factors affecting fish production from certain fish farm in the Delta., M.Sc. Thesis, Ain Shames University, Egypt.

Saeed, S.M. (2004): Impact of inorganic pollutants on aquatic environment and fish performance in Lake Borollus. Ph.D. Thesis, Institute of Environmental studies and Research. Ain Shams Univ, Egypt.

Saeed, S.M. and Sakr, S.F. (2008): Impact of cage-fish culture in the River Nile on physico-chemical characteristics of water, metals, accumulation, histological and some biochemical parameters in fish. Abbass Int. journal of aquaculture. (1A): 179- 202.

Sagik, B.P.; Moore, B.E. and Sorber, C. A. (1979): Public health aspects related to the land application of municipal sewage effluents and sludges p:87-101. In W.E. Sopper and S.N. Kerr " Ed". The Pennsylvania State Univ. press, univ. park and London.

Saleh, M.A.; Saleh, M.H.; Fouda, M.M.; Abdel-Latif, M.S. and Wilson, B.L. (1988): Inorganic pollution of the Man-Made Lakes of Wadi El-Raiyan and its impact on aquaculture and wildlife of the surrounding Egyptian desert. Arch. Environ. Contam. Toxicol., 17: 391-403.

Schelske, C. L. (1975): Silica and nitrate depletion as related to the rate of eutrophication in lakes Michigan, Huron and Superior. In: A.D. Hasler (ed.), Ecological Studies, 10: 277-298. Springer-Verlag, Berlin.

Schindler, D. (1977): Evolution of phosphorus limitation in lakes. Science, 195: 260-262.

Schelske, C. L. and Stoermer, E.F. (1972): Phosphorus, silica and eutrophication of lake Michigan. In: G.E. Likens (ed.), Nutrients and Eutrophication. Special Symposium, Amer. Soc. Limno. Oceanogr., 1: 157-171.

Seymore, T.; Du Preez, H.H.,; Van Vuren, J.H.J.; Deacon, A. and Strydom, G. (1994): Variation in selected water quality variables and the metal concentrations in the sediment of the lower Olifants and Selati Rivers. South Africa Koedoe, 37(2): 1–18.

Seyam, H.M. (1989): Response of nutrient absorption for quality of irrigation water. M.Sc. Thesis, Faculty of Agriculture, Ainshama. University, A.R.E.

Shapiro, J. (1980): The importance of trophic level interactions to the abundance and species composition of algae in lakes. Dev. Hydrbiol., 2: 105-116.

Shaker, I.M.; Ez-El-Rigal, A. and El-Ghobashy, H. (2000): Effects of EDTA on reducing of copper toxicity in water and *Oreochromis niloticus*. Egyptian journal for applied Science, 15(5): 119-131.

Sharaf-Eldeen, K.M.; El-Ezabi, M. and Al-Bohaissi, A.M. (2006): The molecular changes of hepatocytes in tilapia zillii under the effect of the agricultural and industrial pollution in River Nile. Journal of Aquat, Biol. And fish. 10 (2): 55-77.

Shikazono, N.; Zakir, H.M. and Sudo, Y. (2008): Zinc contamination in river water and sediments at Taisyu zn-pb mine area, Tsushima Island, Japan. Journal of geochemical exploration. 1-9.

Smith, V.H. (1979): Nutrient dependence of primary productivity in lakes. Limnol. Oceanogr., 24: 1051

Sommer, U. (1983): Nutrient competition between phytoplankton species in multispecies chemostat experiments. Arch. Hydrobiol., 96:399-416.

Sobha, K.; Poornima, A.; Harini, P. and Veeraiah, K. (2007): A study on biochemical changes in the fresh water fish, *Catla catla* (Hamilton) exposed to the heavy metal toxicant cadmium chloride. Kathmandu Univ. J. of Sci., Engineering and Technology. I (IV): 1-11.

Stoermer, E.F.; Ladewski, B.G. and Schelske, C.L. (1978): Population responses of lake Michigan phytoplankton to nitrogen and phosphorus enrichment. Hydrobiol., 57: 249-265.

Stross, R.G. (1980): Growth cycles and nutrient limited photosynthesis in phytoplankton. Limnol. Oceanogr., 25(3): 538-544.

Stihi, C.; Popescu, I.V.; Apostol, S. and Vlaicu, G. (2007): Water quality monitoring using total dissolved solids measurements. REV.Chim. (Bucure^oti). 58 (12): 1335-1336.

Stumm, W. and Morgan, J.J. (1981): Aquatic chemistry: An introduction emphasizing chemical equilibria in natural waters. 2d edition. New York.

Stockner, J.G. and Shortreed, K.S. (1988): Responses of *Anabeana* and *Synechococcus* to manipulation of nitrogen:phosphorus ratios in a lake fertilization experiment. Limnol. Oceanogr., 23: 112-119

Svobodová, Z.R.L.; Máchová, J. and Vykusová, B. (1993): Water quality and fish health. EIFAC technical paper. 54. Rome: FAO.

Taha, A.A.; EL-Mahmoudi, A.S. and El-Haddad, I.M. (2004): Pollution sources and related environmental impacts in the new communities southeast Nile Delta, Egypt. Emirates journal for engineering research. 9 (1): 35-49.

Tawfic, A.T. (2003): Effective natural waste water treatment systems in rural areas of Egypt. www.eaaa.gov.eg/English/main/env_2003/Day_2/Water/tawfic.clfem.pdf.

Tao, S., Liu, C.; Dawson, R.; Long, A. and Xu, F. (2000): “Uptake of Cadmium Adsorbed on Particulates by Gills of Goldfish (*Carassius auratus*).” *J. Ecotoxicol. Environ. Saf.*, 47, No. 3, 306-313.

Thaker, J.; Chhaya, J.; Mittal, R.; Nuzhat, S.; Mansuri, A.P. and Kundu, R. (1997): Dose and duration dependent toxicity of Cr (VI) on acid and alkaline phosphatase in six vital organs of mudskipper *perioptalmus dips*. Indian J. Exper. Biol. 35: 397-400.

Tilman, D. (1977): Resource competition between planktonic algae: an experimental and theoretical approach. *Ecology*, 58: 338-348.

Tilman, D.; Kiesling, R.L.; Sterner, R.; Kilham, S.S. and Johnson, F.A. (1986): Green, blue-green and diatom algae: taxonomic differences in competitive ability for phosphorus, silicon and nitrogen. *Arch. Hydrobiol.*, 106(4): 473-485.

Tilman, D. and Kilham, P. (1976): Sinking in freshwater phytoplankton: some ecological implications of cell nutrient status and physical mixing processes. *Limnol. Oceanogr.*, 21: 409-417.

Tilman, D. (1982): Resource Competition and Community Structure. Princeton University Press, Princeton.

Tilman, D.; Kilham, S.S. and Kilham, P. (1982): Phytoplankton community ecology: the role of limiting nutrients. *Ann. Rev. Food System*, 13: 349-372.

Train S. and Rodrigues L. C. (1998): Temporal fluctuations of the phytoplankton community of the Baia River, in the upper Parana River floodplain, Mato Grosso do Sul, Brazil, *Hydrobiologia* 361, 125 – 134.

Ueda, S.; Kawabata, H.; Hasegawa, H.; and Kondo, K. (2000): Characteristics of fluctuations in salinity and water quality in brackish Lake Obuchi. *J. Limno*, 7: 57-62.

United States Environmental Protection Agency (USEPA) (1999). National Recommended Water Quality Criteria Correction Office of Water, EPA 822-Z-99-001, 25 pp.

United States Environmental Protection Agency (USEPA) (2006): National Recommended Water Quality Criteria. Office of Water, Washington, DC.

United States Environmental Protection Agency (USEPA) (1986): **Quality Criteria for Water. EPA 440/5-86-001.**

Van de Bund, W.J. and Van Donk, E. (2004): Effects of fish and nutrient additions on food-web stability in a charophyte-dominated lake. *Freshwater Biology*, 49: 1565–1573.

Vidondo, B.; Martinez, B.; Monies, C.; and Guerrero, M.C. (1993): Physico-chemical characteristics of a permanent Spanish hypersaline lake: La Salade de Chiprana (NE Spain). *Hydrobiology*, 267:113-125.

Vijverberg, J. (1989): Culture techniques for studies on the growth, development and reproduction of copepods and cladocerans under laboratory and in situ conditions: a review. *Freshwater Biol.*, 21: 317-373.

Vollenweider, R.A. (1969): A manual on methods for measuring primary production in aquatic environments. IBP Handb. No. 12 Blackwell Scientific Publications. Oxford. 213pp.

Vollenweider, R.S. (1976): Advances in defining critical loading levels for phosphorus in lake eutrophication. *Mem. Ist. Ital. Idrolbiol.*, 33: 53-83.

Water Act, (1989): **Schedule 2 of the water supply (Water quality) regulations, HMSO, London.**

Wafeek, M. (2006): Comparative biochemical study on *Tilapia zillii* collected from lake Qarun, lake Timsah and Abbassa fishponds at different seasons. The 1st conference of CLAR, 13-15 December 2006, Sharm El-Shiekh, Egypt.

Wilde, E.W. and Benemann, J.R. (1993): **Bioremoval of heavy metals by the use of micro algae. Biotech. Adv. 11(4): 781-812.**

World Health Organization (WHO) (1984): Guide lines for drinking water quality. Geneva.

World Health Organization (WHO) (1989): Guide lines for drinking water quality. Vol. 1, Recommendations WHO, Geneva, p. 19.

World Health Organization WHO (1995): Environmental health criteria 165. International programme on chemical safety. Geneva.

World Health Organization (WHO) (1999): “Food Safety Issues Associated with Products from Aquaculture. Report of a Joint World Health Organ.” Tech. Rep., 883, i-vii: 1-55.

World Health Organization (WHO) (2006): WHO guidelines for the safe use of waste water, Excreta and Grey water: volume II waste water use in agriculture. Geneva, Switzerland.

Wong, C.K.; Wong, P.P. and Chu, L.M. (2001): “Heavy Metals Concentrations in Marine Fishes Collected from Fish culture Sites in Hong Kong.” J. Arch. Environ. Contam. Toxicol., 40, No. 1, 60-69.

Yang, Y.F.; Huang, X.F.; Liu, J.K. and Jiao, N.Z. (2005): Effects of fish stocking on the zooplankton community structure in a shallow lake in China. Fisheries Management and Ecology, 12: 81–89.

Zwirn, M. (2002): Aquaculture in Egypt: Improving Food Security and Resolving Resource Allocation Conflicts. J. Envir. And Develo. 11 (2): 129-148.

Zyadah, M.A. (1997): A study on levels of some heavy metals in River Nile estuary, Damietta branch, Egypt. J. Egypt. Ger. Soc. Zool., 23 (A), Comparative Physiology, 149-160.