

References

- [1] Jonathon S. Hare and Paul H. Lewis. Salient regions for query by image content. *Image and Video Retrieval: Third International Conference, CIVR, Dublin, Ireland ISSN 0302-9743*, pages 317–325, Jul. 21-23, 2004.
- [2] Prakash K.S.S. and Sundaram R.M.D. Combining novel features for content based image retrieval. *Signals and Image Processing, 2007 and 6th EURASIP Conference focused on Speech and Image Processing, Multimedia Communications and Services. 14th International Workshop on*, pages 373–376, Jun. 27-30, 2007.
- [3] S. Santini A. Gupta A. M. W. Smeulders, M. Worring and R. Jain. Content-based image retrieval at the end of the early years. *IEEE Trans. on Pattern Analysis and Machine Intelligence*, 22(12):1349–1380, Dec. 2000.
- [4] J. R. Smith and S.-F. Chang. Visualeek: A fully automated content-based query system. *Proc. 4th ACM Int'l Conf. on Multimedia*, pages 87–98, 1996.
- [5] Stan Sclaroff, Leonid Taycher, and Marco La Cascia. Imagerover: A content-based image browser for the world wide web. In *CAIVL '97: Proceedings of the 1997 Workshop on Content-Based Access of Image and Video Libraries (CBAIVL '97)*, page 2, 1997.
- [6] Myron Flickner Jim Hafner Wayne Niblack Dragutin Petkovic Christos Faloutsos, Ron Barber and William Equitz. Efficient and effective querying by image content. *Journal of Intelligent Information Systems*, 3(3/4):231–262, 1994.
- [7] Virage Inc. Vir image engine. www.virage.com/products/image_vir.html, 2001.

-
- [8] Kwok-Wai Cheung Ka-Man Wong and Lai-Man Po. Mirror: an interactive content based image retrieval system. *Proceedings of IEEE International Symposium on Circuit and Systems*, 2:1541–1544, May 23-26, 2005.
 - [9] Jose M. Martinez. Mpeg-7 overview. <http://www.chiariglione.org/mpeg/standards/mpeg-7/mpeg-7.htm>.
 - [10] S. A. Chatzichristos and Y. S. Boutalis. Fcth - fuzzy color and texture histogram - a low level feature for accurate image retrieval. *9th International Workshop on Image Analysis for Multimedia Interactive Services, IEEE Computer Society, Klagenfurt, Austria*, pages 191–196, 2008.
 - [11] T.-S. Lai. Chroma: a photographic image retrieval system. *PhD thesis, School of Computing, Engineering and Technology, University of Sunderland, UK*, 2000.
 - [12] van den Berg J. Subject retrieval in pictorial information systems. In *Proceedings of the 18th International Congress of Historical Sciences. Round Table 34. Electronic Filing, Registration, and Communication of Visual Historical Data*, pages 21–29, 1995.
 - [13] Virginia E. Ogle and Michael Stonebraker. Chabot: Retrieval from a relational database of images. *IEEE Computer*, 28(9):40–48, Sep. 1995.
 - [14] Content-based image retrieval. <http://en.wikipedia.org/wiki/CBIR>.
 - [15] Zhang H. LongF. and Dagan Feng D. Fundamentals of content-based image retrieval, in multimedia information retrieval and management – technological fundamentals and applications. *Springer-Verlag*, pages 1–26, 2003.
 - [16] Yu jin Zhang. *Semantic-Based Visual Information Retrieval*. IRM Press, 2007.
 - [17] Michael J. Swain and Dana H. Ballard. Color indexing. *International Journal of Computer Vision*, 7:11–32, 1991.
 - [18] Shamik Sural, Gang Qian, and Sakti Pramanik. Segmentation and histogram generation using the hsv color space for image retrieval. *Proceedings of the*
-

- 6th ACM international conference on Image and video retrieval, Amsterdam, The Netherlands*, 2:II–589– II–592, 2002.
- [19] Stricker M. and Orengo M. Similarity of color images. *In Proc. of the SPIE Conference*, 2420:381 – 392, 1995.
- [20] G. Lu and J. Phillips. Using perceptually weighted histograms for color-based image retrieval. *In Proc. Of International Conference on Signal Processing*, pages 1150 – 1153, 1998.
- [21] K. Konstantinidis, A. Gasteratos, and I. Andreadis. Image retrieval based on fuzzy color histogram processing. *Optics Communications*, 248(4-6):375 – 386, 2005.
- [22] Stricker M. and Dimai A. Spectral covariance and fuzzy regions for image indexing. *In Machine Vision and Applications*, 10:66 – 73, 1997.
- [23] Greg Pass Ramin Zabih and Justin Miller. Comparing images using color coherence vectors. *International Multimedia Conference Proceedings of the fourth ACM international conference on Multimedia. Boston, Massachusetts, United States*, pages 65 – 73, 1997.
- [24] T. Ojala, M. Rautiainen, E. Matinmikko, and M. Aittola. Semantic image retrieval with hsv correlograms. *Scandinavian Conference on Image Analysis, 2001, Bergen, Norway*, pages 621 – 627, 2001.
- [25] R Barcellos, R. S. Oliani, L. T. Lorenzi, and A. Gonzaga. Content based image retrieval using color autocorrelograms in hsv color space. *In Proceedings Of Xviii Brazilian Symposium on Computer Graphics and Image Processing*, page B5: 153 ff, 2005.
- [26] A. Vadivel, Shamik Sural, and A. K. Majumdar. An integrated color and intensity co-occurrence matrix. *Pattern Recogn. Lett.*, 28(8):974 – 983, 2007.

- [27] Tamura H., Mori S., and Yamawaki T. Textural features corresponding to visual perception. *In IEEE Transactions on Systems, Man and Cybernetics*, 8:460 – 472, 1978.
- [28] Guang-Ho Cha. Kernel principal component analysis for content based image retrieval. *Pacific-Asia conference on advances in knowledge discovery and data mining*, 3518:844–849, 2005.
- [29] Pavel V´acha and Michal Haindl. Illumination invariants based on markov random fields. *International Conference on Pattern Recognition (ICPR) 2008*, pages 1–4, 2008.
- [30] Anil K. Jain and Farshid Farrokhnia. Unsupervised texture segmentation using gabor filters. *Pattern Recogn.*, 24(12):1167–1186, 1991.
- [31] K. Muneeswaran, L. Ganesan, S. Arumugam, and K. Ruba Soundar. Texture image segmentation using combined features from spatial and spectral distribution. *Pattern Recognition Letters*, 29(7):905–917, May 2008.
- [32] Abdelhamid Abdesselam. Texture image retrieval using fourier transform. *international conference on communication, computer and power (icccp’09)*, 2009.
- [33] D. Zhang and G. Lu. A comparative study on shape retrieval using fourier descriptors with different shape signatures. *Proc. of International Conference on Intelligent Multimedia and Distance Education (ICIMADE01)*, pages 1–9, Jun. 2001.
- [34] Yong Kui Liu, Wei Wei, Peng Jie Wang, and Borut alik. Compressed vertex chain codes. *Pattern Recognition*, 40(11):2908–2913, 2007.
- [35] Jalba A.C., Wilkinson M.H.F., and Roerdink J.B.T.M. Shape representation and recognition through morphological curvature scale spaces. *IEEE Trans. Image Processing*, 15(2):331–341, 2006.

- [36] El hadi Zahzah. Wavelet transform for partial shape recognition using sub-matrix matching. *VISAPP 2008 - International Conference on Computer Vision Theory and Applications*, pages 513–517, 2008.
- [37] Atul Sajjanhar and Guojun Lu. A grid based shape indexing and retrieval metho. *Special Issue of Australian Computer Journal on Multimedia Storage and Archiving Systems*, 29(2):131–140, Nov. 1997.
- [38] Dengsheng Zhang and Guojun Lu. A comparative study of three region shape descriptors. *Digital Image Computing Techniques and Applications*, pages 21–22, Jan. 2002.
- [39] Dengsheng Zhang and Guojun Lu. Enhanced generic fourier descriptors for object-based image retrieval. in *Proc. IEEE Int. Conf. Acoustics, Speech, and Signal Processing*, 4:3668–3671, 2002.
- [40] Cheng-Chieh Chiang, Yi-Ping Hung, Hsuan Yang, and Greg C. Lee. Region-based image retrieval using color-size features of watershed regions. *J. Vis. Comun. Image Represent.*, 20(3):167–177, 2009.
- [41] N.Sebe, Q.Tian, E.Loupias, M.S. Lew, and T.S.Huang. Salient points for content-based retrieval. *British Machine Vision Conference (BMVC’01)*, pages 401–410, 2001.
- [42] Bernt Schiele and James L. Crowley. Object recognition using multidimensional receptive field histograms and its robustness to view point changes, 1996.
- [43] Cordelia Schmid, Roger Mohr, and Christian Bauckhage. Evaluation of interest point detectors. *Int. J. Comput. Vision*, 37(2):151–172, 2000.
- [44] E. Louprias, N. Sebe, S. Bres, and J.-M. Jolion. Wavelet-based salient points for image retrieval. In *International Conference on Image Processing*, pages 518–521, Nov. 1999.

- [45] Dongxiang Zhou, Yun hui Liut, and Xuanping Cai. An efficient and robust comer detection algorithm. *Proceedings of the 5th World Congress on Intelligent Control and Automation*, June 2004.
- [46] David G. Lowe. Distinctive image features from scale-invariant keypoints. *Int. J. Comput. Vision*, 60(2):91–110, 2004.
- [47] T. Kadir, A. Zisserman, and M. Brady. An affine invariant salient region detector. In *ECCV04*, pages Vol I: 228–241, 2004.
- [48] Joost van de Weijer, Theo Gevers, and Andrew D. Bagdanov. Boosting color saliency in image feature detection. *IEEE Trans. Pattern Anal. Mach. Intell.*, 28(1):150–156, 2006.
- [49] Qasim Iqbal and J.K. Aggarwal. Combining structure, color and texture for image retrieval: A performance evaluation. *16th International Conference on Pattern Recognition (ICPR)*, 2:438–443, 2002.
- [50] A. Vadivel, M. Mohan, Shamik Sural, and A. K. Majumdar. A color-texture histogram from the hsv color space for video shot detection. In *Proc. of Indian Conference on Vision, Graphics and Image Processing*, pages 435–440, 2004.
- [51] Chuen-Horng Lin, Rong-Tai Chen, and Yung-Kuan Chan. A smart content-based image retrieval system based on color and texture feature. *Image Vision Comput.*, 27(6):658–665, 2009.
- [52] Keinosuke Fukunaga. *Introduction to statistical pattern recognition (2nd ed.)*. Academic Press., 1990.
- [53] S. Belongie, J. Malik, and J. Puzicha. Shape matching and object recognition using shape contexts. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 24(4):509–522, 2002.
- [54] Jia Li, James Z. Wang, and Gio Wiederhold. Irm: Integrated region matching for image retrieval. *International Multimedia Conference Proceedings of the eighth ACM international conference on Multimedia*, pages 147–156, 2000.

- [55] Chiou ting Hsu and Ming chou Shih. Content-based image retrieval by interest points matching and geometric hashing. *Proc. Of SPIE Photonics Asia Conference*, 4925:80–90, Oct. 2002.
- [56] K. Mikolajczyk, T. Tuytelaars, C. Schmid, A. Zisserman, J. Matas, F. Schafalitzky, T. Kadir, and L. Van Gool. A comparison of affine region detectors. *Int. J. Comput. Vision*, 65(1-2):43–72, 2005.
- [57] Minakshi Banerjee, Malay K. Kundu, and Pradipta Maji. Content-based image retrieval using visually significant point features. *Fuzzy Sets Syst.*, 160(23):3323–3341, 2009.
- [58] Hong Chang and Dit-Yan Yeung. Kernel-based distance metric learning for content-based image retrieval. *Image Vision Computing*, 25(5):695–703, 2007.
- [59] Miguel Arevalillo-Herrez, Juan Domingo, and Francesc J. Ferri. Combining similarity measures in content-based image retrieval. *Pattern Recognition Letters*, 29(16):2174–2181, 2008.
- [60] Sven Siggelkow and Hans Burkhardt. Fast invariant feature extraction for image retrieval. *State-of-the-Art in Content-Based Image and Video Retrieval*, pages 43–68, 2001.
- [61] James Z. Wang, Jia Li, and Gio Wiederhold. Simplicity: Semantics-sensitive integrated matching for picture libraries. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 23(9):947–963, 2001.
- [62] Jules Vleugels and Remco C. Veltkamp. Efficient image retrieval through vantage objects. *VISUAL '99: Proceedings of the Third International Conference on Visual Information and Information Systems*, pages 575–584, 1999.
- [63] Ka-Man Wong, Kwok-Wai Cheung, and Lai-Man Po. Mirror: an interactive content based image retrieval system. *Proceedings of IEEE International Symposium on Circuit and Systems*, 2:1541–1544 , 23–26, May 2005.

- [64] *Img(Rummager): An Interactive Content Based Image Retrieval System*, 2009.
- [65] Praveen Dasigi and C.V. Jawahar. Efficient graph-based image matching for recognition and retrieval. In *Proceedings of National Conference on Computer Vision, Pattern recognition, Image Processing and Graphics*, 2008.
- [66] Timor Kadir and Michael Brady. Saliency, scale and image description. *International Journal of Computer Vision*, 45(2):83–105, 2001.
- [67] J. Stottinger, N. Sebe, T. Gevers, and A. Hanbury. Colour interest points for image retrieval. *Vision Winter Workshop*, 2007.
- [68] N. Sebe, Q. Tian, E. Loupias, M. S. Lew, and T. S. Huang. Evaluation of salient point techniques. *Image and Vision Computing*, 21(13-14):1087 – 1095, 2003.
- [69] Franz Aurenhammer. Voronoi diagrams—a survey of a fundamental geometric data structure. *ACM Comput. Surv.*, 23(3):345–405, 1991.
- [70] G. Schaefer and M. Stich. Ucid -an uncompressed colour image database. In *Proc. SPIE, Storage and Retrieval Methods and Applications for Multimedia*, pages 472–480, 2004.
- [71] Sylvie Philipp-Foliguet, Julien Gony, and Philippe-Henri Gosselin. Frebir: An image retrieval system based on fuzzy region matching. *Comput. Vis. Image Underst.*, 113(6):693–707, 2009.
- [72] Oscar software framework. <http://leanxcam.origo.ethz.ch/wiki/oscar-software-framework-manualdescription>.
- [73] M. Kowalczyk, P. Koza, P. Kupidura, and J. Marciniak. Application of mathematical morphology operations for simplification and improvement of correlation of images in close-range photogrammetry. In *ISPRS08*, page B5: 153 ff, 2008.

- [74] Ji quan Ma. Content-based image retrieval with hsv color space and texture features. *Web Information Systems and Mining, International Conference on*, 0:61–63, 2009.
- [75] Mohamed A. Helala, Mazen M. Selim, and Hala H. Zayed. An image retrieval approach based on composite features and graph matching. *Computer and Electrical Engineering, International Conference on*, 1:466–473, 2009.