

Contents

English Summary	
Introduction	1
1. Stability of Pesticides	6
2. Impurities of Pesticides	23
3. Emulsion Stability	33
Materials and Methods	36
1. Pesticides under investigation	36
2. Accelerated storage procedure	42
3. Chlorpyrifos 48% (W/V) EC	42
3.1. Preparation of Samples	42
3.1.1. Chlorpyrifos	42
3.1.1.1. Standard preparation	42
3.1.1.2. Sample preparation	42
3.1.2. Sulfotep	43
3.1.2.1. Standard Preparation	43
3.1.2.2. Sample preparation	43
3.2. Determination	43
3.2.1. Gas chromatography determination for chlorpyrifos and sulfotep	43
3.2.2. Gas chromatography-mass spectrometry analysis of chlorpyrifos	43
3.3. Effect to storage on pH values for chlorpyrifos 48%(w/v)EC..	44

4. Malathion 57% (W/V) EC	44
4.1. Preparation of samples	44
4.1.1. Malathion	44
4.1.1.1. Standard preparation	44
4.1.1.2. Sample preparation	45
4.1.2. Impurities of malathion	45
4.1.2.1. Standard Preparation	45
4.1.2.2. Sample preparation	45
4.2. Determination	45
4.2.1. Gas chromatography determination for malathion	45
4.2.2. Gas chromatography determination for isomalathion and malaoxon	46
4.2.3. Gas chromatography determination for MeOOSPS-triester and MeOOOPS-triester	46
4.3. Effect of storage on acidity for malathion 57% (W/V) EC	47
5. Effect of storage on emulsion stability for chlorpyrifos 48% (W/V) EC and malathion 57% (W/V) EC	47
5.1. Procedure	47
5.1.1. Initial emulsification	47
5.1.2. Emulsion stability on standing	48
5.1.3. Re-emulsification after standing for 24h	48
5.2. Preparation of CIPAC standard water	49
5.2.1. Stock solutions	49
5.2.1.1. Solution I 0.04 M Ca ⁺⁺ solution	49

5.2.1.2. Solution II 0.04 M Mg ⁺⁺ solution	49
5.2.2. Preparation of working solutions	50
5.2.2.1. Standard water A	50
5.2.2.2. Standard water D	50
6. Calculations of impurities concentration.....	51
7. Kinetic Study.....	51
Results and Discussion	53
1. Chlorpyrifos	53
1.1. Effect of storage stability on chlorpyrifos 48% EC content	53
1.2. Effect of storage stability on the formation of sulfotep	56
1.3. Effect of storage stability on the emulsion stability and re-emulsification for chlorpyrifos 48% EC	58
1.4. Effect of storage stability on pH values for chlorpyrifos 48% EC	63
2. Malathion	82
2.1. Effect of storage stability on malathion 57% EC content	82
2.2. Effect of storage on the formation of malathion impurities	85
2.2.1. Impurities of malathion from source I	85
2.2.2. Impurities of malathion from source II	87
2.2.3. Impurities of malathion from source III	89
2.3. Effect of storage stability on the emulsion stability and re-emulsification for malathion 57% EC	91
2.4. Effect of storage stability on acidity for malathion 57% EC	95

References	119
Arabic Summary	

List of Tables

No.	Title	Page
1.	The physical and chemical properties of chlorpyrifos and its impurity sulfotep	36
2.	The physical and chemical properties of malathion and its impurities.	38
3.	Effect of storage stability on chlorpyrifos 48% (W/V) EC of three different manufactured source at 54 ± 2 °C	65
4.	Effect of storage stability in chlorpyrifos 48% (W/V) EC of three different manufactured sources at room temperature	67
5.	Effect of storage stability on chlorpyrifos 48% (W/V) EC of three different manufactured sources at 72 ± 2 °C	69
6.	Effect of storage on the amount of sulfotep in chlorpyrifos 48% (W/V) EC from three different manufactured sources at 54 ± 2 °C and at 72 ± 2 °C	71
7.	Effect of storage on the amount of sulfotep in chlorpyrifos 48% (W/V) EC from three different manufactured sources at room temperature	72
8.	Sulfotep in technical chlorpyrifos	73
9.	Emulsion stability and re-emulsification for chlorpyrifos 48% EC after storage at 54 ± 2 °C by using CIPAC standard water D	79
10.	Emulsion stability and re-emulsification for chlorpyrifos 48% EC after storage at 72 ± 2 °C by using CIPAC standard water D	79
11.	Emulsion stability and re-emulsification for chlorpyrifos 48% EC after storage at room temperature by using CIPAC standard water D	80
12.	pH values of chlorpyrifos after storage at 54 ± 2 °C	81
13.	pH values of chlorpyrifos after storage at 72 ± 2 °C	81

14. pH values of chlorpyrifos after storage at room temperature	81
15. Effect of storage stability on malathion 57% (W/V) EC of three different manufactured sources at 54 ± 2 °C	98
16. Effect of storage stability on malathion 57% (W/V) EC of three different manufactured source at 72 ± 2 °C	100
17. Effect of storage stability on malathion 57% (W/V) EC of three different manufactured sources at room temperature	102
18. Effect of storage on impurities of malathion at 54 ± 2 °C for source I	104
19. Effect of storage on impurities of malathion at 54 ± 2 °C for source I	104
20. Effect of storage on impurities of malathion at 72 ± 2 °C for source I	105
21. Effect of storage on impurities of malathion at 72 ± 2 °C for source I	105
22. Effect of storage on impurities of malathion at room temperature for source I	106
23. Effect of storage on impurities of malthion at room temperature for source I	106
24. Effect of storage on impurities of malathion at 54 ± 2 °C for source II	107
25. Effect of storage on impurities of malathion at 54 ± 2 °C for source II	107
26. Effect of storage on impurities of malathion at 72 ± 2 °C	

for source II	108
27. Effect of storage on impurities of malathion at 72 ± 2 °C	
for source II.....	108
28. Effect of storage on impurities of malathion at room temperature for source II	109
29. Effect of storage on impurities of malathion at room temperature for source II	109
30. Effect of storage on impurities of malathion at 54 ± 2 °C	
for source III	110
31. Effect of storage on impurities of malathion at 54 ± 2 °C	
for source III	110
32. Effect of storage on impurities of malathion at 72 ± 2 °C	
for source III	111
33. Effect of storage on impurities of malathion at 72 ± 2	
for source III	111
34. Effect of storage on impurities of malathion at room temperature for source III	112
35. Effect of storage on impurities of malathion at room temperature for source III	112
36. Impurities in technical malathion	113
37. Emulsion stability and re-emulsification for malathion 57% EC after storage at 54 ± 2 °C by using CIPAC standard water D	114
38. Emulsion stability and re emulsification for malathion 57% EC after storage at 72 ± 2 °C by using CIPAC standard water D	114

39. Emulsion stability and re-emulsification for malathion 57% EC after storage at room temperature by using CIPAC standard water D	115
40. Acidity of malathion after storage at 54 ± 2 °C	116
41. Acidity of malathion after storage at 72 ± 2 °C	117
42. Acidity of malathion after storage at room temperature	118

List of Figures

No.	Title	Page
1.	Effect of storage stability on chlorpyrifos 48% (W/V) EC of three different manufactured source at 54 ± 2 °C.....	66
2.	Effect of storage stability on chlorpyrifos 48% (W/V) EC of three different manufactured sources at room temperature	68
3.	Effect of storage stability on chlorpyrifos 48% (W/V) EC of three different manufactured source at 72 ± 2 °C	70
4.	Mass spectrum of chlorpyrifos	74
5.	Degradation pathways of chlorpyrifos after storage	74
6.	Mass spectrum of TCP.....	75
7.	Mass fragmentation of TCP	75
8.	Mass spectrum of compound no. (2)	76
9.	Mass fragmentation of compound no. (2)	76
10.	Mass spectrum of compound no. (3)	77
11.	Mass fragmentation of compound no. (3)	77
12.	Mass spectrum of sulfotep	78
13.	Effect of storage stability on malathion 57% (W/V) EC of three different manufactured sources at 54 ± 2 °C	99
14.	Effect of storage stability on malathion 57% (W/V) EC of three different manufactured source at 72 ± 2 °C	101
15.	Effect of storage stability on malathion 57% (W/V) EC of three different manufactured sources at room temperature	103
16.	Acidity of malathion after storage at 54 ± 2 °C	116

17. Acidity of malathion after storage at 72 ± 2 °C	117
18. Acidity of malathion after storage at room temperature	118