

REFERENCES

Adler, I. and Axelrod, J.M., (1955): Determination of thorium by fluorescent X-Ray spectrometry, J. Anal. Chem., V. 27, pp. 1002-1003.

Abu-Zuhri, A.Z., (1984): Selective spectrophotometric determination of thorium(IV) with 2-(5-Bromo - 2 - pyridylazo)-5-diethylaminophenol, Elsevier, V. 29, pp. 345-349.

Agrawal, Y.K. and Vora, S.B., (2003): Selective extraction and separation of thorium from monazite using N-phenylbenzo-18-crown-6-hydroxamic acid, Microchim. Acta, V. 142, pp. 255-261.

Alba, P.L.L., Martinez, L.L., Wrobel, K., Wrobel, K. and Kazimierz, J.A., (1997): Simultaneous determination of uranium (VI) and thorium(IV) ions with arsenazo III by partial least squares method, J. Radioanal. Chem., V. 220, pp. 167-171.

Alin, A., Miloud, A., El Hossadi, A. and Khaliquzzaman, M., (1987): Solvent extraction of thorium from mixed organic - aqueous nitric acid media by tri-n-octylphosphine oxide, J. Radioanal. Chem., V. 116, pp. 271-284.

Altas, Y., Tel, H. and Eral, M., (1999): Anion-exchange separation and determination of thorium and uranium in Eskişehir-Beylikahır ore in Turkey, J. Radioanal. Nucl. Chem., V. 241, pp. 637-641.

Amaral, J.C.B.S. and Morais, C.A., (2010): Thorium and uranium extraction from rare earth elements in monazite sulfuric acid liquor through solvent extraction, Elsevier, V.23, pp. 498-503.

Amin, A.S. and Mohammed, T.Y., (2001): Simultaneous spectrophotometric determination of thorium and rare earth metals with pyrimidine azo dyes and cetylpyridinium chloride, Talanta, V. 54, pp. 611-620.

Aslani, M.A.A., Eral, M. and Akyil, S., (1998): Separation of thorium from aqueous solution using silk fibroin, J. Radioanal, Nucl. Chem., V. 238, pp. 123-127.

Aydin, F.A. and Soylak, M., (2006): Solid phase extraction and preconcentration of uranium (VI) and thorium (IV) on Duolite XAD761 prior to their inductively coupled plasma mass spectrometric determination, Talanta, V. 72, pp. 187-192.

Banerjee, G. (1957): Direct spectrophotometric determination of thorium with SPADNS, J. Anal. Chem., V. 16, pp. 56-61.

Banerjee, S., Biswas, S. and Basu, S., (2001): Synergistic extraction of thorium by β -hydroxy naphthaldoxime in presence of neutral donors., J. Radioanal., Nucl. Chem., V. 250, pp. 399-403.

Bayyari, M.A., Nazal, M.K. and Khalili, F.I., (2010): The effect of ionic strength on the extraction of thorium(IV) from perchlorate solution by didodecylphosphoric acid (HDDPA), J. Arab. Chem., V. 3, pp. 115-119.

Benkhedda, K., Epov, V.N. and Evans, R.D., (2005): Flow-injection technique for determination of uranium and thorium isotopes in urine by inductively coupled plasma mass spectrometry, *J. Anal. Bioanal. Chem.*, V. 381, pp.1596-1603.

Bhattacharyya, A., Mohabatra, P.K., Pathak, P.N. and Manchanda, V.K., (2005): Cation-exchange separation of uranium from thorium in nitric acid medium, *J. Radioanal. Nucl. Chem.*, V. 268, pp. 323-328.

Biswas, S., Hareendran, K.N., Singh, D.K., Sharma, J.N. and Roy, S.B., (2010): Extraction of U(VI) and Th(IV) from nitric acid medium using tri(butoxyethyl) phosphate (TBEP) in n-paraffin, *J. Radioanal. Nucl. Chem.*, V. 283, pp. 665-668.

Boitei, R.S. and Gerace, P.L., (1961): A spectrophotometric study of the thorium- β -hydronaphthazarin disulphonate system, *J. Inorg. Nucl. Chem.*, V. 21, pp. 265-277.

Bursali, E.A., Merdivan, M. and Muruvyet, Y., (2010): Preconcentration of uranium(VI) and thorium(IV) from aqueous solutions using low-cost abundantly available sorbent, *J. Radioanal. Nucl. Chem.*, V. 283, pp. 471–476.

Carron, M.K., Skinner, D.L., and Stevens, R.E., (1955): Determination of thorium and of rare earth elements in cerium earth (minerals) and ores, *J. Anal. Chem.*, V. 27, pp. 1058-1061.

Carvalho, M.S., Domingues, M.L.F., Mantovano, J.L. and Cunha, J.W.S., (2002): Preconcentration method for the determination of

thorium in natural water by wavelength dispersive X-ray fluorescence spectrometry, *J. Radioanal. Chem.*, V. 253, pp. 253-256.

Casartelli, E.A. and Miekeley, N., (2003): Determination of thorium and light rare-earth elements in soil water and its high molecular mass organic fractions by inductively coupled plasma mass spectrometry and on-line-coupled size-exclusion chromatography, *J. Anal. and Bioanal. Chem.*, V. 377, pp. 58-64.

Cerrai, E. and Ghersini, G., (1966): Spectrophotometric determination of thorium with arsenazo III in the organic phase after extraction with di-(2-ethylhexyl)orthophosphoric acid, *J. Anal. Chim. Acta*, V. 37, pp. 295-309.

Chen, J.F., Khalili, F.I., Mohammed, A.K. and Choppin, G.R., (1994): Extraction and spectrophotometric determination of Nd(III), Th(IV) and U(VI) in synthetic brine using Chlorophosphonazo III, *J. Analytica Chimica Acta*, 284, pp. 593-597.

Datta, S.K., (1956): Spectrophotometric determination of thorium with Di-SNADNS, *J. Anal. Chem.*, V. 150, pp. 344-347.

Datta, S.K., (1958): Spectrophotometric determination of thorium with 2-(4-Carboxy-3-hydroxyphenylazo)-1,8-di hydroxyl naphthalene- 3,6-disulfonic Acid, *J. Anal. Chem.*, V. 30, pp. 1653-1656.

Davis, J.C., (1986): Statistics and data analysis in geology, 2ed, John Wiley and Sons, New York, 646p.

Deim, K., (1962): Analysis methods for U(VI) in ore and minerals, J. Radioanal, Chem., V. 95, pp. 25-39.

Du, D.J., Wood, D.J., Sadik, S. and Wal, C.M., (1993): Separation of thorium from lanthanides by solvent extraction with ionizable crown ethers, Wiley Inter Science, V. 40, pp. 173-177.

El-Dessouky, S.I. and Borai, E.H., (2006): Extraction chromatography of thorium ion by solid phase impregnated resins containing bi-functional organic extractants, J. Radioanal, Nucl. Chem., V. 268, pp. 247-254.

Evans, N.J., Byrne, J.P., Keegan, J.T. and Dotter, L.E., (2005): Determination of uranium and thorium in zircon, apatite, and fluorite application to laser (U–Th)/He thermochronology, J. Anal. Chem., V. 60, pp. 1159-1165.

Fifield, F. W. and Kealey, D., (2000): Principles and practice of analytical chemistry, 5th, Blackwell Science, 576p.

Fletcher, M.H. and Milkey, R.G., (1956): Spectrophotometric study of thorium-Morin mixed color system, J. Anal., Chem., V. 28, pp. 1402-1407.

Fletcher, M.H., Grimaldi, F.S. and Jenkins, L.B., (1957): Thoron-meso – tartaric acid system for determination of thorium. J. Anal. Chem., V. 29, pp. 963-967.

Fujino, O., Umetani, S., Ueno, E., Shigeta, K. and Matsuda, T., (2000): Determination of uranium and thorium in apatite minerals by

inductively coupled plasma atomic emission spectrometry with solvent extraction separation into diisobutyl ketone., J. Anal. Chem. Acta., V. 420, pp. 65-71.

Fukuda, M. and Sayama, S., (1997): Determination of traces of uranium and thorium in (Ba, Sr)TiO₃ ferroelectrics by inductively coupled plasma mass spectrometry, Fresenius' J. Anal. Chem. , V. 357, pp. 647–651.

Fukuma, H.T., Fernandes, E.A.N., Nascimento, M.R.L. and Quinelato, A.L., (2001): Separation and spectrophotometric determination of thorium contained in uranium concentrate, J. Radioanal, Chem., V. 3, pp. 549-553.

Ghasemi, J.B. and Zolfonoun, E., (2010): Simultaneous spectrophotometric determination of trace amounts of uranium, thorium, and zirconium using the partial least squares method after their preconcentration by α -benzoin oxime modified Amberlite XAD-2000 resin, Talanta, V. 80, pp. 1191-1197.

Grimaldi, F.S., (1955): Systematic analytical chemistry of elements, J. Anal. Chem., pp. 142-143.

Grimaldi, F.S. and Fletcher, M.H., (1956): Thoron-tartaric acid systems for spectrophotometric determination of thorium, J. Anal. Chem., V. 28, pp.812-816.

Guo, Z., Niu, Y., Zhang, W. and Tan, M., (2004): Liquid-liquid extraction of thorium (IV) and uranium(VI) with three ether-amide type tripodands, *J. Radioanal. Nucl. Chem.*, V. 262, pp. 331-337.

Gupta, J.G.S. and Bertrand, N.B., (1995): Direct ICP-MS determination of trace and ultratrace elements in geological materials after decomposition in a microwave oven (Quantitation of Y, Th, U and the lanthanides), *J. Appl. Radiat. Isot.*, V. 42, pp. 1595-1607.

Habashi, F., (1970): Extractive metallurgy, V. 2, Gordon and Breach Science Publisher, England, 457 P.

Hassan, A.M., Abdel-wahab, M., Nada, A., Walley el-dine, N. and Khazbak, A., (1997): Determination of uranium and thorium in Egyptian monazite by gamma-ray spectrometry, *J. Appl. Radiat. Isot.*, V. 48, pp. 149-152.

Hirose, k., (1988): Determination of thorium isotopes in seawater by using preconcentration of thorium-xo complex on XAD-2 resin k, *J. Radioanal. Nucl. Chem.*, V. 127, pp.199-207.

Holmes, L. and Pilvio, R., (2000): Determination of thorium in environmental and workplace materials by ICP-MS., *J. Appl. Radiat. Isot.*, V. 53, pp. 63-68.

Hosseini, M.S. and Bandegharai, A.H., (2010): Selective extraction of Th(IV) over U(VI) and other co-existing ions using eosin B-impregnated Amberlite IRA-410 resin beads, *J. Radioanal. Nucl. Chem.*, V. 283, pp. 23-30.

- Ivanov, V.M., Ershova, N.I. and Figurovskaya, V.N., (2003):** Optical and Chromaticity Characteristics of Adsorbates of the Thorium Complex of Arsenazo I, *J. Anal. Chem.*, V. 58, pp. 318-321.
- James, G.W., (1977):** Parts-per-million determinations of uranium and thorium in geologic samples by X-ray spectrometry., *J. Anal. Chem.*, V. 49, pp. 967-969.
- Kato, K., Ito, M. and Watanabe, K., (1999):** Determination of thorium and uranium in activated concrete by inductively coupled plasma mass spectrometry after anion-exchange separation., *Fresenius' J. Anal. Chem.*, V. 366, pp. 54-58.
- Khalifa, M.E. and Hafez, M.A.H., (1998):** Spectrophotometric and complexometric methods for the determination of thorium and fluoride using bromocresol orange reagent, *Talanta*, V. 47, pp. 547–559.
- Khan, M.H. and Khan, N.N., (2001):** Spectrophotometric determination of thorium with disodium salt of arsenazo-III in perchloric acid, *Chemosphere*, V. 250, pp. 353-357.
- Khan, M.H., Hasany, S.M., Ali, A. and Khan, M.A., (1995):** Solvent extraction of thorium from nitric acid solutions using di-N-butyl sulfoxide (DBSO) in *o*-xylene, *J. Radioanal, Nucl. Chem.*, V. 198, pp. 409-421.
- Khosla, M.M.I. and Rao, S.P., (1970):** Selective extraction-complexometric determination of thorium, *Elsevier*, V. 18, pp. 548-553.

Korkisch, J. and Janauer, G.E., (1961): Spectrophotometric determination of thorium with solochrome fast red, J. Anal. Chem., V. 33, pp. 1930-1933.

Li, D., Zuo, Y. and Meng, M., (2004): Separation of thorium(IV) and extracting rare earths from sulfuric and phosphoric acid solutions by solvent extraction method, J. Alloys and Compounds, V. 374, pp. 431-433.

Lott, P.F., Chwgi, K.L. and Kwan, B.C.H., (1960): Spectrophotometric determination of thorium with eriochrome black T, J. Anal. Chem., V. 32, pp. 1702-1704.

Madison, B.L. and Guyon, J.C., (1954): Spectrophotometric determination of thorium with molybdophosphoric acid., J. Anal. Chem., V. 39, pp. 1706-1708.

Maiorov, V.G., Nikolaev, A.I., Kopkov, V.K. and Safonova, L.A., (2005): Preparation of thorium-containing concentrate, J. Radiochem., V. 47, pp. 498-501.

Maiorov, V., Nikolaev, A., Adkina, O. and Mazunina, G., (2006): Extraction of thorium with tributyl phosphate from chloride solutions, J. Radiochem., V. 48, pp. 576-579.

Malkhede, D.D., Dhadke, P.M. and Khopkar, S.M., (1999): Liquid-liquid extraction of thorium(IV) with hexa acetato calix(6) arene, J. Radioanal, Nucl. Chem., V. 241, pp. 179-182.

Marczenko, Z ., (1986) :Separation and spectrophotometric determination of elements ., Elsevier, 575 P.

Martinez, L.L., Mar, J.L.G. and Alba, P.L.L., (2001): Simultaneous determination of uranium(VI) and thorium(IV) with carminic acid by bivariate calibration, J. Radioanal, Chem., V. 247, pp. 413-417.

Matthew, S.Q., Santschi, P. H. and Hung, C., (1995): Thorium (IV) sorption onto hematite (Fe_2O_3), J. Radioanal, Nucl. Chem., V. 47, pp. 367–377.

Menis, O., Manning, D.L. and Goldstin, G., (1957): Color reaction between thorium and quercetin and separation scheme for interfering ions, J. Anal. Chem., V. 29, pp.1426-1430.

Moeller, T. and Tecotzky, M., (1955): Spectrophotometric determination of thorium as the naphthazarin complex, J. Anal. Chem., V. 27, pp. 1056-1058.

Norrish, K. and Chappell, B.W., (1966): X-ray fluorescence spectrograph in physical methods of determination, Mineralogy Academic press, New York, pp. 161-164.

Onishi, H. and Sekine, K., (1972): Spectrophotometric determination of zirconium, uranium, thorium and rare earths with arsenazo III after extractions with thenoyltrifluoroacetone and tri-n-octylamine, Talanta, V. 19, pp. 473-478.

Osthols, E., (1994): Thorium sorption on amorphous silica, *Cosmochimica Acta*, V. 59, pp.1235-1249.

Out, E.O.,(1998): The effect of temperature on the synergistic extraction of thorium(IV) and uranium(VI) by 2-ethylhexyl phenylphosphonic acid and micelles of dinonyl naphthalene sulphonic acid, *J. Radiochimica Acta*, V. 16, pp. 1161-1176.

Palmer, A.R., (1958): The thorium- apans complex a spectrophotometric study, *J. Anal. Chim. Acta*, V. 19, pp. 458-461.

Pathak, R.B. and Argekar, A.P., (1992): Extraction chromatographic separation of thorium (IV) with tri-n-octylphosphine oxide (TOPO), *J. Radioanal, Nucl. Chem.*, V. 166, pp. 503-510.

Patti, R.J., Patti, K.N.B. and Chavan, M.B., (1997): Extractive separation of thorium(IV) as a sulphate complex with N-n-octylaniline, *J. Radioanal, Nucl. Chem.*, V. 221, pp. 179-182.

Perianez, R. and Martinez, A., (1997): Uranium and thorium concentrations in an estuary affected by phosphate fertilizer processing: experimental results and a modelling study, *J. Environ. Radioactivity*, V. 35, pp. 281-304.

Prasad, R., and Dey, A.K., (1962): Electrometric studies on the precipitation of thorium hydroxide, *J. Colloid and Polymer Science*, V. 184, pp. 54-56.

Preston, J.S. and Dupreez, A.C., (1995): The influence of extractant structure on the solvent extraction of uranium (VI) and thorium (IV) from nitrate media by dialkylsulphoxides, *J. Chemical Technology and Biotechnology*, V. 69, pp. 86-92.

Preston, J.S. and Preez, A.C., (1995): Solvent extraction of uranium (VI) and thorium (IV) from nitrate media by carboxylic acid amides, *J. Solv. Extr. Ion Exch.*, V. 13, pp. 391-413.

Pyartman, A., Keskinov, V., Lishchuk, V., Konstantinova, A. and Belova, V., (2006): Extraction of Th(IV), La(III), and Y(III) nitrates with a composite solid extractant based on a polymeric support impregnated with trialkylmethylammonium nitrate, *J. Applied, Chem.*, V. 79, pp. 1802-1807.

Ritcey, G.M. and Lucas, B.H., (1971): Co-extraction and separate recovery of uranium and thorium from acid solutions, U.S patent, no. 3, 835, 213.

Ryan, D.E., Mcdonnell, W.J. and Beahiish, F.E., (1947): Determination of thorium and its separation from uranium by ferron, *J. Anal. Chem.*, V. 6, pp. 416-417.

Sahoo, S.K., Yonehara, H., Kurotaki, K., Shiraishi, K., Ramzaev, V. and Barkovski, A., (2000): Determination of rare earth elements, thorium and uranium by inductively coupled plasma mass spectrometry and strontium isotopes by thermal ionization mass spectrometry in soil samples of Bryansk region contaminated due to Chernobyl accident, *J. Radioanal, Chem.*, V. 247, pp. 341-345.

Saleh, F.A., (1969): Effect of diluents on the extraction of thorium nitrate with tributyl phosphate, Wiley Interscience, V. 37, pp. 106-112.

Santos, R.N., Marques, L.S., Nicolai, S.H.A. and Ribeiro, F.B., (2003): Determination of thorium concentrations and activity ratios in silicate rocks by alpha spectrometry, J. Appl. Radiat. Isot., V. 60, pp. 89-97.

Sarma, D.V.N. and Rao, B.S.V.R., (1955): Alizarin-S, a reagent for thorium, a gravimetric, colorimetric, and spectrophotometric study, J. Anal. Chimica Acta, V. 13, pp. 142-149.

Sasmaz, A. and Yaman, M., (2008): Determination of uranium and thorium in soil and plant parts around abandoned lead- zinc-copper mining area, Comm. Soil Sci. Plant Anal., V. 39, pp. 2568 – 2583.

Savvin, S.B., (1961): Analytical use of arsenazo III, determination of thorium, zirconium, uranium and rare earth elements, Talanta, V. 8, pp. 673-685.

Semenov, E.I., (2001): Ores and minerals of rare earths, thorium and uranium (lanthanides and actinides), Mineralogical association of Canada, V. 40, pp. 257-260.

Shapiro, L. and Brannock, N.W., (1962): Rapid analysis of silicate, carbonate and phosphate rocks. U.S. Geo. Surv., Bull, V. 1144, 56 p.

Shirvington, P.J. and Florence, T.M., (1962): Direct spectrophotometric determination of thorium in tributyl phosphate-kerosene mixtures, *J. Analytica Chimica Acta* , V. 27, pp. 589-591.

Shrivastav,P., Menon, S.K. and Agrawal, Y.K., (2001): Selective extraction and inductively coupled plasma atomic emission spectrophotometric determination of thorium using a chromogenic crown ether, *J. Radioanal, Chem.*, V. 250, pp. 459-464.

Singh, D.K., Singh, H., Gupta, C.K. and Mathur, J.N., (2001): Extraction of thorium with 2-ethyl hexyl phosphonic acid mono-2- ethyl hexyl ester (PC-88A), *J. Radioanal, Nucl. Chem.*, V. 250, pp. 123-128.

Singh, S., (1990): Thorium, uranium and plutonium in human tissues of world-wide general population, *J. Radioanal, Nucl. Chem.*, V. 138, pp. 347-360.

Talip, Z., Eral, M. and Hicsonmez, U., (2008): Adsorption of thorium from aqueous solutions by perlite, *J. Environmental Radioactivity*, V. 100, pp. 139-143.

Tan, X.F., Wang, Y.S., Tan, T.Z., Zhou, G.F. and Bao, B.R., (1999): N,N,N',N'-tetrahexylsuccinylamide as a new extractant for the extraction of nitric acid, uranium(VI) and thorium(IV) ions., *J. Radioanal, Nucl. Chem.*, V. 242, pp. 123-126.

Tarek, M., Zaki, M., and El-Sayed, A.Y., (1995): Determination of thorium using phenylfluorone and quercetin in the presence of surfactants and protective colloids, *J. Anal. Letter*, V. 28, pp. 1525-1539.

Tilton, G.R., Aldrich, L.T. and Inghram, M.G., (1954): Mass spectrometric determination of thorium, *J. Anal. Chem.*, V. 26, pp. 894-898.

Torgov, V.G., Demidova, M.G., Saprykin, A.I., Nikolaeva, I.V., Us, T.V. and Chebykin, E.P., (2002): Extraction preconcentration of uranium and thorium traces in the analysis of bottom sediments by inductively coupled plasma mass spectrometry, *J. Anal. Chem.*, V. 57, pp. 360-367.

Unsworth, E.R., Cook, J.M. and Hill, S.J., (2001): Determination of uranium and thorium in natural waters with a high matrix concentration using solid-phase extraction inductively coupled plasma mass spectrometry., *J. Analytica Chimica Acta*, V. 442., pp. 141-146.

Vdovenko, V.M., Kovalskaya, M.P. and Shirvnskii, E.V., (1961): Extraction of thorium with octylamine from sulfuric acid solution, *Radiokhimiya*, V. 3, pp. 3-6.

Volk, V. I., Vakhrushin, A.Y. and Mamaev, S.L., (2000): Extraction of uranium and thorium with TBP from fluoride- nitric acid solutions, *J. Radioanal, Nucl. Chem.*, V. 246, pp. 697-702.

Wang, Y.S., Bao, B.R. and Cao, W.C., (1997): N,N,N',N'-tetrabutyl succinylamide as a new extractant in n-dodecane for extraction of uranium (VI) and thorium (IV) ions., *J. Radioanal, Nucl. Chem.*, V. 222, pp. 279-281.

Wang, J., Li, Z., Cheng, G. and Xu, Q., (1997): Spectrophotometric determination of thorium as molybdothoric acid with basic dyes, *J. Microchimica Acta*, V. 126, pp. 313-317.

Watanabe, K., (1964): Extraction of thorium and uranium from chloride solutions by tri-n-butyl phosphate and tri-n-octyl phosphine oxide, *J. Nucl. Tech.*, V. 1, pp. 155-162.

Wei-fan, Y., Shuanggui, Y., Yanbing, X., Yonghou, X., Ke-ming, F., and Bing, X., (2003): Extraction of thorium traces from hydrochloric acid media by 1-phenyl-3-methyl-4-benzoyl-pyrazolone-5., *J. Radioanal, Nucl. Chem.*, V. 256, pp. 149-152.

Yokoyama, T., Makishima, A. and Nakamura, E., (1998): Separation of thorium and uranium from silicate rock samples using two commercial extraction chromatographic resins, *J. Anal. Chem.*, V. 71, pp. 135-141.

Yosefi, S.R., Ahmadi, S. J., Shemirani, F., Jamali, M. R. and Niasari, M.S., (2009): Simultaneous extraction and preconcentration of uranium and thorium in aqueous samples by a new modified mesoporous to inductively coupled plasma optical emission spectrometry determination, *Talanta*, V. 80, pp. 212-217.

Youssef, N. S., El-Zahany, E. A., Barsoum, B. N. and El-Seidy, A. M., (2005): Uranyl(VI) and thorium(IV) complexes of salicylidene aromatic Schiff bases, *Elsevier*, V. 11, pp. 253-256.

Zingaro, R.A., and White, J.C., (1960): The extraction of nitric acid and thorium nitrate by tri-n-octylphosphine oxide in cyclohexane, J. Inorg. Nucl. Chem., V. 12, pp. 315-326.