References

Afifi, S.Y. and Ahmed, A.M., (2005): Hydrogeochemical evaluation of Wadi Nasib ground water, West Central Sinai, Egypt, Annals. Geol. Surv. Egypt, V. 28, pp. 547-568.

Aglan, O.S., (2001): Geology of water resources of Wadi-Hodein basin, South Eastern Desert, Egypt, Ph.D., Thesis, Fac. Sci. Ain Shams, Univ. Egypt, 112p.

Ahmed, A.M., (2008): Environmental and biochemical assessments of some wild plants growing in south of the Eastern Desert, Ph.D., Thesis, Fac. Agric. Ain Shams, Univ. Egypt, 161p.

Allison, G.B. and Hughes, M.W., (1978): The use of environmental chloride and tritium to estimate total recharge to an unconfined aquifer. Australian, J. soil research, V. 16, pp. 181-195.

Aly, I.M., Nada, A., Awad, M.A. and Hamza, M.S., (1989): Isotope hydrological on Quattara depression, Egypt, J. Isotopenpraxis, V. 25, pp. 22-24.

Aly, I.M., Frochlich, K., Nada, A., Awad, M. A., Hamza, M.S. and Salem, W.M., (1993): Study of environmental isotope distribution in the Aswan high dam lake (Egypt) for estimation of evaporation from lake water and its recharge to adjacent ground water, Environmental Geochemistry and Health, V. 15, pp. 37-49.

Aly, I.M., Klaus, F., Awad, M.A., Wafaa, M. and Nada, A., (1994):

A model of hydrological interpretation of tritium content of ground water in Egypt, J. Sci. Res. Inst. and Studies, Egypt, V.24, pp. 98-136.

American Public Health Association, (1985): Standard methods for the examination of water and waste water, Washington, D.C. 78p.

Anderson, M.P. and Woenssner, W.W., (1952): Applied ground water modeling, J. Acad. Sci. press, Egypt, V.13, pp. 121-146.

Awadalla, R.M., Soltan, M.T. and Ahmed, I.A., (1991): Characterization of the Nile water quality in the zone from Aswan to Giza, J. Sci., V.15, pp. 84-104.

Ayers, R.S., (1975): Quality of water for irrigation, J. Irrigation and drainage, Sc. Civ. Eng., V.8, pp. 24-56.

Ayers, R.S., (1977): Quality of water for irrigation, J. Irrigation and drainage, Sc. Civ. Eng., V.3, pp.15-29.

Ball, J., (1952): Geography and geology of South Eastern Desert, Egypt, Surver Dept., Cairo, Egypt, 121p.

Baraka, A.M., (2002): Geological studies on the Neogene and Quaternary sediments and their bearing on water resources in Shalatein-Halaib area, Egypt: Ph.D., Thesis, Fac. Sci. Al-Azhar Univ., Cairo, Egypt, 176p.

Bates, R.L. and Jackson, J.A., (1980): Glossary of Geology, 2nd Ed., Amer. Geol. Inst., Virginia, U.S.A., 315p.

Borak, I., Slovak, Z. and Fischer, J., (1970): Spectrophotometeric method for the determination of uranium (VI) with Arsenazo-III, Talanta, V.7, pp. 215-218.

Bouwer, H., (1978): Ground water hydrology, 2nd Ed. McGraw Hill, Inc. U.S.A., 339p.

Buttler, H.V. and Libby, W.F., (1955): Determination of tritium in natural water samples, J. Inorg. and Nucl. Chem., V.6, pp. 51-75.

Chebotarev, I.I., (1955): Metamorphism of natural water in the crust of weathering, J. Geochem., Acta, V.8. pp. 32-39.

Clark, F.W., (1924): The data of geochemistry, U.S. Geol. Surv., Egypt, V.8, pp. 770-795.

Clark, I. and Fritz, P., (1997): Isotopic content for deuterium and oxygen-18 in ground water, Environmental Isotopes in Hydrogeology, Egypt, V.11, pp. 320-328.

College of Agriculture Sciences, (2002): Irrigation water quality the Pennsylvania State University, U.S.A., 367p.

Corrrens, C.W., (1965): The geochemistry of halogens in physics and chemistry of the earth, McGrow-Hill, London, U.K.181p.

Cothern, C.R., (1983): Occurrence of uranium in drinking water, Health, Phys., V.45, pp. 89-99.

Craig, H., (1961): Standard for reporting concentration of deuterium and oxygen-18 in natural waters, J. Nucl. Sci., V.133, pp. 133-145.

Culp, G.L., Wenser, G.M. and Culp, R.L., (1986): Hand book of public water system, Van Nostrand Reinhold Co., Inc., New York, U.S.A., 231p.

Custodio, E. and Bruggeman, G.H., (1987): Ground water problems in coastal areas, Environmental Isotopes in Hydrogeology, Egypt, V.6, pp. 221-224.

Dansgaard, W., (1964): Stable isotopes in precipitation, J. Nucl. Sci. and Rad., V. 16, pp. 436-468.

Davis, S.N. and Dewiest, R.J.M., (1966): Hydrogeology, John Wiley and Sons, New York, U.S.A., 206p.

Dean, D.M. and Lund, E.B., (1981): Water reuse problems and solutions, Proc. Acad. Press, New York, U.S.A., 43p.

Derver, E., (1982): Ground water ecology, John Willy and Sons, Inc. New York, U.S.A, 97p.

Dincer, T., Al-Mugrin, A. and Zimmerman, U., (1974): Study of the infiltration and recharge through the sand dunes in arid zones with special reference to the stable isotopes and thermonuclear tritium, J. Hydrol., V. 23, pp. 79-109.

ECAFE and UNESCO, (1963): The developments of ground water resources with special reference to deltaic areas, United Nation, New York, U.S.A., V.5, pp. 1-244.

Edmunds, W.M. and Walton, N.R.G., (1980): A geochemical and isotopic approach to recharge evaluation in semi-arid zones, past and present. Arid Zone Hydrology. Investigation with isotope techniques, IAEA, Vienna, pp. 47-68.

Eisa, M., (1997): Effect of some environmental conditions on availability and uptake of some nutrients. M. Sc. Thesis in Agriculture, (Soil Science), Soil and water department, Faculty of Agriculture, Al Azhar University, 154p.

Egyptian Higher Committee of Water, EHCW, (1995): Standards for drinking and domestic uses.

المعاير المصرية لمياه الشرب و الإستعمال المنزلي طبقاً للقانون رقم ٢٧ لسنه ١٩٧٨ في شأن تنظيم الموارد العاملة للمياه (١٩٩٥).

El-Arabi, N.E., Abd El Samie, S.G., Hamza, M.S. and Shata, A., (2001): Use of isotopes in the study of salinity changes in the Quaternary aquifer system of the Nile Delta region, Egypt. The National Water Center Research Scientific Magzine, V.4, pp. 23-35.

El-Kiki, F.E., (1981): Hydro-geological compositions and variations of the shallow sandstone aquifer in Kharga Oasis, Egypt, Submit. Bull. Fac. Sci. Cairo Univ. Egypt, 148p.

El- Refai, A.A., (1984): Geomorphological and hydrogeological studies on El-Qaa Plain, Gulf of Suez, Sinai, Egypt. M.Sc. Thesis, Fac. Sci. Cairo, Univ. 154p.

El- Sayed, M.A., (2000): Radioactive and chemical studies on water of some wells at Central Eastern Desert, Egypt. M.Sc. Thesis, Fac. Sci., Helwan Univ., Egypt, 143p.

Emberger, L., (1955): In search of the optimal management strategy for Arabian oryx, Plant Ecology, Review of Research, UNESCO: Paris, V.4, pp. 219-249.

Epstein, S. and Mayeda, T., (1953): Variation of ¹⁸O content of waters from natural sources, J. Geochem., Acta, V. 4, 21-34p.

Eweida, E.A., Hamza, M.S., Aly, A.I.M. and Hamed, M.A., (1999): Distribution of uranium in some water and soil at different location in the Nile Delta, Egypt, 4th Intern. Conf. on Geochem., Alex. Univ., 4-7 Dec., pp. 369-381.

FAO., (1985): Water quality for irrigation and drainage, V. 29, New York, U.S.A., pp.1-87.

Fisenne, I.M., Perry, P.M., Decker, K.M. and Keller, H.W., (1987): The daily intake of ^{234, 238} U, ^{228, 230, 232} Th and ^{226, 228} Ra, by New York City residents, Health Phys., V.53, pp. 357-363.

Fifield, F.W. and Haines, P.J., (1995): Environmental analytical chemistry, Champan and Hall, New York, U.S.A., pp.1-98.

Fontes, J.C., Pouchan, P., Saliege, J.F. and Zuooi, G.M., (1980): Environmental isotope study in the ground water systems of the Republic of Djibout, Arid Zone Hydrology, Investigation with Isotope Techniques, IAEA, Vienna, Austoria, pp. 237-262.

Freez, R.A. and Cherry, J.A., (1979): Ground water, John Wiley and Sons, New York, U.S.A., 164p.

Friedman, I., (1953): Deuterium content of natural waters and other substances, J. Geochem. and Cosmochem., Acta, V.4, pp. 89-103.

Friendman, S. and Hardcastle, K., (1970): A new technique for pumping hydrogen gas, J. Geochem., Cosmochim., Acta, V. 34, pp. 152-169.

Ghanem, M., (1972): Geology of Wadi Hodein area, Ann. Geol. Surv. V.65, pp. 76-89.

Gilifian, E.S., (1939): The isotopic composition of sea water, J. Amer. Chem. Soc., V. 56, pp. 406-408.

Goel, P.K., (1997): Water pollution, causes, effects and control, New Age International Limited, Publishers, Inc, New Dellhi, India, 109p.

Greenwood, N.N. and Earnnshaw, A., (1997): Chemistry of the elements, 2nd Edition, Butterworth Heinemann, Oxford, 314p.

Hach, E., (1990): Chemical procedures explained, Hach Technical Center for Applied Analytical Chemistry, Colorado, U.S.A., 48p.

Hamza, M.S., Aly, I.M., Swailem, F.M. and Nada, A., (1988): Environmentally stable isotopes and ground water recharge in the Eastern Nile Delta, Water resources development, V.3, pp. 228-232.

Hamza, M.S., Aly, I.M., Nada, A. and Awad, M.A., (1989): Estimation of seepage from Ismailia canal using iodine-131, Isotopenpraxis, V. 24, pp. 110-114.

Hassan, T.M., Awad, M.A. and Hamza, M.S., (1996): Study the mechanism of recharge of the phreatic aquifers, Southeast Egypt, Environmental Isotopes and Hydrogeochemistry, V.4, pp. 123-145.

Hegab, O.A., Assay, I.E., Mahdy, M.A. and Shata, A.E., (1999): Natural uranium concentration in Sinai, Radioactive Location, 4th Radiation Phys., Conf. Alex. Egypt, 3-5 Nov., pp.641-648.

Heggy, R.H., (2000): Ra- 226 and natural uranium in Egyptian bottled mineral waters, 7th Conf. Nucl. Sci. Appl., Cairo, Egypt, 7-10 Dec., pp. 963-967.

Hem, J.D., (1989): Study and interpretation of chemical characteristics of natural water, U.S. Geol. Surv., Water Supply, V. 22, pp.263-298.

Hillbrand, W.F., Hoffman, J.I., Lundel, G.E.F. and Bright, H.A., (1953): Applied inorganic analysis with special references to analysis of metals, minerals and rocks, 2nd Ed., Sci. Publ., New York, U.S.A., pp. 611-633.

Hussein, F.M., (1994): Radioisotope environmental tracer hydrology model using exponential and dispersion methods, Proc. 2nd Conf., Environmental Isotopes and Applications, 3-6 Aug., IAEA, pp. 644-652.

IAEA, (1983): Isotope techniques in hydrological assessment of potential sites for the disposal of high- level radioactive wastes, IAEA Technical Report, V. 228, IAEA, Vienna, pp. 151-156.

IAEA, (1992): Statistical treatment of data on environmental isotopes in precipitation, Technical Report, V. 331, IAEA, Vienna, Austria., 99p.

IAEA, (2005): Isotopic composition of precipitation in the mediterranean basin in relation to air circulation patterns and climate. IAEA- TECDOC-1453.

Kawada, Y., (1991): Determination of Th and U levels in natural hot spring water by neutron activation analysis. J. Radional. Nucl. Chem. Letters, V. 153, pp. 357-364.

Kofuji, K. and Yamamoto, M., (1999): Uranium concentration in mineral water, Radioisotopes, V.48, pp. 263-265.

Kunio, S., Keiko, T., Yasuyuki, M. and Massyashi, Y., (2000): Contribution of 18 feed categories intake of Th ²³² and U ²³⁸ in Japan. Health Physics, V.78, pp.67-74.

Linsalata, P., Morse, R.S., Ford, H., Eisenbud, M., France, E.P., Decastro, M.B., Lobao, N., Sachett, I. and Carlos, M., (1989): As assessment of soil to plant concentration ratio for some natural analogues of the transuranic elements, Health Phys., V.56, pp. 33-46.

Lohman, S.W., Bennett, R.R., Brown, R.H., Cooper, H.H., Drescher, W.J., Ferris, J.G., Johnson, A.I., Meguinness, G.L., Piper, A.M., Rorabaugh, M.I., Sallman, R.W. and Theis, C.V., (1972): Definition of selected ground water and refinements, V. 13, pp. 21-29.

Lowder, W.M. and Solon, L.R., (1956): Background radiation report, U.S. Atomic Energy Commission, Washington D.C., 54p.

Lyrnch, J.J. and Smith, A.Y., (1969): Field and laboratory methods used by the geological survey of Canada in geochemical survey No.11, uranium Soil Stream Sediments and Water. Geological Survey of Canada, V.10, pp. 40-69.

Marczenko, Z., (1986): Spectrophotometric determination of elements, Harwood, New York, U.S.A., 708p.

Mattess, G., (1982): The properties of ground water, Geol. Dep., Kiel. Univ. Federal Republic of Germany, 34p.

Monastery of Health Welfare, MHW, (1997): Report of studies on chemical substance to prepare the revision of WHO guidiness for drinking water quality, Tokyo, Minstery of health welfare, 56p.

Mohammed, N.A. and Rasheed, N.M., (1999): Contribution to geochemistry of uranium and thorium in the ground water of Sinai, Egypt and environmental impacts. 1st Seminar on Nuclear Raw Material and their Technologies, Cairo, Egypt, National Research Center, pp.1-89.

Moser, H. and Stichler, W., (1970): Deuterium measurements on snow samples from the Alps., Proc., Symp. Isotope Hydrology, IAEA, Vienna, pp. 43-57.

Murata, K.J., Friedman, I. and Madsen, B.M.,(1960): Isotopic composition of diagenetic carbonates in marine Miocene formations of California and Oregon, U.S. Geological Survey Professional V. 614, pp. 2-24.

Nada, **A.**,(1994): Evaluation of environmental isotopic and saline composition of ground water in oases of Western Desert, Egypt. Isotopes Environ. Health stud., V. 31, pp. 117-124.

Nada, A., Aly, I.M., Awad, M.A., El-Behery, M.A., and Hamza, M.S., (1989): Environmental isotopes and hydrochemical study of ground water

in the north eastern portions of the Delta of Wadi El- Arish, Sinai, Egypt. Isotopes and Rad. Res., V. 21, pp. 41-52.

National Academy of Science and National Academy of Engineering., (1972): Water Quality Criteria, Protection Agency, Washington, U.S.A., D.C., 594p.

National Council on Radiation Protection (NCRP), (1993): Report for radiation protection of the mineral extraction industry and measurments, Bethesda, Maryland, U.S.A., 213p.

Nemodruck, A.A. and Glukhova, I.P., (1963): Spectrophotometric method for the determination of U (VI) using Arsenazo-III, Zh., Anal. Khim., V.18, pp. 93-96.

Nuclear Safety Research Association, (NSRA), (1992): Radiation in life Environment Tokyo, (Japanese), 103p.

Omar, H.H.E., (2000): Hydrogeology and hydrological studies in Halib-Shalatein area, Egypt, using remote sensing technology and other techniques, Ph.D., Thesis, Fac. Sci. Ain Shams, Univ. Egypt, 282p.

Ovitchinikov, A.A., (1963): Mineral Waters, Moscow, (Russian), 375p.

Palmer, C., (1911): The Geochemical interpretation of water analysis, Water Supply, V. 479, pp. 5-31.

Peavy, H.S., Rowe, D.R. and George, T., (1986): "Environmental Engineering", Washington, U.S.A., D.C., 57p.

Piper, A.M., (1944): A graphic procedure in the geochemical interpretation of water analysis, Am. Geophys- Union- Trans., V.25, pp. 914-923.

Rankama, K.K. and Sahama, T.G., (1950): Geochemistry biogeochemical exploration for mineral deposits, Chicago, 911p.

Rasheed, N.M., (2000): Uranium monitoring in water of hand pump wells present in El Sharkia Governate, J. Nucl. Sci. Appl. Cairo, Egypt, V. 7, pp. 1010-1018.

Rose, S., (1995): Analysis of temporal environmental isotopic variation in ground water of the piedmont ground water, Egypt, V. 33, pp. 644-652.

Shabana, A.R., Aglan, O.S., Moussa, B.M. and Hammad, F.A., (2003): Hydrogeological studies on Rahba-Hodein basins, South Eastern Desert, Egypt, J. Geol. Surv., V.26, pp. 421-447.

Skoog, D.A. and West, D.M.,(1982): Fundamental of analytical chemistry, Sounders College Publishing, New York, V.51, pp. 800-810.

Smith, I.C. and Carson, B.L., (1999): Trace metals in environment, An Arbor Scientific Publication, V.3, pp. 391-405.

Smith, M. J. E. and Sultan, B., (1930): Note on the destruction of alkali carbonates by organic acids in the ground water of oil field Congre's international of mines, Metallurgies and Geologic Appl. Sec. Geol. V. 2, pp. 259-261.

Standard methods for the examination of water and waste water, (1992): Joint publication to american public health association (APHA), 18th Ed., Am. Publ. Health Ass., Washington, pp. 165-185.

Steere, N.V., (1970): Handbook of laboratory safety, 2nd Ed., Boca Raton, Inc., New York, U.S.A., 76p.

Sulin's, V.A., (1948): Oil water in the system of natural ground water, Moscow, Russian, V. 46, pp. 188-206.

Swailem, F.M., (1969): Determination of tritium and natural radioactivity in under ground water, M.Sc. Thesis Cairo Univ. Faculty of Science, Egypt, 213p.

Tanweer, A.,Hut, G. and Burgman, J.O., (1988): Optimal conditions for the reduction of water to hydrogen by zinc for mass spectrometric analysis of the deuterium content, Chemical Geology (Isotope Geoscience section, V.7, pp. 199-203.

Tarik, A.T., (2001): Initial environmental evaluation case study of irrigation improvement project, Advanced short course on water pollution

control, Water Quality Assessment and Management, Cairo, Egypt, V. 1, pp. 146-176.

Tataiana, I.E., Stanislav, A., Geras, K., Ida, I. and Shuk, O., (2003): Genotoxicity of water sampled from a radium production industry storage cell territory by means of Allium test, J. Environmental Radioactivity, V. 68, pp. 235-248.

Todd, D.K., (1980): Ground water Hydrology, 2nd Ed. John Wiley and Sons Inc., New York, U.S.A., 542p.

Toth, J., (1966): Mapping and interpretation of field phenomena for ground water reconnaissance in prairie environment, Alberta, Canda, Gentbrugge, Int. Assoc. Sci. Hydrol. Bull., V. 11, pp. 20-68.

Turkian, K.K. and Wedopol, K.H., (1961): Distribution of the elements in some major units of the earth's crust, Geological Society of American Bull. V. 72, pp. 175-192.

Twort, A.C. and Ratanayaka, D.D., (1994): "Water Supply", 4th Ed, John Wiley and Sons Inc., New York, U.S.A., 147p.

United Nation Scientific Committee on the Effect of Atomic Radiation, (U.N.S.E.A.R.), (1988): Source effect and risk of ionizing radiation, New York, United Nation Publication, E 881X7, pp.51-54.

U.S. Environmental Protection Agency, (U.S.EPA), (1975): National primary drinking water regulations, Radionuclides, New York, U.S.A., V. 31, pp. 566-588.

U.S. Environmental Protection Agency, (U.S.EPA), (1990): National primary drinking water regulations, Radionuclides, New York, U.S.A., V. 55, pp. 8866-8875.

U.S. Environmental Protection Agency, (U.S.EPA), (1996): National primary drinking water regulations, Radionuclides, New York, U.S.A., V. 15, pp. 12-26.

U.S. Environmental Protection Agency, (U.S.EPA), (2002): National primary drinking water regulations, Radionuclides, New York, U.S.A., V. 56, pp. 33050-33123.

U.S.Public Health Service, (1962): Drinking water standards. U.S. of Health. Education and Walfare, Washington, D.C. 61p.

U.S. Salinity Laboratory Staff., (1954): Diagnosis and improvement of saline and alkali soils, U.S. Dept. Agr. Handbook, Washington D.C., V. 60, pp. 1-60.

Water Treatment, (1979): Water treatment handbook. 5th Ed. Halasted Presss, John Wiley and Sons, New York, U.S.A. 321p.

Wisler, C.O., (1969): Hydrology, John Wiley and Sons Inc., New York, U.S.A., 219p.

World Health Organization, (WHO), (1984): Guideline for drinking water quality.V.1; Recommendations, WHO, Geneva, Switzerland, 76p.

World Health Organization, (WHO), (1993): Recommendations in guide lines for drinking water quality, 2nd Ed., 1- Geneva, 188p.

Wrenn, M. E., Durbinj, P.W., Howard, B., Lipsztein, J., Rundo, J., Still, E.T. and Willis, D.L., (1985): Metabolism of ingested U and Ra, Health Phys., V. 48, pp. 601-633.

Zimmerman, U., Munnich, K.O. and Roether, W., (1967): Downward movement of soil moisture tracer by means of hydrogen isotopes. Isotope Techniques in the Hydrologic Cycle (E.S. Glenn, Ed). Am. Geophys. Union, Geophys. Monograph, V.11, pp. 28-36.