




REFERENCES

REFERENCES

- Abdallah, A.M., and Abdel Hady, F.M. (1966):** Geology of the Sadat area, Gulf of Suez, Egypt. *J. Geol.*, v.10, p.1-24.
- Abdallah, A.M., and Adindani, A. (1963):** Stratigraphy of Upper Paleozoic rocks, western side of Gulf of Suez. *Geol. Surv. Egypt*, Paper 25. 18p.
- Abdel Aal, A.A., Day, R.A., and Lelek, J.J. (1992):** Structural evolution and styles of the northern Sinai, Egypt. 11th E.G.P.C. Conf., Cairo, no. 1, p. 546-562.
- Abdel Aal, A.A., and Lelek, J.J. (1994):** Structural development of the northern Sinai and its implications on the hydrocarbon prospectivity of the Mesozoic. *M. E. Petrol. Geosc.*, v. 1, Geo 94, p. 15-30.
- Abdel Aal, A.A., and Moustafa, A.R. (1988):** Structural framework of the Abu Gharadig basin, Western Desert, Egypt. 9th E.G.P.C. Conf., Cairo, 37p.
- Abdel Gawad, G.I. and Mekawy, M.S. (2002):** Cenomanian and Turonian macro-invertebrates from El-Giddi pass (NW Sinai) and Gabal Shabrawet sections, Egypt. 2nd Ann. Meet. Paleon. Soc., Egypt, Abstr., p.9.
- Abdel Ghany, O. (2002):** Lower-Miocene stratigraphy of the Gabal Shabrawet area, North Eastern Desert, Egypt. *J. Afr. Earth Sci.*, v.34(3-4), p. 203-212.
- Abdel Wahab, S. and Al Ahwani, M. (1982):** Paleoecology of the Lower Cretaceous-Upper Eocene sequence in Gabal Shabrawet, Eastern Desert. 20th Ann. Meet. Geol. Soc. Egypt, p. 31.
- Abdine, A.S., and Deibis, S. (1972):** Lower Cretaceous Aptian sediments and their oil prospects in the north Western Desert, Egypt. 8th Arab Petrol. Cong., Algiers, Paper 74 (B3), p. 1-12.
- Abu El Hassan, M.M. (1997):** Geochemistry and diagenesis of the Cenomanian dolomite at Gabal Shabrawet and Arief El Naga area, Egypt. 3rd Conf. on Geochem., Alex. Univ., Alex., Egypt, v.2(3-4), p. 25-39.

- Abu El Nassr, R.A.R. (1978):** Geology of the area between Wadi Gimal and Wadi Hommath, Gulf of Suez region, Egypt. M.Sc. Thesis, Fac. Sci., Ain Shams Univ.
- Al Ahwani, M.M. (1982):** Geological and sedimentological studies of Gabal Shabrawet area, Suez Canal District, Egypt. Ann. Geol. Surv., Egypt, v.12, p. 305-381.
- Albritton, C.C., Brooks, J.E., Issawi, B., and Swedan, A. (1990):** Origin of the Qattara depression, Egypt. Geol. Soc. Amer. Bull., v. 102, p. 952-960.
- Argyriadis, I., De Graciansky, P.C., Marcoux, J., and Ricou, L.E. (1980):** The opening of the Mesozoic Tethys between Eurasia and Arabia-Africa. Memoire du Bureau de Recherches Geologiques et Minieres 155, p. 199-214.
- Awad, G.H. and Fawzi, M.A. (1956):** The Cenomanian transgression over Egypt. Bull. Inst. Desert d'Egypte, v. 6(1).
- Ayyad, M.H., and Darwish, M. (1996):** Syrian Arc structures: A unifying model of inverted basins and hydrocarbon occurrences in north Egypt. 13th E.G.P.C. Conf., Cairo, v. 1, p. 40-59.
- Ayyad, M.H., Darwish, M., and Sehim, A. (1998):** Introduction to a new structural model for north Sinai with its significance to petroleum exploration. 14th E.G.P.C. Conf., Cairo, v.1, p. 101-117.
- Ball, J. (1952):** Contribution to the geography of Egypt. Geol. Surv. Egypt, Spec. Pub., 308p.
- Barakat, M.G., and Aboul Ela, N.M. (1971):** The Geology of Gabal Geneifa-Gabal Gharra area, Cairo-Suez district, U.A.R. A.R.E. J. Desert Inst., v. 21(1), p. 31-48.
- Barron, T. (1907):** The topography and geology of the district between Cairo and Suez. Egypt. Geol. Surv. Egypt, 133p.
- Barthoux, J. (1922):** Chronologie et description des roches igness du Desert Arabique. Mem. Inst. d' Egypte, le Caire, v.5, p. 1-262.
- Bartov, Y., Lewy, Z., Steiniz, G., and Zak, I. (1980):** Mesozoic and Tertiary stratigraphy, paleogeography, and structural history of Gabal

- Arief El Naga, eastern Sinai. *Isr. J. Earth Sc.*, v. 29, p. 111-139.
- Bayoumi, A.I., and Shenouda, H.H. (1972):** Analytical resolution of potential data as a mean for emphasizing subsurface structures in the Cairo-Suez area, Gulf of Suez district. 8th Arab Petrol. Cong., Algiers, v. 3(2), Paper 73.
- Beadnell, H.J.L. (1905):** The topography and geology of the Fayum province of Egypt. *Geol Surv. Egypt*, 101p.
- Biju-Duval, B., Letouzey, J., and Montadert, L. (1979):** Variety of margins and deep basins in the Mediterranean. *A. A. P.G.*, v. 29, p. 293-317.
- Bishay, Y. (1961):** Biostratigraphic study of the Eocene in the Eastern Desert between Samalut and Assiut by the larger foraminifera. 3rd Arab Petrol. Cong. Alexandria.
- Blanckenhorn, M. (1921):** Handbuch der regionalen geologie. Aegypten. Bd. 7, Abt. 9, Heft. 23, Heidelberg, 244p.
- Bowen, T.M. (1982):** Ichnofossils and rhizoliths of the nearshore fluvial Gabal Qatrani Formation (Oligocene), Fayum province, Egypt. *Egypt Paleogeog., Paleoclim., Paleoecol.*, v. 40, p. 255-309.
- Bowen, T.M., Kraus, M. J., Wing, S. L., Fleagle, J. G., Tiffney, B.H., Simons, E.L., and Vondra, C.F. (1982):** The Fayum primate forest revisited. *J. Human Evolution*, v. 11, p. 603-632.
- Dercourt, J., Zonenshain, L. P., Ricou, L.E., Kazmin, V. G, Le Pichon, X., Knipper, A.L., Grandjacquet, C., Sbortshikov, I.M., Geyssant, J., Lepvrier, C., Pechersky, D.V, Boulin, J., Sibuet, J.C., Savostin, L.P., Sorokhtin, D., Westphal, M., Bazhenov, M.L., Laurer, J.P. and Biju-Duval, B. (1986):** Geological evolution of the Tethys belt from the Atlantic to the Pamirs since the Lias. *Tectonophysics*, v. 123, p. 241-315.
- Doglioni, C., Tonarini, S., and Innocenti, F. (2007):** Mantle wedge asymmetries and geochemical signature along W and ENE directed subduction zones. *Lithos.*, v. 113, p. 179-189.

- El Akkad, S. and Abdallah, A.M. (1971):** Contribution to Geology of Gabal Ataqa area. *Ann., Geol. Surv. Egypt*, v. 1, p. 21-42.
- El Akkad, S. and Issawi, B. (1963):** Geology and iron ore deposits of Bahariya Oasis. *Geol. Surv. Egypt, Paper 18*, 300p.
- El Azabi, M.H. (1999):** Facies analysis and paleoenvironmental interpretation of Gabal Shabrawet Lower/Middle Cretaceous (Barremian-Cenomanian) succession and its sequence stratigraphic applications, North Eastern Desert, Egypt. *GAW Conf. on Geol. Arab World, Cairo Univ.*, Egypt, v.2, p. 643-683.
- El Deftar, T., Issawi, B., and Abdallah, A.M. (1978):** Contribution to the geology of Abu Tartur and adjacent areas, Western Desert of Egypt. *Ann. Geol. Surv. Egypt*, v. 8, p. 51-90.
- El Hinnawi, M., Abdallah, A.M., and Issawi, B. (1978):** Geology of Abu Bayan-Bolaq stretch, Western Desert, Egypt. *Ann. Geol. Surv. Egypt*, v. 8, p. 19-50.
- El Safory, Y.A. and El Sorogy, A.S. (1999):** Early-Miocene bryozoa of Gabal Gharra, Northwest Gulf of Suez, Egypt. *Egypt. J. Geol.*, v.43(2), p. 353-357.
- El Shiekh, H.A. and Hewaidy, A. (1999):** Some early-Middle Cretaceous larger foraminifera from Northern Egypt. *Egypt. J. Geol.*, v.42(2), p. 497-51.
- El Sorogy, A.S., Abdel Shafy, E., Abdel Moneim, M. and Mowafi, A. (2005):** Stratigraphy, paleontology and depositional environments of some exposed Miocene sediments in Cairo-Suez district, Egypt. *Egypt. J. Paleon.*, v. 5, p. 223-251.
- Eyal, Y. and Reches, Z. (1983):** Tectonic analysis of the Dead Sea rift region since the Late Cretaceous based on mesostructures. *Tectonics*, v. 2, p. 167-185.
- Fairhead, J.D. and Binks, R. (1991):** Differential opening of the Central and South Atlantic Oceans and the opening of the West African Rift System. *Tectonophysics*, V. 187, p. 191-203.
- Farag, I.M. and Ismail, M.M. (1959):** A contribution to the structure of the area east of Helwan. *Egypt. J. Geol.*, v. 3(1), p. 71-86.

- Farag, I.M. and Shata, A. (1954):** Detailed geological survey of El Minsherah area: Bull. Inst. Desert d'Egypte, v. 4(2), p. 5-82.
- Faris, M.I. and Abbas, H.L. (1961):** Geology of Shabrawet area. Bull. Fac. Sci., Ain Shams Univ., Cairo, Egypt, v.7, p. 37-60.
- Fawwaz, S.M. (2008):** Structural and stratigraphical studies of sedimentary succession of the Sadr El Heitan area, west Central Sinai, Egypt. M.Sc. Thesis, Tanta Univ., Tanta.
- Fawzi, M.A. (1959):** Etude stratigraphique et paleontologique de la region du Gabal Shabrawet. Egypt. J. Geol., v.3(2), p. 149-157.
- Fawzi, M.A. (1960):** Contribution to the study of the Cenomanian of Egypt and correlation of the Egyptian facies with those of the neighboring countries. Bull. Fac. Sci., Alex. Univ., Alex., Egypt, v.4, p. 107-150.
- Fawzi, M.A. (1963):** On the Cenomanian of Africa. Bull. Fac. Sci., Alex. Univ., Alex., Egypt. v. 5, p.149-175.
- Fawzi, M. and Naim, E. (1964):** Study of marine Lower Cretaceous Formation in Gabal Shabrawet. Bull. Fac. Sci., Alex. Univ., Alex., Egypt, v.6, p.241-255.
- Freund, R., Garfunkel, Z., Zak, I., Goldberg, M., Weissbrod, T. and Derin, B. (1970):** The shear along the Dead Sea Rift. Philos. Trans. R. Soc. London, v.267A, p.107-130.
- Garfunkel, Z. (2004):** Origin of the Eastern Mediterranean basin: a reevaluation. Tectonophysics, v. 391, p. 11-34.
- Gripp, A.E., and Gordon, R.G. (2002):** Young tracks of hotspots and current plate velocities. Geophys. J. Int., v. 150, p. 321-361.
- Guiraud, R. (1986):** Correlations entre les principaux evenements geodynamiques enregistres du Trias a nos jours sur les marges Alpine et Atlantique de la plaque Africaine. 5th PICG-UNESCO, Rev. Fac. SC. Marrakech Sect. Sci, Terre. No. 183 Spec, p. 313-338.

- Guiraud, R., and Bosworth, W. (1997):** Senonian basin inversion and rejuvenation of rifting in Africa and Arabia: Synthesis and implications to plate scale tectonics. *Tectonophysics*, v. 282, p. 39-82.
- Harland, W.B. (1971):** Tectonic transpression in Caledonian Spitsbergen. *Geol. Mag.*, v. 108, p. 27-42.
- Hegazi, A.M. and Omran, M.M. (1999):** Structural analysis of Shabrawet area, Northeastern Desert, Egypt. *GAW, Int. Conf. Geol. Of Arab World, Cairo Univ., Egypt*, v. 4, p. 91-106.
- Helal, S.A.M. (1990):** Stratigraphic and paleontologic studies on the Eocene sediments at Gabal Shabrawet area, Eastern Desert, Egypt. *M.Sc. Thesis, Ain Shams Univ., Cairo, Egypt*, 370 p.
- Hobbs, B.E., Means, W.D., and Williams, P.F. (1976):** An outline of structural geology: John Wiley and sons. Inc., New York, 571p.
- Hume, W.F., Madgwick, T.G., Moon, F.W., and Sadek, H. (1920):** Preliminary geological report on Gabal Tanka area. *Petrol. Res. no. 2, Cairo*, 12p.
- Ismail, M. and El Dakkak, M. (1971):** Contribution to the stratigraphy of the Gabal Shabrawet Cretaceous surface section by microfacies. *Bull. Fac. Sci., Alex. Univ., Alex., Egypt*, v.11(2), p. 1-24.
- Ismail, M., Fawzy, M. and Naim, E. (1967):** Microfacies study of the Cretaceous strata of Gabal Shabrawet area, Eastern Desert, U.A.R. *Bull. Fac. Sci., Alex. Univ., Alex., Egypt*, v.8(1), p. 219-234.
- Ismail, M. and Selim, A.A. (1966):** A contribution to the stratigraphy of Gabal Ataqa scarps, Eastern Desert, U.A.R. *Bull. Inst. Desert d'Egypte*, v. 16(2), p. 1-20
- Issawi, B. (1969):** Geology of Kurkur-Dungul area, Egypt. *Geol. Surv. Egypt, Paper 76*, 102p.
- Issawi, B. (1971):** On the Nubia Sandstone. *A.A.P.G. Bull.*, v. 55, p. 891-893.

- Issawi, B. (1983):** Ancient Rivers of the Eastern Egyptian Desert. Episodes, v. 1983(2), p. 3-6.
- Issawi, B., El Hinnawi, M., Francis, M., and Mazher, A. (1999):** The Phanerozoic geology of Egypt, a geodynamic approach. Geol. Surv. Egypt, Spec. Pub. 76.
- Issawi, B., Francis, M., Youssef, A., and Osman, R. (2009):** The Phanerozoic geology of Egypt, a geodynamic approach. Geol. Surv. Egypt, Spec. Pub. 81.
- Issawi, B., and Mc Cauley, J. (1992):** The Cenozoic rivers of Egypt: the Nile problem. In: The followers of Horus (Eds. R. Friedman and B. Adams), Egypt. Studies Assoc. Pub., no. 2, Oxbow Monograph 20, p. 121-146.
- Issawi, B., and Mc Cauley, J. (1993):** The Cenozoic landscape of Egypt and its river system. Ann. Geol. Surv. Egypt. v. 19, p. 357-384.
- Issawi, B., and Osman, R. (2000):** Upper Cretaceous-Lower Tertiary platform-ramp environment in NE Egypt. 5th Int. Conf. Arab World, Cairo Univ., v. 3, p. 1289-1308.
- Kerdany, M.T., and Cherif, O.H. (1990):** Mesozoic in: Geology of Egypt (Ed. R. Said), Balkema, Chapter 22, p. 407-438.
- Khalil, M.H.I. (1994):** Structural analysis of the North Eastern Desert and North and Central Sinai, Egypt. Ph.D. Thesis, Fac. Sci., Ain Shams Univ., 106p.
- Khalil, M.H., and Moustafa, A.R. (1994):** Tectonic framework of northeast Egypt and its bearing on hydrocarbon exploration. 12th E.G.P.C. Petrol. Conf., v. 1, p. 67-86.
- Krenkel, E. (1925):** Verlag von Gebruder Borntraeger. Geologie Afrikas, Berlin, P. 461.
- Kostandi, A.B. (1959):** Facies maps for the study of the Paleozoic and Mesozoic sedimentary basins of the Egyptian region. 1st Arab Petrol. Cong., Cairo, v. 2.
- Lowell, J.D. (1972):** Spitsbergen Tertiary orogenic belt and the Spitsbergen fracture zone. Geol. Soc. Amer. Bull., v. 83, p. 3091-3101.

- Mehana, A. (1979):** Report on the drilling in the area between Minia and Bahariya Oasis, Egypt. Geol. Surv. Egypt, Inter. Rep.
- Mohammad, M.H. and Omran, M.A. (1991):** Stratigraphy and depositional history of the sedimentary sequence at Shabrawet area, Southern Ismailia, Egypt. M.E.R.C., Ain Shams Univ., Earth Sc. Ser., v. 5, p. 16-30.
- Moon, F.W., and Sadek, H. (1921):** Topography and geology of northern Sinai. Petrol. Res. Bull., v. 10, 154p.
- Moustafa, A.R. (1988):** Wrench tectonics in the north Western Desert of Egypt (Abu Roash area, southwest of Cairo). M. E. R.C., Ain Shams Univ., Earth Sc. Ser., v. 2, p. 1-16.
- Moustafa, A.R. (1993):** Structural Characteristics and tectonic evolution of the east margin blocks of the Suez rift. Tectonophysics, v. 223, p381-399.
- Moustafa, A.R. (2002):** Structural style and timing of Syrian Arc deformation in northern Egypt. Inter. Petrol. Conf. Cairo, Abstr. A63.
- Moustafa, A.R. (2005):** Structural architecture of Late Cretaceous-Early Tertiary inverted structures in northern Sinai (Gabal Maghara area). Geol. Soc. Egypt, 43rd ann. Sc. Conf., Cairo, Abstr., p. 2-3.
- Moustafa, A.R., and Abd-Allah, A.M. (1991):** Structural setting of the central part of the Cairo-Suez district. M.E.R.C., Ain Shams Univ., Earth Sc. Ser., v. 5, p133-145.
- Moustafa, A.R., and Abd-Allah, A.M. (1992):** Transfer zones with en echelon faulting at the northern end of the Suez rift. Tectonics, v. 11, p. 499-506.
- Moustafa, A.R., El Badrawy, R., and Gibali, H. (1998):** Pervasive E-ENE oriented faults in northern Egypt and their effect on the development and inversion of prolific sedimentary basins. 14th E.G.P.C. Petrol. Conf. Cairo, v. 1, p. 51-67.
- Moustafa, A.R., and Khalil, M.H. (1988):** Late Cretaceous-Early Tertiary dextral transpression in north Sinai: Reactivation of the Tethyan continental margin. (Abstr). A.A.P.G. Med. Basin Conf., Nice, France.

- Moustafa, A.R., and Khalil, M.H. (1989):** North Sinai structures and tectonic evolution. M.E.R.C., Ain Shams Univ., Earth Sc. Ser., v. 3, p. 215-231.
- Moustafa, A.R., and Khalil, M.H. (1990):** Structural characteristics and tectonic evolution of north Sinai fold belt. In: The geology of Egypt (Ed. R. Said), Chapter 20, Balkema, p. 381-389.
- Moustafa, A.R., and Khalil, M.H. (1994):** Rejuvenation of the Eastern Mediterranean passive continental margin in northern and central Sinai: New data from the Themed Fault. Geol. Mag., v. 131(4), p. 435-448.
- Moustafa, A.R., and Khalil, M.H. (1995a):** Superposed deformation in the northern Suez rift, Egypt: Relevance to hydrocarbon exploration. J. Petrol. Geol., v. 18, p. 245-266.
- Moustafa, A.R., and Khalil, S.M. (1995b):** Rejuvenation of the Tethyan passive continental margin of northern Sinai: Deformation style and age (Gabal Yeleg area). Tectonophysics, v. 241, p. 225-238.
- Moustafa, A.R., Yehia, M.A., and Abdel Tawab, S. (1985):** Structural setting of the area east of Cairo, Maadi, and Helwan. M.E.R.C. Ain Shams Univ., Earth Sc. Ser., v. 5, p. 40-64.
- Moustafa, A.R., and Youssef, M.S. (1990):** Two stage wrench deformation at Gabal El Minsherah, north Sinai. M.E.R.C., Ain Shams Univ., Earth Sc. Ser., v. 4, p. 112-122.
- Nakhla, A.M. (1982):** A geophysical approach to the study of basement tectonic in north Egypt. M.Sc. Thesis, Ain Shams Univ., 213p.
- Noweir, M.A. (2005):** Structural evolution of a fault propagation Arief El Naga anticline: An example of Syrian Arc fold structures, north Sinai fold belt, Egypt. Egypt J. Geol., v. 49, p. 87-107.
- Noweir, M.A., El Alfy, Z., and Fawwaz, S.M. (2006):** Wrench deformation Syrian Arc structures: El Hamraa, Um Busal, Um Horeiba en echelon anticlines, Mitla Pass, west Central Sinai, Egypt. Egypt J. Geol., v.50, p265-287.

- Omar, G.I. and Steckler, M.S. (1995):** Fission track evidence on the initial rifting of the Red Sea: tow pulses, no propagation. *Science*, v. 270, p. 1341-1344.
- Pasyanos, M.E and Nyblade, A.A (2007):** A top to bottom lithospheric study of Africa and Arabia. *Tectonophysics*, v. 444, p. 27-44.
- Piromallo, C. and Morelli, A.D (2003):** P wave tomography of the mantle under the Alpine-Mediterranean area. *J. Geophys. Res.*, v. 108, p. 2065.
- Reilinger, R., McClusky, S., Vernant, P., Lawrence, S., Ergintav, S., Cakmak, R., Ozener, H., Kadirov, F., Guliv, I., Stepanyan, R., Nadariya, M., Hahubia, G., Mahmoud, S., Sakr, K., ArRajehi, A., Paradisses, D., Al-Aydrus, A., Prilepin, M., Guseva, T., Evren, E., Dmitrova, A., Filikov, S.V., Gomez, F., Al-Ghazzi, R., and Karam, G. (2006):** GPS constraints on continental deformation in the Africa-Arabia-Eurasia continental collision zone and implications for the dynamics of plate interactions. *J. Geophys. Res.*, v. 111, p. B05411.
- Robson, D.A. (1971):** The structure of the Gulf of Suez (Clysmic) rift with special reference to the eastern side. *J. Geol. Soc., London*, v. 127, p. 247-177.
- Sadek, H. (1926):** The geology and geography of the district between Gabal Ataqa and El Galala El Bahariya. *Geol. Surv. Egypt*, 120p.
- Sadek, H. (1928):** The principal structural features of the Peninsula of Sinai. 14th Inter. Geol. Cong., Madrid, v. 3, p. 895-900.
- Sadek, H. (1959):** The Miocene in the Gulf of Suez region, Egypt. *Geol. Surv. Egypt, Cairo*, p.1-18.
- Sadek, H. (1968):** Stratigraphical and structural studies on the Cairo-Suez district. Ph.D. Thesis, Fac. Sci., Cairo Univ.
- Said, R. (1962):** The geology of Egypt. Amsterdam, New York, 370p.
- Said, R. (1971):** Explanatory notes to accompany the geological map of Egypt. *Geol. Surv. Egypt, Paper 56*, 123p.

- Said, R. (1990):** The geology of Egypt. Balkema, 734p.
- Said, R., and Issawi, B. (1964):** Geology of northern plateau, Bahariya Oasis. Geol. Surv. Egypt, Paper 28, 41p.
- Said, R., and Martin, L. (1964):** Cairo area, geological excursion notes. 6th Ann. Field Conf., Petrol. Explor. Soc. Libya, Elsevier, p. 107-121.
- Shama, K. and Helal, S. (1993a):** Stratigraphy of the Eocene sediments at Shabrawet area, Suez Canal environs, Egypt. Egypt. J. Geol., Cairo, Egypt, v.37(2), p. 275-298.
- Shama, K. and Helal, S. (1993b):** Benthonic foraminifera from Gabal El-Goza El-Hamra and its neighborhood, Suez Canal zone, Egypt. Ann. Geol. Surv. Egypt, v.19, p. 245-260.
- Shama, K., Ziko, A. and Helal, S. (1995):** Cheistomatus bryozoa from the Eocene of Gabal Shabrawet, Cairo Suez District, Egypt. Egypt. J. Geol., v.39 (2), p. 579-597.
- Shata, A. (1959):** Structural development of the Sinai Peninsula, Egypt. 20th Inter. Geol. Cong., Mexico, p. 225-249.
- Shukri, N.M. (1954):** Remarks on the geological structure of Egypt. Soc. Geog. d'Egypt Bull., v. 27, p. 65-82.
- Sigaev, N.A. (1959):** The main tectonic features of Egypt (An explanatory note to accompany the tectonic map of Egypt). Geol. Surv. Egypt, Paper 39, 26p.
- Smith, J.G. (1965):** Fundamental transcurrent faulting in northern Rocky Mountains. A.A.P.G. Bull., v. 49, p. 1398-1409.
- Smith, J.G. (1971):** Alpine deformation and the oceanic areas of the Tethys, Mediterranean and Atlantic. Geol. Soc. Amer. Bull., v. 82, p. 2039-2070.
- Soliman, S.M., and Amer, K.M. (1972):** Cretaceous sedimentation in Eastern Desert, Egypt, and evaluation for petroleum prospecting: An appraisal of stratigraphic maps: 8th Arab Petrol. Cong. Algiers, v. 8 (2), Paper 77, p. 1-33.

- Sylvester, A.G., and Smith, R.R. (1976):** Tectonic transpression and basement controlled deformation in San Andreas fault zone, Salto Trough, California. *A.A.P.G. Bull.*, v. 60, p. 2081-2102.
- Tchalenko, J.S. (1970):** Similarities between shear zones of different magnitudes. *Geol. Soc. Amer. Bull.*, v. 81, p. 1625-1640.
- Teichert, C. (1958):** Concepts of facies. *A.A.P.G. Bull.*, v. 42, p. 2718-2744.
- Viotti, C., and El Demerdash, G. (1969):** Studies in Eocene sediments of Wadi Nukhul area, eastern coast of Gulf of Suez. *Proc. 3rd Afr. Micropal. Colloq.*, Cairo, p. 403-423.
- Wanas, H.A., and Abu El Hassan, M.M. (2006):** Paleosols of the Upper Cretaceous-Lower Tertiary Maghra El Bahari Formation in the northeastern portion of the Eastern Desert, Egypt: Their recognition and geological significance. *Sed. Geol.*, v. 183, p. 243-259.
- Wilcox, R.E., Harding, T.P., and Seeley, D.R. (1973):** Basic wrench tectonics. *A.A.P.G. Bull.*, v. 57, p. 74-96.
- Wortel, M.J.R. and Spakman, W. (2000):** Subduction and slab detachment in the Mediterranean-Carpatian region. *Science*, v. 290, p. 1910-1917.
- Youssef, M.I. (1968):** Structural pattern of Egypt and its interpretation. *A.A.P.G. Bull.*, v. 52(4), p. 601-614.