

REFERENCES

- Abouzeid, G. A., Mohamed, H. I., and Ali, S. M., "3-d numerical simulation of flow and clear water scour by interaction between bridge piers", Tenth International Water Technology Conference, IWTC10 2006, Alexandria, Egypt, 899-915.
- Ahmed. F., and Rajaratnam, N. (1999), "Flow around bridge piers", J. Hydr. Engrg., ASCE 124(3), 283-300.
- Ali, K. H. M., and Karim, O. (2002), "Simulation of flow around piers", J. Hydr. Res., 40(2),161-174.
- Ansari, S. A., Kothiyari, U. C. and Ranga Raju, K. G. (2002). "Influence of cohesion on scour around bridge piers." J. Hydr. Res., 40(6), 717-729.
- Baker. C. J. (1981), "New design Equations for scour around bridge piers", J. Hydr. Engrg., ASCE, 107(HY4), 507-511.
- Briaud, J-L., Ting, F. C., Chen, H. C., Gudavalli, R. Perugu. S., and Wei, G. (1999). J. Hydr. Engrg., ASCE, 109(3), 338-349.
- Chang, H. H. (1992), "Fluvial processes in river engineering", Krieger Publishing Company Malabar, Florida.
- Chew. Y. M., and Melville, B. W. (1987), "Local scour around bridge piers", J. Hydr. Res., 25(1).15-26.
- Coleman. S. E., and Melville, B. W. (2001), "Case study: New Zealand bridge scour experiences", J. Hydr. Engrg., ASCE, 127(7), 535-5546.
- Dargahi. B. (1990), "Controlling Mechanism of local Scouring", J. Hydr. Engrg., ASCE. 116(10), 1197-1214.
- Dey, S., Bose. S. K., and Sastrv, G., L. (1995), "Clear water at circular piers: A Model", J. Hydr. Engrg., ASCE, 121(12), 869-876.
- Elliott, K. R., and Baker, C. J. "effect of pier spacing on scour around bridge piers", J. Hydr. Engrg., ASCE, 111(7), 1105-1109

- Esmaeili, T., Dehghani, A. A., Zahiri, A. R., and Suzuki K. (2009), " 3D Numerical Simulation of Scouring Around Bridge Piers (Case Study: Bridge 524 crosses the Tanana River)", World Academy of Science, Engineering and Technology (58), 1028-1032
- Ettema R., Melville. B. W., and Barkdoll, B. (1998), "Scale effect in pier-scour experiments", J. Hydr. Engrg., ASCE, 124(6), 639-642.
- Ettema. R., Mostafa, E. A., Melville, B. W., and Yassin, A. A. (1998), "Local scour at skewed piers", J. Hydr. Engrg. ASCE. 124(7), 756-760.
- Hoffmans. G. J. C.M., and Verheij, H. J. (1997), Scour manual, A.A.Ballcema, Rotterdam/Brookfield 1997.
- Hosny, M. M. (1995), "Experimental study of local scour around circular bridge piers in cohesive soil", Ph D. Thesis, the Colorado State University at Font Collins, Colorado.
- Jain, S. C. (1981), "Maximum clear water scour around circular piers", J. Hydr. Engrg., ASCE, 107(HY5), 611-627
- Johnson, P. A., and Dock. D. A. (1998), "Probabilistic bridge scour estimates", J. Hydr. Engrg., ASCE, 124(7), 750-754.
- Johanson, P. A. (1995), "Comparison of Pier-Scour Equations Using Field Data", J. Hydr. Engrg., ASCE, 121(8), 626-629.
- Jones, S. J., Kilgore, R. T., and Mistichelli, M. P. (1992), "Effects of footing Location on bridge pier scour", J. Hydr. Engrg., ASCE, 118(2), 280-290.
- Kandasamy, J. K., and Melville, B. W., (1998), "Maximum local scour depth at bridge piers and abutments." J. Hydr. Res., 36(2), 183-197.
- Kothvari. U. C., and Rangraja. K. G., (2001), "Scour around spur dikes and bridge abutments", J. Hydr. Res., 39(4), 367-372.
- Kumar. V., Ranga Raju, K. G., and Vittal, N. (1999), "Reduction of local scour around bridge piers using slots and collars", J. Hydr. Engrg., ASCE, 125(9), 1302-1305.

- Kwan. T. F., and Melville, B. W. (1994), "Local scour and flow measurements at bridge piers", J. Hydr. Res., 32(5), 66 1-674.
- Martin-Vide, J. P., Hidalgo, C., and Bateman, A. (1998), "Local scour at piled bridge foundations", J. Hydr. Engrg., ASCE. 124(4), 439-444.
- Melaaen, M. C. (1992) "Calculation of fluid flows with staggered and nonstaggered curvilinear nonorthogonal grids - the theory", Numerical Heat Transfer, Part B, vol. 21, pp 1- 19.
- Melville, B. W. (1997), "pier and abutment scour-integral approach", J. Hydr. Engrg., ASCE, 123(2), 125-136.
- Melville, B. W., and Chew, Y. M. (1999), "Time scale for scour at bridge piers", J. Hydr. Engrg., ASCE, 125(1), 59-67.
- Melville, B. W., and Raudkivi, A. J. (1994), "Effects of foundation geometry on bridge pier scour", J. Hydr. Engrg., ASCE, 122(4), 203-209.
- Melville, B.W., and Dongol, D. M. S. (1992), "Bridge scour with debris accumulation", J. Hydr. Engrg., ASCE, 118(9), 1306-1310.
- Melville. B. W., (1984). "Live-bed scour at bridge piers", J. Hydr. Engrg., ASCE, 110(9), 1234-1246.
- Melville. B. W., and Hadfield, A. C. (1999), "Use of Sacrificial Piles as pier countermeasures." J. Hydr. Engrg., ASCE, 125(11), 1221-1224.
- Melville. B.W., and Sutherland, A. J. (1988), "Design method for local scour at bridge piers", J. Hydr. Engrg., ASCE, 114(10), 1210-1226.
- Michael W. Horst (2004), "time variation of shear stress measurements at the base of rectangular piers ", Ph D thesis, The Pennsylvania State University, Pennsylvania.
- Mohamed M. Salama. (1982) "Mechanics of degradation of alluvial channel as effected by water temperament", Ph D. Cairo University, Giza, Egypt
- Montgomery, D. C., (1991), "Design and analysis of experiments", Third Edition, John Willy & Sons, New York, Printed in Singapore.

- Muller. G., Mach. R., and Kauppert, K. (2001), "Mapping of bridge pier scour with projection moire'." J. Hydr. Res., 39(5), 531-537.
- Munson. B., Young, D. F., and Okiishi, T. (1998), "Fundamentals of fluid mechanics, third edition update, chapter 6", John Wily & Sons, Inc., New York.
- Oliveto. O., and Hager. W. (2002), "Temporal evolution of clear-water pier and abutment scour", J. Hydr. Engrg., ASCE. 128(9), 811-820.
- Olsen, N. R. B. (1991) "A numerical model for simulation of sediment movements in water intakes", Dr. Ing. Dissertation, The Norwegian Institute of Technology, Trondheim.
- Olsen, N. R. B., (2010), "A three-dimensional numerical model for simulation of sediment movement in water intakes with multi-block option", SSIIM User Manual Version 1 and 2.
- Olsen, N. R. B., and Melaaen, M. C. (1993), "Three-dimensional calculation of scour around cylinders", J. Hydr. Engrg., ASCE, 119(9), 1048-1054.
- Parola, A. C., Mahavadi. S. M., Brown. B. M., and El-Khoury, A. (1996), "Effects of rectangular foundation geometry on local pier scour", J. Hydr. Engrg., ASCE, 122(1), 35-40.
- Patankar, S. V. (1980) "Numerical Heat Transfer and Fluid Flow", McGraw-Hill Book Company, New York.
- Petersen, O., and Ishappan, B. G., (1995), "Measurement and analysis of flow characteristics in a rotating circular flume." J. Hydr.Res., 32(4), 483-494.
- Qiping Yang (2005), "numerical investigations of scale effects on local scour around a bridge pier", Ph D thesis, The Florida State University, Florida.
- Raudkivi, A. J. (1998), "Loose boundary hydraulics", Bailcema, Rotterdam, the Netherlands.
- Raudkivi, a. J. (1986), "Functional trends of scour at bridge piers", J. Hydr. Engrg., ASCE, 112(1), 1-13.

- Raudkivi. A. J., and Ettema, R. (1983), "Clear water scour at cylindrical piers", J. Hydr. Engrg., ASCE, 109(3), 338-349.
- Raudkivi. A. j., and Sutherland.A. J., (1981), "Scour at bridge crossings", National Roads Board Research Unit, Bulletin no.54, Wellington New Zealand.
- Richardson, E. V., and Davis, S. R. _2001_. "Evaluating scour at bridges. "Hydraulic Engineering Circular No. 18 (HEC-18), Rep. No. FHWA NHI 01-001, Federal Highway Administration, Washington, D.C.
- Richardson, J.R. and Richardson. E. R. (1993), "Proceedings of the 1994 Conference", Hydraulics Division of the American Society civil Engineers
- Salim, M., and Jones, J. S. (1996), "Scour around exposed pile foundations", Proceeding of the American Society of Civil Engineers "Nroth American Water and Envirment Congress '96" held in Anaheim CA, June 1996.
- Schlichting, H. (1979) "Boundary layer theory", McGraw-Hill.
- Sharafaddin, A.A.S. (2003), "Local scour around exposed bridge pile foundations in sandy soil channel", Ph D thesis, Cairo University at Cairo, Egypt.
- Shen. H W (1971), "Scour near piers", River mechanics Volume II Chapter (23) Collins, Clolo.
- SSIIM (Version 1.1.1.0) [Software Program]. (2010)., Retrieved from, <http://folk.ntnu.no/nilsol/ssiim>
- Street, R. L., Watturs, G. Z., and Vennard, J. K. (1996), "Elementary Fluid mechanics, seventh edition, chapter 7", John Wiley & Sons Inc., New York
- Sumer, M. B., and Fredsoe, Jorgen (2001), "Scour around pile in combined waves and current", J. Hydr. Engrg., ASCE, 127(5), 403-411.
- Ting, F.C. K., and Briaud J-L., Chen, H. C., Gudavalli, R., Perugu, S., and Wel, G. (2001). "Flume tests for scour in clay at circular piers", J. Hydr. Engrg., ASCE, 127(11), 969-978.

- Umbrell, E. R., Young, K. G., Stein, S. M., and Jones, S. J. (1998), "Clear-water contraction scour under bridges in pressure flow." J. Hydr. Engrg., ASCE, 124(2), 236-240.
- Vittal, N., Kothiyari, U. C., and Haghighat, M. (1994), "Clear water scour around bridge pier group", J. Hydr. Engrg., ASCE, 120(11), 1309-1319.
- Wang, Z. Y. (1999), "Experimental study on scour rate and river bed inertia", J. Hydr. Res., 37(1), 17-37.
- Yakoub, N. O. R. (1994), "Effect of cohesion on bridge abutment scour", PhD. Thesis, the Colorado State University at Fort Collins, Colorado.
- Yanmaz, M. A., and Altmbilek, D. H. (1991), "Study of time-dependent local scour around bridge piers", J. Hydr. Eng., ASCE, 117(10), 1247-1268.