

References

- 1- Abd El-Magid, Y. M., (1999), "Seismic behavior of strengthened reinforced concrete column," Ph.D. Thesis, Cairo University, Egypt.
- 2- Abu-Dayya, N., (2002), "Structural seismic behavior of beam-column joints using high performance concrete," M.Sc. Thesis, Civil Engineering Department, Jordan University of Science and Technology.
- 3- ACI-ASCE Committee 441, (1997), "High-strength concrete columns: State-of the-art," ACI Structural Journal, V. 94, No. 3, May - June, pp. 323-335.
- 4- American Association of State Highway and Transportation Officials, (1999), "Standard specifications for highway bridges," 15th Edition, Washington, D.C.
- 5- ACI Committee 318, (1989), "Building code requirements for reinforced concrete (ACI 318-89) and commentary (ACI 318R-89)," American Concrete Institute, Detroit.
- 6- ACI Committee 318, (1999), "Building Code Requirements for Reinforced Concrete (ACI 318-99) and Commentary (ACI 318R-99)," American Concrete Institute, Farmington Hills, Mich.
- 7- ACI Committee 318, (2008), "Building code requirements for reinforced concrete (ACI 318-08) and commentary (ACI 318R-08)," American Concrete Institute, Farmington Hills, Mich.
- 8- ACI Committee 363, (1984), "State of the art report on high strength concrete (ACI 363R-84)," American Concrete Institute, Detroit.
- 9- ACI Committee 544.4R88, (1988), "Design consideration for steel fiber reinforced concrete," American Concrete Institute, Detroit.
- 10- ACI Committee 544.1R96, (1996), "State of the art report on fiber reinforced concrete," Concrete International: Design and Construction, V. 4, No. 5.
- 11- Ashour, S., Hasanian, G., and Wafa, F., (1992), "Shear behavior of high-strength fiber reinforced concrete beams," ACI Structural Journal, V. 89, No. 2, March - April, pp. 176-184.
- 12- Akira, W., and Hirose, K., (1989), "Building frames subjected to 2-d earthquake motion," Proceeding of ASCE Structures Congress. Seismic

Engineering, May.

13- Akiyama, M., Suzuki, M., and Frangopol, D. M., (2010), "Stress-averaged strain model for confined high-strength concrete," *ACI Structural Journal*, V. 107, No. 2, March - April, pp. 179-188.

14- ATC-32, (1996), "Improved seismic design criteria for California bridges," Provisional Recommendations, Applied Technology Council, Redwood City, California.

15- Attard, M. M., and Setunge, S., (1996), "Influence of steel fibers on strain-softening of high - strength concrete," *ACI Material Journal*, V. 93, No. 5, September - October, pp. 1-11.

16- Aziznamini, A., Baum Kuska, S. S., Brungardt, P. and Hatfield, E., (1994), "Seismic behavior of square high-strength concrete columns," *ACI Structural Journal*, V. 91, No. 3, May - June, pp. 336-345.

17- Bahaa, T., (1997), "Behavior of high strength concrete columns under axial loads and simulated seismic loads," M.Sc. Thesis, Cairo University, Egypt.

18- Bahaa, T., (2002), "Seismic behavior of reinforced high-strength concrete beam-column joints with and without steel fibers," Ph.D. Thesis, Cairo University, Egypt.

19- Bahnasawy, H. H., El-Refai, F. E., and Kamal, M. M., (1991), "Fiber reinforced concrete columns using dolomite as coarse aggregate," *Fiber Reinforced Cement and Concrete*.

20- Bayrak, O., and Sheikh, S., (1996), "Confinement steel requirements for high strength concrete columns," *Proceeding of the 11th World Conference on Earthquake Engineering*.

21- Bayrak, O., and Sheikh, S., (1998), "Confinement reinforcement design considerations for ductile columns," *Journal of Structural Engineering, ASCE*, V. 124, No. 9, March, pp. 999-1010.

22- Bentur, A., and Mindess, S., (1990), "Fiber reinforced cementitious composites," Elsevier, London.

23- Bing, L., Park, R., and Tanaka, H., (1994), "Strength and ductility of reinforced concrete members and frames constructed using high-strength

- concrete,” Research Report 94-5, University of Canterbury, New Zealand, May, pp. 389.
- 24- Bing, L., Park, R., and Tanaka, H., (2001), “Stress-strain behavior of high strength concrete confined by ultra-high and normal strength transverse reinforcement,” *ACI Structural Journal*, V. 98, No. 3, May - June, pp. 395-406.
- 25- British Standard Institute, BS 8110-Part 1, (1997), “Structural use of concrete,” Code of practice for design and construction. London: British Standards Institution.
- 26- California Department of Transportation, (2003), “Bridge design specifications,” AASHTO with Interims and Revisions by CALTRANS, Sacramento, California.
- 27- Campione, D., (2002), “The effects of fibers on the confinement models for concrete columns,” *Canadian Journal of Civil Engineering*, V. 29, April, pp. 742-750.
- 28- Chunxiang, Q., and Patnaikuni, I., (1999), “Properties of high-strength steel fiber reinforced concrete beams in bending,” *Cement and Concrete Composites*, V. 21, pp. 73-81.
- 29- CSA A23.3, (1994), “Design of concrete structures for buildings (CSA-A23.3-M94),” Canadian Standards Association, Rexdale, Ontario, Canada.
- 30- CSA A23.3, (2004), “Design of concrete structures for buildings (CSA A23.3-04),” Canadian Standards Association. Mississauga, ON, Canada.
- 31- Cusson, D., and Paultre, P., (1994), “High-strength concrete columns confined by rectangular ties,” *Journal of Structural Engineering*, ASCE, V. 120, No. 3, March, pp. 783-805.
- 32- Cusson, D., and Paultre, P., (1995), “Stress-strain model for confined high-strength concrete,” *Journal of Structural Engineering*, ASCE, V. 121, No. 3, March, pp. 468-477.
- 33- Daniel, L., and Loukili, A., (2002), “Behavior of high-strength fiber-reinforced concrete beams under cyclic loading,” *ACI Structural Journal*, V. 99, No. 3, May - June, pp. 248-256.
- 34- ECCS-203, (2003), “Egyptian code for design and construction of reinforced

concrete Structures,” Housing and Building Research Center, Egypt.

35- Ehsani, M. R., and Vallenilla, C. R., (1987), “Comparison of inelastic behavior of reinforced ordinary and high-strength concrete frames,” *ACI Structural Journal*, V. 84, No. 2, March - April, pp. 161-169.

36- Ehsani, M. R., and Wight, J. K., (1990), “Confinement steel requirement for connections in ductile frames,” *ASCE Journal of Structural Engineering*, V. 116, No. 3, March, pp. 751-767.

37- El-Dash, K. M., and El-Mahdy, O. O., (2006), “Modelling the stress-strain behavior of confined concrete columns,” *ACI Special Publication SP-238-11*, October, pp. 177-192.

38- Fanella, D., and Naaman, A., (1985), “Stress-strain properties of fiber reinforced mortar in compression,” *ACI Journal*, Technical Paper, July - August, pp. 475-483.

39- Foster, S. J., (2001), “On behavior of high-strength concrete columns: cover spalling, steel fibers, and ductility,” *ACI Structural Journal*, V. 98, No. 4, pp. 583-589.

40- Foster, S. J., and Attard, M., (2001), “Strength and ductility of fiber reinforced high-strength concrete columns,” *ASCE Journal of Structural Engineering*, V. 127, No. 1, January, pp. 28-34.

41- Galeota, D., Giammetteo, M., M., and Marino, R., (1994), “High-strength RC beam-column joints under large reversal loads,” *Proceeding of ACI International Conference on High-Performance Concrete*, SP-149, Singapore, pp. 195-208.

42- Ganesan, N., and Murthy, J. V. R., (1990), “Strength and behavior of confined steel fiber reinforced concrete,” *ACI Material Journal*, V. 87, No. 3, May-June, pp. 221-227.

43- Gencoglu, M., and Eren, I., (2002), “An experimental study on the effect of steel fiber reinforced concrete on the behavior of the exterior beam-column joints subjected to reversal cyclic loading,” *Turkish Journal Engineering Environmental and Scientific*, pp. 493-502.

44- Ho, J. C., Lam, J.Y.K., and Pam, H. J., (2010), “Effectiveness of adding confinement for ductility improvement of high-strength concrete columns,”

Science Direct, Engineering Structures 32. pp. 714-725.

45- Ho, J. C., and Pam, H. J., (2003), "Inelastic design of low-axially loaded high-strength reinforced concrete columns," Science Direct, Engineering Structures 25. pp. 1083-1096.

46- Hsu, L. S., and Hsu, C. T., (1994), "Stress-strain behavior of steel-fiber high-strength confined concrete under compression," ACI Structural Journal, V. 91, No. 4, July - August, pp. 448-457.

47- Hwang, T.H., and Scribner, C.F., (1984), "R/C member cyclic response during various loadings," ASCE Journal of Structural Engineering, V. 110, No. 3, pp. 477-489.

48- Hwang, S. K., and Yun, H. D., (2004), "Effect of transverse reinforcement on flexural behavior of high-strength concrete columns," Science Direct, Engineering Structures 26. pp. 1-12.

49- Jinqing, J., Rui, J., Tong, H., and Shilang, X., (2007), "Dynamic analyses of steel-reinforced super high-strength concrete columns," China Architecture & Building Press, pp. 240-246.

50- Kansouh, S., and Hadad, H., (2005a), "Effect of axial stress on seismic performance of high-strength concrete columns," Ain Shams Magazine, Faculty of Engineering, Vol. 40/3, September.

51- Kansouh, S., and Hadad, H., (2005b), "Effect of concrete strength on seismic performance of HSC columns," Ain Shams Magazine, Faculty of Engineering, Vol. 40/4, December.

52- Kimura, H., Kambayashi, A., and Takatsu, H., (2007), "Seismic behavior of 200 MPa ultr-high-strength steel fiber reinforced concrete columns under varying axial load," Journal of Advanced Concrete Technology, V. 5, No. 2, pp. 193-200.

53- Lee, H. H., (2007), "Shear strength and behavior of steel fiber reinforced concrete columns under cyclic loading," Science Direct, Engineering Structures 29. pp. 1253-1262.

54- Lee, J. H., and Son, H. S., (2000), "Failure and strength of high-strength concrete columns subjected to eccentric loads," ACI Structural Journal, V. 97, No. 1, pp. 78-85.

- 55- Legeron, F., and Paultre, P., (2000), "Behavior of high-strength concrete columns under cyclic flexure and constant axial load," *ACI Structural Journal*, V. 97, No. 4, July - Aug., pp. 591-601.
- 56- Li, B., (1994), "Strength and ductility of reinforced concrete members and frames constructed using high strength concrete," Res. Rep. No. 94-5, University of Canterbury, Chirstchurch, New Zealand.
- 57- Li, B., Park, R., and Tanaka, H., (1994), "Strength and ductility of reinforced concrete members and frames constructed using high strength concrete," Research Report No. 94-5, Department of Civil Engineering, University of Canterbury, Christchurch, New Zealand, pp. 373.
- 58- Lima Junior, H.C., and Giongo, J. S., (2004), "Steel-fiber-high strength concrete prisms confined by rectangular ties under concentric compression," *Material and Structures Journal*, V. 37, December, pp. 179-188.
- 59- Mander, J. B., Priestley, M. J, N., and Park, R., (1984), "Seismic design of bridge piers," Research report No. 84-2, University of Canterbury, New Zealand.
- 60- Mander, J. B., Priestley, M. J, N., and Park, R., (1988a), "Theoretical stress-strain model for confined concrete," *ASCE Journal of Structural Engineering*, V. 114, No. 8, June, pp. 1804-1826.
- 61- Mander, J. B., Priestley, M. J, N., and Park, R., (1988b), "Observed stress-strain behavior of confined concrete," *ASCE Journal of Structural Engineering*, V. 114, No. 8, pp. 1827-1849.
- 62- Mustafa, T., (2007), "Behavior of high strength fiber reinforced concrete beams," M.Sc. Thesis, Benha University, Egypt.
- 63- Marzouk, H., and Hussein, A., (1991), "Punching shear analysis of reinforced high-strength concrete slabs," *Canadian Journal of Civil Engineering*, V. 18, No. 4, pp. 954-963.
- 64- Naaman, A. E., and Homrich, J. R., (1985), "Properties of high-strength fiber reinforced concrete," *High-Strength Concrete*, SP-87, American Concrete Institute, Detroit, pp. 233-249.
- 65- Naaman, A. E., and Reinhardt, H. W., (2003), "High performance fiber reinforced cement composites: HPFRCC 4," *RILEM Proceedings Pro 30*, RILEM

Publications S. A. R. L., pp. 95-113.

66- Nagashima, T., Sugano, S., Kimura, H., and Ichikawa, A., (1992), "Monotonic axial compression tests on ultra-high-strength concrete tied columns," 10th World Conference on Earthquake Engineering, Rotterdam, The Netherlands, pp. 2983-2988.

67- Nataraja, M.C., Dhang, N., and Gupta, A. P., (1999), "Stress-strain curves for steel-fiber reinforced concrete under compression," *Cement & Concrete Composites*, V. 21, pp. 383-390.

68- NZS 3101-82 - Part I, (1982), "Code of practice for the design of concrete structures," Standards Association of New Zealand, Wellington, New Zealand.

69- NZS 3101-95 - Part I, (1995), "Code of practice for the design of concrete structures," Standards Association of New Zealand, Wellington, New Zealand.

70- Park, R., Priestley, M. J. N., and Gill, W. D., (1982), "Ductility of square-confined concrete columns," *ASCE Journal of Structural Engineering*, V. 108, No. 4, pp. 929-950.

71- Park, R., Tanaka, H., and Xin, X. Z., (1998), "High-strength concrete beam-column joints of moment resistance frames," *High-Strength Concrete in Seismic Regions*, ACI Special Publication, SP 176-16, pp. 357-378.

72- Patton, M. and Whittaker, W. L., (1983), "Effect of fiber content and damaging load on steel fiber reinforced concrete stiffness," *ACI Journal*, Technical Paper, January - February, pp. 13-16.

73- Paulay, T., and Park, R., (1984), "Joints in reinforced concrete frames designed for earthquake resistance," Research Report No. 84-9, Civil Engineering Department, University of Canterbury, New Zealand.

74- Paulay, T., and Priestley, M. J. N., (1992), "Seismic design of reinforced concrete and masonry buildings," Jon Wiley and Sons, Inc., United State of America.

75- Paultre, P., Eid, R., Robles, H., I., and Bouaanani, N., (2009), "Seismic performance of circular high strength concrete columns," *ACI Structural Journal*, V. 106, No. 4, July - August, pp. 395-404.

76- Paultre, P., Khayat, K. H., Langlois, A., Trudel, A., and Cusson, D., (1996),

“Structural performance of some special concretes,” 4th International Symposium on the Utilization of High Performance Concrete, Paris, May, pp. 787-796.

77- Paultre, P., Legeron, F., and Mongeau, D., (2001), “Influence of concrete strength and transverse reinforcement yield strength on behavior of high-strength concrete columns,” *ACI Structural Journal*, V. 98, No. 4, July - August, pp. 490-500.

78- Paultre, P., Proulx, J., Elwood, K., and Roy, N., (2008), “Behavior of synthetic fiber-reinforced concrete circular columns under cyclic flexure and constant axial load,” Report, Department of Civil Engineering, University of Sherbrooke, Canada, May.

79- Peek, R., (1989), “Evaluation of ductility of structures and structural assemblages from laboratory testing,” *Bulletin of the New Zealand National Society for Earthquake Engineering*, V. 22, No. 3, September.

80- Popovics, S., (1973), “A numerical approach to the complete stress-strain curve of concrete,” *Cement and Concrete Research*, V. 3, pp. 583-599.

81- Priestley, M. J. N., and Park, R., (1987), “Strength and ductility of concrete bridge columns under seismic loading,” *ACI Structural Journal*, V. 84, No. 1, Jan.-Feb., pp. 61-76.

82- Razvi, S., (1995), “Confinement of normal and high strength concrete columns,” Ph.D. Thesis, University of Ottawa, Canada.

83- Razvi, S. and Saatcioglu, M., (1999), “Confinement model for high-strength concrete,” *ASCE Journal of Structural Engineering*, V. 125, No. 3, March. pp. 281-289.

84- Richart, F. E., Brandtzaeg, A., and Brown, R. L., (1929), “The failure of plain and spirally reinforced concrete in compression,” Bulletin No. 190, University of Illinois, Engineering Experimental Station.

85- Saadatmanesh, H., Ehsani, R., and Jin L., (1997), “Repair of earthquake-damaged R.C columns with FRP wraps,” *ACI Structural Journal*, V. 94, No. 2, March - April.

86- Saatcioglu, M., and Baingo, D., (1999), “Circular high-strength concrete columns under simulated seismic loading,” *Journal of Structural Engineering*,

ASCE, V. 125, No. 3, March, pp. 272-280.

87- Saatcioglu, M., and Razvi, S., (1991), "Analytical model for confined concrete," Res. Rep. No. 9101, Dept. of Civil Engineering, University of Ottawa, Ottawa, ON, Canada.

88- Saatcioglu, M., and Razvi, S., (1992), "Strength and ductility of confined concrete," ASCE Journal of Structural Engineering, V. 118, No. 6, March, pp. 1590-1607.

89- Samaan, M., Mirmiran, A., and Shahawy, M., (1998), "Model of concrete confined by fiber composites," ASCE Journal of Structural Engineering, V. 124, No. 9, pp. 1025-1031.

90- Shannag, M. J., Abu-Dyya, N., and Abu-Farakh, G., (2005), "Lateral load response of high performance fiber reinforced concrete beam-column joints," Science Direct, Construction and Building Materials, V. 19, pp. 500-508.

91- Sharma, U., K., Bhargava, P., and Sheikh, S. A., (2007), "Tie-confined fibre-reinforced high-strength concrete short columns," Magazine of Concrete Research, V. 59, No. 10, December, pp. 757-769

92- Sheikh, S. A., and Khoury, S. S., (1997), "Confined concrete columns with stubs," ACI Structural Journal, V. 90, No. 4, pp. 414-431.

93- Sheikh, S. A., Shah, D. V., and Khoury, S. S., (1994), "Confinement of high-strength concrete columns," ACI Structural Journal, V. 91, No. 1, January - February, pp. 100-111.

94- Sheikh, S. A., and Khoury, S. S., (1991), "Confined concrete columns with varied strength concrete," Proceeding of the 6th Canadian Conference on Earthquake Engineering, Toronto, June, pp. 623-630.

95- Sheikh, S. A. and Khoury, S. S., (1997), "A performance-based approach for the design of confining steel in tied columns," ACI Structural Journal, V. 94, No. 4, pp. 421-431.

96- Sherif, S., Elibiari, S., Ghoneim, M. and Elzanaty, A., (2003), "Cyclic load behavior of high-strength concrete circular columns confined by spiral and hoops," 9th Arab structural Engineering Conference, Abu Dhabi, UAE, November - December, pp. 135-142.

- 97- Song, P. S., and Hwang, S., (2004), "Mechanical properties of high-strength steel fiber-reinforced concrete," *Construction and Building Material*, pp. 669-673.
- 98- Sugano, S., (1996), "Seismic behavior of reinforced concrete columns which used ultra-high-strength concrete," *Eleventh World Conference on Earthquake Engineering*, paper No. 1383.
- 99- Taerwe, L. R., (1992), "Influence of steel fibers on strain-softening of high – strength concrete," *ACI Material Journal*, V. 88, No. 6, January - February, pp. 54-60.
- 100- Takatsu, H., Kimura, H., Kambayashi, A., and Ishikawa, Y., (2006), "Experimental study of steel fiber-reinforced ultra high-strength concrete columns," *Proceeding of the 2nd FIB International Congress*, pp. 8-17.
- 101- Thomsen, J., and Wallace, J., (1994), "Lateral load behavior of reinforced concrete columns constructed using high-strength materials," *ACI Structural Journal*, V. 91, No. 5, September - October, pp. 605-615.
- 102- Wafa, F., and Ashour, S., (1992), "Mechanical properties of high-strength fiber reinforced concrete," *ACI Material Journal*, V. 89, No. 5, September - October, pp. 449-455.
- 103- Wang, Q., Zhao, G., and Lin, L., (1995), "Ductility of high strength reinforced concrete columns," *Nuclear Engineering and Design*, V. 156, pp. 75-81.
- 104- Wang, T., and Hsu, T. T.C., (2001), "Nonlinear finite element analysis of concrete structure using new constitutive models," *Computers & Structures* V. 79, pp. 2781-2791.
- 105- Wehbe, N., Said, S., and Sanders, D., (1999), "Seismic performance of rectangular bridge columns with moderate confinement," *ACI Structural Journal*, V. 96, No. 2, March - April, pp. 248-259.
- 106- Working Party of the Concrete Society, (1998), "Design guidance for high strength concrete," *Technical Report No. 49: Slough, UK*, pp. 168.
- 107- Xiao, Y., and Martirosyan, A., (1998), "Seismic performance of high-strength concrete columns," *Journal of Structural Engineering, ASCE*, V. 124, No. 3, March, pp. 241-251.

- 108- Xiao, Y., and Yun, H. W., (2002), "Experimental studies on full-scale high strength concrete columns," *ACI Structural Journal*, V. 99, No. 2, March - April, pp. 199-207.
- 109- Xilin, L., and Shaolin, C., (2008), "Nonlinear finite element analysis of high-strength concrete columns and experimental verification," *Journal of Earthquake Engineering and Engineering Vibration*, V. 7, No. 1, March, pp. 77-89.
- 110- Yun, H. W., (2002), "Full-scale experimental and analytical studies on high strength concrete columns," Ph.D. Thesis, University of Southern California.
- 111- Young, Y. K., Nour, M. G., and Nawy, E. G., (1988), "Behavior of laterally confined high-strength concrete columns under axial loads," *ASCE Journal of Structural Engineering*, V. 114, No. 8, February, pp. 332-351.
- 112- Zahn, F. A., Park, R., Priestley, M. J. N., and Chapman, H., E., (1986), "Development of design procedures for the flexural strength and ductility of reinforced concrete bridge columns," *Bulletin of the New Zealand National Society for Earthquake Engineering*, V. 19, No. 3, September, pp. 200-212.
- 113- Zingone, G., La Mendola, L., and Campione, G., (1995), "Resistance elements of reinforced concrete with carbon fibers" In *Proceedings of 7th Convegno Nazionale L'Ingegneria Sismica in Italia*, Siena, Italy, Oct. Siena, Italy. V. 1, pp. 259-268.