

# CONTENTS

Title	Page
Summary	i
The aim of the work	1
General introduction	3
Part I	6
Chapter 1. Introduction	6
1. Importance of 4 <i>H</i> -3,1-benzoxazinone and quinazolin-4-one classes	6
1.1. Importance of 4 <i>H</i> -3,1-benzoxazinone class	6
1.1.1. In the industrial field	6
1.1.2. In the agriculture field	6
1.1.3. In the agriculture field	7
1.2. Importance of quinazolin-4-one class	7
1.2.1. In the clinical field	7
1.2.2. In the industrial field	7
1.2.3. In the agriculture field	7
2. Synthesis of 4 <i>H</i> -3,1-benzoxazin-4-ones	8
2.1. From anthranilic acids	8
2.1.1. Via the action of acid chlorides on anthranilic acid	8
2.1.2. Via the action of acid anhydrides on anthranilic acid	15
2.1.3. Via reaction of anthranilic acid with aromatic carboxylic acid	18
2.1.4. Reaction of substituted anthranilic acid with Boc-protected amino acids	21
2.1.5. Reaction of substituted anthranilic acid with 2,2-dihydro fluoroalkanoic acid	21
2.1.6. Synthesis of Bis(4 <i>H</i> )-3,1-benzoxazin-4-one derivatives	22

2.1.7. From interaction of anthranilic acid with heterocyclic compounds	23
2.1.7.1. From 4-arylidene-2-aryl- $\Delta^2$ -oxazolin-5-one	23
2.1.7.2. From iminodithiazole	24
2.1.7.3. From (4 <i>H</i> )-3,2-benzoxazin-4-one	25
2.1.7.4. From 3-methyl-2-(ethoxycarbonylmethoxy) quinoxaline	25
2.1.7.5. From 2-ethoxycarbonyl-4(3 <i>H</i> )quinazolin-4-one	26
2.1.7.6. From 3-ethoxycarbonylcoumarin	26
2.1.7.7. From hetero-ring opening of furanone derivatives	28
2.1.7.8. From hetero-ring opening of 1,3-dioxin-4-one derivatives	28
2.2. From <i>N</i> -acylanthranilic acid	29
2.2.1. Acetic anhydride as cyclizing agent	29
2.2.2. Thionyl chloride as cyclizing agent	30
2.2.3. Vilsmeier reagents as cyclizing agent	30
2.2.4. Cyanuric chloride as cyclizing agent	31
2.2.5. Dicyclohexylcarbodiimide as cyclizing agent	32
2.3. From 2-methyl-4 <i>H</i> -3,1-benzoxazin-4-one	33
2.4. From isatoic anhydrides	35
2.4.1. Reaction of isatoic anhydride with acid anhydrides	35
2.4.2. Reaction of isatoic anhydride with acid chlorides	35
2.4.3. Reaction of isatoic anhydride with phosphoryl-stabilized anions	37
2.5. Oxidation of indoles	38
2.6. Miscellaneous	39
2.6.1. From $\beta$ -(Triphenylphosphoranylidene) amino esters	39

2.6.2. From iminophosphorane	39
2.6.3. From N-benzenesulphonylanthranilic acid	40
2.6.4. From thioamide derivatives	40
2.6.5. From electrochemical cyclization of o-trichloroacetyl anilides	41
2.6.6. CO <sub>2</sub> incorporation reaction using arynes	41
2.6.7. From 2-(1H-1,2,3-benzotrizol-1-yl)phenyl ethanone	42
2.6.8. From heating of acetylanthranilic acid by microwave	42
2.6.9. Thermolysis of 2-(3-benzoylthioureido)-4,5-dimethoxy benzoic acid	44
2.6.10. Thermally induced cyclization of keten imines	44
2.6.11. From o-iodoaniline	45
3. Reactions of 4 <i>H</i> -3,1-benzoxazin-4-ones	47
3.1. Reactions with Hydrogen nucleophiles	47
3.2. Reactions with oxygen nucleophiles	48
3.3. Reactions with nitrogen nucleophiles	49
3.3.1. Ammonolysis	50
3.3.2. Reactions with oxygen nucleophiles	52
3.3.2.1. Reactions with hydrazine hydrate	52
3.3.2.2. Reactions with hydrazine hydrate	59
3.3.2.3. Reactions with substituted hydrazines	59
3.3.2.4. Reactions with hydroxylamine hydrochloride	64
3.3.2.5. Reactions with thiosemicarbazide and amino guanidines	64
3.3.3. Aminolysis	65
3.3.3.1. Reactions with primary nonaromatic amines	65
3.3.3.2. Reactions with secondary amines	68
3.3.3.3. Reactions with aralkylamines	70

3.3.3.3.1. Reactions with benzylamine	70
3.3.3.3.2. Reactions with phenethylamine	71
3.3.3.4. Reactions with anilines	75
3.3.3.4.1 Reactions with <i>P</i> -bromoanilines	76
3.3.3.4.2. Reactions with <i>P</i> -aminodiphenylamine	77
3.3.3.4.3. Reactions with <i>o</i> -toluidine	77
3.3.3.4.4. Reactions with 2-substituted and/or 2,6-disubstituted anilines	79
3.3.3.4.5. Reactions with anilines containing reactive function groups	81
3.3.3.4.5.1. Reaction with 2-cyanoanilines	81
3.3.3.4.5.2. Reactions with <i>p</i> -aminoacetophenone	81
3.3.3.4.5.3. Reactions with 4-hydroxyanilines	83
3.3.3.4.5.4. Reaction with sulphanilamide	83
3.3.3.5. Reactions with amino heterocyclic compounds	85
3.3.3.6. Reactions with diamines	89
3.3.3.6.1. Reactions with <i>o</i> -phenylenediamine	89
3.3.3.6.2. Reactions with ethylenediamine	90
3.3.3.6.3. Reactions with <i>p</i> -phenylenediamine	91
3.3.3.7. Reactions with aminoacids	92
3.3.3.8. Reactions with aminoalcohols	94
3.3.3.9. Reaction with Schiff's bases	95
3.3.3.10. Reactions with azines	96
3.3.3.11. Reactions with sodium azide	96
3.3.4. Reactions with carbon nucleophiles	98
3.3.4.1. Reactions with Grignard reagents	98
3.3.4.2. Friedel-Craft's reactions	104
3.3.4.3. Reactions with active methylene containing	

compounds	106
<b>Chapter 2. Results and Discussions</b>	109
<b>Chapter 3. Experimental section</b>	122
<b>Part II</b>	149
<b>Chapter 1. Introduction</b>	149
1. Biosynthesis of 2-Phenyl-7-hydroxy-3,1-benzoxazin-4-one, the phytoalexin dianthalexin	150
1.1. Accumulation of the dianthalexin in the infected carnation stems	150
1.2. Biosynthetic sequence for formation dianthalexin	150
2. Carnation ( <i>Dianthus caryophyllus</i> )	152
2.1. Overview on carnation ( <i>Dianthus caryophyllus</i> L.)	152
2.2. Taxonomy of carnation	152
2.3. Importance of carnation	152
2.4. Protection of carnation	153
3. Detection of the phytoalexin dianthalexin in the infected carnation tissue	154
3.1. Detection of the phytoalexin dianthalexin in the infected carnation tissue using pyrolysis-mass spectrometry (PY-MS)	154
3.2. Detection of the phytoalexin dianthalexin in the infected carnation tissue using High pressure liquid chromatography (HPLC)	154
<b>Chapter 2. Results and Discussions</b>	156
1. Biosynthesis of 2-Phenyl-7-hydroxy-3, 1-benzoxazin-4-one compound	
1.1. Phytoalexins in the artificially infected plants	156
1.1.1. Phytoalexins in artificially infected American carnation cv. Madam collect	156
1.1.2. Phytoalexins in artificially infected Egyptian carnation cv.	157

<b>Balady</b>	
<b>1.2. Phytoalexin dianthalexin in the naturally infected plants</b>	<b>158</b>
<b>1.2.1. Phytoalexin dianthalexin in the naturally infected</b>	<b>159</b>
<b>American carnation cv. Madam collect</b>	
<b>1.2.1.1. Identification of phytoalexins using High pressure</b>	<b>160</b>
<b>liquid chromatography (HPLC)</b>	
<b>1.2.1.2. Isolation of <i>F oxysporum</i> from naturally infected</b>	<b>160</b>
<b>leaves of the American carnation cv. Madam collect</b>	
<b>1.2.1.3. Reaction of <i>F oxysporum</i> in naturally infected</b>	<b>162</b>
<b>American carnation plants cv. Madam collect</b>	
<b>1.2.2. The naturally infected Egyptian carnation cv. Balady</b>	<b>163</b>
<b>1.2.2.1 Reaction of <i>F oxysporum</i> in naturally infected</b>	<b>163</b>
<b>Egyptian carnation plants cv. Balady</b>	
	<b>164</b>
<b>Chapter 3. Experimental section</b>	<b>166</b>
<b>1. Biosynthesis of 2-Phenyl-7-hydroxy-3,1-benzoxazin-4-one</b>	<b>167</b>
<b>1.1. Phytoalexins in the artificially infected plants</b>	<b>167</b>
<b>1.1.1. Test plants</b>	<b>167</b>
<b>1.1.2. Preparation of the conidial suspension of <i>Fusarium</i></b>	
<b><i>oxysporum f.sp.dianthi</i></b>	<b>167</b>
<b>1.1.3. Inoculation of plants</b>	<b>168</b>
<b>1.1.4. Sample preparation</b>	<b>168</b>
<b>1.1.5. Extraction of phytoalexin</b>	<b>168</b>
<b>1.1.6. Identification of phytoalexins using High pressure</b>	
<b>liquid chromatography (HPLC)</b>	<b>169</b>
<b>1.1.6.1. Gradient system</b>	<b>169</b>
<b>1.1.6.2. Isocratic system</b>	<b>169</b>
<b>1.2. Phytoalexins in the naturally infected plants</b>	<b>170</b>

1.2.1. The naturally infected of the American carnation plants	170
1.2.1.1 Test plants	170
1.2.1.2. Sample preparation	170
1.2.1.3. Extraction of phytoalexin	170
1.2.1.4. Identification of phytoalexin using High pressure liquid chromatography (HPLC)	170
1.2.1.5. Isolation of <i>Fusarium oxysporum f.sp.dianthi</i> from the naturally infected leaves of the American carnation cv. Madam collect	171
1.2.1.6. Reaction of <i>F oxysporum f.sp.dianthi</i> in the naturally infected American carnation plants	171
1.2.2. The naturally infected of the Egyptian carnation plants	171
1.2.2.1. Test plants	171
1.2.2.2. Reaction of <i>F oxysporum f.sp.dianthi</i> in naturally infected American carnation plants	171
Part III	173
Chapter 1. Introduction	173
Part 1. <i>In-vitro</i> antimicrobial activities of naturally Fusarium infected American carnation extracts and of the chemically synthesized compounds, i.e. 2-phenyl-4 <i>H</i> -3,1-benzoxazin-4-one (III) and 2-phenyl-3-amino-4(3 <i>H</i> )quinazolinone (XII)	175
1. <i>In-vitro</i> antibacterial activities of the tested sample	177
2. <i>In-vitro</i> antifungal activities of the tested samples	178
Part 2. <i>In-vitro</i> antimicrobial activities of all the chemically synthesized compounds (IV-XXV), except 2-phenyl-3-amino-4(3 <i>H</i> )quinazolinone (XII)	179
1. <i>In-vitro</i> antibacterial activities of the chemically synthesized compounds	180

2. <i>In-vitro</i> antifungal activities of the chemically synthesized compounds	181
Chapter 2. Results and Discussions	182
Part 1. <i>In-Vito</i> antimicrobial activities of ethanolic extracts of naturally Fusarium infected American carnation and of chemically synthesized compounds, i.e. 2-phenyl-4 <i>H</i> -3,1-benzoxazin-4-one (III) and 2-phenyl-3-amino-4(3 <i>H</i> )quinazolinone (XII)	182
1. <i>In-vitro</i> antibacterial activities of the tested samples	182
2. <i>In-vitro</i> antifungal activities of the samples tested	185
Part 2. <i>In-vitro</i> antimicrobial activities of all the chemically synthesized compounds (IV-XXV), except 2-phenyl-3-amino-4(3 <i>H</i> )quinazolinone (XII)	187
1. <i>In-vitro</i> antibacterial activities of the chemically synthesized compounds	187
2. <i>In-vitro</i> antifungal activities of the chemically synthesized compounds	189
Chapter 3. Experimental section	191
Part 1. The in-vitro antimicrobial activities of naturally Fusarium infected American carnation extracts and of the chemically synthesized compounds, i.e. 2-phenyl-4 <i>H</i> -3,1-benzoxazin-4-one (III) and 2-phenyl-3-amino-4(3 <i>H</i> )quinazolinone (XII)	191
1. The agar diffusion well method	192
2. Statistical analysis	193
Part 2. The in-vitro antimicrobial activities of all the chemically synthesized compounds (IV-XXV), except 2-phenyl-3-amino-4(3 <i>H</i> )quinazolinone (XII)	194
1. Agar diffusion well method	194
2. Statistical analysis	195



<b>Figures</b>	199
<b>Schemes</b>	254
<b>Appendix</b>	263
<b>Conclusions and suggesting for future work</b>	270
<b>References</b>	272
<b>Arabic summary</b>	