
CONTENTS

	page
Chapter (1)	
1. General introduction	
1.1. Introduction	1
1.1.1. Selenium and speciation analysis	1
1.1.2. A summary of the biochemistry of selenium	5
1.1.3. Selenium in the environment	7
1.2. Inductively coupled plasma-mass spectrometry and basic interfacing	9
1.2.1. ICP-MS and selenium	9
1.2.2. Interfacing with ICP-MS	13
1.2.2.1. HPLC interfacing	13
1.2. Hydride generation	16
1.2.1. Atomic absorption spectroscopy	16
1.2.2. Hydride-generation technique review	16
Chapter (2)	
2. Theoretical considerations	
2.1. Digestion and sample pretreatment	19
2.1.1. Sample collection, processing, and storage:	19
2.1.2. Sample treatment:	20
2.1.2.1. Wet digestion (microwave digestion)	20
2.1.2.1.1. The closed microwave digestion system	20
2.1.2.1.2. Chemical reaction profiles in closed vessels	21
2.1.2.1.3. The advantages of the microwave digestion	22
2.1.2.2. Predigestion	23
2.1.2.3. Combustion	23

2.1.2.4.	Fusion	23
2.1.2.5.	Concentration	24
2.1.2.6.	Removal from interfering substances	24
2.2.	Atomic absorption spectrometry	25
2.2.1.	Principle	25
2.2.2.	Radiation sources	28
2.2.2.1.	Hollow-cathode lamp	28
2.2.2.2.	Multi-element hollow-cathode lamp	28
2.2.3.	Atomization techniques	29
2.2.3.1.	The optical cell and flame	29
2.2.3.2.	The monochromator and PMT	29
2.2.3.3.	Double beam instruments	30
2.2.3.4.	Ignition, flame conditions, and shut down	31
2.2.3.5.	Flame atomic absorption spectrometry (FAAS)	32
2.3.	Hydride generation atomic absorption spectrometr (HG-AAS)	33
2.3.1.	Hydride generation system	33
2.3.2.	Generation and transport of the hydride	34
2.3.2.1.	Reduction to the hydride	34
2.3.2.2.	Driving the hydride out of solution	35
2.3.2.3.	The influence of the hydride-generation system	35
2.3.2.4.	The Influence of the oxidation sate of the analyte	36
2.3.2.5.	Acidic content and oxidation state of samples and standards	37
2.3.2.6.	Transport of the hydride	38
2.3.3.	The atomization of the hydride	38
2.3.4.	Hydride generation and waste	39
2.3.5.	Interferences	39

2.3.5.1.	Spectral interferences	41
2.3.5.2.	Interferences during hydride generation	41
2.3.5.2.1.	Influence of the analyte species	41
2.3.5.2.2.	Interferences caused by concomitants	42
2.3.5.2.3.	Memory interferences	43
2.3.5.3.	Interferences in the atomizer	45
2.3.5.3.1.	Interferences in quartz tube atomizer (QTA)	45
2.4.	Inductively coupled plasma-mass spectrometry (ICP-MS)	46
2.4.1.	Plasma sources for mass spectrometry	47
2.4.1.1	Inductively coupled plasma (ICP) ion source	47
2.4.1.2.	RF coupling	49
2.4.2.	Mass spectrometer	49
2.4.2.1.	Magnetic and electrostatic mass analyzer	49
2.5.	Neutron activation analysis (NAA)	52
2.5.1.	Neutrons and neutron sources	52
2.5.2.	Neutron activation methods	53
2.5.3.	Measurment of gamma radiation	54
2.5.4.	Advantages of neutron activation analysis	56
2.5.5.	Disadvantages of NAA	57

Chapter (3)

3. Apparatus and experimental conditions

3.1	preparation of the samples	58
3.2.	Quality assurance	58
3.3.	Digestion of the sample (microwave digestion)	59
3.4.	Closed microwave digestion technique	60
3.4.1.	Features of closed vessel digestion	61
3.5.	Atomic absorption spectrometer	61

3.5.1.	Operating principle	62
3.5.2.	Flame atomizer	64
3.5.3.	Hydride generation atomic absorption spectrometer and selenium speciation	65
3.5.3.1.	Sample preparation	65
3.5.3.2.	Sample dissolution and matrix removal	65
3.6.	JMS-PLASMAX2 mass spectrometer	66
3.6.1.	General features of the ICP-MS	66
3.6.2.	Sample inlet system	67
3.6.2.1.	The desolvating system	67
3.6.3.	ICP ion source	68
3.6.4.	Mass analyzer	70
3.6.5.	Ion detection	70
3.7.	Neutron activation analysis (NAA) facilities at ETRR-2	71
3.7.1.	Operating principle	72
3.7.2.	Short irradiation	72
3.7.3.	Long irradiation	73
3.7.4.	Measurement of gamma rays	74

Chapter (4)

4. Results and dDiscussion

4.1.	Analysis of major elements using EDX and XRF spectrometers	76
4.2.	Selenium and trace element analysis using ICP-MS technique	78
4.2.1.	Sample preparation	78
4.2.1.1	Soil samples	78
4.2.1.2.	Underground water samples	79
4.2.1.3.	Toenails samples	79

4.2.2.	Standardization and analytical figures of merit for ICP-MS (trace elements)	80
4.2.3.	Trace elements analysis in soil and water using ICP-MS	82
4.2.3.1.	Underground water samples	82
4.2.3.2.	Soil samples	83
4.2.3.3.	Distribution coefficients of different elements between water and soil interface region	86
4.2.3.4.	Sorption sequence	90
4.2.3.5.	Toenail samples	91
4.3.	Hydride generation atomic absorption spectrometer and selenium speciation	92
4.3.1.	Standardization and analytical figures of merit for HG- AAS (selenium only)	92
4.3.2.	Analysis of the samples	93
4.3.2.1.	Speciation of selenium in soil and water samples using Hydride generation atomic absorption spectrometer (HG- AAS)	93
4.3.2.1.1.	Concentration of selenium in underground water samples	95
4.3.2.1.2.	Concentration of selenium in soil samples	95
4.4.	Analysis of selenium in toenails as solid samples using INAA	97
4.4.1.	Comparing selenium concentration in toenails as solid samples using INAA and as liquid samples using AAS	99
	Conclusion	100
	English summary	103
	References	106
	Arabic summary	118