

CHAPTER VII

7. REFERENCES

- Allen, J. W.; Collins, B. W. and Evansky, P. A. (1994):** Spermatid micronucleus analyses of trichloroethylene and chloral hydrate effects in mice. **Mutat. Res.**, 323: 81-88.
- Agarwal, A. and Sharma, R.K. (1996):** Role of reactive oxygen species in male infertility. **Urology**, 48(6): 835-850.
- Anders, M.W.; Lash, L.; Dekant, W.; Elfarra, A.A. and Dohn, D.R. (1988):** Biosynthesis and biotransformation of glutathione S-conjugates to toxic metabolites. **Crit. Rev. Toxicol.**, 18: 311-341.
- Anttila, A.; Pukkala, E.; Sallmen, M.; Hernberg, S. and Hemminki, K. (1995):** Cancer incidence among Finnish workers exposed to halogenated hydrocarbons. **J. Occup. Environ. Med.**, 37: 797-806.
- Astrand, I.; Kilbom, A. and Wahlberg, I. (1973):** Methyl chloroform exposure. I. Concentration in alveolar air and blood at rest and during exercise. **Work Environ. Health**, 10: 69-81.
- ATSDR (Agency for Toxic Substances and Disease Registry, Division of Toxicology), (1997):** Toxicological Profile for Trichloroethylene (update). **ATSDR, Atlanta, GA.**

- Axelsson, O. (1986):** Epidemiological studies of workers with exposure to tri- and tetrachloroethylenes. In: Chambers PL, Gehring P, Sasaki F, eds. New Concepts and Developments in Toxicology. Proceedings of the 4th International Congress of Toxicology. **Amsterdam, The Netherlands: Elsevier Science Publishers, 223-230.**
- Axelsson, O.; Selden, A.; Andersson, K. and Hogstedt, C. (1994):** Updated and expanded Swedish cohort study on trichloroethylene and cancer risk. **J. Occup. Med., 36:556-562.**
- Beliles, R.P.; D.J. Brusick, and F.J. Mecler (1980):** Teratogenic-Mutagenic Risk of Workplace Contaminants: Trichloroethylene, Perchloroethylene, and Carbon Disulfide, Litton Bionetics. Inc., U.S. Department of Health, Education and Welfare, Contract No. 210:77-0047.
- Berman, E.; Schlicht, M.; Moser, VC. and MacPhail, RC. (1995).** A multidisciplinary approach to toxicological screening. I. Systemic toxicity. **Toxicol. Environ. Health, 45:127-143.**
- Bernauer, U.; Birner, G.; Dekant, W. and Henschler, D. (1996):** Biotransformation of trichloroethylene: dose-dependent excretion of 2,2,2-trichloro-metabolites and mercapturic acids in rats and humans after inhalation. **Arch. Toxicol., 70: 338-346.**

- Birner, G.; Vamvakas, S.; Dekant, W. and Henschler, D. (1993):** Nephrotoxic and genotoxic Nacetyl-S-dichlorovinyl-L-cysteine is a urinary metabolite after occupational 1,1,2-trichloroethene exposure in humans: implications for the risk of trichloroethylene exposure. **Environ. Health Perspect.**, **99**: 281-284.
- Bois, F.Y. (2000a):** Statistical analysis of Fisher et al. PBPK model of trichloroethylene kinetics. **Environ. Health Perspect.**, **108**. (2): 275-282.
- Bois, F.Y. (2000b):** Statistical analysis of Clewell et al. PBPK model of trichloroethylene kinetics. **Environ. Health Perspect.**, **108**. (2): 307-316.
- Bove, F.J.; Fulcomer, M.C.; Klotz, J.B.; Esmart, J.; Dufficy, E.M. and Savrin, J.E. (1995):** Public drinking water contamination and birth outcomes. **Am. J. Epidemiol.**, **141**:850-862.
- Boyer, A.S.; Finch, W.T. and Runyan, R.B. (2000):** TCE inhibits development of embryonic heart valve precursors in vitro. **Toxicol. Sci.**, **53**:109-117.
- Boyes, W.K.; Evans, M.V. and Eklund, C; et al. (2005):** Duration adjustment of acute exposure guideline level values for trichloroethylene using a physiologically-based pharmacokinetic model. **Risk. Anal.**, **25**:677-686.

- Brogren, C.H.; Christensen, J.M. and Rasmussen, K. (1986):** Occupational exposure to chlorinated organic solvents and its effect on the renal excretion of N-acetyl-beta-D-glucosaminidase. **Arch. Toxicol. Suppl.**, **9:460-464.**
- Brown, L. P.; Farrar, D. G. and DeRooij, C. G. (1990):** Health risk quantitative comparison between rats and mice. *Xenobiotica* **16**, assessment of environmental exposure to trichloroethylene. **Regul. Toxicol. Pharmacol.**, **11: 24-41.**
- Bruckner, J. V.; Davis, B. D. and Blancato, J. N. (1989):** Metabolism, toxicity, and carcinogenicity of trichloroethylene. **Crit. Rev. Toxicol.**, **20:31-50.**
- Brüning, T. and Bolt, H.M. (2000):** Renal toxicity and carcinogenicity of trichloroethylene: key results, mechanisms, and controversies. **Crit. Rev. Toxicol.**, **30(3):253-285.**
- Brüning, T.; Pesch, B.; Wiesenhütter, B.; Rabstein, S.; Lammert, M.; Baumüller, A. and Bolt, H.M. (2003):** Renal cell cancer risk and occupational exposure to trichloroethylene: results of a consecutive case-control study in Arnsberg, Germany. **Am. J. Ind. Med.**, **43:274-285.**
- Buben, J.A. and O'Flaherty, E.J. (1985):** Delineation of the role of metabolism in the hepatotoxicity of trichloroethylene and perchloroethylene: a dose-effect study. **Toxicol. Appl. Pharmacol.**, **78: 105-122.**

- Bull, R.J. (2000):** Mode of action of liver tumor induction by trichloroethylene and its metabolites, trichloroacetate and dichloroacetate. **Environ. Health Perspect.**, **108**: 241-259.
- Bull, R.J.; Lingohr, M.K. and Thrall, B.D. (2001):** Effects of dichloroacetate (DCA) on serum insulin levels and insulin-controlled signaling proteins in livers of male B6C3F1 mice. **Toxicol. Sci.**, **59(1)**:178-184.
- Bull, J.; Orner, G. A.; Cheng, R. S.; Stillwell, L.; Stauber, A.J.; Sasser, L. B.; Lingohr, M. and Thrall, B. P. (2002):** Contribution of dichloroacetate and trichloroacetate to liver tumor induction in mice by trichloroethylene. **Toxicol. Appl. Pharmacol.**, **182**: 55-65.
- Burg, J.E.; Gist, G.L. and Allred, S.L. (1995):** The national exposure registry - morbidity analysis of noncancer outcomes from the trichloroethylene subregistry baseline data. **Inte. Occup. Medi. and Toxicol.** **4**: 237-257.
- Byers, V. S.; Levin, A. S.; Ozonoff, D. M., and Baldwin, R. W. (1988):** Association between clinical symptoms and lymphocyte abnormalities in a population with chronic domestic exposure to industrial solvent-contaminated domestic water supply and a high incidence of leukaemia. **Cancer Immunol. Immun. other.**, **27**: 77-81.

- Cai, H. and Guengerich, F.P. (2001):** Reaction of trichloroethylene and trichloroethylene oxide with cytochrome P450 enzymes: inactivation and sites of modification. **Chem. Res. Toxicol.**, **14(4):451–458.**
- Cai, H. and Guengerich, P. (1999):** Mechanism of aqueous decomposition of trichloroethylene oxide. **J. Am. Chem. Soc.**, **121: 11656–11663.**
- Candura, SM. and Faustman, EM. (1991):** Trichloroethylene: Toxicology and health hazards. **G. Ital. Med. Lav.**, **13:17-25.**
- Chakrabarti, SK. and Tuchweber, B. (1988):** Studies of acute nephrotoxic potential of trichloroethylene in Fischer 344 rats. **J. Toxicol. Environ. Health**, **23: 147-158.**
- Channel, S. R.; Latendresse, J. R.; Kidney, J. K.; Grabau, J. H.; Lane, J. W.; Steelgoodwin, L. and Gothaus, M. C. (1998):** A sub chronic exposure to trichloroethylene causes lipid peroxidation and hepatocellular proliferation in male B6C3F1 mouse liver. **Toxicol. Sci.**, **43(2): 145-154.**
- Charbotel, B.; Fevotte, J.; Hours, M.; Martin, J.L. and Bergeret, A. (2006):** Case-control study on renal cell cancer and occupational exposure to trichloroethylene. Part II: epidemiological aspects. **Ann. Occup. Hyg.**, **50: 777–787.**
- Chia, S.E.; Ong, C.N. and Tsakok, MFH. Ho. A. (1996):** Semen parameters in workers exposed to trichloroethylene. **Reprod Toxicol.**, **10(4):295–299.**

- Chia, S.E., V.H.H. Goh, and Ong, C.N. (1997):** Endocrine Profiles of Male Workers with Exposure to Trichloroethylene. **Am. J. Ind. Med. 32: 217-222.**
- Chiu, W.A. and White, P. (2006):** Steady-state solutions to PBPK models and their applications to risk assessment I: Route-to-route extrapolation of volatile chemicals. **Risk. Anal. 26: 769–780.**
- Chiu, W.A. and Bois, F.Y. (2007):** An approximate method for population toxicokinetic analysis with aggregated data. **J. Agr. Biol. Environ. Stat. 12: 346-363.**
- Cohen, C.; Arthur, L. and Frank, AL. (1994):** Liver disease following occupational exposure to 1,1,1-trichloroethane: A case report. **Am. J. Ind. Med. 25 (2): 237-241.**
- Colt, JS. And Blair, A. (1998):** Parental occupational exposures and risk of childhood cancer. **Environ. Health Perspect., 106 (3):909-925.**
- Cordier, S.; Ha, MC.; Ayme, S. and Goujard, J. (1992):** Maternal occupational exposure and congenital malformations. **Scand. J. Work Environ. Health, 18:11-17.**
- Cummings, BS.; Parker, JC. and Lash, LH. (2001):** Cytochrome P450-dependent metabolism of trichloroethylene in rat kidney. **Toxicol. Sci., 60:11-19.**

- Danielsson, BRG.; Ghantous, H. and Dencker, L. (1986):** Distribution of chloroform and methyl chloroform and their metabolites in pregnant mice. **Biol. Res. Preg. Perinatal.**, 7:77-83.
- Danzo, B. (1995):** The effects of gonadotropin- releasing hormone antagonist on androgen-binding protein distribution and other parameters in the adult male rats. **Endocrinology**, 136: 4004-4011.
- Davidson, IW. and Beliles, RP. (1991):** Consideration of the target organ toxicity of trichloroethylene in terms of metabolite toxicity and pharmacokinetics. **Drug Metab. Rev.**, 23:493-599.
- Dawson, B.V.; Johnson, P.D.; Goldberg, S.J. And Ulreich, J.B. (1990):** Cardiac teratogenesis of TCE and DCE in a mammalian model. **J. Am. Coll. Cardiol.**, 16:1304–1309.
- Dawson, B.V.; Johnson, P.D.; Goldberg, S.J. and Ulreich, J.B. (1993):** Cardiac teratogenesis of halogenated hydrocarbon-contaminated drinking water. **J. Am. Coll. Cardiol.**, 21: 1466-1472.
- Dees, C. and C. Travis, (1993).** The Mitogenic Potential of Trichloroethylene in B6C3F1 Mice. **Toxicol. Lett.**, 69: 129-137.
- Dodd, H.C. and Stewart, R.D. (1964):** Absorption of carbon tetrachloride, trichloroethylene, tetrachloroethylene, methylene chloride, and 1,1,1-trichloroethane through the human skin. **Am. Ind. Hyg. Assoc. J.**, 25:439-446.

- Dorfmueller, MA.; Henne, SP.; York, RG.; Bornschein, RL. and Manson, JM. (1979):** Evaluation of teratogenicity and behavioral toxicity with inhalation exposure of maternal rats to trichloroethylene. **Toxicology**, 14:153-166.
- DuTeaux, S.B.; Hengel, M.J.; DeGroot, D.E.; Jelks, K.A. and Miller, M.G. (2003):** Evidence for trichloroethylene bioactivation and adduct formation in the rat epididymis and efferent ducts. **Biol. Reprod.**, 69(3):771-779.
- DuTeaux, S.B.; Berger, T.; Hess, R.A.; Sartini, B.L. and Miller, M.G. (2004):** Male reproductive toxicity of trichloroethylene: sperm protein oxidation and decreased fertilizing ability, **Biol. Reprod.**, 70: 1518-1526.
- Elcombe, C. R. (1985).** Species differences in carcinogenicity and peroxisome proliferation due to trichloroethylene: A biochemical human hazard assessment. **Arch. Toxicol. Suppl.**, 8:6-17.
- El Ghawabi, S.M.; Mansoor, M.B. and El Gamel, et al. 1973.** Chronic trichloroethylene exposure. **J. Egypt, Med. Assoc.**, 56:715-724
- Elovaara, E.; Hemminiki, K. and Vainio, H. (1979):** Effects of methylene chloride, trichloroethane, trichloroethylene, and toluene on the development of chick embryos. **Toxicol.**, 12:111-119.

- Epstein, D.L.; Nolen, G.A.; Randall, J.L.; Christ, S.A.; Read, E.J. and Stober J.A. et al. (1992):** Cardiopathic effects of dichloroacetate in the fetal Long-Evans rat. **Teratology**, 46:225-235.
- Epstein, D.L.; Nolen, G.; Randall, J.L.; Christ, S.A.; Read, E.J.; Stober, J.A. and Smith, M.K. (1993):** Cardiopathic effects of dichloroacetate in the Long-Evans rat fetus. **Teratology**, 47:529-529.
- Evans, M.V.; Chiu, W.A.; Okino, M.S. and Caldwell, J.C. (2009):** Development of an updated PBPK model for trichloroethylene and metabolites in mice, and its application to discern the role of oxidative metabolism in TCE-induced hepatomegaly. **Toxicol. Appl. Pharmacol.**, 236: 329-340.
- Fagliano, J.; Berry, M. and Bove, F. (1990):** Drinking water contamination and the incidence of leukemia: An ecologic study. **Am. J. Public Health**, 80:1209-1212.
- Fan, L. Q.; Cattley, R. C. and Corton, J. C. (1998):** tissue specific induction of 17 β -hydroxysteroid dehydrogenase type IV by peroxisome proliferators chemicals is dependent α the peroxisome proliferators-activated receptor α . **J. Endocrinol.**, 158: 217-246.
- Fernandez, J. and Humbert, B. (1977):** Exposure to 1, 1, 1-trichloroethane 2 study of absorption, excretion and metabolism in humans. **Arch. Mal. Prof.**, 38:415-420.

- Finn, C.A. and McLaren, A. (1967):** A study of the early stages of implantation in mice. **J. Reprod. Fertil.**, **13**:259-267.
- Forkert, P.G.; Sylvestre, P.L. and Poland, J.S. (1985):** Lung injury induced by trichloroethylene. **Toxicology**, **35**: 143-160.
- Forkert, P. G.; Lash, L.; Nadeau, V.; Tardif, R.; and Simmonds, A. (2002):** Metabolism and toxicity of trichloroethylene in epididymis and testis. **Toxicol. Appl. Pharmacol.**, **182**: 244-254.
- Forkert, P. G.; Lash, L.; Tardif, R.; Tanphaichitr, N.; Vandevooort, C., and Moussa, M. (2003):** Identification of trichloroethylene and its metabolites in human seminal fluid of workers exposed to trichloroethylene. **Drug Metab. Dispos.**, **31**: 306-311.
- Forkert, P.G.; Baldwin, R.M.; Millen, B.; Lash, L.H.; Putt, D.A.; Shultz, M.A.; and Collins, K.S. (2005):** Pulmonary bioactivation of trichloroethylene to chloral hydrate: relative contributions of CYP2E1, CYP2F and CYP2B1. **Drug Metab. Dispos.**, **33**: 1429-1437.
- Forkert, P.G.; Millen, B.; Lash, L.H.; Putt, D.A. and Ghanayem, B.I., (2006):** Pulmonary bronchiolar cytotoxicity and formation of dichloroacetyl lysine protein adducts in mice treated with trichloroethylene. **J. Pharmacol. Exp. Ther.**, **316**: 520-529.
- Freni, S.C. and Bloomer, A.W. (1988):** Report on the Battle Creek Health Study. **Lansing, MI: Michigan Department of Health.**

- Fukabori, S.; Nakaaki, K. and Yonemoto, J. (1977):** on the cutaneous absorption of 1, 1, 1 trichloroethane (2). **J. Sci. Lab., 53: 89-98.**
- Fukuda, K.; Takemoto, K. and Tsuruta, H., (1983).** Inhalation carcinogenicity of trichloroethylene in mice and rats. **Ind. Health, 21: 243-254.**
- Fuller, G.C.; Olshan, A. and Puri, S.K; et al. (1970):** Induction of hepatic drug metabolism in rats by methyl chloroform inhalation. **J. Pharmacol. Exp. Ther. 175: 311-317.**
- Gist, G.L. and Burg, J.R. (1995):** Trichloroethylene a review of the literature from a health effects perspective. **Toxicol. Ind. Health, 11:253-307.**
- Goldberg, S.J.; Loeber, C.P.; Hendrix, M.J.C.; Diez, de. and Pinos, S. (1988):** Trichloroethylene: a cardiac teratogen in developing chick embryo. **Pediatr. Res. 24:740-744.**
- Goldberg, S.J.; Lebowitz, M.D. and Graver E.J. (1990):** An association of human congenital cardiac malformations and drinking water contaminants. **J. Am. Coll. Cardiol, 16: 155-164.**
- Goldberg, S.J.; Dawson, B.V.; Johnson, P.D.; Hoyme, H.E. and Ulreich, J.B. (1992):** Cardiac teratogenicity of dichloroethylene in a chick model. **Pediatr. Res., 32: 23-26.**

- Goldsworthy, T. L. and Popp, J. A. (1987).** Chlorinated hydrocarbon-induced peroxisomal enzyme activity in relation to species and organ carcinogenicity. **Toxicol. Appl. Pharmacol., 88: 225-233.**
- Goll, V.; Alexander, E.; Nicod, Z. and Richert, L. (1999):** Comparison of the effects of various peroxisome proliferators on peroxisomal enzyme activities, DNA synthesis, and apoptosis in rat and human hepatocyte cultures. **Toxicol. Appl. Pharmacol., 160:21-32.**
- Green, T.; Mainwaring, G.W. and Foster, J.R. (1997).** Trichloroethylene-induced mouse lung tumors: studies of the mode of action and comparisons between species. **Fund. Appl. Toxicol., 37: 125-130.**
- Guengerich, F. P.; Kim, D.H. and Iwasaki, M. (1991):** Role of human cytochrome P-450 IIE1 in the oxidation of many low molecular weight cancer suspects. **Chem. Res. Toxicol., 4: 168-179.**
- Hack, C.E.; Chiu, W.A.; Jay Zhao, Q. and Clewell, H.J. (2006):** Bayesian population analysis of a harmonized physiologically based pharmacokinetic model of trichloroethylene and its metabolites. **Regul. Toxicol. Pharmacol., 46: 63-83.**

- Han, H.S.; Ishikawa, S.; Nozaki, Y.; Nakai, Y.; Kim, Y.W. and Chikaoka, H. (1994).** Morphology and pathogenesis of cardiovascular malformations induced by dichloroethylene (DCE) in chick embryos. **Showa Univ. J. Med. Sci., 6:49-59.**
- Hardell, L.; Eriksson, M. and Degerman, A. (1994):** Exposure to phenoyacetic Acids, chlorophenols, or organic solvents in relation to histopathology, stage, and anatomical localization of non-Hodgkin's lymphoma. **Cancer Res., 54:2386-2389.**
- Healy, TE.; Poole, TR. and Hopper A. (1982):** Rat fetal development and maternal exposure to TCE 100 ppm. **Br. J. Anaesth., 54: 337-341.**
- Healy, L. N.; Pluta, L. J. and Recio, L. (1999):** Expression and distribution of cytochrome P450 2E1 in B6C3F1 mouse liver and testes. **Chem. Biol. Interact., 121: 199-207.**
- Henschler, D.; Elsasser, H.; Romen, W., and Eder, E. (1984).** Carcinogenicity study of trichloroethylene, with and without epoxide stabilizers, in mice. **J. Cancer. Res. Clin. Oncol., 107: 149-156.**
- Hewitt, J. Tellier, L. (1998):** Risk of adverse outcomes in pregnant women exposed to solvents. **J. Obstet. Gynecol. Neonatal. Nurs., 27(5):521-531.**

- Huber, W.W.; Grasl-Kraupp, B. and Schulte-Hermann, R. (1999):** Hepatocarcinogenic potential of di(2-ethylhexyl)phthalate in rodents and its implications of human risk. **Crit. Rev. Toxicol.**, 26:365-481.
- Humbert, B.; and Fernandez, J. (1977):** Exposure to 1,1,1-trichloroethane 2 study of absorption, excretion and metabolism in humans. **Arch. Mal. Prof.**, 38: 415-425.
- Infante-Rivard, C.; Siemiatycki, J.; Lakhani, R. and Nadon, L. (2005):** Maternal exposure to occupational solvents and childhood leukemia. **Environ. Health Perspect.**, 113: 787-792.
- Isacson, P.; Bean, J.A.; Splinter, R.; Olson, D.B. and Kohler, J. (1985):** Drinking water and cancer incidence in Iowa. III. Association of cancer with indices of contamination. **Am. J. Epidemiol**, 21:856-869.
- Issemann, I. and Green. (1990):** Activation of member steroid hormone receptor super family by peroxisome proliferators. **Nature**, 247:645-650
- Johns, D.O.; Daniell, W.E. and Shen, D.D. et al. (2006):** Ethanol-induced increase in the metabolic clearance of 1,1,1-trichloroethane in human volunteers. **Toxico.Sci.**, 92: 61-70.
- Johnson, P.D.; Dawson, B.V. and Goldberg, S.J. (1998):** Cardiac teratogenicity of trichloethylene metabolites. **J. Am. Coll. Cardiol.**, 32: 540-550.

- Katagiri, H. (1997):** Concentration in blood and organs of dogs after high dose 1,1,1-trichloroethane inhalation. **Ind. Health**, 35(4):461-466.
- Karam, W.G. and Ghanayem, B.I. (1997):** Induction of replicative DNA synthesis and PPAR α -dependent gene transcription by Wy-14,643 in primary rat hepatocyte and non-parenchymal cell co-cultures. **Carcinogenesis**, 18:2077-2083.
- Kavlock, R.J. and Narotsky, M.G. (1995):** A multidisciplinary approach to toxicological screening. II. Developmental toxicity. **Toxicol. Enviro. Health**, 45: 145-171.
- Kester, J.E. and Clewell, H.J. (2004):** The perils and promise of modern risk assessment: the example of trichloroethylene. **Clin. Occup. Enviro. Med.**, 4: 497-512.
- Kezic, S.; Monster, AC. and Kruse, J. et al. (2000):** Skin absorption of some vaporous solvents in volunteers. **Int. Arch. Occup. Enviro. Health**, 73(6): 415-422.
- Kimmerle, G. and Eben, A. (1973):** Metabolism, excretion and toxicology of trichloroethylene after inhalation. I. Experimental exposure on rats. **Arch. Toxicol.** 30: 115-126.
- Klaunig, J.E.; Siglin, J.C. and Schafer, L.D. et al. (1991):** Correlation between species and tissue sensitivity to chemical carcinogenesis in rodents and the induction of DNA synthesis. **Prog. Clin. Biol. Res.**, 369:185-194.

- Kleinfeld, M. and Tabershaw, I.R. (1954):** Trichloroethylene toxicity Report of five fatal cases. **Arch. Ind. Hyg. Occup. Med.**, **10: 141-143.**
- Kjellstrand, P.; Holmquist, B.; Mandahl, N. and Bjerkemo, H. (1983a):** Effects of continuous trichloroethylene inhalation on different strains of mice. **Acta. Pharmacol. Toxicol.**, **53: 369-374.**
- Kjellstrand, P.; Holmquist, B.; Alm, P.; Kanje, M.; Romare, S.; Jonsson, I.; Mansson, L. and Bjerkemo, H. (1983b):** Trichloroethylene: further studies of the effects on body and organ weights and plasma butyrylcholinesterase activity in mice. **Acta. Pharmacol. Toxicol.**, **53:375-384.**
- Knapp, R.G. and Miller, M.C. (1992):** Quantifying risk. In: R.C. Knapp and C.M. Miller III (Editors). **Clinical Epidemiology and Biostatistics. Williams & Williams, Baltimore, Vol. 1, pp. 233-254.**
- Krause, R.J.; Lash, L.H. and Elfarra, A.A. (2003):** Human kidney flavin-containing monooxygenases and their potential roles in cysteine S-conjugate metabolism and nephrotoxicity. **J. Pharmacol. Exp. Ther.**, **304: 185-191.**
- Koizumi, A.; Fujita, H. and Sadamoto, T, (1984):** Inhibition of delta-aminolevulinic acid dehydratase by trichloroethylene. **Toxicology**, **30:93-102.**

- Kumar, P.; Prasad, A. K. and Dutta, K. K. (2000):** Steroidogenic alterations in testes and sera of rats exposed to trichloroethylene (TCE) by inhalation. **Hum. Exp. Toxicol.**, **19**: 117-121.
- Kumar, P.; Prasad, A.K.; Mani, U.; Maji, B.K. and Dutta, K.K. (2001):** Trichloroethylene induced testicular toxicity in rats exposed by inhalation. **Hum. Exp. Toxicol.**, **20**: 585-589.
- Land, P.C.; Owen, E.L. and Linde, H.W. (1981):** Morphologic changes in mouse spermatozoa after exposure to inhalational anesthetics during early spermatogenesis. **Anesthesiology**, **54(1)**:53-56.
- Lagakos, S.W.; Wessen, B.J. and Zelen, M. (1986):** An analysis of contaminated well water and health effects in Woburn, Massachusetts. **J. Am. Stat. Assoc.**, **81**: 583-596.
- Lake, B.G. (1995):** Mechanisms of hepatocarcinogenicity of peroxisome-proliferating drugs and chemicals. **Ann. Rev. Pharmacol. Toxicol.**, **35**:483-507.
- Lash, L.H; Fisher, J.W.; Lipscomb, J.C. and Parker, J.C. (2000):** Metabolism of trichloroethylene. **Environ. Health Perspect.**, **108 (2)**:177-200.
- Lash, L. H.; Fisher, J. W.; Lipscomb, J. C. and Parker, J. C. (2000a):** Metabolism of trichloroethylene. **Environ. Health Perspect.**, **108 (2)**: 177-200.

- Lash, L. H.; Parker, J. C.; and Scott, C. S. (2000b):** Modes of action of trichloroethylene for kidney tumorigenesis. **Environ. Health Perspect.**, 108 (2): 225-240.
- Lavin, A.L.; Jacobson, C.F. and DeSesso, J.M. (2000):** An assessment of the carcinogenic potential of trichloroethylene in humans. **Huma. Enviro. Risk. Assess.**, 6: 575-641.
- Lindbohm, M.L.; Takskenin, H. and Sallmen, M. et al. (1990):** Spontaneous abortions among women exposed to organic solvents. **Am. J. Ind. Med.** 17(4): 449-463.
- Lipscomb, J.C.; Garrett, C.M.; and Snawder, J.E. (1997):** Cytochrome P450-dependent metabolism of trichloroethylene: interindividual differences in humans. **Toxicol Appl. Pharmacol.**, 142:311-318.
- Lipscomb, J. C.; Fisher, J. W.; Confer, P. D. and Byczkowski, J. Z. (1998):** In vitro to in vivo extrapolation for trichloroethylene metabolism. **Toxicol. Appl. Pharmacol.**, 152: 376-387.
- Liu, R.C.; Hahn, C. and Hurtt, M.E. (1996):** The direct effect of hepatic peroxisome proliferators on rat Leydig cell function in vitro. **Fund. Appl. Toxicol.**, 30(1): 102-108.
- Lee, J.; Richburg, J.H.; Shipp, E. R. and Meistrich, K. (1999):** The fas system, a regular of testicular germ cell apoptosis, is differentially upregulated in Sertoli cell versus germ cell injury of the testis. **Endocrinology**, 140:852-858.

- Loeber, C.P.; Hendrix, J.C.; Diez De Pinos, S. and Goldberg, S.J. (1988):** Trichloroethylene: a cardiac teratogen in developing chick embryos. **Pediatr. Res.**, **24**:740-744.
- Maloney, E.K. and Waxman, D.J. (1999):** Trans-activation of PPAR α and PPAR γ by structurally diverse environmental chemicals. **Toxicol. Appl. Pharmacol.**, **61**: 209-218.
- Maltoni, C.; Lefemine, G. and Cotti, G. (1986):** Archives of Research on Industrial Carcinogenesis. Vol. V. Experimental research on trichloroethylene carcinogenesis. **Princeton Scientific Publishing Co., Inc., Princeton, NJ.**
- Maltoni, C.; Lefemine, G.; Cotti, G. and Perino, G. (1988):** Long-term carcinogenic bioassays on trichloroethylene administered by inhalation to Sprague-Dawley rats and Swiss and B6C3F1 mice. **Ann. N. Y. Acad. Sci.**, **534**: 316-342.
- Manson, J.M.; Murphy, M.; Richdale, N. and Smith, M.K. (1984):** Effects of oral exposure to trichloroethylene on female reproductive function. **Toxicology**, **32**:229-242.
- McDougal, J.N.; Reitz, R.H.; Himmelstein, M.W.; Nolan, R.J. and Schumann, A.M. (1988):** Physiologically based pharmacokinetic modeling with methylchloroform: implications for interspecies, high dose/low dose, and dose route extrapolations. **Toxicol. Appl. Pharmacol.**, **95**(2):185-199.

- Merrick, B.A.; Robinson, M. and Condie, L.W. (1989):** Differing hepatotoxicity and lethality after subacute trichloroethylene exposure in aqueous or corn oil gavage vehicles in B6C3F₁ mice. **J. Appl. Toxicol.**, **9**:15-21.
- Miller, R.E. and Guengerich, F.P. (1982):** Oxidation of trichloroethylene by liver microsomal cytochrome P-450: evidence for chlorine migration in a transition state not involving trichloroethylene oxide. **Biochemistry**, **21**: 1090-1097.
- Miller, J.S. and Ugden P.C. (1983):** Characterization of nonvolatile aqueous chlorination products of humic substances. **Environ. Sci. Technol.**, **17**:150-156.
- Mitoma, C.; Steeger, T.; Jackson, S.E.; Wheeler, K.P.; Rogers, J.H. and Milman, H.A. (1985):** Metabolic disposition study of chlorinated hydrocarbons in rats and mice. **Drug Chem. Toxicol.**, **8**:183-194.
- Monster, A. C.; Boersma, G.; and Duba, W. C. (1979):** Kinetics of trichloroethylene in repeated exposure of volunteers. **Int. Arch. Occup. Environ. Health**, **42**: 283-292.
- Morgan, A. and Belcher, D.R. (1970):** The excretion in breath of some aliphatic halogenated hydrocarbons following administration by inhalation. **Ann. Occu. Hyg.**, **13**:219-233.

- Morgan, A.; Black, A. and Belcher, D.R. (1972):** Studies on the absorption of halogenated hydrocarbons and their excretion in breath using ^{38}Cl tracer techniques. **Ann. Occup. Hyg.** 15(2):273-282.
- Morreale, S.A. (1976):** A case of acute trichloroethylene poisoning with myocardial infarction. **Med. Lav.,** 7:176-182.
- Moshage, H. (1997):** Cytokines and hepatic acute phase response. **J. Pathology,** 181:257-266.
- Motohashi, Y. and Miyazaki, Y. (1990):** Time-dependent effects on trichloroethylene on motor activity in rats. **Chronobio. Intern.,** 7: 193-201.
- Mylchreest, E.; Sar, M.; Cattley, R.C. and Foster, P.M. (1999):** Disruption of androgen-regulated male reproductive development by Di(n-Butyl) Phthalate during late gestation in rats is different from flutamide. **Toxicol. Appl. Pharmacol.,** 159:81-95.
- Nakajima, T. and Koyama, Y. (1980):** Effects of chronic ethanol consumption on hepatic metabolism of aromatic and chlorinated hydrocarbons in rats. **Br. J. Ind. Med.,** 37: 382-386.
- Nakajima, T.; Wang, R.S.; Elovaara, E.; Park, S. S., Gelboin, H. V., and Vainio, H. (1992a):** A comparative study of the contribution of cytochrome P450 isozymes to metabolism of benzene, toluene and trichloroethylene in rat liver. **Biochem. Pharmacol.,** 43: 251-257.

- Nagaya, T., Ishikawa, N. and Hata, H. (1989):** Sister-chromatid exchanges in lymphocytes of workers exposed to trichloroethylene. **Mutat. Res.**, 222:279-282.
- Narotsky, MG. and Kavlock, R.J. (1995):** A multidisciplinary approach to toxicological screening. II. Developmental toxicity. **J. Toxicol. Environ. Health**, 45: 145-171.
- NCI (National Cancer Institute), (1976):** Carcinogenesis Bioassay of Trichloroethylene. **National Cancer Institute. TR-2.**
- Ni, Y.; Wong, T. and Fu, P.P. (1996):** Mouse liver microsomal metabolism of chloral hydrate, trichloroacetic acid and trichloroethanol leading to induction of lipid peroxidation via a free radical mechanism. **Drug Metab. Dispos.**, 24: 81-90.
- Nolan, R.J.; Freshour, N.L. and Rick, D.L. et al. (1984):** Kinetics and metabolism of inhaled methyl chloroform (1,1,1-trichloroethane) in male volunteers. **Fund. Appl. Toxicol.** 4: 654–662.
- NRC (National Research Council), (2006):** Key Scientific Issues in the Health Risk Assessment of Trichloroethylene. **National Academy Press, Washington.**
- NTP (National Toxicology Program), (1985):** Trichloroethylene: Reproduction and fertility assessment in CD-1 mice when administered in the feed. **NTP-83-FACB047.**

- NTP (National Toxicology Program), (1986):** Trichloroethylene: Reproduction and fertility assessment in F344 rats when administered in the feed. **NTP-83-FACB046.**
- NTP (National Toxicology Program), (1988):** Toxicology and carcinogenesis studies of trichloroethylene in four strains of rats (gavage studies). **Research Triangle Park, No.79:01-6.**
- NTP (National Toxicology Program), (1990):** Carcinogenesis studies of trichloroethylene (without epichlorohydrin) in F344/N rats and BC63F1 mice (gavage study). **Research Triangle Park, No. 97:10-16.**
- Odum, J.; Foster, J. R. and Green, T. (1992):** A mechanism for the development of Clara cell lesions in the mouse lung after exposure to trichloroethylene. **Chem. Biol. Interact., 83: 135-153.**
- O'Flaherty, EJ. and Buben, JA. (1985):** Delineation of the role of metabolism in the hepatotoxicity of trichloroethylene and perchloroethylene: A dose-effect study. **Toxicol. Appl. Pharmacol., 78: 105-122.**
- Paddle GM. 1983.** Incidence of liver cancer and trichloroethylene manufacture: Joint study by industry and a cancer registry. **Br. Med. J., 286:846.**
- Pereira, M. A., and Phelps, J. B. (1996):** Promotion by dichloroacetic acid and trichloroacetic acid of N-methyl-N-nitrosourea-initiated cancer in the liver of female B6C3F1 mice. **Cancer Lett., 102:133-141.**

- Perbellini, L.; Olivato, D.; Zedde, A. and Miglioranzi, R. (1991):** Acute Trichloroethylene Poisoning by Ingestion: Clinical and Pharmacological Aspects. **Intensive Care Med.**, 17: 234-235.
- Pfaffli, P. and Riihimaki, V. (1978):** Percutaneous absorption of solvent vapors in man. **Scand. J. Work. Environ. Health**, 4: 83-85.
- Prout, M. S.; Provan, W. M. and Green, T. (1985):** Species differences in response to trichloroethylene. I. Pharmacokinetics in rats and mice. **Toxicol. Appl. Pharmacol.**, 79: 389-400.
- Rachootin, P. and Olsen, J. (1983):** The risk of infertility and delayed conception associated with exposures in the Danish workplace. **J. Occup. Med.**, 25: 394-402.
- Reitz, R.H.; McDougal, J.N.; Himmelstein, M.W.; Nolan, R.J. And Schumann, A.M. (1988):** Physiologically based pharmacokinetic modeling with methyl chloroform: implications for interspecies, high dose / low dose, route extrapolations. **Toxicol. Appl. Pharmacol.**, 95(2): 185-199.
- Riihimaki, V. and Pfaffli, P. (1978):** Percutaneous absorption of solvent vapors in man. **Scand. J. Work Environ. Health**, 4:73-85.
- RTI (Research Triangle Institute). (1988):** Absorption, disposition, metabolites, and excretion of 1, 1, 1- trichloroethane (TCEN). **Research Triangle Park, NC; RTI-213/311T-3662.**

- Saillehfait, AM.; Langonne, I. and Sabate, JP. (1995):** Developmental toxicity of trichloroethylene, tetrachloroethylene and four of their metabolites in rat whole embryo culture. **Arch. Toxicol.**, 70: 71- 82.
- Saito, K.; Odonnell, L.; Mclachlan, R. I. and Robertson, D.M. (2000):** Spermiation failure is a major contributor to early spermatogenic suppression caused by hormone withdrawal in adult rats. **Endocrinology**, 141:2779-2785.
- Sallmen, M.; Lindbohm, ML.; Anttila, A.; Kyyronen, P.; Taskinen, H.; Nykyri, E. and Hemminki, K. (1998):** Time to pregnancy among the wives of men exposed to organic solvents. **Occup. Environ. Med.**, 55(1): 24–30.
- Sato, T. and Kauffman, S.L. (1980):** A scanning electron microscope study of the type 11 and Clara cell adenoma of the mouse lung. **Lab. Invest.** 43:26-36.
- Savitz, D.A. And Chen, J.H. (1990):** Parental occupation and childhood cancer: review of epidemiologic studies. **Environ Health Perspect.**, 88: 325-337.
- Secchi, G.C.; Chiappino, G.; A. Lotto, G. and Zurlo, N. (1968):** Actual Chemical Composition of Commercial Trilene and its Hepatotoxic Effects: Clinical Enzymologic Study, **Med. Lav.**, 59: 496-497.
- Schattner, A. Malnick, SDH. (1990):** Anicteric hepatitis and uveitis in a worker exposed to trichloroethylene. **Post grade Med. J.**, 66:730-731.

- Schumann, A.M.; Fox, T.R. and Watanabe, P.G. (1982a):** Carbon-14-labeled methyl chloroform (1, 1, 1-trichloroethane) pharmacokinetics in rats and mice following inhalation exposure. **Toxicol. Appl. Pharmacol.**, **62**: 39-401.
- Selden, A.; Hultberg, B. and Ulander, A. et al. 1993.** Trichloroethylene exposure in vapour degreasing and the urinary excretion of N-acetyl-beta-D-glucosaminidase. **Arch.Toxicol.**, **67**:224-226.
- Sharma, RK. And Agarwal, A. (1996):** Role of reactive oxygen species in male infertility. **Urology**, **48(6)**: 835-850.
- Shaw, G.M.; Swan, S.H.; Harris, J.A. and Malcoe, L.H. (1990):** Maternal water consumption during pregnancy and congenital cardiac anomalies. **Epidemiology**, **1**: 206–211.
- Shaw, G.M.; Schulman, J.; Frisch, J.D.; Cummins, S.K. and Harris, JA. (1992):** Congenital malformations and birth weight in areas with potential environmental contamination. **Arch. Environ. Health**, **47**: 147-154.
- Schoonjans, K.; Martin, G.; Steels. B. and Auwerx. J. (1997):** Peroxisome proliferators-activated receptor, orphans with ligands and function. **Curr. Opin. Lipidol.**, **8**:159-166.
- Smith, M.K.; Randall, J.L.; Read, E.J. and Stober, J.A. (1989):** Teratogenic activity of trichloroacetic acid in the rat. **Teratology**, **40**: 445-451

- Squillace, P.J.; Scott, J.C.; Moran, M.J.; Nolan, B.T. and Kolpin, D.W. (2002):** VOCs, pesticides, nitrate, and their mixtures in ground water used for drinking water in the United States. **Environ. Sci. Technol.**, **36(9):1923-1930.**
- Spirtas, R.; Stewart, P.A.; Lee, J.S.; Marano, D.E.; Forbes, C.D.; Grauman, D.J.; Pettigrew, H.M.; Blair, A.; Hoover, R.N. and Cohen, J.L. (1991):** Retrospective cohort mortality study of workers at an aircraft maintenance facility. I. Epidemiological results. **Br. J. Ind. Med.**, **48: 515-530.**
- Stadtman, E.R. and Oliver, C.N. (1991):** Metal-catalyzed oxidation of proteins. Physiological consequences. **J. Biol. Chem.**, **266(4): 2005-2008.**
- Steele-Goodwin, L.; Pravacek, T.L. and Carmichael A.J. (1996):** Trichloroethylene metabolism in vitro: an EPR/Spin trapping study. **Hum.Exp.Toxicol.**, **15: 878-884.**
- Steinberg, A.D. and DeSesso, J.M. (1993).** Have animal data been used inappropriately to estimate risks to humans from environmental trichloroethylene?. **Reg. Toxicol. Pharmacol.**, **18:137-153.**
- Stott, W.T.; Quast, J.F. and Watanabe, P.G. (1982):** The pharmacokinetics and macromolecular interactions of trichloroethylene in mice and rats. **Toxicol. Appl. Pharmacol.**, **62: 137-151.**

- Sung, T.I.; Chen, P.C.; Lee, L.H.; Lin, P.Y. and Wang, J.D. (2007):** Increased standardized incidence ratio of breast cancer in female electronics workers. **BMC. Public Health, 7: 102-108.**
- Swan, S.H.; Deane, M.; Harris. J. and Neutra, R. (1985):** Cardiac defects in relation to water contamination 1981–82 Santa Clara County, CA. In: Pregnancy Outcomes in Santa Clara County, 1980–82: Report of Two Epidemiological Studies. Berkeley, CA: **Epidemiologic Studies Section/California Department of Health Services; 1-67.**
- Takahara, K. (1986):** Experimental study on toxicity of trichloroethane. I. Organ distribution of 1,1,1- and 1,1,2- trichloroethanes in exposed mice. **Okayama Igakkai Zasshi, 98:1079-1089.**
- Taskinen, H.; Anttila, A.; Lindbohm, M.L.; Sallmen, M. and Hemminki, K. (1989):** Spontaneous abortions and congenital malformations among the wives of men occupationally exposed to organic solvents. **Scand. J. Work Environ. Health, 15(5): 345-352.**
- Taskinen, H.K. (1990):** Effects of parental occupational exposures on spontaneous abortion and congenital malformation. **Scand. J. Work, Environ. Health, 16: 297-314.**
- Tielemans, E.; Burdorf, A.; te Velde, E.R.; Weber, RF.; van Kooij, R.J.; Veulemans, H. and Heederik, D.J. (1999):** Occupationally related exposures and reduced semen quality: a case-control study. **Fertile Sterile, 71(4): 690-696.**

- Tucker, A.N.; Sanders, V.M.; Barnes, D.W.; Bradshaw, T.J.; White, K.L.; Jr.; Sain, L.E.; Borzelleca, J.F. and Munson, A.E. (1982):** Toxicology of trichloroethylene in the mouse. **Toxicol. Appl. Pharmacol.**, 62: 351-357.
- Vartiainen, T.; Pukkala, E.; and Rienoja, T. et al. (1993):** Population exposure to tri- and tetrachloroethylene and cancer risk: Two cases of drinking water pollution. **Chemosphere**, 27:1171-1181.
- Veeramachaneni, D.N.; Palmer, J.S. and Amann R.P. (2001):** Long-term effects on male reproduction of early exposure to common chemical contaminants in drinking water. **Hum. Reprod.**, 16(5): 979-987.
- Volpes, R.; Van Den, J.J. and Desmet, V.J. (1992):** Can hepatocytes serve as activated immunomodulating cells in the immune response cells in the immune response? **J. Hepatol.**, 16:228-240.
- Walgren, J.E.; Kurtz, D.T. and Mcmillan, T.M. (2000):** The effect of the trichloroethylene on peroxisome proliferation and DNA synthesis in cultured human hepatocytes. **Cell. Biol. Toxicol.**, 16:257-273.
- Wartenberg, D.; Reyner, D. and Scott, C.S. (2000):** Trichloroethylene and cancer: epidemiologic evidence. **Environ. Health Perspect.**, 108:161-176.

- Waxman, D.J. (1999):** P450 gene induction by structurally diverse xenochemicals central role of nuclear receptor CAR. PXR and PPAR. **Arch. Biochem. Biophys.**, **369**:11-23.
- Weesner, F.M. (1968):** General Zoological Microtechniques. **Indian Scientific Book Agency, Calcutta.**
- Windham, G.C., et al. (1991):** Exposure to organic solvents and adverse pregnancy outcome. **Am. J. Ind. Med.**, **20**(2):241-259.
- Wilson, PD.; Loffredo, CA.; Correa-Villaseñor A. and Ferencz, C. (1998):** Attributable fraction for cardiac malformations. **Am. J. Epidemiol.**, **148**: 414-423.
- White, J.F. and Carlson, G.P. (1981):** Epinephrine-induced cardiac arrhythmias in rabbits exposed to trichloroethylene: Potentiation by ethanol. **Toxicol. Appl. Pharmacol.**, **60**:466-471.
- Wu, C.; Schaum, J. (2000):** Exposure assessment of trichloroethylene. **Environ. Health Perspect.**, **108**(suppl. 2):359-363.
- Wu, K.L. and Berger, T. (2007):** Trichloroethylene metabolism in the rat ovary reduces oocyte fertilizability. **Chemico-Biological Interactions**, **170** : 20-30.
- Yauck, J.S.; Malloy, M.E.; Blair, K.; Simpson, P.M. and McCarver D.G. (2004):** Proximity of residence to trichloroethylene-emitting sites and increased risk of offspring congenital heart defects among older women. **Brit. Defec. Res. (Part A)**, **70**: 808-814.

Zarchy, T. (1996): Chlorinated hydrocarbon solvents and biliary-pancreatic cancer -- report of three cases. **Am. J. Ind. Med.**, 30:341-343.

Zenick, H.; Blackburn, K.; Hope, E.; Richdale, N.; and Smith, M. K. (1984): Effects of trichloroethylene exposure on male reproductive function in rats. **Toxicology**, 331:237-250.

Zierler, S.; Theodore, M.; Cohen, A. and Rothman, K.J. (1988): Chemical quality of maternal drinking water and congenital cardiac disease. **Int. J. Epidemiol.**, 17: 589-595.