

References

- Abdallah, A. M. and El- Adindani, A., 1963: Stratigraphy of the Upper Paleozoic rocks western side of the Gulf of Suez. Geol. Surv. Mineral Res. U.A.R., v. 25(1): pp. 1- 18.
- Abdallah, A.M., Abdel-Gawad, G. I. and Mekawy, M. S., 2001: Stratigraphy of the Cenomanian and Turonian sequence of El Giddi pass, north west Sinai, Egypt. Proc. 6th Conf. Geol. Sinai for Devolp. Ismailia, pp. 211-229.
- Abdallah, A.M., Aboul Ela, N, M. Saber, S. G. 1996a: Lithostratigraphy, microfacies and depositional environments of the Cretaceous rocks at Gebel Halal area, northern Sinai, Egypt, 3rd Inter. Conf. Geol. Arab World, Cairo Univ., p. 23.
- Abdallah, A.M., Abu Khadrah A., Darwish, M. and Helba, A., 1996b: Lithostratigraphy of Gebel Safariat area, SW Sinai, Egypt. Proc. 3rd Inter. Conf. Geol. Arab World, Cairo Univ., pp. 455- 478.
- Abdel- Elazeem, S. and Metwally, M., 1998: Stratigraphy of Abu Darag Upper Cretaceous, with some regional aspects on the related sediments in the western side of the Gulf of Suez, Egypt. M. E. R. C. Ain Shams Univ. Earth Sci. Ser., v.12: pp. 90-105.
- Abdel-Gawad, G. I., 1999: Biostratigraphy and facies of the Turonian in West Central Sinai, Egypt. Ann. Geol. Surv. Egypt, v. 22: pp. 99-114.
- Abdel-Gawad, G. I. and Zalat, A., 1992: Some Upper Cretaceous macro invertebrates from Gebel El Hamra and Gebel Umm Heriba, Mitla Pass, west central Sinai, Egypt. Proc. 1st Inter. Conf, Geol. Arab World, pp. 333-344.

- Abdel-Gawad, G. I., El Sheikh, H. A., Abdelhamid, M. A., El Beshtawy, M. K., Abed, M. M., Fürsich, F. T. and El Qot, G. M., 2004: Stratigraphic studies on some Upper Cretaceous successions in Sinai, Egypt. *Egypt. J. Paleontol.*, v. 4: pp. 263-303.
- Abdel-Gawad, G. I., El Qot, G. M. and Mekawy, M. S., 2006: Cenomanian-Turonian macrobiostratigraphy of Abu Darag area, Northern Galala, Eastern Desert, Egypt. *Proc. 8th Inter. Conf. Geol. Arab World*, Cairo Univ., v.2: pp. 553-568.
- Abdel-Gawad, G. I., El Qot, G. M. and Mekawy, M. S., 2007: Macrobiostratigraphy of the Upper Cretaceous succession from Southern Galala, Eastern Desert, Egypt. *2nd Inter. Conf. Geol. of the Tethys*, Cairo Univ.,: pp. 329-349.
- Abd- Elshafy, E. Ibrahim, N. and Eid, I. M., 2002: Lithostratigraphy, microfacies and paleoecology of the Upper Cretaceous sediments exposed in the northern part of the Gulf of Suez, Egypt. *J. Environ. Res.*, v. 4: pp. 205-245.
- Aboul Ela, N. M. and El-Shamma, A. A., 1997: Palynostratigraphy of the Middle- Upper Jurassic rocks in El-Giddi borehole, north Sinai, Egypt. *ACTA Universitatis Carolinae-Geologica*, v. 41(1): pp. 47-55.
- Aboul Ela, N. M., Abdel-Gawad, G. I. and Saber, S. G., 1990: Contribution to the stratigraphy of Gebel El Minsherah at north Egypt. *28th Ann. Meet. Geol. Soc. Egypt*, (abs), p. 19-20.
- Abu El-Hassan, M. M., 2006: Facies analysis and sequence stratigraphy of the Upper Aptian Albian Risan Aneiza Formation at El- Giddi pass area,

- Gabal El-Fallig and Gebel El-Maaza, north Sinai, Egypt. Egypt. J. Geol., v. 50: pp. 1-28.
- Abu Khadrah, A. M., Darwish, M., El-Ezabi, M. H. and Abdel Fattah, M. A., 1987: Lithostratigraphy of the Upper Cretaceous- Tertiary succession in the Gulf of Suez (Southern Galala Plateau), Egypt. In: Matheis, G. & Schandelmeier, H. (eds), Current Res. African Earth Sci.: pp. 171-176.
- Adams, J. E. and Rhodes, M. L., 1960: Dolomitization by seepage refluxion. A. A. P. G., Bull., v. 44: pp. 1912-1920.
- Ahmed, S. M., 1995: Facies characteristics of the Upper Cretaceous exposure, Taba area, Sinai, Egypt. Egypt. J. Geol., v. 39 (1): pp. 159-178.
- Ahmed, S. M., 2004: Microfacies, depositional sequences and diagenesis of some Cenomanian- Turonian successions in Sinai, Egypt. Ann. Geol. Surv. Egypt, v. 27: pp. 177-212.
- Ahmed, S. M., Osman, R. A. and Mahmoud, N. I., 2000: Cretaceous- Lower Tertiary rocks at Gebel Halal area, Northern Sinai, Egypt: (B) Facies development. 5th Inter. Conf. Geol. Arab World, Cairo Univ., pp. 1333-1354.
- Akarish, A. I. M., 1998: Mesozoic- Paleocene stratigraphy of the Taba- Nuweiba area, East Sinai. M. E. R. C. Ain Shams Univ., Earth, Sci. Ser., v. 12: pp. 48-64.
- Allam, A. and Khalil, H., 1988: Geology and stratigraphy of Areif El Naga, Sinai, Egypt. Egypt. J. Geol., v. 32(1-2): pp. 199-218.

- Alexandersson, T., 1972: Intergranular growth of marine aragonite and Mg-calcite: Evidence of precipitation from supersaturated sea water, *J. Sed. Petrology*, v. 42: pp. 441-460.
- Al-Ahwani, M., 1982: Geological and sedimentological studies of Gebel Shabraweet area, Suez Canal district, Egypt. *Ann. Geol. Surv. Egypt*, v. 12: pp 305-381.
- Al-Hashimi, W. S., 1977: Recent carbonate cementation from sea water in some weathered dolostone. Northumberland, England, *J. Sed. Petrology*, v. 47(3): pp. 1375-1391.
- Al-Far, D. M., 1964: Some new Formation names in central Sinai, Egypt. *Geo. Soc. Egypt. 3rd Ann. Meet. (Abstract)*.
- Al-Far, D. M., 1966: Geology and coal deposits of Gebel El Maghara (north Sinai). *Geol. Surv. Egypt*, paper 37, 59p.
- Aly, M. F. and Abdel-Gawad, G. I., 2001: Upper Cenomanian– Lower Turonian ammonites from north and central Sinai, Egypt. - *El-Minia Sci. Bull.*, v. 13(2): pp. 14(1), 17–60.
- Aly, M. F., Smadi, A., Abu Azzam, H., 2008: Late Cenomanian – Early Turonian ammonites of Jordan. *Rev. de Paléob.*, v. 27(1): pp. 43–71.
- Ammar, G. and Afifi, T., 1992: Early- Late Cretaceous reef complex facies in North Sinai, Egypt (A model for hydrocarbon exploration). *11th Petrol. Explor. Prod. Conf.*, v. 2: pp. 577-595.

- Anwar, Y. M. and Tarabili, F. E., 1960: Petrogenic studies of some Cretaceous and Eocene formations from Safaga and Kosseir area. Egypt. J. Geol., U.A.R., v. 2: pp. 45-84.
- Awad, G. H. and Abdallah, A. M., 1966: Upper Cretaceous in Southern Galala, Eastern Desert with emphasis on neighboring areas. Egypt. J. Geol. U.A.R., v. 10(2): pp. 125-144.
- Bàdenas, B., Aurell, M., 2001: Proximal–distal facies relationships and sedimentary processes in a storm dominated carbonate ramp, Iberian Ranges, Spain. Sed. Geol., v. 139: pp. 319–340.
- Barakat, M. G., 1970: A stratigraphical review of the Jurassic formations in Egypt and their oil potentialities. 7th Arab Petrol. Congr, Kuwait, Paper No. 58(B-3): 16p.
- Barakat, M. G., Darwish, M. and El Qwtefi, N. S., 1988: Eocene tectonostratigraphy and basin revolution in the Gulf of Suez, petroliferous province. E. G. P. C. 19th Explor. Prod. Conf. Cairo, 22p.
- Bartov, Y. and Steinitz, G., 1977: The Judea and mount Scopus groups in the Negev and Sinai with trend surface analysis of the thickness data. Israel J. Earth Sci., v. 26: pp. 119-148.
- Bartov, Y., Eyal, Y., Garfukel, Z. and Steinitz, G., 1972: Late Cretaceous and Tertiary stratigraphy of southern Israel. Israel J. Earth. Sci. v. 21: pp. 69-97.

- Bartov, Y., Lewy, Z., Steinitz, G. and Zak, I., 1980: Mesozoic and Tertiary stratigraphy, paleogeography and structural history of the Gebel Areif El Naqa area, eastern Sinai. *Israel J. Earth Sci.* v. 29, 139p.
- Bathurst, E. G. C., 1958: Diagenesis fabrico in some British Dinantian limestones, Liverpool, Manchester. *J. Geol.*, v. 2: pp. 11-36.
- Bathurst, E. G. C., 1964: The replacement of aragonite by calcite in the molluscan shell wall, In: J. Imbrie and N. D. Newell (eds.), *Approches to Paleoecology*. Wiley, New York, P. 357-376.
- Bathurst, E. G. C., 1966: Boring algae, micrite envelopes and lithification of molluscan biosparite. *J. Geol.*, v. 5: pp. 15-32.
- Bathurst, E. G. C., 1971: *Carbonate sediments and their diagenesis*, Amsterdam, Elsevier, Pub. Comp., 260p.
- Bathurst, E. G. C., 1975: *Carbonate sediments and their diagenesis*, Elsevier Pub. Comp. 2nd Amsterdam, Oxford, New York.
- Bauer, J., Kuss, J. and Steuber, T., 2003: Sequence architecture and carbonate platform configuration (Late Cenomanian- Santonian), Sinai, Egypt. *Sedimentol.*, v. 50(3): pp. 387-414.
- Bauer, J., Marzouk, A. M., Steuber, T. and Kuss, J., 2001: Lithostratigraphy and biostratigraphy of the Cenomanian- Santonian strata of Sinai, Egypt. *Cret. Res.*, v. 22: pp. 497-526.
- Beadnell, H. J. I., 1905: The relations of the Eocene and Cretaceous systems in the Esna-Aswan reach of the Nile Valley Quart. *J. Geol. Soc.* London, v. 61: pp. 667-670.

- Beadnell, H. J. I., 1927: The wilderness of Sinai. Edward Arnold, London, 18p.
- Boukhary, M. and Abdelmalik, W., 1983: Revision of the stratigraphy of the Eocene deposits of Egypt. N. Jb. Geol. Paleontol., Mh., v. 6: pp. 321-337.
- Brenner, R. L. and Davis, D. R., 1973: Storm-generated coquinoid sandstone: genesis of high energy marine sediments from the Upper Jurassic of Wyoming and Montana. Geol. Soc. Am. Bull., v. 84: pp. 1685-1698.
- Bricker, O. P., 1971: Carbonate cements, Baltimore and London, The Johns Hopkins Univ., Studies in Geology No. 19.
- Burchette, T. P. and Wright, V. P., 1992: Carbonate ramp depositional systems. Sed. Geol., v. 79: pp. 3-57.
- Chafetz, H. S., 1972: Surface diagenesis of limestone, J. Sed. Petrology, v. 42: pp. 325-329.
- Chancellor, G. R., Kennedy, W. J. and Hancock, J. M., 1994: Turonian ammonite faunas from central Tunisia. Spec. Pap. Paleontol., v. 50: 118p.
- Charrire, A., Andreu, B., Ciszak, R., Kennedy, W. J., Rossi, A. and Vila, J. M., 1998: La transgression du Cénomanién supérieur dans la Haute Moulouya et le Moyen Atlas méridional, Maroc. Geobios, v.31: pp. 551-569, Lyon.
- Cherif, O. H., Al-Rifa'iy, I. A., Al-Afifi, F. I., and Orabi, O. H., 1989a: Foraminiferal biostratigraphy and paleoecology of some

- Cenomanian- Turonian exposures in the west central Sinai, Egypt. *Rev. Micropaleontol.*, v. 31(4): pp. 243-262.
- Cherif, O. H., Al-Rifaiy, I. A., Al- Afifi, F. I., and Orabi, O. H., 1989b: Planktonic foraminifera and chronostratigraphy of Senonian exposures in the west central Sinai, Egypt. *Rev. Micropaleontol.*, v. 32(3): pp. 176-184.
- Dapples, E. C., 1967a: Diagenesis in sandstones: In *Diagenesis of sediments*. Elsevier Pub. Comp., Larson, G. and Chilingar, G. V. (eds): 90-125.
- Dapples, E. C., 1967b: Silica as an agent in diagenesis: In *Diagenesis of sediments*. Elsevier Pub. Comp., Larson, G. and Chilingar, G. V. (eds): pp. 323-342.
- Deffeyes, K. S., Lucia, F. J. and Weyl, P. K., 1964: Dolomitization of recent and Plio-Pleistocene sediments by marine evaporate water on Bonaira, Netherlands Antilles; P. 71-88, In: L. C. Pray and R. C. Murray (eds.); *Dolomitization and limestone diagenesis*, Soc. Econ. Paleontol. Mineral., Spec. Pub., v. 13: 174p.
- Dunham, R. J., 1962: Classification of carbonate rocks according to depositional texture. In: Ham, W., E. (ed.): *Classification of carbonate rocks, a symposium*. A. A. P. G. Bull., v.1: pp. 108-121.
- El-Akaad, S. E. and Abdallah, A. M., 1971: Contribution to the Geology of Gebel Ataqa area. *Ann. Geol. Surv. Egypt*, v. 1: pp. 21-42.
- El-Albani, A., Meunier, A., Fürsich, F., 2005: Occurrence of glauconite in a shallow lagoonal environment (Lower Cretaceous, northern Aquitaine Basin, SW, France). *Terra Nova*, v. 17: pp. 537-544.

- El-Hedeny, M. M., 2002: Cenomanian- Coniacian ammonites from west central Sinai, Egypt, and their significance in biostratigraphy. *Geol. Palaontol., Monatshefte*, v. 7: pp. 397-425.
- El-Kelany, A. and Said, M., (1986 – 1989): Lithostratigraphy of south eastern Sinai. *Ann. Geol. Surv. Egypt*, v. 16: pp. 215-221.
- El Qot, G. M., 2006: Late Cretaceous macrofossils from Sinai, Egypt. *Beringeria*, v. 36: 163p.
- El Qot, G. M., 2008: Upper Cenomanian-Lower Santonian ammonites from Galala Plateaux, north Eastern Desert, Egypt: a systematic paleontology, *Egypt. J. Paleontol.*, v. 8: pp. 247-389.
- El Qot, G. M., 2010: Upper Cretaceous echinoids from the Galala Plateaux, North Eastern Desert, Egypt. *Rev. Paléobiol.*, v. 29(1): pp. 261-291.
- El Qot, G. M. and Afify, A. M., 2010: Macrobiostratigraphy of the Um Horeiba- El Giddi Upper Cretaceous succession, west Central Sinai, Egypt. *Egypt. J. Paleontol.*, v. 10: pp. 123-144.
- El-Sabbagh, A. M., 2008: Shallow-water macrofaunal assemblages of the Cenomanian-Turonian sequence of Musabaa Salama area, west central Sinai, Egypt. *Egypt. J. Paleontol.*, v. 8: pp. 63-86.
- El-Sheikh, H. A., Abdelhamid, M. A. M. and El-Qot, G. M. E., 1998: Macrofossils and foraminiferal biostratigraphy and paleoecology of some Cenomanian- Santonian sequences in north and west central Sinai, Egypt. *Egypt. J. Geol.*, v. 42(2): pp. 471-495.

- El-Sheikh, H. A., El Beshtawy, M. K., El-Qot, G. M., and Shaker, F., 2010: High resolution biostratigraphy of the Upper Cretaceous – Lower Tertiary sequence of Saint Paul and Sudr El-Heitan on both sides the Gulf of Suez, Egypt. *Egypt. J. Paleontol.*, v. 10: pp. 179-225.
- Embry, A. F. and Klovan, E. J., 1972: Absolute water depth limits of Late Devonian paleoecological zones. *Geol. Rundsch.*, v. 61(2): pp. 672-686.
- Emery, D. and Dickson, J. A. D., 1989: A syndepositional meteoric phreatic lense in the Middle Jurassic Lincolnshire Limestone. England, U. K. *Sed. Geol.*, v. 65: pp. 273-248.
- Evamy, B. D. and Sherman, D. J., 1965: The development of overgrowth from echinoderm fragments. *Sedimentol.*, v. 5: pp. 211-233.
- Eweda, S. and El-Sorogy, A., 1999: Stratigraphy and facies development of the Upper Cretaceous- Lower Tertiary succession in Wadi Feiran area, southwestern Sinai, Egypt. *N. Jb. Geol. Paläont. Abh.*, v. 211(3): pp. 263-289.
- Fairchild, I. L., 1983: Chemical controls of cathodoluminescence of natural dolomites and calcites: new data and review. *Sedimentol.*, v. 30: pp. 579-583.
- Flügel, E., 1982: *Microfacies analysis of limestones*. Springer-Verlag , Berlin, 633.
- Folk, R. L., 1959: Practical petrographic classification of limestones. *A. A. P. G. Bull.*, v. 43(1): pp. 1-38.

- Folk, R. L., 1962: Spectral subdivision of limestone types, In: W.E. Ham (ed.); Classification of carbonate rocks. A. A. P. G. Petrol., Bull., Tulsa, Okla, pp. 63-85.
- Folk, R. L., 1965: Some aspects of recrystallization in ancient limestones, In: L.C. Pray and R.C. Murray (eds.); Dolomitization and limestone diagenesis; Soc. Econ. Paleo. Mineral., Spec. Pub, v. 13: pp. 14-48.
- Folk, R. L., 1974: The natural history of crystalline calcium carbonate, effect of magnesian content and salinity, J. Sed. Petrology, v. 44: pp. 40-53.
- Folk, R. L. and Land, L. S., 1975: Mg/Ca ratio and salinity: two controls over recrystallization of dolomite; A. A. P. G. Bull., v. 59: pp. 60-68.
- Friedman, G. M., 1968: The fabric of carbonate cement and matrix and its dependence on the salinity of water, P. 11-20, In: G. Muller and G. M. Friedman (eds.); Recent development in carbonate sedimentology in central Europe; N. Y. Springer Verlag, 225p.
- Friedman, G. M. and Sanders, J. E., 1967: Origin and occurrence of dolostones; In: G. V. Chilingar, H. J. Bissell and R. W. Fairbridge (eds.); Carbonate rocks (a) New York, El Sevier Pub. Co., pp. 267-348.
- Galal, G., El-Hedeny, M. M. and Nafee, S. A., 2001: Biostratigraphy of the Cenomanian- Turonian sequence of Wadi El-Tarfa, Eastern Desert, Egypt, based on foraminifers and ammonites. 2nd Inter. Conf. Geol. Africa, v. 2(1): 557-588, Assiut.
- Gavish, E. and Friedman, G. M., 1969: Progressive diagenesis in Quaternary to Late Tertiary carbonate sediments, sequence at time scale, J. Sed. Petrology, v. 39: pp. 980-1006.

- Geological Survey of Egypt, 1992: Geological map of Sinai, Arab Republic of Egypt. (Sheet No.5), Scale, 1:250000.
- Ghorab, M. A., 1961: Abnormal stratigraphic features in Ras Gharib oilfield. Proc. 3rd Arab. Petrol. Congr., v. 2: pp. 1-10.
- Ginsburg, R. N., 1957: Early diagenesis and lithification of shallow-water carbonate sediments in south Florida: R. J. Leblank and J. G. Breeding (eds.), Regional aspects of carbonate deposition, Soc. Econ. Paleo. Mineral., Spec. Pub., v. 5: 80-99.
- Goodnell, H. G. and Garman, R. K., 1969: Carbonate geochemistry of superior deep test well, Andros Island Bahamas. A. A. P. G., Bull., v. 53: pp. 513-536.
- Greensmith, J. T., 1984: Petrology of sedimentary rocks, Indian edition, 1st (edn). C.B.S. Pub. and Dist., Delhi, India, 241p.
- Grover, G. Jr. and Read, J. F., 1983: Paleoaquifer and deep burial related cements defined by regional cathodoluminescent patterns. Middle Ordovician carbonates, Virginia. A. A. P. G., Bull., v. 67: pp. 1275-1303.
- Hamza, F., Ziko, A. and Kamel, S. 1996: A preliminary depositional model for the Early Paleogene of north central Sinai, Egypt. 3rd inter. Conf. Geol. Arab World. (abs).
- Haq, B. U., Hardenbol, J. and Vail, P., 1987: Chronology of fluctuating sea levels since the Triassic. Science, v. 235: pp. 1156-1167.

- Hardenbol, J., Thierry, J., Farley, M. B., Jacquin, T., de Garciansky, P. C. and Vail, P. R., 1998: Mesozoic and Cenozoic sequence chronostratigraphic framework of European basins, Chart 5. In Mesozoic and Cenozoic sequence stratigraphy of European basins (eds. de Garciansky, P. C., Hardenbol, J., Jacquin, T. and Vail, P. R.), SEPM (Society of Sedimentary Geology) Spec. Pub., No. 60.
- Hardie, L. A., Bosellini, A. and Goldhammer, R. I. C., 1986: Repeated subaerial exposure of subtidal carbonate platforms, Triassic northern Italy. Evidence for high frequency sea level oscillations on a 10.000 year; scale Paleooceanography, v. 14: pp. 403-416.
- Harris, D. C. and Meyers, W. J., 1987: Regional dolomitization of subtidal shelf carbonates: Burlington and Keokuk Formations (Mississippian), Iowa and Illinois. In: J. D. Marshal, (Ed.), Diagenesis of sedimentary sequences. Geol. Soc. London, Spec. Pub., v. 36: pp. 237-258.
- Harris, M.K., Thayer, A.A., Amidon, M.A., 1997: Sedimentology and depositional environments of Middle Eocene terrigenous-carbonate strata, southeastern Atlantic coastal plain. Sed. Geol., v. 108: pp. 141-161.
- Hatch, F. H., Rastall, R. H. and Black, M. 1938: The petrology of sedimentary rocks, Allen and Unwin, London, 383p.
- Hewaidy, A. A., Azab, M. M. and Farouk, S., 2003: Ammonite biostratigraphy of the Upper Cretaceous succession in the area west of Wadi Araba, North Eastern Desert, Egypt. Egypt. J. Paleontol., v. 3: 331-359.

- Horbury, A. D. and Adams, A. E., 1989: Meteoric phreatic diagenesis in cyclic late Dinantian carbonates, northwest England, *Sed. Geol.*, v. 65: pp. 319-344.
- Hottinger, L., 1997: Shallow benthonic foraminiferal assemblages as signals for depth of their deposition and their limitations. *Bull. Geol. Soc. France*, v. 168: pp. 491-505.
- Hudson, J. D., 1962: Pseudopleochroic calcite in recrystallized shell limestone. *Geol. Mag.*, v. 99: pp. 492-500.
- Illing, L. V., Wells, A. J. and Taylor, J. C. M., 1965: Penecontemporary dolomite, Persian Gulf, P. 89-111, In: I. C. Pray and R. C. Murray (eds.), *Dolomitization and limestone diagenesis*. Soc. Econ. Paleo. Mineral., Spec. Pub., v. 13: 174p.
- Irwin, M. L., 1965: General theory of epeiric clear water sedimentation. A. A. P. G., *Bull.*, v. 49: pp. 445-450.
- Ismail, A. A., 1993: Lower Senonian foraminifera and ostracoda from Abu Zeneima, west-central Sinai, Egypt. M. E. R. C., Ain Shams Univ., *Earth Sci. ser.*, v. 7: pp. 115-130.
- Ismail, A. A., 2000: Upper Cretaceous stratigraphy and micropaleontology of the western part of the Gulf of Aqaba, East Sinai, Egypt. M. E. R. C., Ain Shams Univ., *Earth Sci. ser.*, v. 14: pp. 239-261.
- Ismail, A. A., 2002: The role of benthonic foraminifera in Maastrichtian- Early Eocene biostratigraphy and paleoecology of north central Sinai, Egypt. *Egypt. J. Geol.*, v. 46(2): pp. 495-513.

- Issawi, B., El Hinnawi, M., El Khawaga, L., Labib, S. and Anany, N., 1981: Contribution to the Geology of Wadi Feiran area, Sinai, Egypt. Geol. Surv., internal report, 48p.
- Issawi, B., El Hinnawi, M., Francis, M. and Mazhar, A., 1999: The Phanerozoic geology of Egypt; a geodynamic approach. Spec. pub. No. 76. Egypt. Geol. Surv., 462p.
- Issawi, B., Osman, R., Francis, M., El Hinnawi, M., El Bagori, Y., Mazhar, A. and Labib, S., 1999: Contribution to the geology of East Sinai. Ann. Geo. Surv. Egypt, v. 21(for 1998): pp. 55-88.
- Issawi, B., Osman, R., Yehia, M. and El Deftar, T., 1994: The delineation of Sinai water basins by using lithofacies – isopach and structure contour maps. 2nd Inter. Conf., Geol. Arab World, Cairo Univ., pp. 483-497.
- Kassab, A. S., 1991: Paleontological and stratigraphical studies of Cretaceous sections in Wadi Qena and Wadi Tarfa, Eastern Desert, Egypt. Ph. D. Thesis, Assiut Univ., 221p.
- Kassab, A. S., 1991: Cenomanian-Coniacian biostratigraphy of the northern Eastern Desert of Egypt, based on ammonites. Newsl. Stratigr., v. 25(1): pp. 25-35.
- Kassab, A. S., 1994: Upper Cretaceous ammonites from the El-Sheikh Fadl-Ras Gharib Road, North Eastern Desert, Egypt. N. Jb. Geol. Paläont. Mh., v. H2:pp. 108-128.
- Kassab, A. S., 1999: Cenomanian- Turonian boundary in the Gulf of Suez region, Egypt: towards an inter-regional correlation, based on

- ammonites. Geol. Soc. Egypt, Spec. Pub. No. 2, (for 1996): pp. 61-98.
- Kassab, A. S. and Ismail, M. M., 1996: Biostratigraphy of the Upper Cretaceous sequence of the Gebel Musabaa Salama area, south west Sinai, Egypt. Arab. Gulf J. Scient. Res. London, v. 14(1): pp. 63-78.
- Kassab, A. S. and Obaidalla, N. A., 2001: Integrated biostratigraphy and inter-regional correlation of the Cenomanian- Turonian deposits of Wadi Feiran, Sinai, Egypt. Cret. Res., v. 22: pp. 1-11.
- Keheila, E. A. and El Ayyat, A., 1992: Silicification and dolomitization of the Lower Eocene carbonates in the eastern desert between Sohag and Qena, Egypt. J. African Earth Sci., v. 14: pp. 341-349.
- Kerdany, M. T. and Marzouk, A. M., 1971: Some Jurassic foraminifera and microfacies from subsurface and surface rocks of Giddi area, Western Sinai. Ann. Geol. Surv. Egypt, v. 1: pp. 199-211.
- Khalifa, M. A. and Abu-El Hassan, M. M., 1993: Lithofacies, cyclicity, diagenesis and depositional environments of the Upper Cenomanian, El Heiz Formation, Bahariya Oasis, Western Desert, Egypt. J. African Sci., v. 17: pp. 555-570.
- Khalifa, M. A. and Eid, M., 1995: Shelf to deep marine facies effect of tectonism on sedimentation of the Matulla Formation (Coniacian – Campanian), central eastern Sinai, Egypt. Proc. Inter. Conf. 30 years copper. pp. 163-187.
- Khalil, H. M., 1993: Stratigraphical and structural studies on Gabal Areif El-Naqa area, Sinai, Egypt. Ph.D. Thesis, Faculty of Science, Tanta University Egypt, 178 p.

- King, R. H., 1977: Sedimentation in Permian Castile Sea, A. A. P.G., Bull., v. 31: pp. 470-477.
- Klitzsch, E. and List, F. K., 1980: Geological interpretation map of Egypt, a preliminary edition, 1: 500, 000, sheets 2827 and 3127, Berlin.
- Klitzsch, E. List, F. K., Pöhimann, G., Handley, R., Hermina, M. and Meissner, B., 1986/1987: Geological map of Egypt, 1: 500, 000, Cairo (Conco Inc. & E. G. P. C.).
- Kora, M. and Genedi, A., 1995: Lithostratigraphy and facies development of the Upper Cretaceous carbonates in east central Sinai, Egypt. *Facies*, v. 32: pp. 223-236.
- Kora, M. and Hamama, H., 1987a: Biostratigraphy of the Cenomanian-Turonian of Gebel Gunna, Southeastern Sinai, Egypt. *Mans. Sci. Bull.*, v. 14(2): pp. 289-301.
- Kora, M. and Hamama, H., 1987b: Biostratigraphy of the Senonian succession in Bir Safra area, southeastern Sinai, Egypt. *Mans. Sci. Bull.*, v. 14(2): pp. 303-314.
- Kora, M., Hamama, H. and Sallam, H., 2002: Senonian macrofauna from west-central Sinai: biostratigraphy and paleoecology. *Egypt. J. Paleontol.*, v. 2: pp. 235-258.
- Kora, M., Hamama, H. and Sallam, H., 2003: Stratigraphy and microfacies of the Senonian succession in west-central Sinai, Egypt. *Egypt. J. Geol.*, v. 47(1): pp. 301-328.

- Kora, M., Khalil, H. and Sobhy, M., 2001a: Stratigraphy and microfacies of some Cenomanian- Turonian successions in the Gulf of Suez region, Egypt. *Egypt. J. Geol.*, v. 45(1): pp. 413-439.
- Kora, M., Khalil, H. and Sobhy, M., 2001b: Cenomanian- Turonian macrofauna from the Gulf of Suez region: biostratigraphy and paleobiogeography. *Egypt. J. Geol.*, v. 45(1): pp. 441-462.
- Kora, M., Shahin, A. and Semiet, A., 1993: Stratigraphy and macrofauna of the Cenomanian exposures in west-central Sinai, Egypt. *Mans. Sci. Bull.*, v. 20(2): pp. 227-259.
- Kostandi, A. B., 1959: Facies maps for the study of Paleozoic & Mesozoic sedimentary basins of the Egyptian region. 1st Arab Petrol. Congr., Cairo, pp. 54-62.
- Krenkel, E., 1925: *Geologic Afrikas*. Gebruder, Berlin, 461p.
- Kuss, J., 1989: Facies and paleogeographic importance of the pre- rift limestone from NE Egypt, Sinai. *Geol. Rund.* v. 7821: pp. 487-498.
- Kuss, J. and Bachmann, M., 1996: Cretaceous paleogeography of the Sinai Peninsula and neighboring areas. *Compte Rendu de l' Academic des Sci de Paris* 322, serie. V. 11(a): p. 915-933.
- Ladd, H. S., 1958: Fossil land shells from deep drill holes on western Pacific atolls, Deep-Sea, *J. Paleontol* v. 32: pp. 183-198.
- Ladd, H. S. and Tracey, J. R. J. I., 1957: Fossil land shells from deep drill holes on western Pacific atolls, Deep-Sea. *Res.*, v. 4: pp. 218-219.

- Land, L. S., 1985: The Origin of massive dolomite. *J. Geol. Educ.*, v. 33: pp. 1125-1132.
- Land, L. S. and Epstein, S., 1970: Late Pleistocene diagenesis and dolomitization, north Jamaica. *Sedimentol.*, v. 14: pp. 187-200.
- Lanphere, M. A. and Pamic, J., 1993: 40 Ar/39 Ar age and tectonic setting of ophiolite from the Neyriz area, southeast Zagros range, Iran. *Tectonophysics*, v. 96: pp. 245-256.
- Laporte, L. F., 1971: Paleozoic carbonate facies of the central Appalachian Shelf. *J. Sed. Petrology*, v. 14: pp. 724-740.
- Lees, A., 1973: Platform carbonate deposits. *Bull. Centre Rech. Pau.*, v. 7: pp. 177-192.
- Lee, M. R. and Harwood, G. M., 1989: Dolomite calcitization and cement zonation related to uplift of the Raisby (Zechstein carbonate), northern England. *Sed. Geol.*, v. 65: pp. 285-305.
- Leinfelder, R.R., 1993: Upper Jurassic reef types and controlling factors: a preliminary report. v. 5: pp. 1-45.
- Leonard, J. E. Cameron, B., Pilkey, O. H., and Friedman, G. M., 1981: Evolution of cold-water carbonates as a possible paleoclimatic indicator. *Sed. Geol.*, v. 28: pp. 1-28.
- Lewy, Z., 1975: The geological history of southern Israel and Sinai during the Coniacian. *Jerusalem. J. Earth Sci.*, v. 24: pp. 19-43.

- Lewy, Z., 1989: Correlation of lithostratigraphic units in the upper Judea Group (Late Cenomanian – Late Coniacian) in Israel. *Israel J. Earth Sci.*, v. 38: pp. 19-43.
- Lewy, Z. and Raab, M., 1976: Mid Cretaceous stratigraphy in the Middle East: mid Cretaceous events. *Mus. D'Hist. Nat. Nice*, v. 4: 19p.
- Lewy, Z., Kennedy, W. J., and Chancellor, G. R., 1984: Co-occurrence of *Metoiceras geslinianum* (d'Orbigny) and *Vascoceras cauvini* Chudeau (Cretaceous Ammonoidea) in the southern Negev (Israel) and its stratigraphic implications. *Newsl. Stratigr.*, v. 13: pp. 67-76.
- Lohmann, K. C. and Meyers, W. J., 1977: Microdolomite inclusions in cloudy prismatic calcites- A proposed criterion for former high Mg-calcite. *J. Sed. Petrology*, v. 47(3): pp. 1078-1088.
- Lucia, F. J., 1962: Diagenesis of crinoidal sediments, *J. Sed. Petrology*, v. 32: pp. 848-865.
- Luger, P. and Gröschke, M., 1989: Late Cretaceous ammonites from the Wadi Qena area in the Egyptian Eastern Desert. *Paleontol.*, v. 32(2): pp. 355-407.
- Lüning, S., Kuss, J., Bachmann, M., Marzouk, A. and Morsi, A., 1998: Sedimentary response to basin inversion: Mid Cretaceous- Early Tertiary pre- to syndeformational deposition at the Areif El- Naqa anticline (Sinai, Egypt). *Facies*, v. 38: pp. 103-136.
- Machel, H. G. and Mountjoy, E. W., 1986: Chemistry and environments of dolomitization- a reappraisal. *Earth Sci. Rev.*, v. 23: pp. 157-222.

- Martin, W. D., 1975: The petrology of a composite vertical section of Cincinnati series limestone (Upper Ordovician) of southwestern Ohio, Southeastern India and Northern Kentucky. *J. Sed. Petrology*, v. 45: pp. 907-926
- Matter, A., 1967: Tidal flat deposits in the Ordovician of Western Maryland, *J. Sed. Petrology*, v. 37: pp. 601-609.
- Mazhar, A., Enany, N. and Abdel Kader, Y., 1979: Contributions to the Cretaceous- Early Tertiary stratigraphy of El Galala El Qabliya Plateau. *Ann. Geol. Surv. Egypt*, v. 9: pp. 377-387.
- Mchargue, T. R. and Price, R. C., 1982: Dolomite from clay in argillaceous or shale, Associated marine carbonates, *J. Sed. Petrology*, v. 52(3): pp. 873-886.
- McRae, S.G., 1972: Glauconite, *Earth Sci. Rev*, v. 8: pp. 397-440.
- Milliman, J. D., 1974: Marine carbonate, Springer- Verlag, Berlin- Heidelberg. New York, 375p.
- Milliman, J. D., Hok, J. E. and Golubic, S., 1984: Micrite cement in microboring is not necessarily a shallow water indicator; *J. Sed. Petrology*, v. 45(2): pp. 425-431.
- Moon, F. W. and Sadek, H., 1921: Topography and geology of north Sinai, *Egypt. Petrol. Res. Bull. Cairo*, v. 10: 154p.
- Morad, S. Marfil, R., Al-Aasm, I. S. and Gomez, D., 1992: The role of mixing-zone dolomitization in sandstone cementation: evidence from

- Triassic Buntsandstein. The Iberian Spain. *Sed. Geology*, v. 80: pp. 53-65.
- Morrow, D. W., 1978: Dolomitization of lower Paleozoic burrow fillings. *J. Sed. Petrology*, v. 48: pp. 295-306.
- Moshier, S. O., 1986: Carbonate platform sedimentology, Upper Cambrian Richland Formation, Lebanon Valley, Pennsylvania. *J. Sed. Petrology*, v. 56: pp. 204-216.
- Moshkovitz, S., Ehrlich, A. and Soudry, D., 1983: Siliceous microfossils of the Upper Cretaceous, Mishash Formation, central Negev, Israel. *Cret. Res.*, v. 4: pp. 173-194.
- Moustafa, A. R. and Khalil, M. H., 1994: Rejuvenation of the eastern Mediterranean passive continental margin in northern and central Sinai: new data from the Themed fault. *Geol. Mag.*, v. 131(4): pp. 435-448.
- Moustafa, A. R. and Khalil, M. H., 1995: Rejuvenation of the Tethyan passive continental margin of northern Sinai: deformation style and age (Gebel Yelleq area). *Tectonophysics*, v. 241: pp. 225-238.
- Muller, G., 1960: The theory of formation of north Chilean nitrate deposits through capillary concentration. *Inter. Geol. 1st Copenhagen, Report, Session, Norden*, v. 1: pp. 76-86.
- Mutti, M. and Simo, J.A., 1994: Distribution, petrography and geochemistry of dolomite in cyclic shelf facies, Yates formation (Guadalupian), Capitan Reef Complex, U. S. A. *Inter. Assoc. Sediment. Spec. Pub.*, v. 21: pp. 91-107.

- Nagm, E., Wilmsen, M., Aly, M. F. and Hewaidy, A., 2010: Biostratigraphy of the Upper Cenomanian- Turonian (lower Upper Cretaceous) successions of the western Wadi Araba, Eastern desert, Egypt. *Newsl. Stratigr.*, v. 44(1): pp. 17-35.
- Nelson, H. F., 1959: Deposition and alteration of the Edwards limestone, Central Texas, In: Lonsdale, J. T. (eds.); *Symposium on Edwards limestone in Central Texas*, Texas, Univ. Bur. Econ. Geol. Pub., v. 5905: pp. 21-95.
- Nicols, R. A., 1967: The "Sparite" complex-eosparite V, Neosparite, *J. Sed. Petrology*, v. 37: pp. 1247-1248.
- Noweir, M. A., El Alfy, Z. and Fawaz, S. M., 2006: Wrench deformation Syrian Arc structures: El Hamraa, Umm Busal, Umm Horeiba en echelon anticlines, Mitla Pas, west central Sinai, Egypt. *J. Geol.*, v. 50: pp. 365-287.
- Okada, H., 1971: Classification of sandstone: analysis and proposal, *J. Geol.*, v. 79, pp. 509.
- Olsen, T.R., Mellere, D., and Olsen, T., 1999: Facies architecture and geometry of landward-stepping shoreface tongues: the upper Cretaceous Cliff House Sandstone (Mancos Canyon, south-west Colorado). *Sedimentol.*, v. 46: pp. 603–625.
- Orabi, O. H., 1992: Cenomanian- Turonian boundary in Wadi Watir, southeastern Sinai, Gulf of Aqaba, Egypt. *J. African Earth Sci.*, v. 15(2): pp. 281-291.

- Orabi, H. O. 2001: Factors controlling the distribution of benthic foraminifera in the Middle-Upper Jurassic Dysoxic/Anoxic Facies at Gebel Maghara, Northern Sinai, Egypt. *J. Fac. Sci. U.A.E. Univ*, v. 11(1): pp. 89-124.
- Orabi, O. H., and Ismail, A. A., 1993: Cenomanian- Turonian ostracods from west-central Sinai, Egypt. *Egypt. J. Geol*, v. 39(1): pp. 339-359.
- Osman, R. A., 1999: Stratigraphy and facies of the Upper Cretaceous sequence in east Sinai, Egypt. *Ann. Geol. Surv. Egypt*, v. 22: pp. 65-68.
- Perkins, R. D. and Tsentas, C. I., 1986: Microbial infestation of carbonate substrata planted on the St. Croix shelf, West Indies. *Geol. Soc. Amer. Bull.*, v. 87: pp. 1615-1628.
- Pettijhon, F. J., 1949: *Sedimentary rocks*, ed., Harper and Row, New. York., 526p.
- Pettijhon, F. J., 1957: Paleocurrents of Lake Superior, Pre-Cambrian quartzites. *Geol. Soc. Am. Bull.*, v. 68: pp. 469-480.
- Pettijhon, F. J., 1957: *Sedimentary rocks* (2nd – Ed.), New York, Harper and Bros., 718p.
- Pettijhon, F. J., Potter, P.E. and Siever, R., 1973: *Sands and sandstone*. Springer-Verlag, Berlin. 618.
- Pettijhon, F.J., Potter, P.E., Siever, R., 1987: *Sand and Sandstone*. Springer-Verlag, New York. p. 553.

- Pittet, P., Strasser, A., and Dupraz, C., 1995: Paleoecology, palaeoclimatology and cyclostratigraphy of shallow-water carbonate siliciclastic transition the Oxfordian of the Swiss Jura. In: 16th IAS Regional Meeting of Sedimentology, Field Trip, v. 23: pp. 225–254.
- Purdy, E. G., 1964: Diagenesis of recent marine carbonate sediments. A. A. P. G. Bull., v. 48: pp. 542-543.
- Purdy, E. G., 1968: Carbonate diagenesis: An environmental survey, Geol. Romania, v. 7: pp. 183-228.
- Qing, H. and Mountjoy, E. W., 1989: Multistage Dolomitization in Rainbow Buildups (Middle Devonian), Keg River Formation, Alberta, Canada. J. Sed. Petrology, v. 59(1): 114p.
- Read, J. F., 1985: Carbonate platform facies models. A. P. P. G., Bull., v. 69: pp. 1-21.
- Reineck, H. and Singh, I., 1975: Depositional Sedimentary Environments. Springer- Verlag, Berlin, Heildberg, New York. p. 618.
- Reiss, Z., 1988: Assemblages from a Senonian high productivity sea. Rev. Paléobiol., Spec. Pub., "Benthos' 86", v. 2: pp. 323-332.
- Reitner, J., 1989: Lower and Mid- Cretaceous coralline sponge communities of the Boreal and Tethyan realms in comparison with the modern ones. Palaeontological and paleogeographical implications. In. J. Weidmann (ed.) Cretaceous of Western Tethys. Proc. 3rd Inter. Cret. Symp., Tübingen 1987, pp. 851–878.

- Robaszynski, F., Caron, M., Amérdo, F., Dupis, C., Hardenbol. J., Gonzales Donoso, J. M., Linares, D. and Gartner, S., 1993: Le Cénomanién de la région de Kalaat Senan (Tunisie centrale): litho- biostratigraphie et interprétation séquentielle. *Rev. Paléobiol.*, v. 12: pp. 351-505.
- Saber, S. G., 2001: Lithostratigraphy and facies development of the Cenomanian – Turonian sediments at El- Giddi Pass area, north western Sinai, Egypt. 2nd, Inter. Conf. on the geology of Africa, Assiut Univ., v. 2: pp. 323-343.
- Saber, S. G., Aly, M. F. and Abdel-Gawad, G. I., 2002: Faunal assemblages and facies of the Upper Jurassic Masajid Formation at El Giddi anticline, north western Sinai, Egypt. *Egypt. J. Paleontol.*, v. 2: pp. 289-318.
- Samuel, M. D., Ismail, A. A., Akarish, A. I. M. and Zaky, A. H., 2009: Upper Cretaceous stratigraphy of the Gebel Somar area, north-central Sinai, Egypt. *Cret. Res.*, v. 30: pp. 22-34.
- Said, R., 1960: Planktonic foraminifera from the Thebes Formation, Luxor. *Micropaleontol.*, v. 6: pp. 277-286.
- Said, R., 1961: Tectonic framework of Egypt and its influence on the distribution of foraminifera. *A. P. P. G. Bull.*, v. 45: pp. 198-218.
- Said, R., 1962: *Geology of Egypt*. Elsevier Pub. Co., Amsterdam, 377p.
- Said, R., 1971: Explanatory notes to accompany the geological map of Egypt. *Egypt. Geol. Surv.*, Paper 65, 123p.
- Said, R., 1990: *The Geology of Egypt*. Balkema, Rotterdam, 734p.

- Said, R. and Kenawy, A., 1956: Upper Cretaceous and Lower Tertiary foraminifera from northern Sinai, Egypt. *Micropaleontol.*, v. 2: pp. 105-173.
- Schlanger, S. O., 1964: Petrology of the limestone of Gum, U.S. Geol. Surv., Prof. Paper, v. 403 D: pp. 1-52.
- Schmidt, V., 1965: Facies, diagenesis and related reservoir properties in the Gigaz beds (Upper Jurassic), northwestern Germany, In: L. C. Pray and R. C. Murray (eds.): *Dolomitization and limestone diagenesis; a symposium*, Soc. Econ. Paleo. Mineral., Spec. Pub., v. 13: pp. 124-168.
- Scott, R.B., 1995: Global environmental controls on reefal ecosystems. *Palaeogeography, Palaeoclimatology. Palaeoecol.*, v. 119: pp. 187-199.
- Selly, R. C., 1985: Ancient sedimentary environments and their subsurface diagenesis. 3rd (ed.), Cambridge Univ. Press, London, p. 317.
- Shahin, A. and Kora, M., 1991: Biostratigraphy of some Upper Cretaceous successions in the eastern central Sinai, Egypt. *N. Jb. Geol. Paläont. Mh.*, v. (11): pp. 671-692.]
- Shata, A. A., 1956: Structural development of Sinai Peninsula, Egypt. *Inter. Geol. Congr. Mexico*, pp. 117-157.
- Shinn, E.A., 1983: Tidal flat environment. In: Scholle, P.A., Bebout, D.G., Moore, C.H. (Eds.); *Carbonate Depositional Environments*. A. A. P. G., Bull., v. 33: pp. 173-210.

- Shinn, E. A. and Ginsburg, R. N., 1964: Formation of recent dolomite in Florida and the Bahamas. (abs.), A. A. P. G. Bull., v. 48: pp. 547-548.
- Shinn, E. A., Ginsburg, R. N. and Lioyd, R. M., 1965: Recent supratidal dolomite from Andros Island, Bahamas, In: L. C. Pray and R. C. Murray (eds.); Dolomitization and limestone diagenesis. Soc. Econ. Paleo. Mineral., Spec. Pub., v. 13: pp. 89-111.
- Shirav, M., 1985: Stratigraphy and structure of the Quzeib graben, northern Gulf of Eilat. Ann. Meet. Geo. Surv. Israel, Abs., pp. 4-5.
- Shirley, P. D. and Timothy, N. D., 1990: History of quartz cementation in the Lower Cretaceous Travis Peak Formation, East Texas. J. Sed. Petrology, v. 60(2): pp. 191.
- Siever, R., 1986: Oceanic silica geochemistry and nodular chert formation. Geol. Soc. Amer. Abs. Prog., v. 18: 750p.
- Strasser, A., 1986: Ooids in Purbeck limestones (lowermost Cretaceous) of the Swiss and French Jura. Sedimentol., v. 33: pp. 711-727.
- Swedan, A. Marzouk, A. M. and Eid, M., 1994: Stratigraphy and calcareous Nannoplankton of the Late Cretaceous-Tertiary succession of Gebel Heyala and Gebel El Ghoryia, East central Sinai. Ann. Geol. Surv. Egypt. v. 20: pp. 633-654.
- Swift, D. J. P., Holliday, B., Avignone, N. and Shideler, G., 1972: Anatomy of a shoreface ridge system, False Cape. Virginia, Mar. Geol., v. 12: pp. 59-84.

- Textories, D. A., 1969: Supratidal origin of Appalachian Basin dolostone. *Geol. Soc. Am. Bull., Spec. Paper*, v. 121: pp. 470-471.
- Thompson, A. M., 1970: Tidal-flat deposition and early dolomitization in early dolomitization in Upper Ordovician rocks of southern Appalachian Valley and Ridge. *J. Sed. Petrology*, v. 40: pp. 1271-1286.
- Tucker, M. E., 1981: *Sedimentary petrology: An introduction*. Blackwell scient. Pub., Oxford, 252p.
- Tucker, M.E., 1990: Carbonate Platforms: Facies, Evolution and Sequences. *Inter. Assoc. Sediment. Spec. Pub.*, v. 9: p. 328.
- Tucker, M. and Wright, V.P., 1990: *Carbonate Sedimentology*. Blackwell, Oxford. p. 482.
- Tyrell, W. W., 1969: Criteria useful in interpreting environments of unlike but time-equivalent, Units (Transill-Captan-Lamar), Captan reef complex, West Texas and New Mexico, In: G. M. Friedman (ed.); *Depositional environments in carbonate rocks*. Soc. Econ. Paleo. Mineral., Spec. Pub., v. 14: pp. 80-97.
- Van Houten, F. B., 1968: Iron oxides in red beds. *Geol. Soc. Am. Bull.*, v. 79: pp. 399-416.
- Van Houten, F. B., 1972: Iron and clay in tropical savanna alluvium, northern Coloumbia, a contribution to the origin of red beds. *Geol. Soc. Am. Bull.*, v. 83: pp. 2671-2772.
- Visher, G. S., 1969: Use of vertical profile in environmental reconstruction. *A. P. P. G., Bull.*, v. 40(1): pp. 41-61.

- Viotti, C. and El Demerdash, G., 1968: Studies on Eocene sediments of Wadi Nukhul area, East coast of Gulf of Suez. Proc. 3rd. Afr. Micropal. Collog. Cairo, pp. 403-423.
- Walker, T. R., 1967: Formation of red beds in modern and ancient deserts. Geol. Soc. Am. Bull., v. 78: pp. 353-368.
- Walker, T. R., 1974: Formation of red beds in moist tropical climates; A hypothesis. Geol. Soc. Am. Bull., v. 85: pp. 633-638.
- Walker, T. R., and Honea, R. M., 1969: Iron content of modern deposits in the Sonoran desert: a contribution to the origin of red beds. Geol. Soc. Am. Bull., v. 89: pp. 535-544.
- Wanas, H. A., 2008: Cenomanian rocks in the Sinai Peninsula, Northeast Egypt: Facies analysis and sequence stratigraphy. J. African Earth Sci., v. 52: pp. 125-138.
- Warren, J., 2000: Dolomite: occurrence, evolution and economically important association. Earth Sci. Rev., v. 52: pp. 1-81.
- Waugh, B., 1970: Petrology, provenance and silica diagenesis of the Penrith Sandstone (Lower Permian) of northwest England. J. Sed. Petrology, v. 40: pp. 1226-1240.
- Weissbrod, T., 1970: "Nubian sandstone", discussion. A. A. P. G. Bull., v. 54: pp. 526-529.
- Wilson, J. L., 1969: Microfacies and sedimentary structures in deeper-water lime mudstone, In: G. M. Friedman (ed.); Depositional environments

- in carbonate rocks. Soc. Econ. Paleo. Mineral., Spec. Pub., v. 14: pp. 4-19.
- Wilson, J. L., 1975: Carbonate facies in geologic history. Berlin- Heidelberg, New York, Springer-Verlag, Berlin, 471p.
- Wolf, K. H., 1965: Grain-diminution of algal colonies to micrite, J. Sed. Petrology, v. 35: pp. 420-427.
- Zalat, A. A., 1999: Dolomitization of Cenomanian- Turonian limestones in central Sinai, Egypt. M. E. R. C. Ain Shams Univ., Earth Sci. Ser., v. 13: pp. 173-186.
- Zalat, A. and Eweda, S., 1998: Contribution to the stratigraphy and facies analysis of the Eocene rocks in El-Raha – Nakhl landstretch, west central Sinai, Egypt. M. E. R. C. Ain Shams Univ., Earth Sci. Ser., v. 12: pp. 31-47.
- Zenger, D. H., 1976: Dolomitization and dolomite dyke in Wyman Formation (Pre-Cambrian), north eastern Inye Mountains, California. J. Sed. Petrology, v. 46: pp. 457-462.
- Ziko, A., Darwish, M. and Eweda, S., 1993: Late Cretaceous- Early Tertiary stratigraphy of the Themed area, East Central Sinai, Egypt. N. Jb. Geol. Paläont. Mh., v. (3): pp. 135-149.