



REFERENCE

- AbeYegunawardena, A.S.; Sebire, N.J. and Risdon, R.A. (2010):***
Predictors of long – term out come of children with idiopathic focal segmental glomerulosclerosis. *Pediatr Nephrol* .feb; 22(2) : 215- 21.
- AbdElGawad E., (2000):*** Health education in the promotion of quality of life in the community , a literature review, high intuate public health, Alexandria university.P.9.
- Afzal, K.; Bagga, A.; Menon, S.; Hari, P. and Jordan, S.C. (2007):***
Treatment with mycophenolate mofetil and prednisolone for steroid –dependent nephrotic syndrome .*Pediatr Nephrol*; 22: 2059-2065.
- Agarwal, N.; Phadke, K.D.; Garg, L. and Alexander, P.(2010):*** Acute renal failure in children with idiopathic nephrotic syndrome. *Pediatr Nephrol*.18(12): 1289- 92.
- American Academy of pediatrics (2006):*** Varicell zoster infections .in: pickering Lk, Baker CJ , long SS , McMillan JA , editors. Red Book: Report of the committee on infectious Diseases , 27 th ed .Elk Grove village, IL : American Academy of pediatrics .P. 711 -25.
- Anderson, K.N. and Glanze, W.D. (2006):*** Nephrotic syndrome, Mosbys medical ,Nursing and allied health dictionary 6 th ed. St lonis:Mosby.year Book,Inc.



Anderson, S.; Komers, R. and Brenner, B.M. (2009) :Renal and Systemic Manifestation of Glomerular Disease . In the kidney .8th ed .Philadelphia :Saunders Elsevier.chap 26.

Axelrod, L. (2006): Glucocorticoid therapy in endo-crinology.5th edition Philadelphia: Elsevier Saunders P.2329- 2342.

Bagga, A. and Srivastava, R.N. (2005): Nephrotic syndrome. In Srivastava RN, Bagga A, editors-pediatric Nephrology. 4th ed.New Delhi: Jaypee, P.159- 20

Bagga A, Hari P, Srivastava RN.(2005): Prolonged versus standard initial prednisolone treatment for idiopathic nephrotic syndrome. *Pediatr Nephrol*; 13: 824-827.

Bagga A, Sharma A, Srivastava RN.(2005): Levamisole therapy in corticosteroid dependent nephrotic syndrome. *Pediatr Nephrol*; 11: 415-417.

Barness, L.A.; Moll, G.H. and Janeway, C.A.(2000): Nephrotic syndrome, natural history of the disease. *Pediatrics*;5:486.

Baum, N. (2004): The patient with chronic renal disease . In : Manual of Nephrology 5th ed . New York, London. PP 155- 168.

Beth, A. (2004): Current Medical Diagnosis and Treatment, 35th ed., Asiman Schuster Company, USA, P 450.

Bienias, B. (2006): Nephrotic syndrome of website
<http://www.pubmed.Com>.Date 4-12-2009.

Bloch, A. (2009): Chronic illness and its impact on academic achievement .*pediatrician*;13:128.(pubmed).



- Borges, F.F.; Shiraich, L.; Dasilva, M.P.; Nishimotoel, Nogueira P.C. (2009):** Is focal segmental glomerlo sclerosis increasing in patients with nephrotic syndrome .Pediatric Nephrol.Sep.22(9):1309.13.
- Boyer, O.; Moulder, J.k.; Somers, M.J. (2009):** Focal and segmental glomerulosclerosis in children longitudinal assessment .Pediatric nephrol.Aug.22(8):1159-66.update{3-12-2009}.
- Brener, A. and Barry, M. (2008):** Brenner and Rectors the kidney , seven th edition W.B.Saunders company. P 135.
- Bregman ,H.,Daugiradas,J.T. and Roth,KS,(2002):** Complication during nephrotic syndrome hospitalization in :Hand book of dialysis 3rd ed ,chapter3:147-168.
- Burgstein, J.M. (2008):** Nephrotic syndrome. In: Behrman RE, Kliegman RM, Jenson HB, editors. Nelson Textbook of pediatrics. 18th ed. Philadelphia: Saunders WB;. p. 2430-42.
- Cattran, D.C.; Alexopoulos, E.; Heering, P.; Hoyer, P.F.; Johnston, A. and Meyrier, A. (2007):** Cyclosporine in idiopathic glomerular disease associated with the nephrotic syndrome : work shop recommendations. Kidney int.; 72: 1429 -1447.
- Celestin, R. (2007):** Problems of nephrotic syndrome children .A common potentially dangerous infection of website <http://WWW.pubmed.com>. Date 5-12-2009
- Charles S., (2007):** Nephrotic syndrome –health information library at available on <http://www.Pennstatehershey> .Org\ web \ guest \home



- Chen, X.; Sekine, M.; Hamanishis, Wang, H.; Gaina, A.; Yamagami, T. and kagaminori S.(2004):** Life styles and health related quality of life in Japanese school children .Cross-sectional study ,preventive medicine Vol.40,No.6,June,Elsevier Inc.,PP8-678.
- Chugani, V. (2007):** Nephrotic syndrome on website <http://www.pubmed.com>. Date 6-12-2009.
- CJerston, Scheng, W., Tan, L.and Lin,T.(2004):** Prevalence of chronic kidney disease in United state, Journal of American association.Novermber 7,; 298(17): 2038-2047.
- Crompton, C. (2005):** Nutrition and growth in kidney disease , on website <http://www.Goggal.com>.
- Davin, J.C. and Markus MP., (2005):** Levamisole in steroid –sensitive nephrotic syndrome of child hood: the lost paradis ediatr Nephrol; 20: 10- 14.
- Dehoorne, J. (2005):** Need for low sodium concentration and frequent cycles of 3.36 % in nephrotic children of web site [http : // www .Pubmed. com](http://www.Pubmed.com).
- Dursun, E.,(2006):** Inflammation and stress in end –stage renal disease advances in Nephrology.volum-30: 201-214.
- Eddy, A. A. (2003):** Nephrotic syndrome in children hood. Lancet, 23th ed.,p. 629.
- Eddy, A.A. and Symons, J.M. (200 9):** Nephrotic syndrome in childhood. Lancet; 362:629-39.



- Eddy, A.A. Symons,J.M. (2009):** Nephrotic syndrome in childhood. Lancet. Aug 23.362 (9384): 629-39. up date {2-11-2009}.
- Elliott, B., Gallary, P.and Mould.J. In E.A. Glasper;J. Richardson (2006):** Atextbook of childrewn Young peoples nursing.1sted., Churchill livingstone.Elserier,London,PP:752,726.
- Ehrich, J.H. and Brodehl, J. (2010):** Long versus standard prednisone therapy for initial treatment of idiopathic nephrotic syndrome children .Arbeitsgemeinschaft fur pediatrics nephrology.Eurj pediatr Apr;152(4): 357-61.
- Eric, P. and Cohen, M.D. (2010):** Nephrotic syndrome treatment and medication available at [http:// emedicine.medscape.com /nephrology.htm](http://emedicine.medscape.com/nephrology.htm).
- Eschback,J.E.,(2002):**Nursing process approach, 3rd ed ., London, Mosbycom,P.1032.
- Geerts, W.H. (2001):** Prevention of venous thromboembolism chest, 119 (ISUPPI),1325- 1755.
- Gipson, D.S.; Massengillsf, Yaol, et al., (2010):** Management of child hood onset nephrotic syndrome Pediatrics .Aug; 124 (2): 747- 57.
- Gipson, D.S., Chin, H. and Presler TP., (2010) :** Differential risk of remission and ESRD in child hood FSGS . Pediatr Nephrol.Mar; 21 (3) : 344-9.
- Graaff and VanDe, (2009):** Human Anatomy, sixth Edition. New York :McGraw –Hill.



- Grrenda, L. and Bennett, C. (2006):** Text book of medicine, 1 st ed., W.B. Saunders comp., U.S.A., PP. 1800- 1850.
- Gulati, S.; Sharma, R.K.; Gulati, K.; Singh, U. and Srivastava, A. (2005):** Longitudinal follow up of bone mineral density in children with Idiopathic nephrotic syndrome. *Nephrol Dial Trans* pL 20:P.1598-1603.
- Gulati, S.; Godbole, M.; Singh, U.; Gulati, K. and Srivastava, A. (2003):** children with idiopathic nephrotic syndrome at risk for metabolic bone disease ? *American journal of kidney Disease*, 41(6), 1163-1169.
- Haraldsson, B.; Nystrom, J. and Dean, W.M. (2009):** properties of the glomerular barrier and mechanisms of proteinuria –*physiol Rev*. Apr. 88(2) : 45-87.
- Hodson, E.M.; Knight, J. F. and Willis, N.S. (2005) :** Corticosteroid therapy for nephrotic syndrome in children (Cochrane review) In : *The Cochrane Library*, Issue 3.
- Hogg, R.J.; Portman, R.J.; Milliner, D.; Lemley, K.V.; Edd, A. and Ingelfinger, J. (2009):** Evaluation and Management of proteinuria and nephrotic syndrome in children :recommendations from a pediatric nephrology panel established at the national kidney foundation conference on proteinuria,albuminuria, risk, assessment, detection, and elimination (PARADE). *pediatrics*. Jun. 105 (6): 1242-9.



Howard Trachtman, R.; Fine, A.; Friedman, J.; Gassman, D.; Gipson. T.; Greene, S.; Hogen, R.; Hogg, F.; Kaskel, M.; Moxey –Mims M.; Radeva, Nsiegel, S. and Watkins.(2009): Quality of life in children with focal segmental Glomerulosclerosis (FSAGS): Baseline findings .report of the FSGS-clinical trial (CT)-presented at the American society of Nephrology, san Diego, October 29 through November 1.

Indian academy of pediatrics (2008): Consensus statement on management of steroid sensitive nephrotic syndrome .Indian pediatric nephrology group ,Indian academy of pediatrics. Indian pediatr ;38:975-986.

Indian pediatric Nephrology group (2007): Evaluation and Management of hypertension. Indian pediatr.44: 103-121.

International Study Of Kidney Disease in children (ISKDC),(2000): Nephrotic syndrome in children: prediction of histopathology from clinical and laboratory characteristics at time of diagnosis, kidney 13:159-65.

International Study Of Kidney Disease in children (ISKDC),(2010): The primary nephrotic syndrome in children. Identification of patients with minimal change nephrotic syndrome from initial response to prednisone. A report of the international study of kidney disease in children. J pediatric Apr.98 (4) :561-4.update{2-2-2010}.



International Study Of kidney Disease in Children (ISKDC). (2009):

Nephrotic syndrome in children : Prediction of histopathology from clinical and laboratory characteristics at time of diagnosis .A report of the international study of kidney Disease in children .Kidney int.Feb.13(2):159-65.

Jackson, P., (2004): Primary care of children with chronic condition .,4th ed., PP.1054-1066.

Jackson, H. (2004): Diagnostic imaging of renal disease from text book of ped. Meph., 4 th ed ., 22: P.377- 391.

Jane, W.; Ball Ruth, C. and BinDler. (2009): pediatric nursing care for children with nephrotic syndrome, 4 th ed .P .993.

Jefferies and William (2004): Safe uses of Cortisol. Spring field, Charles C.Thomqs.1sBN 0 -398 -07500

Jerome, C. and Lane, M.D. (2010): Nephrotic syndrome treatment and medication available at [http: // nephrotic syndrome treatment and medication – emedicine pediatrics general medicine. htm](http://nephrotic syndrome treatment and medication – emedicine pediatrics general medicine. htm).

Jerome, C. and lane, M.D. (2010): Nephrotic syndrome, located at <http://emedicine.medscape.com/ article /982920 –overview>. Up date [25-5-2010].

Kari, J.A. (2002): Changing trends of histopathology in childhood Nephrotic syndrome in western Saudi Arabia. Saudi Med J;23:317-21.

Khalifa, A. (2003): Introduction to nephrotic syndrome in Egypt. Ain Shams University, April; 30(4):12.



- Kumar, J.; Culati, S.; Sharma, P. and Sharma, R.K. (2003):** Histopathological spectrum of childhood nephrotic syndrome in Indian children. *Pediatr Nephrol*;18:660-75.
- KuMud M., (2006):** Management of nephrotic syndrome in child hood available at [http:// www. pediatric conall.com /for doctor/ diseases and condition / pediatric- Nephrology/ Management- of neophrotic. Asp.](http://www.pediatric.conall.com/for_doctor/diseases_and_condition/pediatric-Nephrology/Management-of_nephrotic.Asp)
- Latta, K.; Von Schnakenburg, C. and Ehrich, J.H.H.(2008) :** Ameta-analysis of cyto toxic treatment for frequently relapsing nephrotic syndrome in children . *Pediatr Nephrol*; 16: 271 -282.
- Lips, P. and VanSchoor, N.M. (2005):** Quality of life in patients with nephrotic syndrome.
- Lundy ,K.S.,(2003):** Community health nursing 2 nd ed., London,p.192.
- Mahmoodi, B.K.; Tenkate, M.K.; Waanders, F.; Veeger, N.J.; Brouwer, J.L. and Vogt. (2009):** High absolute risks and predictors of venous and arterial thromboemlic events in patients with nephritic syndrome results from a large retrospective cohort study circulation. Jan 15: 117 (2): 224 -30.
- Marilyn, J. and Hockenvery, PhD, R.N.Cs, PNP, (2005):** Wong's Essentials of pediatric Nursing care , 7 th edition , Mosby an imprint of Elsevier 11830 , westine industrial drive st. Louis, Missouri 63146,P 995- 996.
- Mehta, M. (2002):** Current management of nephrotic syndrome .*Curr pediatr*; 7:32-5.



- Myers, B.D.; Sibley, R.; Newton, L. et al., (2000):** The long-term course of cyclosporine-associated chronic nephropathy. *Kidney Int*;33:590-600.
- National Kidney and Urologic Diseases Information Clearing House. (2008):** Childhood Nephrotic Syndrome. web site <http://kidney.niddk.nih.gov/index.htm>. Date 5-5 -2010
- Niaudet, P. (2009):** Genetic froms of nephrotic syndrome. *Pediatric .Nephrol.* Dec. 19(12):1313-8.
- Niaudet, P. (2010):** Steroid sensitive Idiopathic nephrotic syndrome in children. In: Avner ED, Harmon WE and Niaudet P. *Pediatric Nephrology*. 5th ed .Philadelphia: Lippincott, Williams and wilkins: Chap 27.[23-5-2010].
- Niaudet, P. (2004):** Steroid sensitive Idiopathic nephrotic syndrome in children. In: Avner ED, Harmon WE and Niaudet P. Editors *Pediatric Nephrology*. 5th ed .Philadelphia: Lippincott, Williams and wilkins.
- Nicki, L.; Poits, R.N.; PhD, Barbara, L.M. and Leco, R.N. PhD, (2007):** *Pediatric Nursing* .Second edition , 832-833.
- Nielsen, S. (2002):** *Primary Care Pediatric*, 6th ed ., Saunders comp. PP.496- 498.
- Norden, A.G.; Lapsley, M.; Lee, P.J.; Pusey, C.D.; Scheinman, S.J. and Tamfw. (2009):** Glomerular protein sieving and implications for renal failure in fanconi syndrome. *kidney int.* Nov. 60 (5) :1885-92. [Medlin].



- Paik, K.H.; Lee, B.H. and Cho, H.Y. (2010):** Primary focal segmental glomerular sclerosis in children: Clinical course and prognosis. *Pediatr Nephrol.* Mar; 22 (3) 389- 95.
- Parul patel, M.D. (2009):** Nephrotic syndrome In Brenner and Rectors the kidney. 8th ed Philadelphia, pa. Saunders Elsevier: Chap 30.[14-5-2010].
- Raes, A.M. (2005):** kidney Dialysis in Child. website <http://www.Pubmed.Com>. Date 3-4- 2010
- Rebert, S. and Gillespie, M.D. (2007) :**Management of nephrotic syndrome in children available at [http://www. hcplive com /resource- center](http://www.hcplive.com/resource-center). Date 4-5- 2010
- Ronco, P. and Debiec, H. (2006) :** New insights into the pathogenesis of membranous glomerulonephritis. *Cur opin nephrol hypertens.* May. 15 (3): 258 -63.
- Ronen, G.M., Rosenbaum, P., and Streiner, D.L. (2001):** Health related quality of life in childhood disorders : A modified focus group technique to involve children quality of life research, P. 10,71 - 79.
- Russo, L.M.; Bakris, G.L. and Comper, W.D. (2009):** Renal handling of albumin :A critical review of basic concepts and perspective. *Am J kidney Dis.* May.39 (5):899-919.
- Ruth, E.M.; Kemper, M.J.; Leumann, E.P.; Laube, G.F. and Neuhaus T.J.(2005):** Children with steroid-sensitive nephrotic syndrome come of age :Long term outcome. *Journal of pediatrics*, 147(2), 202-207.



- Ruth, E.M.; Landolt, M.A.; Neuhaus, T.J. and Kemper, M.j. (2004):** Health related quality of life and psychosocial adjustment in steroid-sensitive nephrotic syndrome, journal of pediatric., P.175, 778-783.
- Seyed, M.D. (2007):** Nephrotic syndrome ,located at <http://www.merck..com / mhe/Sec11/ch144/ch144c.htm>. Date 4-5-2010
- Sedky S., (2009):** Assessment of nurses knowledge and skills about nephritic syndrome in children . Benha Hospital . Master thesis, Benha university, Egypt, p 39.
- Shao, Y.N.; Chen, Y.C.; Jenqcc, et al., (2009) :** Serum Immunoglobulin Can Predict Minimal Change Disease before Renal Biopsy. AmJ Med sci. Oct : 338(4):264 -7.
- Smith and Peter, (2009):** Role of the kidney .department of clinical sciences, the university of Liverpool.
- Soliday, E. (2001):** Behavioral effects of corticosteroids in steroid-sensitive nephrotic syndrome of website <http://www.pubmed.com>.
- Srivastava, R.N. and Bagga, A. (2005):** Nephrotic syndrome: In pediatric Nephrology .4 th ed .New Delhi: JaYpee Brothers; P. 161- 200.
- Susan, R.N. and Jean MSN, RN. (2007):** Nursing care of children principles and practice, third edition., Mosby comp ., London, PP.589-590- 591.
- Symons, R. (2003) :** Medical surgical Nursing,1st ed., Mos by Comp,U. S. A., p.850.



- Tarshish, P.; Tobin, J.N.; Bernstein, J.; Edelmann, C.M. Jr . (2000):** Prognostic significance of the early course of minimal change nephrotic syndrome: report of the international study of kidney disease in children. J Am Soc Nephrol;8:769-76.
- Thomas, D.B. (2009):** Focal Segmental Glomerulosclerosis a Morphologic Diagnosis in Evolution. Arch pathol lab med.Feb, 133(2) : 217 -23.
- Thomas, J. Neuhaus, Valerie Langlois and christoph Licht. (2010):** Bahavioural abnormalities in children with nephrotic syndrome – an underappreciated complication of a standard treatment, available at <http://ndt.Oxfordjournals.org/content/25/8/2397.full>.
- United states renal data system (2005):**Kidney disease in children of website <http://www.Pubmed.Com>.
- Verroust, B.J.; Birn, H.; Nielsen, R. et al., (2004):** Nephrosis in childhood. Nephron; 71 (4); 373 -85.
- Vogt, A.B. and Avner, E.D. (2007):** Nephrotic syndrome .In Nelson textbook of pediatrics .18 th edition.Philadephia :WB Saunders.P2190 -2195.
- Walter, F. and Boron., (2009):** Medical physiology Cellular and Molecular Approach. Elsevier / saunders.IsBN1-4160 -2328 -3.
- Westbom, (2009):** Well- being of children with chronic illness: A population –based study in a Swedish primary care district .Acta paediatr: 81: 625-9 (pubmed).
- Wikimedia Foundation,(2008):** Quality of life . Wikipedia,Us.



World health organization assessment group, (2000): Development of the WHQOL- BREF quality of life assessment psychological medicine,28 ,551- 558.

World health organization, (2000): Palliative Care.Avaialbe at <http://www.WHOdefinition of palliative care.htm>.Date 12-6-2010 .

WuhL, E. (2001): Long term treatment with growth hormone in short children with nephropathic cystinosis. Journal of pediatric 136; 880 -887.

Zaffanello, M. and Franchini, M. (2010): Thromboembolism in childhood nephrotic syndrome: rare but serious complication. Hematology.12(1) :69-73.