



REFERENCES



REFERENCES

- Abright, H.A.; Berkow, F. and Voights, A. (1979):*
Effects of parathyroid hormone on skeletal muscle protein and amino acid metabolism.
J. Clinical Invest., 71: 1808.
- Adamiec, R.; Szewczyk, Z.; Szmidzinski, R. and Szopa, J. (1994):*
Uremic lymphocytes: analysis of their nuclease activity.
Clin. Chim. Acta. 1993 Nov. 30, 221 (1-2): 15-22.
- Alard, P.; Lantz, O.; Ramirez, A.; Perrot, J.Y.; Chavanel, G.; Fries, D.; Charpentier, B. and Senik, A. (1990):*
Decreased lymphokine-activated killer cells in kidney transplant recipients. Correlation with a diminished number of CD3-/NKH₁+ cells.
Transplantation 1990 Aug.; 50(2): 250-7.
- Akamal, M.; Goldstein, D.A. and Massry, S.G. (1984):*
Effect of PTH on the brain and peripheral nerves.
Am. J. of Physiology, 240.
- Almirall, J.; Torregrosa, V.; Arrizabalaga, P.; Cases, A. and Oliva, J. (1994):*
Calcitriol in the treatment of refractory hyperparathyroidism of CRF.
Med. Clin. Barc. 1994, Mar. 12; 102(9): 325-8.
- Allison, J.P. and Lanier, L.L. (1987):*
Structure, function and serology of the T-cell antigen receptor complex. Annwe. Rev. Immunolog. 5:503-540.
- Alvarez, Ude, F.; Feest, T.G. and Ward, M.K. (1978):*
Hemochialysis bone disease: correlation between clinical histologic and other findings.
Kidney Int., 14: 68.
- Andress, D.L.; Felsenfeld, A.J.; Voights, A. and Liach, F. (1984):*
Responsiveness to hypocalcemia in hemodialysis patients with osteomalacia.
Kidney Int., 24 : 364.

- Andress, D.L.; Ott, S.M.; Maloney, N.A. and Sherrard, D.J. (1985):*
Effect of parathyroidectomy on bone aluminum accumulation in chronic renal failure.
N. Engl. J. Med., 312 :468.
- Andress, D.L.; Endres, D.B.; Moloney, N.A.; Kopp, J.B.; Coburn, J.W. and Sherrard, D.J. (1986):*
Comparison of parathyroid hormone assays with bone histomorphometry in renal osteodystrophy.
J. Clin. Endocrinol., 63: 1163.
- Andress, D.L.; Nebeker, H.G.; Ott, S.M. and Sherrard, D.J. (1987):*
Bone histology response to desferoxamine in aluminum related bone disease.
Kidney Int., 31: 1344.
- Andress, D.L.; Norris, K.C.; Coburn, J.W.; Slatopolsky, E.A. and Sherrard, D.J. (1989):*
Calcitriol in the treatment of refractory osteitis fibrosa of chronic renal failure.
N. Engl. J. Med., 321 : 274-279.
- Andress, D.L.; Pandian, M.R.; Endres, D.B. and Kopp, J.B. (1989b):*
Plasma insulin-like growth factors and bone formation in uremic hyperparathyroidism.
Kidney Int., 36: 471.
- Andrew, O.T.; schoenfeld, P.Y. and Hopewell, P.C. (1980):*
Tuberculosis in patients with end stage renal disease.
Am. J. Med., 68: 59-65.
- Angelini, D.; Carlini, A.; Giusti, R.; Grassi, R.; Mei, E.; Fiorini, I.; Mazzotta, L. and Antonelli, A. (1993):*
PTH and T-cellular immunity in uremic patients in replacement dialytic therapy.
Artif. Organs. Feb., 17(2): 73-5.
- Arnaud, C.D. (1973):*
Hyperparathyroid and renal failure.
Kidney Int., 4 : 89.

- Bartunkova, J.; Sulkova, S.; Mareckova, H. and Valek, A. (1990):**
The effect of 1,25 dihydroxycholecalciferol on immunity, clinical state, and on parameter, of phospho-calcium metabolism in dialysed patients.
Case- Lek.-Cesk. Aug. 31, 129 (35): 1102-6.
- Bazzato, G.; Cali, U. and Landini, S. (1985):**
Temperature monitoring in dialysis –induced hypotension.
Kidney Int., 28: 5161.
- Bergstrom, J. (1978):**
Ultrafiltration without dialysis for removal of fluid and solutes in uremia.
Clin. Nephrol., 9: 156 (1978).
- Bernhard, F.; Rita, G.S. and Bernhard, M. (1991):**
An evaluationary conserved mechanism of T-cell activation by microbial toxins.
J. Immunol., 146: 1107.
- Bernstein, D.S.; Pletka, P.; Hattner, R.S.; Hampers, G.L. and Merrill, O.P. (1971):**
Effect of total parathyroidectomy and uremia on the chemical composition of bone, skin and aorta.
Isreal. J. Med. Science, 7: 513.
- Boggs, D.R. and Winkelstein, A. (1984):**
Lymphocyte and immune system in white cells.
Manual. 67, the edition, published by F.A. Davis company, Philadilphia.
- Bogin, G.; Massry, S.G.; Levi, D.; Jaldeti, M.; Bristol, G. and Smith, J. (1982):**
Effects of parathyroid hormone on osmotic fragility of human erythrocytes, minerals.
Miner. Electroly. Metabol. 7: 151.
- Bouillon, R.; Verberckmoes, R. and Moor, P.D. (1975):**
Influence of dialysate calcium concentration and Vit. D on serum parathyroid hormone during repetitive dialysis
kidney. Int., 7: 422.

Boyme, A. (1968):

A one-stage procedure for isolation of granulocyte and lymphocyte from human blood.
Scand. J. Clin. Lab. Invest. 21, 1.

Brandi, L.; Daugaard, H.; Tvedegaard, E.; Nielsen, P.K.; Egsmose, C.; Storml, T.; Olgaard, K. (1992):

Long term suppression of 2HPT by intravenous 1-alpha hydroxyvitamins D3 in patients on chronic hemodialysis.
Am. J. Nephrol. 1992; 12 (5): 311-8.

Brautbar, N.; Chabraborty, J.; Coats, J. and Massry, S.G. (1985):

Calcium, PTH and phospholipid turnover of human red blood cells.
Miner. Electrolyte Metab., 11 (2) : 111-6.

Briggs, W.A.; Sillix, D.H.; Mahajan, S. and McDonallald, F.D. (1983):

Leucocyte metabolism and infection in uremia.
Kidney Int. 24 : 93-96.

Brown, E.M. (1982):

PTH secretion in vivo and in vitro. Regulation by calcium and other secretagogues.
Miner. Electrolyte. Metabol. 8: 130.

Brown, E.M.; Wilson, R.E.; Wilkson, R.E.; Eastman, R.C.; Pallotta, J. and Marynick, S.P. (1982):

Abnormal regulation of parathyroid hormone release by calcium in 2HPT due to CRF.
J. Clin. Endocrinol. Metab. 54: 17-179.

Burnell, J. and Teubner, E. (1976):

Effect of decreasing magnesium in patients with chronic renal failure.
Proc. Clin. Dial. Transplant. 5: 191.

Cascina, C.U.; DeSimone, C.; Bonini, S. (1978):

Immunological aspects of chronic uremia.
Kidney Int., 13 (8): 49-54.

Cheng, O.L.; Cher, X.M. and Li, L.S. (1991):

Analysis of lymphocyte subpopulation in chronic dialized end stage renal failure by flow cytometry.
Chug- Hua- Nei- Ko- Tsa- Chin. Aug. 30 (8): 506-8, 522.

- Chenoweth, D.E.; Cheung, A.K. and Henderson, L.W. (1988):**
Anaphylatoxin formation during hemodialysis: Effects of different dialyzer membrane.
Kidney Int., 24 :764-769.
- Christiansen, C.L.; Rodbro, P.; Christensen, M.S.; Hartnack, B. and Transbol, I. (1978):**
Deterioration of renal function during treatment of chronic renal failure with 1,25 -(OH)₂ D₃.
Lancet 2 : 700.
- Coburn, J.W. and Slatopolsky, E. (1991):**
Vitamin D, parathyroid hormone, and renal osteodystrophy.
In: "Brenner-BM and Rector- FC (eds.): The kidney; 4th ed.
Jr, philadelphia, WB sounders, 1991 PP. 2036-2120.
- Coburn, J.W.; Sherrard, D.J. and Brickman, A.S. (1980):**
A skeletal mineralizing defect in dialysis patients a syndrome resembling osteomalacia but unrelated to vitamin D.
Contrib. Nephrol., 18: 172.
- Coburn, J.W.; Brickman, A.S. and Sherrard, D.J. (1977a):**
Defective skeletal mineralization in uremia without relation to vitamin D, serum Ca or Ph.
Kidney Int., 12-455.
- Coburn, J.W.; Hartenbower, D.L.; Brickman, A.S. and Sherrard, U.J. (1977b):**
Intestinal absorption of calcium magnesium and phosphorus in chronic renal insufficiency. In: David, DS (ed.): Calcium Metabolism in renal failure and Nephrolithiasis". John Wiley & Sons, New York, 1977b, P. 77.
- Coburn, J.W.; Brickman, A.S. and Sherrard, D.J. (1977c):**
Clinical efficiency of 1,25, dihydroxy vitamin D₃ in renal osteodystrophy. In: "Norman -AW; Schaefer -A; Coburn-JW, et al. (eds.); vitamin D: Biochemical, chemical and clinical. Aspects Related to calcium Metabolism".
Je Gruyter, Berlin 1977c, P. 657.

- Collins, J.R.; McKay, L. and Slatopolsky, E. (1985):**
Effect of PTH on vasoconstrictor agonist.
Calcific -tissue. Int. 35 - 25.
- Cosio, F.G.; Giebink, G.S. and Lee, C.T. (1981):**
Pneumococcal vaccination in patients with chronic renal
disease and renal allograft recipient.
Kid. Int. 20:254-258.
- Cotuane, R.J.; Leffell, M.S.; Lobel, S.A.; Campbell, H.T.; Cheeck, P.L.
(1992):**
Chronic T-lymphocyte activation in chronic renal failure: a
study of hemodialysis, CAPD and predialysis patients.
Int. J. Artif. Organs. Feb., 15 (2): 93-8.
- Craddock, P.R.; Fehr, J. and Brigham, K.L. (1977):**
Complement and leukocyte-mediated pulmonary
dysfunction in haemodialysis.
N. Engl. J. Med., 296-774.
- Crosnier, J.; Jungers, P. and Courouce, M. (1981):**
Randomized placebo-controlled trial of hepatitis B surface
antigen vaccine in french hemodialysis units.
Lancet, 1: 797-800.
- Daul, A.E.; Wang, X.L.; Michel, M.C. and Broddeo, E. (1987):**
Arterial hypotension in chronic hemodialyzed patients.
Kidney Int., 32: 728.
- David, D.; Goldstein, A.; Luis, A.; Chui, S. and Massry, S.G. (1978):**
Effect of parathyroid hormone and uremia on peripheral
nerve calcium and motor nerve conduction velocity.
J. of Clin. Invest. 62: 88.
- Debacker, W.A.; Verpooten, G.A. and Borgonjon, D.J. (1983):**
Hypoxia during hemodialysis : Effects of different
membranes and dialysate compositions.
Kidney Int., 23 : 738.
- Deenitchina, S.S.; Ando, T.; Okuda, S.; Kinukawa, N.; Hirakata, H.;
Nagashima, A.; Fijishima, M. (1995):**
Cellular immunity in hemodialysis patients : a quantitative
analysis of immune cell subsets by flow cytometry.
Am. J. Nephrol. 1995; 15 (1): 57-65.

- Delmez, J.A.; Tindira, C.; Grooms, A.; Dusso, A.; Windus, D.W. and Slatopolsky, E. (1989):**
Parathyroid hormone suppression by intravenous 1,25 (OH)₂ D₃: A role for increased sensitivity to calcium.
J. Clin. Invest., 83:1349.
- Dick, H.M.; Wilkinson, P. and Powis, P. (1984):**
The normal immune system. In principles of bacteriology, virology and immunity, Volume I, 7th ed., P. 296, Edited by Wilson, G., Dick, H.M., Published by Edward Arnold Publisher, London.
- Dick, I.; Prince, R.L.; Hutchison, B.G. (1993):**
Calcitriol and parathyroid hormone.
Metabolism Jul.; 42 (7): 834-8.
- Dobbelestein, H. (1976):**
Immune system in uremia.
Nephron, 17: 409-414.
- Douglas, S.D. (1979):**
Human lymphocytes Morphologic, Biochemical and immunologic significance.
Int. Rev. Exp. Pathol. 10: 41.
- Dratwa, M.; Tielemans, C. and Brenz, D. (1981):**
IgE levels in patients with chronic renal failure.
N. Engl. J. Med., 305 : 960-961.
- Dunlay, R.; Rodriguez, M.; Felsenfeld, A.J. and Liash, F. (1989):**
Direct inhibitory effect of calcitriol on parathyroid function (Sigmoidal curve) in dialysis patients.
Kidney Int., 36: 1093.
- Fadda, G.Z.; Akmal, M.; Premeds, F.H.; Lipson, F.H. and Massry, S.G. (1989):**
Insulin release from pancreatic islets, effects of CRF and excess PTH.
Kid. Int. 36: 1066.
- Fadda, G.Z.; Alexiewicz, J.M.; Smogorzewski, M.; Massry, S.G. (1991):**
Impaired phagocytosis in dialysis patients: studies on mechanisms.
Am. J. Nephrol. 1991; 11 (2): 102-11.

- Falkner, C.; Holtkamp, W.; Brodersen, H.P.; Thiery, J.; Bolzius, R.; Larbig, D.; Reis, H.E. (1991):**
Lymphocytes subsets depression and cellular immune function in hemodialysis patients.
Klin- Wochenschr. Jun. 18, 69(9): 392-6.
- Fanelli, V.; Sanna, G.; Sollnas, A. (1992):**
Expectation of impaired response to recombinant hepatitis B vaccination.
Nephron. 1992; 61(3): 293-5.
- Foley, R.J. and Reeves, W.B. (1985):**
Acute anaphylactoid reactions in hemodialysis.
Am. J. kidney Dis., 5: 132.
- Gal, G.; Toth, M. and Toth, S. (1981):**
Inteferon production from leucocytes of dialysed chronic uremic patients.
Proc. Eur. Dial. Transplant. Associ., 18 : 188-192.
- Garber, T.; Martin, K.; Morrissey, J. and Slatopolsky, E. (1983):**
On the pathogenesis of skeletal resistance to PTH in uremia (Abstract).
Kid. Inte., 29 : 319.
- Genevieve, B.; Catherine, N.; Luisa, M. (1989):**
In vitro T-cell preactivation in chronic uremic hemodialysed and non-hemodialysed patients.
Kidney Int. 36: 636-644.
- Gipstein, R.H.; Coburn, J.W. and Adams, D.A. (1976):**
Calciphylaxis in man: A syndrome of tissue necrosis and vascular calcification in (CRF) patients.
Arch. Intern. Med., 136 : 1273.
- Glassford, D.M.; Remmers, A.R.Jr. and Sarles, H.E. (1976):**
Hyperparathyroidism in the maintenance dialysis patients.
Surg. Gynecol. Obstet. 142 : 328.
- Goldblum, S.E. and Reed, W.P. (1980):**
Host defenses and immunologic alterations associated with chronic hemodialysis.
Ann. Intern. Med., 93: 597-613.

- Gotch, F.A.; Sargent, J.A.; Keen, M.L. and Lee, M. (1974):**
Individualized, quantified dialysis therapy of uremia.
Proc. Clin. Dial. Transplant. Forum. 4 : 27.
- Gray, R.; Boyle, I. And Deluca, H.F. (1971):**
Vitamin D metabolism: The role of kidney tissue.
Cience, 172 -1232.
- Greinshtein, I.U.I.; Ostrov, I.V.; Tereshchenko, V.P. (1993):**
The morphofunctional instability of the lymphocyte
membranes in patients with chronic kidney failure.
Ter. Arkh. 1993; 65 (6): 43-5.
- Guakian, J.C.; Karrh, L.R. and Copeland, J.L. (1979):**
Phagocytosis by polymorphonuclear leukocytes in patients
with renal failure on chronic hemodialysis.
Tex. Rep. Bio. Med., 29: 193-198.
- Guan, Y.J.; Hu, Z.; Hou, M. (1992):**
Effect of medication on T-cell subsets in chronic renal
failure.
Chung-Kuo-Chung-His-I-Chieh-Ho-Tsa-Chih-Jun, 12(6):
338-9-323.
- Guisado, R.; Arieff, A.I. and Massry, S.G. (1975):**
Changes in the electroencephalogram in acute uremia.
J. Clin. Invest., 55 : 738.
- Gupta, S.; Frankel, R.; Rosentein, M. and Grieco, M.H. (1975):**
Lymphocyte subpopulations, serum IgE and total
eosinophil count in patients with bronchial asthma.
Clin. Exp. Immunol. 24: 438.
- Hagg-Weber, M.; Michael, H.; Peter, S. and Walter, H.H. (1989):**
Metabolic response of neutrophils to uremia and dialysis.
Kidney Int. 36: 293-298.
- Haag-Weber, M.; Mai, B.; Horl, W.H. (1994):**
Normalization of enhanced neutrophil cytosolic free
calcium of hemodialysis patients by 1,25 (OH)₂ D₃ or
calcium channel blocker.
Am. J. Nephrol. 13 (6): 467-72.

- Hallgren, R.; Fjellstrom, K.E. and Hakansson, L. (1979):**
Kinetic studies of phagocytosis.
J. Lab. Clin. Med., 94: 277-284.
- Harrach, B.; Heidenreich, S.; Schmidt, M. and Bachmann, J. (1996):**
Apoptosis of monocytes cultured from long-term hemodialysis patients.
Kidney, Int. 49 (3): 792-9.
- Hartenbower, D.L.; Coburn, J.W.; Reddy, C.R. and Norman, A.W. (1974):**
Calciferol metabolism and intestinal calcium transport in the chick with reduced renal function.
J. Lab. Clin. Med., 83: 38.
- Haussler, M.R. (1986):**
Vitamin D receptors: Nature and function.
Ann. Rev. Nutr., 6-527.
- Heinz, G.; Sunder-Plassmann, G.; Wagner, L.; Prychzy, B.; Derfler, K. (1992):**
T-cell selection and T-cell receptor variable beta chain usage in chronic renal failure patients on hemodialysis.
Clin. Nephrol. May, 37 (5): 252-9.
- Hendrerson, L.W. (1986):**
Heterogeneity of the cardiovascular response to hemofiltration.
Kidney Int., 29 : 901.
- Hendrerson, L.W. (1987):**
Hemofiltration.
TheKidney, 20 : 25.
- Henrich, W.L. (1986):**
Hemodynamic instability during hemodialysis.
Kidney Int. 30: 605.
- Hercz, G.; Andress, D.L. and Nebeker, H.G. (1988):**
Reversal of aluminum- related bone disease after substitution of calcium carbonate for aluminum hydroxide.
Am. J. Kidney, Dis., 11: 70.

- Hertel, J.; Kimmel, P.L.; Phillips, T.M. and Bosch, J.P. (1992):**
Eosinophilia and cellular cytokine responsiveness in hemodialysis patients.
J. Am. Soc. Nephrol. 1992 Dec., 3 (6): 1244-52.
- Hirabayashi, Y.; Kobayashi, T. and Nishikawa, A. (1988):**
Oxidative metabolism and phagocytosis of polymorphonuclear leukocytes in patients with chronic renal failure.
Nephron, 49: 305-312.
- Hirano, I.; Toyoshima, Y.; Oka, K.; Tamaki, T. and Kozaki, M. (1992):**
Promotion of lymphocyte blastogenesis by hemodialysate of chronic renal failure.
Nephron. 1992, 61 (1): 45-53.
- Hodsman, A.B.; Sherrard, D.J.; Alfrey, A.C.; Ott, S.; Brickman, A.S.; Miller, N.L.; Maloney, N.A. and Coburn, J.W. (1982):**
Bone aluminum and histomorphometric features of renal osteodystrophy.
J. Clin. Endocrinol. Metab., 54 : 539.
- Hoel, W.H. and Heidland, A. (1984):**
Evidence for the participation of granulocyte proteinases on intradialytic catabolism.
Clin. Nephrol, 21: 314-322.
- Hokama, Y. and Nakamura, R.M. (1982):**
Immunology and immunopathology. First edition, Little Brown Company, Boston, U.S.A.
- Holtkamp, W.; Brodersen, H.P.; Thiery, J.; Falkner, C.; Bolzius, R.; Larbig, D.; Reis, H.H. (1991):**
Effect of zenic substitution on lymphocyte subsets and cellular immune function in hemodialysis patients.
Klin- Wochenschr. 1991 Jun. 18; 69 (9): 392-6.
- Hory, B.; Racadot, E.; Saint, Hillier, Y.; Peters, A. and Perol, C. (1991):**
Soluble interleukin-2 receptors in chronic renal failure and relation to lymphocyte subsets.
Am. J. Nephrol. 1991; 11 (4): 276-80.

- Hosking, C.S.; Atkins, R.C. and Scott, D.F. (1976):**
Immune and phagocytic functions. Patients on maintenance dialysis and post transplantation.
J. Immunol., 159:1342-1350.
- Hou, S.H.; Zhao, J.; Ellman, C.F.; Hu, J.; Griffin, Z.; Spiegel, D.M. and Bourdeau, J.E. (1991):**
Calcium and phosphorus fluxes during hemodialysis with low calcium dialysate.
Am. J.Kidney Dis., 18: 217-224.
- Ilana, E.; Naphtali, S. and Jacob, S. (1990):**
Analysis of thymic stromal cell subpopulation grown in vitro on extracellular matrix in defined medium.
J. Immunol., 144: 1554-1564.
- Jacob, H.S. (1978):**
Granulocyte-complement interaction.
Arch. Intern. Med. 138, 461-463.
- Jamieson, B.D.; Somasundaram, T.; Ahmed, R. (1991):**
Abrogation of tolerance to a chronic viral infection.
J. Immunol. 1991 Nov. 15; 147 (10): 3521-9.
- Janklein, N. (1982):**
Immunology, self and non self discrimination.
Inter. Sci. Publication, New York.
- Jawetz, E.; Melnick, J.L. and Adelberg, E.A. (1989):**
Medical Microbiology. 8 ed Long medical publication.
- Jens, O.P.; Flemming, K. and Caspen, J. (1988):**
Acute effect of hemodialysis on neutrophil migration, impact on humoral and cellular function.
Kidney Int., 33 (24): 586-589.
- Johnson, W.J. (1976):**
Optimum dialysate calcium concentration during maintenance hemodialysis.
Nephron., 17 : 241-258.

- Johnson, K.J.; Anderson, T.P. and Ward, P.A. (1977):**
Suppression of immune complex- induced inflammation by chemotactic factor inactivator.
J. Clin. Invest. 59: 951-958.
- Jondal, M.; Holm, G. and Wigzell, H. (1972):**
Surface markers on human T and B lymphocytes. A large population of lymphocytes forming non immune rosettes with sheep red blood cells.
J. Exp. Med., 136-207.
- Kaehny, W.D.; Hegg, A.P. and Alfrey, A.C. (1977):**
Gastrointestinal absorption of aluminum from aluminum-containing antacids.
N. Eng. J. Med. 296-1389.
- Karit, K.; Panitch, D.; Lesch, R.G.; Goeddo, H.W. and Beckmann, R. (1978):**
Parathyroid hormone and chronic renal failure.
Mineral, Electrolyte Metab., 1-12.
- Katz, D.H. (1977):**
Lymphocyte differentiation, recognition and regulation.
Academic Press. New York.
- Kaupka, C.J.; Zhang, J.; Casario, T.; Yousefi, S.; Akeel, N.; Vaziri, N.D. (1996):**
Effect of hemodialysis on leukocyte adhesion receptor expression.
Am. J. Kidney, Dis. 1996 Feb., 27 (2): 244-52.
- Kawabe, M.; Shimizu, M.; Takeuchi, M.; Matsunobu, S.; Hayama, N.; Iino, Y.; Hara, K. and Terashi, A. (1992):**
I-alpha and treatment of secondary hyper parathyroidism.
Nippon-Jinzo-Gakkai- Shi, 1992 Jul., 34 (7): 807-11.
- Kay, A.B. (1976):**
Functions of the eosinophil leukocyte.
Br. J. Haematol., 33: 313-318.
- Keshaviah, P.; Berkseth, R. and Ilstrup, K. (1985):**
Reduced treatment time: hemodialysis (HD) versus hemofiltration (HF).
Trans. Am. Soc. Artif. Inten. Organs., 31 : 176.

- Kher, V.; Krishnamurthy, G. and Naik, S. (1995):**
Defective lymphoproliferative responses and interleukin-2 production in chronic renal failure patients.
Indian. J. Med. Res. 1995 Dec., 102 : 281-6.
- Kimball, J.W. (1985):**
Introduction of immunology 2nd edition, New York.
Macmillan Publishing Company.
- Kline, B. (1991):**
Mechanism of glomerular injury mediated by sensitized lymphocytes.
Nephrol., Vol. 11 (3): 285-293.
- Klinger, M.; Alexiewicz, J.M.; Linker-Israeli, M.; Pitts, T.O.; Gacing, T.; Fadda, G.Z. and Massery, S.G. (1990):**
Effect of parathyroid hormone on human T-cell activation.
Kidney. Int. Jun, 37 (6): 1543-51.
- Kleiman, K.S. and Zoschke, D.C. (1985):**
Suppression of human lymphocytes responses in chronic renal failure mediated by adherent cells. Analysis of serum free media.
J. Lab. Clin. Med., 106: 262-268.
- Kopple, J.D. and Coburn, J.W. (1973):**
Metabolic studies of low protein diet in uremia: Calcium, phosphorus and magnesium.
Medicine, 52: 597.
- Korcakova, L. and Svobodova, J. (1994):**
Elevated level of cytomegalo virus antibodies and increased lymphocyte reactivity in patients with chronic renal failure.
Cas. Lack. Cesk. 1994 Jan. 3; 133 (1): 20-1.
- Krook, L. and Lowe, J.L. (1978):**
Effect of hyper parathyroidism on the polymorphnuclear leuckocytosis.
Pathol. Med. 1 : 1-98.
- Kumar, R. (1986):**
The metabolism and mechanism of action of 1,25,(OH)₂ D₃.
Kidney int. 30 – 793.

- Kurtz, P.; Kohler, H. and Meuer, S. (1986):**
 Impaired cellular immune responses in chronic renal failure. Evidence for T-cell defect.
 Kidney Int., 29:1209-1214.
- Lanier, (1991):**
 Cells of the immune response in : Basic and clinical immunology. Stites DP and Terr. AL.(ed)- 7th ed.
 Application, Lange. 6:61.
- Lay, W.H.; Mendes, N.F.; Bianco and Nussen Zweig, V. (1971):**
 Binding of sheep red blood cells to population of human lymphocytes "Nature, 230".
- Lee, D.B.N.; Goodman, W.G. and Coburn, J.W. (1988):**
 Renal osteodystrophy: some new questions on an old disorder.
 Am. J. Kidney Dis., 11: 365.
- Lee, B.W.; Yap, H.K.; Tan, M.; Guan, R.; Quak, S.H.; Choong, L.; Murugasu, B.; Woo, K.T. and Jordan, S.C.(1991):**
 Cell mediated immunity in patients on hemodialysis.
 Am. J. Nephrol. 1991, 11(2): 98-101.
- Lewis, K.J.; Dewar, P.J. and Ward, M.K. (1981):**
 Formation of anti-n-like antibodies in dialysis patients.
 Clini. Nephrol., 15: 39-43.
- Lewis, S.L.; VanEqqs, D.E. and Chenoweth, D.E. (1986):**
 C5a receptor modulation on neutrophils and monocytes from chronic hemodialysis and peritoneal dialysis patients.
 Clin. Nephrol., 26: 37-44.
- Liach, F. and Massry, S.G. (1985):**
 On the mechanism of the prevention of secondary hyperparathyroidism in moderate renal insufficiency.
 J. Clin. Endocrinol. Metab. 61: 601.
- Liach, F.; Massry, S.G.; Singer, F.R.; Yurokawa, K.; Kaye, J.H. and Cobrun, J.W. (1975):**
 Skeletal resistance of endogenous parathyroid hormone in patients with early renal failure. A possible cause for secondary hyperparathyroidism in chronic renal failure.
 J. Clin. Endocrinol. Metab. 41: 338.

- Lopez, Hilker, S.; Glaceran, T.; Chan, Y.U.L.; Rapp, N.; Martin, K.J. and Slatopolsky, E. (1986):**
Hypocalcemia may not be essential for the development of secondary hyperparathyroidism in chronic renal failure.
J. Clin. Invest. 78: 1097.
- Lortan, J.E.; Kiepiela, P. and Coovadia, H.M. (1982):**
Suppressor cells assayed by numerical and functional tests in chronic renal failure.
Kidney, Int., 22: 192-197.
- Losito, A.; Buoncrisiani, V. and Cecchini, C. (1983):**
Abnormal leucocyte locomotion induced by hemodialysis membranes, dialysis leucopenia.
J. Clin. Lab. Immunol., 10: 87-90.
- Lucas, P.A.; Brawn, R.C.; Woodhead, J.S. and Coles, G.A. (1986):**
1,25 dihydroxycholecalciferol and parathyroid hormone in advanced renal failure. Effect of simultaneous protein and phosphorus restriction.
Clin. Nephrol., 25 : 7.
- MacDonald, I.L.; Uldall, P.R. and Buda, A.J. (1981):**
The effect of hemodialysis on cardiac rhythm and performance.
Clin. Nephrol. 15: 321.
- Mak, R.H. (1992):**
Intravenous 1,25 dihydroxycholecalciferol corrects glucose intolerance in hemodialysis patients.
Kidney, Int. 1992 Apr; 41 (4): 1049-54.
- Malluche, H.H.; Smith, A.J.; Abreo, K. and Faugere, M.C. (1984):**
The use of desferrioxamine in the management of renal patients with bone aluminum accumulation.
N. Engl. J. Med. 311 : 140.
- Marianne, H.W.; Michael, H.; Peter, S. and Walter, H.H. (1989):**
Metabolic response of neutrophils to uremia and dialysis.
Kidney Int. 36: 293-298.

- Martin, A.; Quesada, J.M.; Serrano, I.; Borrego, F.; Pena, J.; Solana, R. (1995):**
Calcitriol effect on natural killer cells from hemodialyzed and normal subjects.
Calcif. Tissue Int. 1995 Feb. 56(2): 113-7.
- Massry, S.G.; Coburn, J.W. and Kleeman, C.R. (1970):**
Suppression of parathyroid gland by hypermagnesemia.
J. Clin. Invest., 49: 1619.
- Massry, S.G.; Coburn, J.W. and Lee, D.B.N. (1973):**
Skeletal resistance to parathyroid hormone in renal failure: study in 105 human subjects.
Ann. Inter. Med. 78: 357.
- Massry, S.G.; Tuma, Dusa, S.; Goldstein, A.I.; Coburn, J.W.; Normal, A.W. and Friedler, R.M. (1976):**
Skeletal resistance to the calcemic action of parathyroid hormone in uremia: role of 1,25 (OH)₂ D₃.
Kidney Int. 9: 467.
- Massry, S.G.; Lumen, S.; Dua, S. and Goldstein, D.A. (1979):**
Reversal of skeletal resistance to parathyroid hormone in uremia by vitamin D metabolites.
J. Lab. Clin. Med. 94: 152.
- Massry, S.G. (1989):**
Parathyroid hormone as a uremic toxin. In: "Massry-SG and Glasscock-RJ (eds.): Textbook of Nephrology" 2nd ed. Williams & Wilkins, Baltimore, P. 1126.
- Mattern, W.D.; Hak, L.J. and Lamanna, R.W. (1982):**
Malnutrition, altered immune function, and the risk of infection in maintenance hemodialysis patients.
Am. J. Kidney Dis., 4: 206-218.
- Mawer, E.B.; Backhaus, J. and Taylor, C.M. (1973):**
Failure of formation of 1,25 (OH)₂D₃ in chronic renal insufficiency.
Lancet, 1 : 626.

- Mayer, G.P.; Habener, J.E. and Pott, Jt.Jr. (1976):**
Parathyroid hormone secretion in vivo. Demonstration of a calcium-independent non suppressible component of secretion.
J. Clin. Invest., 57: 678.
- Mcintosh, J.; Hansen and Ziegler, J. (1976):**
Defective immune and phagocytic functions in uremia and renal transplantation.
Int. Arch. Allergy Appl. Immuno., 51: 544-559.
- Mennes, P.; Rosenbaum, R.; Martin, K. and Saltopolsky, E. (1978):**
Hypomagnesemia and impaired parathyroid hormone secretion in chronic renal disease.
Ann. Intern. Med. 88: 206.
- Meuer, S.C.; Kohler, H. and Meyer, Z.B. (1988):**
Monocyte defect in hemodialysis patients support non-responsiveness to hepatitis B vaccination and development of HBs Ag carrier state, viral hepatitis liver disease.
New York, Liss, PP. 711-713.
- Meytes, J.; Hugel, U.; Grdzka, I.; Ziotkowshi, A.I.; Bommer, J.; Mall, G. and Ritz, E. (1981):**
Diminished parathyroid 1,25 (OH)₂ D₃ receptors in experimental uremia.
Kidney Int. 32 : 350.
- Miksikova, A.; Sikut, M.; Honzova, S. and Janda, J. (1992):**
Immunologic reactivity in chronic dialysis program and after kidney transplantation.
Cesk- Pediat. 1992 Aug., 47 (8): 460-4.
- Molitoris, B.A.; Hruska, K.A.; Fishman, N. and W.H.D. (1979):**
Effect of glucose and parathyroid hormone on the renal handling of myoinositol by isolated perfused dog kidneys.
J. of Clinical. Invest. 63 : 110.
- Moretta, L.; Webb, S.R.; Grossi, C.E. (1977):**
Functional analysis of human T-cell subpopulation Helper and suppressor of B-cell responses by T-cell bearing receptors for IgM or IgG.
J.Exp. Med. 146: 184-200.

- Morgan, J.E.; Soto, Aguilar, M.C.; Sullivan, K.A.; Krane, N.K.; Frentz, G.D.; Etheredge, E.E. (1989):*
T-lymphocyte subsets in chronic renal failure.
Transplant- Proc. 1989 Feb., 21 (1 pt 2): 1979-82.
- Muller, K.; Odum, N. and Bedtzen, K. (1993):*
1,25-dihydroxy vitamin D3 selectively reduces interleukin-2 levels and proliferation of human T-cell lines in vitro.
Immunol- Lett. 1993 Feb., 35 (2): 177-82.
- Nagode, L.A. and Chew, D.J. (1992):*
Nephrocalcinosis caused by hyperparathyroidism in progression of renal treatment with calcitriol.
Semin-Vet. Med. Surg. Small. Anim. 1992.Aug. 7(3): 202-20.
- Nakauchi, H.; Okumora, K. and Tango, T. (1981):*
Immunoglobulin levels in patients under going long-term hemodialysis.
Am. J. Med. 60 -673-676.
- Nebeker, H.G.; Andress, D.L.; Milliner, D.S.; Ott, S.M.; Alfrey, A.C.; Slatopolsky, E.A.; Sherrard, D.S. and Coburn, J.W. (1986):*
Indirect methods for the diagnosis of aluminum bone disease: plasma aluminum, the desferrioxamine infusion test and serum : PTH.
Kidney Int., 29 (Suppl. 18): 596.
- Nolph, K.D.; Husted and Sharp, G.C. (1976):*
Antibodies to nuclear antigens in patients undergoing long-term hemodialysis.
Am. J. Med. 60: 673-676.
- Nussenzweig, V. (1974):*
A receptor for immune complexes on lymphocyte.
Adv. Immunol. 19: 217-258.
- Olgaard, K.; Schwartz, J.; Finco, D. and Klahr, S. (1982):*
Excretion of parathyroid hormone and release of cyclic-AMP by isolated perfused bones obtained from dogs with acute anemia. Endocrinal., 111 : 1678.

Olive, J.; Torregrosa, V.; Cases, A.; (1994):

Intravenous calcitriol in the treatment of secondary hyperparathyroidism in chronic renal failure patients.
Med. Clin. Barc. 1994 Mar. 12; 102 (9): 325-8.

Parker, T.F.; Vergne, Marini, P. and Hull, A.R. (1974):

Jejunal absorption and secretion of calcium in patients with chronic renal disease on hemodialysis.
J. Clin. Invest. 54: 358.

Pabico, R.C.; Douglos, R.G. and Betts, R.F. (1974):

Infunza vaccination of patients with glomerular disease : Effect on creatinine clearance, urinary protein excretion and antibody response.
Ann. Intern. Med., 81: 171-177.

Patel, S.R.; Ke-Hq, Hsu, Ch. (1994):

Effect of vitamin D metabolites on calcitriol degradative enzymes in renal failure.
Kidney. Int (1994) Feb., 45 (2): 509-14.

Perez, Mijares, R.; Gomez, Ferndandez, P.; Almaraz, Jimenez, M.; Ramos, Diaz, M.; Rivero-Bohorquez, J.(1993):

Treatment of severe secondary hyperparathyroidism with administration of calcium carbonate intermittent high oral doses of 1,25 (OH)₂ D₃ and dialysate with high calcium concentration.
Am. J. Nephrol 1993 : 13(2): 149-54.

Porat, A. and Sherwood, L.M. (1986):

Disorders of mineral homeostasis and bone in clinical endocrinology, edited by kohler-PD, New York, John Wiley and Sons., P. 377.

Quarles, L.d.; Davidai, G.A.; Schwab, S.J.; Bartholomay, D.W. and Lobaugh, B. (1988):

Oral calcitriol and calcium: Efficient therapy for uremic hyperparathyroidism.
Kidney, Int., 34 :840.

Rahamimov, R. and Silver, J. (1994):

The molecular basis of secondary hyperparathyroidism in chronic renal failure.
Isr-J. Med. Sci. 1994 Jan; 30 (1): 26-31.

Raff, M.C. (1970):

Role of thymus driven lymphocytes in the secondary humoral immune response in mice.

"Nature 226: 1257-1258.

Raja, R.M.; Kramer, M.D. and Goldstein, S.J. (1987):

Factors affecting morbidity and mortality during long-term short dialysis.

Trans. Am. Soc. Artif. Intern. Organs, 33 : 538.

Raman, A.; Chong, Y.K. and Sreenevasan, G.A. (1976):

Effect of varying dialysate calcium concentration on the plasma calcium fractions in patients on dialysis.

Nephron, 16 : 181-187.

Raskova, J.; Degiannis, D.; Czarnecki, M.; Donati, D.; Homer, L.; Eisinger, R.P.; Raska, K.J. (1990):

T-lymphocyte function in end stage renal failure patients on hemodialysis.

Am. J. Nephrol; 10 (4): 276-82.

Reddy, M.M.; Goh, Ko, and Cesterno, R.V.M. (1975):

T and B lymphocytes in patients with chronic renal disease on hemodialysis.

Experientia. 31: 980-981.

Reichel, H.; Recker, A.; Deppisch, R.; Stier, E. and Ritz, E. (1992):

1,25 hydroxy vitamin D3 metabolism in vitro by mononuclear cells from hemodialysis patients.

Nephron. 1992, 62 (4): 404-12.

Reinherz, E.L.; Kung, P.G. and Goldstein, S.F. (1979):

Inducible suppression of MHC: evidence for Mediation by T_{H2} -T-cell subset in man.

Immunol 122, 1335.

Reinherz, E.L. and Chlossman, S.F. (1980):

Regulation of the immune response-inducer and suppressor T-lymphocyte subset in human being.

N. Engl. J. Med. 303: 370-73.

- Reiss, E.; Canterbury, M.J.; Bercovitz, M.A. and Kaplan, E.L. (1970):**
The role of phosphate in the secretion of parathyroid hormone in man.
J. Clin. Invest. 49: 2146.
- Ricanati, E.S.; Ott, S.M. and Klein, K.L. (1982):**
Evaluation of bone in dialysis patients exposed to aluminum in dialysate.
Kidney Int. 21: 176.
- Robebson, M.D.; Charoenpanich, R. and Kant, K.S. (1986):**
Effect of first and subsequent use of hemodialyzers on patients well-being. Analysis of the incidence of symptoms, events and description of a syndrome associated with new dialyzer use.
Am. J. Nephrol., 6: 101.
- Romirez, G.; Wiener, D. and Murtha, D.G. (1988):**
Mononuclear cell phentoyping in a hemodialysis population.
Int. J. Merol. 44 : 281-286.
- Rubin, J.E. and Berlyne, G.M. (1987):**
Long term follow-up of patients on short time dialysis.
Trans. Am. Soc., Artif. Intern. Organs, 33: 540.
- Rudein, P.; Rizzoli, R.; Slosman, D.; Leski, M. and Bonjour, J.P. (1994):**
Effects of oral calcitriol on bone mineral density in patients with end-stage renal failure.
Kidney Int. 1994 Tan: 45 (1): 245-52.
- Rumuzzi, J. (1982):**
Effect of parathyroid hormone on platelets.
Lancet. 11 : 1851.
- Salusky, I.B.; Coburn, J.W.; Foley, J.; Nelson, P. and Fine, R.N. (1984):**
Oral calcium carbonate as a phosphate binding agent in children on dialysis: Effects on plasma aluminum level.
J. Pediatr. 105: 717.

- Sander, M.E.; Makgoba, M.W.; show, S. (1988):**
Human naïve and memory T-cell: interperetation of helper inducer and suppressor inducer subsets.
Immunology. Today, 9: 195-198.
- Saxton, C.R. and Smith, J.W. (1984):**
The immune system and infections in renal failure.
Textbook of the systemic consequences of renal failure, 14 : 367-382.
- Schollmeyer, P. and Bozkurt, F. (1988):**
The immune status of the uremic patients: hemodialysis versus CAPD.
Clin. Nephrol. 30 Suppl 1(3): 37-40.
- Selroos, O.; Pasternack, A. and Virolainen, M. (1973):**
Skin test sensitivity and antigen-induced lymphocyte transformation in uremia.
Clin. Exp. Immunol., 14 : 365-370.
- Sennesael, J.J.; Demonet, C.G.; Verbeelan, D.L. (1997):**
Serum soluble inter leukin 2 receptor in hemodialysis patients treated with recombinant human erythropoitin.
Blood Purif 13 (6): 347-56.
- Shadduck, R.K.; Waheed, A. and Porcellini, A. (1979):**
Physiologic distribution of colony-stimulating factor in vivo.
Blood, 54 : 894-905.
- Sherman, R.A.; Goodling, K.A. and Eisinger, R.P. (1982):**
Acute therapy of hemodialysis-related muscle cramps.
Am. J. Kidney, Dis. 2: 287.
- Sherman, R.A.; Bialy, G.B.; Gazinski, B.; Bernholc, A.S. and Eisinger, R.P. (1986):**
The effect of dialysate calcium levels on blood pressure during hemodialysis.
Am. J. Kidney Dis. 8 : 244-247.
- Sherrad, D.J.; Ott, S. and Andress, D.L. (1985):**
Pseudohyperparathyroidism: A syndrome associated with aluminum intoxication in chronic renal failure.
Am. J. Med., 79: 127.

- Shurtz, Swirski, R.; Shkolnik, T.; Shasha, S.M. (1995):*
Parathyroid hormone and the cellular immune system.
Nephron, 1995; 70 (1): 21-4.
- Simberkoff, M.S.; Schiffman, G. and Katz, L.A. (1980):*
Pneumococcal capsular polysaccharide vaccination in adult
chronic hemodialysis patients.
J. Lab. Clin. Med., 96 : 363-370.
- Skubitz, K.M. and Graddock, P.R. (1981):*
Reversal of hemodialysis granulocytopenia and pulmonary
leukocytosis. A clinical manifestation of selective down
regulation of granulocyte response to C5.
J. Clin. Invest. 67: 1383-1391.
- Slatopolsky, E.; Weerts, C.; Norwood, K.; Giles, K.; Fryer, P.; Finch,
J.; Windus, D. and Delmez, J. (1989):*
Long term effect of calcium dialysis on mineral
metabolism.
Kid. Int., 36: 897.
- Slatopolsky, E. (1987):*
The interaction of parathyroid hormone and aluminum in
renal osteodystrophy.
Kidney Int., 31: 842.
- Slatopolsky, E.; Weerts, C.; Lopez-Hilker, S.; Norwood, K.; Windus, N.
and Delmez, J. (1986):*
Calcium carbonate as a phosphate binder in CRF
undergoing dialysis.
N. Engl. J. Med. 315: 157.
- Slatopolsky, E.; Weerts, C.; Thielan, J.; Horter, H. and Martin, K.J.
(1984):*
Marked suppression of secondary hyperparathyroidism by
intravenous administration of 1,25, dihydroxycholecal
ciferol in uremic patients.
J. Clin. Invest., 74: 2136.

- Slatopolsky, E.; Caglar, S.; Ganterbury, L.; Reiss, E. and Bricker, N.S. (1972):**
On the prevention of secondary hyperparathorid in experimental chronic renal disease using "proportional reduction" of dietary phosphorus intake.
Kidney, Int., 2 : 147.
- Smogorzewski, Islam, A.; Hinasian, R.; Soliman, A.R. and Massry, S.G. (1990):**
Verapamil corrects abnormalities in norepinephrine metabolism of brain synaptosomes in C.R.F.
Am. J. Physiol, 258, f 1036.
- Soliman, A.R.; Akmal, M. and Massry, S.G. (1989):**
PTH interferes with external disperition of potassium in chronic renal failure.
Nephron : 52(3) 262-7.
- Sorensen, S.S.; Danielsen, H.; Jespersen, B. and Pedersen, E.B. (1986):**
Hypotentsion in end-stage renal disease: Effect of postural change, exercise and angiotension II infusion on blood pressure and plasma concentrations of angiotensin II.
Clin. Nephrol., 26 : 288.
- Stachowski, J.; Pollok, M.; Burrichter, H. and Baldamus, C.A. (1991):**
Immunodeficiency in ESRD-patients is linked to altered IL-2 receptor density on T-cell subsets.
J. Clin. Lab. Immunol. 1991 Apr.; 34 (4): 171-7.
- Stanbury, S.W. (1977):**
The role of vitamin D in renal bone disease.
Clini. Endocrinol 7 (Suppl.) : 255.
- Stites, D.D.; Stabo, J.D.; Funenbery, H.H. and Wells, V.V. (1984):**
Clinical and laboratory method of detecting cellular immune function in basis and clinical immunology. 5th edition lange Medical Publication 360-366.
- Stojceva, Toneva, O.; Smogorzewski, M.; Fadda, G. and Massry, S.G. (1993):**
Elevated basal levels of cytosolic calcium of thymocytes in chronic renal failure.
Am. J. Nephrol. 1993; 13(2): 155-9.

- Thomas, M.A.; Keith, A.K.; Gerald, E.R. and Michoel, P.B. (1990):**
Serotonine activated signal transduction via seratonine receptors.
J. Immunol., 145: 1826-1831.
- Thomas, M.A.; John, S.T.; Davies, C.P.; Mullan, B.; Dick, I.; Hutchison, B.; Van-der-Schaff, A. and Prince, R.L. (1992):**
Determinonnts of intact parathyroid hormone an free 1,25, dihydroxy vitamin D levels in mild and moderate renal failure.
Nephron. 1992, 61 (4) : 422-7.
- Thomas, Y.; Sasman, J. and Irigoyen, S. (1980):**
Functional analysis of human T-cell subsets defined by monoclonal antibodies.
J. Immunol., 125: 2402-2408.
- Tizzard, I.R. (1988):**
Immunology An. Introduction the nature of antibodies P. 8-81 2nd ed. Soundess collage publishing.
- Tzanno-Martinins, C.; Azevedo, L.S.; Orii, N.; Futata, E.; Jorgetti, V.; Marcondes, M.; Duarte, A.J. (1996):**
The role of experimental chronic renal failure and duminium intoxication in cellular immune responses.
Nephrol- Dial-Trnasplant 1996 Mar; 11 (3): 474-80.
- Van Boxel, J.A.; Paul, W.E.; Terry, W.D. and Green, I. (1972):**
IgE-Bearing Human lymphocytes.
J. Immunol. 109, 648-651.
- Vincent, P.C.; Sutherland, R. and Morries, T.C.M. (1978):**
Inhibitor of in vitro granulopoiesis in plasma of patients with renal failure.
Lancet, 2 : 864-868.
- Weir, D.M. (1986):**
Tissues and cells of theimmune system: Aids to immunology. Churchill Livingstone P: 2-9.

- Weir, D.M. (1993):**
Tissues and cells of the immune system. Immunology
Seventh Edition, P. 10-135.
- Wierusz, W.B.; WyJocki and Czarnecki, R. (1983):**
Influence of hemodialysis on plasma chemotactic activity
and the chemotactic responsiveness of PMNLs.
Artif. Organs, 7: 159-162.
- Wortis, H.H.; Cooper, A.G. and Brown, M.C. (1973):**
Inhibition of human lymphocyte rosetting by antisera.
Nature; 166-243.
- Zmonarski, S.C.; Klinger, M.; Puziewicz-Zmonarska, A. (1995):**
Outline of immune deficiency pathogenesis in patients with
chronic renal failure.
Postepy- Hig. Med. Dosw, 1995; 49 (4): 487-512.
- Zaoui, P.; Green, W. and Hakim, R.M. (1991):**
Hemodialysis with cuprophan membran modulates
interleukin-2 receptor expression.
Kidney. Int. 1991 May; 39 (5): 1020-6.
- Zucchelli, P. and Santoro, A. (1987):**
Inorganic phosphate removal during different dialytic
procedure.
Int. J. Artif. Organs, 10: 173-178.