

References

Abbasoglu O, Levy MF, Vodapally MS, et al.: Hepatic artery stenosis after liver transplantation. Incidence, presentation, treatment, and long-term outcome. *Transplantation*;(1997);630:250-255.

Adam EL and Weasly JA: Role of nutrition in the care of the transplant patient. In *Anesthesia and Transplantation*, Michael DS, Adrian WG;(1999);337-62.

Agius L, Peak M. and Albert K.G.M. (1990): Regulation of glycogen synthesis and gluconeogenesis precursors by insulin in periportal and perivenous rat hepatocytes. *Biochem J*; 266: 91-102.

Alagille DE (1984): Extrahepatic Biliary Atresia. *Hepatology*; 45: 105.

Alberti K.G.M., Taylor R. and Johnson D.G. (1992): Carbohydrate metabolism in liver disease. In: Millward-Sadler G.H., Wright R., Arthur M.J.P., eds. *Wright's Liver and biliary disease*. London: WB Saunders; P. 43-60.

Alexandrova AN, Jorgensen WL. (2007): Why urea eliminates ammonia rather than hydrolysis in aqueous solution. *J Phys. Chem. B*. 111 (4): 720-730.

Althaus SJ, Perkins JD, Soltes G, et al .: Use of a wall stent in successful treatment of IVC obstruction following liver transplantation. *Transplantation*;(1996);61:669-672.

Amitrano L., Guardascione M.A., Branceaccio V., et al.: Coagulation disorders in liver disease. (Abstract) In: *Semin Liver Dis*. Feb;(2002) 22 (1):83-96.

Andus T., Bauer J. and Gerok W. (1991): Effects of cytokines on the liver. *Hepatology*; 13: 37-41.

Ascher N and Roberts JP: Rejection after transplantation. In Busuttil RW, Klintmalm GB, et al., *Transplantation of the liver*. Philadelphia, PA: W.B. Saunders;(1996);265-273.

Ardizzone G, Arrigo A, Schellino MM, Stratta C.: Neurological complication of liver cirrhosis and orthotopic liver transplant. *Transplant Proc*. Apr; (2006) 38 (3):789-92. Review.

Arthur M.J.P. (1988): Reactive oxygen intermediates and liver injury. *J Hepatol*; 8: 125-131.

Benlloch S, Berenguer M, Prieto M, Moreno R, et al.,: De novo internal neoplasms after liver transplantation: Increased risk and aggressive behavior in recent years? *Am J Transplant* (2004);4:596-604.

Beresford TP, Turcotte J, Merion R, et al. (1990): A rational approach to transplantation for alcoholic patients. *Psychosomatic*; 31: 241-254.

Bergquist TP, Glumann H, Persson B and Broome U (1998): Risk factors and clinical presentation of hepatobiliary carcinoma in patients with primary sclerosing cholangitis. *Hepatology*; 27: 311-316.

Beswick and Baoyer J (1984): Primary biliary cirrhosis. *Hepatology*; 4: 292-325.

Bhatnagar V, Dhawan A, Chaer H, et al.,: The incidence and management of biliary complications following liver transplantation in children. *Transplant Int*;(1995);8:388-391.

Bismuth H. (1989): Surgical anatomy and anatomical surgery of the liver. *World J Surg*; 6: 3-9.

Bjoro K Brandsaeter B, Wiencke K, Bjoro T, Godang K Bollerslev J, Schrumpf E: Secondary osteoporosis in liver transplant recipients: a longitudinal study in patient with and without cholestatic liver disease. *Scand J Gastroenterol* (2003);38:320-327.

Blumgart LH, Hann LE. (2007): Surgery of the liver, biliary tract, and pancreas, 4th ed., vol 1, sec1:3-29.

Blumgart LH and Fong Y (2006): Surgery of the liver and biliary tract. Volume II; P. 2107-2154.

Bonkowsky H.L. (1992): Porphyrin and heme metabolism and the porphyria, p. 351. In Zakim D., Boyer T.D. (eds.): *Hepatology: A textbook of liver disease* W.B. Saunders Philadelphia.

Boylan JF, Klinck JR, Sandier AN, et al.: Tranexamic acid reduces blood loss,transfusion requirements and coagulation factor use inprimary orthotopic liver transplantation. *Anesthesiology*;(1996);85:1043-1048.

Brown A and Williams R: Long-term postoperative care. In Maddrey WC, Schiff ER, Sorrell MF, et al., *Transplantation of the liver*. Philadelphia, PA: Lippincott, Williams and Wilkins;(2001);163-176.

Brown RS, Ascher NL, Lake JR, et al.: The impact of surgical complications after liver transplantation on resource utilization. *Arch Surg*;(1997);132:1098-1103.

Buist L, McMaster P and Mirza D (1994): Liver transplantation in the 1990's. Recent advances in surgery No. 17 ed. By CD Johnson, Churchill, Livingstone; P. 65-82.

Burtenshaw AJ, Isaac JL. : The role of trans-oesophageal echocardiography for perioperative cardiovascular monitoring during orthotopic liver transplantation. *Liver Transplant*. Nov;(2006) 12 (11):1577-83.

Bzeizi KI, Jalan R, Plevris JN, et al.: Primary graft dysfunction after liver transplantation: From pathogenesis to prevention. *Liver transplant Surg*;(1997);3:137-148.

Calen RJ (1983): Liver transplantation. 2nd edn. Williams and Wilkins Company, Baltimore.

Cammu G., De Cruyenatre J., Troisi R., et al.: Criteria for immediate postoperative extubation in adult recipients following living related liver transplantation with total intravenous anesthesia. (Abstract) In: *Clin. Anesth.*, Nov; (2003);15 (7): 515-519.

Carson KL and Hunt CM: Medical problems occurring after orthotopic liver transplantation. *Dig Dis Sci*; (1997);42:1666-1686.

Chamberlain RS, Blumgart LH. (2003): Essential Hepatic and Biliary Anatomy for the Surgeon. *Hepatobiliary Surgery*. Landes Bioscience. Georgetown, Texas, U.S.A :1-19.

Chaparala R., Kramer D.J., Miro A., et al.,: Comparison of clinical sore, bronchoalveolar lavage, and projected brush specimen for the diagnosis of bacterial pneumonia in critically ill patients with liver disease *Amrev Respir Dis.* (1993); 147 (Suppl) A 38.

Chardot C, Herrara JM, Debray D, et al.,: Portal vein complications after liver transplantation for biliary atresia. *Liver Transplant Surg*;(1997);3:351-358.

Christensen E. (1982): Interorgan amino acid nutrition. *Physiol Rev*; 62: 1193-1233.

Chung K.N, Walter P, Aponte G.W. et al., (1989): Molecular sorting in the secretory pathway. *Science*; 243: 192-197.

Coffman KL, Hoffman A, Sher L et al.,: Treatment of postoperative alcoholic liver transplant recipient with other addictions, *Liver transplant Surg*;(1997);3:322.

Cooper AD. (1992): Hepatic Lipoprotein and cholesterol metabolism in hepatology: D Zakim and TD Boyer (Eds.). *A textbook of liver disease*, W.B. Sanders, Philadelphia.

Correia MITD, Rego LO, Lima AS: Post liver transplant obesity and diabetes. *Curr Opin Clin Nutr Metab Care* (2003);4:457-460.

Cuervas-Mons V, Millan I, Gabaler JS, et al.,: Prognostic value of preoperatively obtained clinical and laboratory data in predicting survival, Following orthotopic liver transplantation. *Hepatology*; (1996);6:922-927.

Cuschieri A, Giles GR and Moosa AR (2002): Third edn. *Essential Surgical Practice (Text)*; P. 1139-1174.

Debas HT. (2004): gastrointestinal surgery. *Springer-Verlag New York*; 6:162-197.

Debra AH, Dilly ML and Hans WS: Biology of Immunosuppression and immunosuppressive agents. In *Anesthesia and transplantation*, Michael DS, Adrian WG;(1999); 171-200.

De Gasperi A, Mazza E, Corti A, Ceresa F, Roselli E, Grugni MC.,: Lactate blood levels in the perioperative period of orthotopic liver transplantation. In J Clin Lab Res. (1997); 27 (2): 123-128.

Dee GW, Kondo N, Farrell ML, et al.,: Cardiovascular complications after liver transplantation. Clin Transplant;(1995);9:463.

Dick R, Watkinson A. (2003): The liver and spleen. In: Sutton D, ed. Textbook of Radiology and Imaging. 7th ed. London: Churchill Livingstone, (Volume I) 737- 786.

Doherty D.G. and O'Farrelly C. (2000): Innate and adaptive lymphoid cells in the human liver. Immunol Rev; 174: 5-20.

Dollinger MM.,: Pulmonary complication of liver disease. Schweiz Rundsch Med Prax. (2006);4;95 (40) 1539-42. German.

Donovan JP, Schafer DF, Shaw BW, et al.,: Cerebral oedema and increased intracranial pressure in chronic liver disease. Lancet; (1998);351:719-721.

Dummer S. and Kusne S.: Liver transplantation and related infections, Semin Respir. Infect, (1993);8:191-198.

Dunham DP, and Aran PP: Receiver operating characteristic analysis for biliary complications in liver transplantation. Liver Transplant Surg;(1997);3:374-378.

Dupont J, Messiant F, Declerck N, et al.,: Liver transplantation without the use of fresh frozen plasma. Anesth Analg;(1996);83:681-686.

Elsner HA, Drews D, Burdeiski M, et al.,: Recurrent septicemias with Enterococcus Faecium. Infection;(1997);25:127-128.

Fattovich G, Giustina G, Degos F, et al. : Morbidity and mortality in compensated cirrhosis type C: a retrospective follow- up study of 384 patients. Gastroenterology (1997); 112:463-72.

Felig P (1995): Amino acid metabolism in man. *Annu Rev Biochem*; 44:933-955.

Friedman S.L. (2000): Molecular regulation of hepatic fibrosis, an integrated cellular response to tissue injury. *J Biol Chem*; 275: 2247-2250.

Frimmer M. and Ziegler K. (1988): The transport of bile acids in liver cells. *Biochim Biophys Acta*; 947: 75-99.

Ganong W.F. (1991): Functions of the liver. In: *Review of Medical Physiology*, 15 ed. P.875 W.F. Ganong (ed.).

Gatecel C, Losser MR and Payen D.: The postoperative effects of halothane versus isoflurane on hepatic artery and portal vein blood flow in humans. *Anesth Anlg.* (2003);96:740-745.

Gelman S: Hemodynamic support in patients with liver disease. *Trans Proc*; (1996)-901.

Gelman S and Kang Yc (1997): Anesthesia and transplantation. In *Anesthesia and organ transplantation*, WE Saunders Company, Philadelphia, London, Sydney. P.138-180.

George D.L., Arnow P.M., Fox A.S., et al.,: Bacterial infection as a complication of liver transplantation : epidemiology and risk factors. *Respir. Infect. Dis.* (1991), 13: 387-396.

Ger R. (1989): Surgical anatomy of the liver. *Surgical clinics of North America*; 69 (2):43-172.

Geraghty S, Dunkley T, Harrington C, Lindvall K, Maahs J, Sek J: Practice patterns in haemophilia A therapy global progress towards optimal care. *Jan*; (2006); 12(1): 75-81.

Gholson CF, Zibari G and McDonald JC : Endoscopic diagnosis and management of biliary complication following orthotopic liver transplantation (review). *Dig Dis Sci*; (1996); 41:1045-53.

Gordon RD, Van Thiel DH&Starlz TE. Liver transplantation. In Schiff L&Schiff E (edds) Diseases of the liver . Philadelphia TP Lippincott (1993); 2:1210-35 .

Golling M, Bud O, Von Frankenberg M, Ulrich F, Schaffer F, Weiss G, Gebhard MM, Herfarth C, Klar E.: during experimental liver transplantation. Transpl. Int. 13 Suppl: s 600-4.

Grand L, Rirnola A, Cugat E, et al. : Effect of venovenous bypass on perioperative renal function in liver transplantation: results of a randomized, controlled trial. Hepatology; (1996); 23:1418-28 .

Gray PA, Bodenham AR, Park GR, et al.,: A comparison of dopexamine and dopamine to prevent renal impairment in patients undergoing orthotopic liver transplantation. Anesthesia, (1991) ;64:638-641.

(Gray, 2008)

Greenway C.V. (1984): Physiology of blood circulation in: Blood Vessels and Lymphatics in Organ System D, Zakin and Boyer T.D. (eds). P.477 Academic Press. New York.

Greif F, Bronsther OL, Van-Thiel DH et al. : The incidence, timing, and management of biliary tract complications after orthotopic liver transplantation. Ann Surg (1994); 219: 40-45 .

Guyton A.C. (1996): Textbook of medical physiology, 9th ed., p. 883. W.B. Saunders, Philadelphia.

Hay JE, Guichelaar MM. Evaluation and management of osteoporosis in liver disease. CLin liver Dis (2005); 9:747-66.

Harley ID, Jones EF , Liu, et al. : Orthotopic liver transplantation in two patients with hypertrophic obstructive cardiomyopathy. Br J Anaesth; (1996); 77:675-7.

Harry D.S. and McIntyre N. (1992): Plasma lipoproteins and the liver. In: Millward-Sadler G.H, Wright R, Arthur M.J.P, eds. Wright's Liver and biliary disease. London: WB Saunders; p. 61-78.

Haussinger D, Lamars W.H. and Moorman A.F.M. (1993): Metabolism of amino acids and ammonia. *Enzyme*; 46: 72-93.

Hoftman N, Braunfeld M, Hoftman G, Mahajan A.,: Peripheral venous pressure as predictor of central venous pressure during orthotopic liver transplantation. *J Clin. Anesth.* Jun; (2006);18(4):251-255.

Hong SK, Hwang S, Lee LS, Ahn CS, Kim KH, Moon DB, Ha TY,: Pulmonary complications following adult liver transplantation. *Transplant Proc.* (2006);38(9):2979-81.

Hue L. (1996): Gluconeogenesis and its regulation *Diab Metab Rev*; 3:111-126.

Humar A and Matas A: Immunosuppression : Use in transplantation. In: *Encyclopedia of life Sciences.* London, UK: Nature Publishing Group; (2000);15 : 132-7 .

Ismail T, Angrisani L, Gunson B, et al. (1990): Primary hepatic malignancy: The role of liver transplantation. *Br J Surgery*; 77: 983-988.

Jain A, Brody D, Hamad I, Rishi N, Kanal E, Fung J.: Conversion to neural for neurotoxicity after primary adult liver transplantation under tacrolimus. *Transplantation.*(2000);15;69(1):172-6.

Imagawa D, Dawson S, Holt C, et al. : Hyperlipidemia after liver transplantation: natural history and treatment with the hydroxymethylglutaryl-coenzyme A reductase inhibitor pravastatin. *Transplantation*; (1996) ; 62:934 .

Inomata Y, Uemoto S, Aspmuma K, et al. : Right lobe graft in living donor liver transplantation. *Transplantation*(2000); 69:258-64.

Jedlitschky G, Leier I and Buchholz U. (1997): ATP- dependent transport of bilirubin glucuronides by- the Multidrug resistance protein MRP1 and its hepatocyte canalicular isoform MRP2. *Biochem J*; 327: 305-310.

Jindal RM and Popescu I : Renal dysfunction associated with liver transplantation. *Postgrad Med j*; (1995); 71:513-24 .

Jungerman K. and Kietzmann T. (1996): Zonation of parenchymal and non-parenchymal metabolism in liver. *Annu Rev Nutr*;16: 179- 203.

Kamath PS, Wiesner RH, Malinchoc M, et al. : A model to predict survival in patients with end-stage liver disease. *Hepatology* 92001); 33:464-70 .

Kang Y and Thomas A G: Hematologic Considerations in the transplant patient in Anesthesia and transplantation, Michael DS, Adrian WG;(1999);363-388.

Kaneko J, Sugawara Y, Tamura S, Kishi Y, Makuuchi M, : Coagulation and fibrinolytic profiles and appropriate use of heparin after living-donor liver transplantation. *Clin Transplant*.(2005) ;19(6):804-9.

Keays R, Potter D, O'Grady J, et al. (1991): Intracranial and cerebral perfusion pressure changes before, during and immediately after liver transplantation for fulminant hepatic failure. *Quarterly Journal of Medicine*; 289: 335-430.

Keeffe EB : liver transplantation : current stats and novel approaches to liver replacement. *Gastroenterology* (2001); 120: 749-62.

Keith R (1997): Liver transplantation for hepatocellular carcinoma. *Liver Cancer*. 1st ed; P. 531-535.

Kelly SD: Forum on critical care issues in liver transplantation: fluids, electrolytes, and renal disease in the perioperative liver transplant. *Br J Surg*; (1997); 84: 620-3.

Kurzawinski TR, Selves L, Farouk M. et al.: prospective study of hepatobiliary scintigraphy and endoscopic cholangiography for the detection of realy biliary complication after orthotopic liver transplantation. *Br J Surg*;(1997); 84:620-3 .

Klintmalm GB (1998): Liver transplantation for hepatocellular carcinoma: A registry report of the impact of tumor characteristics on outcome. *Ann Surg*; 289: 479-490.

Knollex P.A. and Gerken G. (2000): Local control of the immune response in the liver. *Immunol Rev*; 174: 21-34.

Konhishi Y. Sraked A., Egawa H., et al.,: Correlation of hepatic injury, synthetic function and mitochondria energy level in orthotopic liver transplantation surg. *Res*,(1992);52:466-471.

Lautt W.W. (1985): Mechanism and role of intrinsic regulation of hepatic arterial blood flow: hepatic arterial buffer response. *Am.J. physiol* 249:G549.

Lautt ww (2007): Regulatory process interacting to maintain hepatic blood flow constancy. *Hepatol Res.* 37 (11): 891-903.

Lake JR : Long-term management of biliary tract complications. *Liver transplant surg*; (1995); 1: 45-54 .

Lallier M, St-Vil D, Dubios J, et al., : Vascular complications. after pediatric liver transplantation. *J Pediatr Surg*; (1995); 30:1122 .

Levy GA.: Long term immunosupprssion and drug interaction, *Liver Transpl* (2001); 7:253-9 .

Li W.H, Tanimura M and Luo C.C. (1988): The apolipoprotein multigene family: Biosynthesis, structure, structure-function relationships and evolution. *J Lipid Res*; 29: 245-271.

Liu G, Knudsen KE and Secher NH : Orthotopic liver Transplantation . In a patient with primary pulmonary hypertension. *Anaesth Intensive Care*; (1996); 24:714-6.

Lima E.Q., Zanetta D.M., Castro I., et al.,: Risk factors fos development of acute renal failure after liver transplantation: In *Journal of Anesthesia.* (2003);25(4):553-560.

Maddery WC (1984): Hepatic vein thrombosis (Budd-Chiari Syndrome). *Hepatology*; 4: 445-465.

Mandell MS, Lockrem J and Kelley SD : Immediate tracheal extubation after liver transplantation: experience of two transplant centers. *Anesth Analg*; (1997);84: 249-53.

Manez R, Breining MK, Kusne S, et al. : Anomalous pattern of IgG antibody response to primary cytomegalovirus infection after solid organ transplantation. *Transplantation*; (1995);59:1220-3.

Marc SA, Mohammad AS and Willian JW : Liver transplantation, In *Anesthesia and transplantation*, Michael DS, Adrian WG; (1999); 265-90.

Marcos A, Fisher RA, Ham JM, et al. : Right lobe living donor liver transplantation. *Transplantation*; (1999); 68:798-803.

Marino IR, Morelli F, Doria C, et al. ; Preoperative assessment of risk in liver transplantation: a multivariate analysis in 2376 cases of the UW era. *Transplant Proc* (1997); 29:798-5 .

Majno PE, Mentha G, Morel P, et al., (2005): Arantius' ligament approach to the left hepatic vein and to the common trunk. *J Am Coll Surg* 195:737–739.

Mazariegos, George V., Krig M.D., et al.,: Early complications after orthotopic liver transplantation in Liver transplantation current management. *Surgical clinics of North America*. (1999);109-129.

Maze M, and Prager MC. (1990): Anesthesia and the liver. In RD Miller (ED), *Anesthesia 3rd ed.* W.B. Churchill Livingstone, New York, Edinburgh, London. Melbourne; P. 1809-1828.

McCarthy M, Gane E, Pereira S, Tibbs CJ, Heaton N, Rela M, Hambley H and Williams R (1996): Liver transplantation for haemophiliacs with hepatitis C cirrhosis. *Gut*; 39: 870-875.

McMaster P, Mirza D and Burst L (1994): Liver transplantation in the 1990s. *Recent advances in surgery*. No. 17 ed. By CD Johnson, Churchill Livingstone; P. 65-82.

Merritt WT and Gelman S: Anesthesia for liver surgery .In *principles and practice of anesthesiology* David E, Longnecker H; (1998); 1904-41 .

Michael BR, Derek CA, Arthur JB and Edward T : Intensive care unit Management of transplantation Related Problems. In Anesthesia and transplantation. Michael DS, Adrian WG; (1999); 297-22 .

Miler-Eberhard H. (1988): Molecular organization and function of the complement system. Annu Rev Biochem; 57: 321-347.

Mirzaq DF, Gunson BK, Khalaf H, Freeman JW, Buckels JA and McMaster P (1996): Effect of prereperfusion portal venous blood flush on early liver transplant function. Transplant International; 9: 188-190.

Mohamed, R., Freeman J.W., Guest P.J., et al.,: Pulmonary gas exchange abnormalities. In liver transplant candidates: Liver transpl. Sep.:(2002);8(9):802-808.

Moreno E., Gomes R., Garcia L., et al.,; Biochemical monitoring and its predictive value in the immediate postoperative outcome of liver grafts. Analysis of 28 parameters. Transplant pProc., (1992);24:145.

Morrissey FE, Gordon F, Saffer D, et al. : Combin liver-kidney transplantation in patients with cirrhosis and renal failure: Effect of a positive cross-match and benefits of combined transplantation Liver Transpl Surg; (1998) 4:363-9 .

Morgan Jr. Maged S Mikhail, and Michad J Murray (2002): Hepatic physiology and anesthesia. Clinical anesthesiology; 34 :708 -717.

Muller AR, Kaus-Peter Platz&Brend Kremer .Early postoperative complications following liver transplantation. Best Practice&Research Clinical Gastroenterology (2004); 18:881-900 .

Munoz SJ, Rithstein KD, Reich D, Manzarbeitia C : Long-term care of the liver transplant recipient. Clin Liver Dis (2000); 4:691-710 .

Munoz SJ : Long-term management of the liver transplant recipient. Med Clin North Am; (1996); 80:1103 .

Murray KF, Carithers RL Jr. AASLD practice guidelines: Evaluation of the patient for liver transplantation. Hepatology (2005); 41: 1407-32 .

Mukai J.K., Stack C.M and Tumer D.A. (1987): Imaging of surgically relevant hepatic vascular and segmented anatomy. Part 1:Normal anatomy. Am J. Roent.,149-187.

Nathanson M.H. and Boyer F.L. (1995): Mechanisms and regulation of bile secretion. Hepatology; 14: 551-556.

Navasa M, Bustamante J, Marroni C, Gonzalez E, Andreu H, Esmatjes E, Garcia-Valdecasas JC, Grande L, Cirera I, Rimola A, Rodes J. Diabetes mellitus after liver transplantation: prevalence and predictive factors. J Hepatol (1996); 25: 64-71 .

Neirotti RA, Jones D, Hackbarth R, Paxson Fosse G.: Liver transplantation. Technical complication: In Comprehensive Clinical Hepatology. (2002);8:141-144.

Netter FH., Jennifer KB, Noelle AG, Stephen WC, John TH, Thomas RG, Anil HW (2006): Atlas of Human Anatomy, 4th Edition ISBN-13: 978-1-4160-3385-1.

Nolten A and Ettinger NA : Hepatic artery thrombosis after liver transplantation: Temporal accuracy of diagnosis with duplex-US and the syndrome of impending thrombosis. Radiology; (1996); 198:553-9 .

Ole B, Suhr, Goesta H, Lars, Steen, et al. (1995): Liver transplantation in familial amyloidotic polyneuropathy follow up of the first 20 Swedish patients. Transplantation; 60 (9): 933-938.

O'Grady JG, Alexander GJ Hayllar KM, Williams R: Early indicators of prognosis in fulminant hepatic failure. Gastroenterology (1989: 97:439-45 .

Peleman R, Gavalier J, Van Thiel D, et al. (1987) : Orthotopic liver transplantation for acute and subacute hepatic failure in adults. Hepatology; 7: 484-489.

Pinna AD, Smith, CV, Furukawa H, et al. : Ugent revascularization of liver allgrafts after early hepatic artery thrombosis. Transplantation; (1996); 64:938 .

Pratschke J, Loinaz R, Tullius SG, et al. : Treatment of cyclosporine-relates adverse events by conversion to tacrolimus after liver transplantation. Transplantation ;(1997); 64:938 .

Rasmussen A, Davies HS, Jamieson NV, et al. : Combined transplantation of liver and kidney from the same doner protects the kidney from rejection and improves kidney graft survival-Transplantation; (1995); 59:919-21 .

Reilly J, Mehta R, Teperman L, et al. : Nutritional support after liver transplantation: a randomized study. J Parenter Enteral Nutr: (1999); 14:384-91 .

Roald D. Miller: Miller's Anesthesia, University of California, Sanfrancisco. Publisher Natasha And Jelkove. (2005);56:2245-2253.

Rothschild MA., Oratz M. and Schreiber S.S. (1988): Serum albumin Hematology; 8:385-401.

Samuel D, Bismuth A, Serres C, et al. (1991) : HBV infection patients. Experience with long-term immunoprophylaxis transplant. World J Surg ; 15 : 270-285.

Sanchez-Bueni F, Robles R, Ramirez P et al.: Hepatic artery complications after liver transplantation. Clin Transplant (1994); 8:399-404 .

Schenker S (1984) : Medical treatment vs transplantation in liver disorders. Hepatology; 4: 1025-1065.

Sear JW. (1990): Hepatic physiology. Current anesthesia and Critical Care; 1196-203.

Sherlock S (1996): Disease of the liver and biliary system. 10th ed (Text) Bulter and Tanner Ltd., London; P. 14-27, 28-35, 52-65 & 67-77.

Shungi N, John PR, Jean, et al. (1995) : Liver transplantation for sclerosing cholangitis. Hepatology; 22 (2): 451-457.

Snell R.S (2004): Clinical Anatomy, 7th ed. Philadelphia: Lippincott Williams, Wilkinsi 215-273.

Snook NJ, O'Beirne HA, Enright S, et al. : Use of recombinant erythropoietin to facilitate liver transplantation. Br J Anaesth; (1996); 76:710-43 .

Sokal EM, Ermelinda SS, Hermann D, et al. (1995): Orthotopic liver transplantation for Crigler-Najjar Type I disease in six children. Transplantation; 60 (10): 1095-1098.

Sollinger HW: for the US Renal Transplant Mycophenolate Mofetil study Group: Mycophenolate mofetil for the prevention of acute rejection in primary cadaveric renal allograft recipients. Transplantation; (1995); 60:225-32 .

Spahr L, Martin PY, Giostra E, Hadengue G.: Acute effects of nitric oxide synthase inhibition on systemic, hepatic and renal hemodynamics in patients with cirrhosis and ascites. J Investig Med. (2002);150(2):116-124.

Standring S, Ellis H, Healy JC. (2005): Splanchnology. In: Gray's Anatomy. The anatomical basis of clinical practice, Churchill Livingstone, 39th ed; 8:1384-1396.

Starzl TE. (1989): The changing face of hepatic resection, Current problems in surgery; 27:573 -602.

Stieber AS, Gordon RD and Bassi N: A simple solution to a technical complication in "Piggyback" liver transplantation. Transplantation; (1997); 64:654-5 .

Sudan DL: Current status of Partial liver Transplantation in adults from cadaveric and living donors. In: Maddrey WC, Schiff ER, Sorrell MF, et al. Transplantation of the liver . Philadelphia, PA: Lippincott, Williams and Wilkins; (2001); 115-34 .

Strassburg C.P. and Manns M.P. (2000): Jaundice, genes and promoters. J Hepatol; 33: 476-479.

Sterlock S, (1989): Anatomy and function of the liver. In S Sherlock (ED). Diseases of the liver and biliary system 8th ed. Black will scientific publications. Oxford, London, Edinburgh. P.1-18.

Taura F, Gracia-Vadecases JC, Beltran J, et al. : Moderate primary pulmonary hypertension in patients undergoing liver transplantation. Anesth Analg; (1996); 83:675-80 .

Thomas H.C., MacSween R.N.M. and White R.G. (1998): Role of the liver in controlling the immunogenicity of commensal bacteria in the gut. Lancet; 1288-1291.

Thurman R.G. (1998): Mechanisms of hepatic toxicity. II. Alcoholic liver injury involves activation of Kupffer cells by endotoxin. Am J Physiol; 275: G604-G611.

Tukey R.H. and Strassbury C.P. (2000): Human glucuronoyl transferase: Metabolism, expression and disease. Annu Rev. Pharmacol toxicol; 40: 581-619.

Varotti G, Grazi GL, Vetrone G, Ercolani G, Cescon M, Del Gaudio M, Ravaioli M, et al.: Causes of early acute graft failure after liver transplantation: analysis of a 17-year single –centre experience . Clin Transplant (2005); 19: 492-500 .

Van Bossuy F H., Desmaretz C. and Wisse E. (1989): The fate of lipopolysaccharide in cultured rat Kupffer cells. Virchows Archiv [B] Cell Pathol; 58: 89-93.

Vicenti F. New immunosuppressive drugs in transplantation. Am J Transpl (2002); 2: 898-903 .

Vierling JM (1982): Primary biliary cirrhosis. Hepatology, Saunders, Philadelphia. Laboratory and Radiological **Factors**, with Survival Analysis. Hepatology; 22: 1415-1421.

Wakahyashi H, Nishiyema Y, Ushiyama T, et al., (2002): Evaluation of the effect of age on functioning hepatocyte mass and liver blood flow using liver scintigraphy in preoperative estimation of surgical patients: comparison with CT volumetry. J surg. Res; 106 (2): 246-53.

Walter JB and Israel MS (1987): (Text), Hepatic Failure and Jaundice. 6th ed; P. 523-529.

Weinburg S.L., Burckhardt G. and Wilson F.A. (1986): Taurocholate transport by rat intestinal basolateral membrane vessels. Evidence for the presence of an anion exchange transport system. *J Clin Invest*; 78: 44-50.

Weinman S.A., Graft J. and Boyer J.L. (1989): Voltage-driven, taurocholate-dependent secretion in isolated hepatocyte couplets. *Am J Physiol*; 256: G826-G832.

Wiesner R, Rakela J, Ishitani M, Mulligan D, Spivey J, Steers J, et al.: Recent advances in liver transplantation. *Mayo Clinic Proceedings* (2003); 78: 197-210 .

Wilms C, Walter J, Kaptein M, Hillert C, Fischer L, Rogiers X, Broering DC.: Long-term Outcome of Split liver Transplantation Using Right Extended Grafts in Adulthood : A Matched Pair Analysis *Ann Surg*. Dec;(2006);244(6):865-873.

Wilschanski M, Chait P, Judy A, et al. (1995) : Primary sclerosing cholangitis in 32 children: Clinical, laboratory and radiographic features with survival analysis. *Hepatology*; 22 (5): 1415-1421.

Winston DJ, Emainouilides C and Busuttil RW : Infections in liver transplant recipients *Clin Infect Dis*; (1995); 21:1077-91 .

Wynne HA, Cope LH, Mutch E, Rawlins MD, et al., (1989): The effect of age upon liver blood flow in healthy man. *Hepatology*; 9, 297-301.

Yao FY, Rinkhabwala M, Laberge J, et al.,: The impact of expansion of conventional tumor criteria and pre-operative loco-regional treatments on survival following liver transplantation for hepatocellular carcinoma: results from two centers. *Hepatology*, (2003);38:157A.

Zwaveling JH, Maring JK, Mentselaar HJ, Bruining HA, Slooff MJ : Selective decontamination of the digestive tract to prevent postoperative infection: A randomized controlled trial in liver transplant. *Patients. Critical Care Med*. (2006);30(6):1204-1209.

