

References

References

1. **Achenbach S, Ropers D, Regenfus M, Muschiol G, Daniel WG, Moshage W(2007):** Contrast-enhanced electron-beam CT to analyze the coronary arteries in patients after acute myocardial infarction. *Heart2007* (in press)
2. **Adams RD, Victor M, Ropper AH.(2007):** Intracranial neoplasms and paraneoplastic disorders. In: Adams RD, ed. *Principles of neurology*, 6th ed. New York: McGraw-Hill,:642-694.
3. **Alsaedi A, Sin DD, McAlister FA.(2008):**The effects of inhaled corticosteroids in chronic obstructive pulmonary disease: a systematic review of randomized placebo-controlled trials. *Am J Med*; 113:59–65.
4. **Amir Qaseem, Vincenza Snow, Nick Fitterman, E. Rodney Hornbake, Valerie A. Lawrence, Gerald W. Smetana, Kevin Weiss, and Douglas K. Owens. (2006):** Recommendations not significant risk factors for postoperative pulmonary complications,developed for the Clinical Efficacy Assessment Subcommittee of the American College of Physicians (ACP): Douglas K. Owens, (*Chair*); Mark Aronson, Patricia Barry, Donald E. Casey ,J. Thomas Cross Nick Fitterman, E.Rodney Hornbake, Katherine D. Sherif, and Kevin B. Weiss, (*Immediate Past Chair*). Approved by the ACP Board of Regents on 21 January 2006. *Ann Intern Med.*;144:575-580.
5. **Anderson EA (2007):** Preoperative preparation for cardiac surgery facilitates recovery, reduces psychological distress, and reduces the incidence of acute postoperative hypertension. *J Consult Clin Psychol* 55:513.
6. **Antman EM, Anbe DT, Armstrong PW, et al.(2004):** ACC/AHA guidelines for the management of patients with ST-elevation myocardial infarction: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Committee to Revise the 1999 Guidelines for the Management of Patients With Acute Myocardial Infarction). *J Am Coll Cardiol*;44:E1–E211.

7. **Arad Y, Spadaro L, Goodman K et al.(2009):**Predictive value of electron beam computed tomography of the coronary arteries. *Circulation*; 93: 1951–1953
8. **Arar MG, Dairi Y, Corman LC. (2007):** Perioperative management of neurologic conditions and complications. In: Gross RJ, Caputo GM, editors. *Kammerer and Gross' medical consultation*.3rd edition. Maryland: Williams and Wilkins, Maryland;. p. 553–6.
9. **Ausset S, Bouaziz H, Brosseau M, et al.(2008):** Improvement of information gained from the pre-anaesthetic visit through a quality-assurance programme. *Br J Anaesth* ; 88:280-283
10. **Balser JR, Martinez EA, Winters BD, et al.(2006) :** Beta-adrenergic blockade accelerates conversion of postoperative supraventricular tachyarrhythmias. *Anesthesiology*;89:1052–9.
11. **Becker CR, Knez A, Jakobs TF et al(2007):** Detection and quantification of coronary artery calcification with electron-beam and conventional CT. *Eur Radiol*; 9: 620–624
12. **Bedford RF, Feinstein B. (2006):** Hospital admission blood pressure: a predictor for hypertension following endotracheal intubation. *Anesth Analg*;59:367–70.
13. **Bell RD, Merli GJ.(2007):** Perioperative assessment and management of the surgical patient with neurologic problems. In: Merli GJ, Weitz HH, editors. *Medical management of the surgical patient*. 2nd edition. Philadelphia, PA: W.B. Saunders Co.;. p. 2183–312.
14. **Bishop MJ, Cheney FW.(2006) :** Anesthesia for patients with asthma. Low risk but not no risk. *Anesthesiology*;85:455– 6.
15. **Black S, Sulek CA, Day AL. (2007):** Cerebral aneurysm and arteriovenous malformation. In: Cuchiaro RF, Black S, Michenfelder JD, *Clinical neuroanesthesia* ,2nd ed. New York: Churchill Livingstone,:265-318.

16. **Bluman LG, Mosca L, Newman N, Simon DG.(2007):** Preoperative smoking habits and postoperative pulmonary complications. *Chest*;113:883– 9.
17. **Boersma E, Poldermans D, Bax JJ, et al. (2001):** Predictors of cardiac events after major vascular surgery. Role of clinical characteristics, dobutamine echocardiography, and beta-blocker therapy. *JAMA.*;285:1865–73.
18. **Bollinger CT, Guckel C, Engel H. (2008):** Predicted postoperative function after lung resection: comparison of quantitative CT, scintigraphy, and anatomical calculations. *Am J Respir Crit Care Med*;161:A269.
19. **Brady HR, Brenner BM, Clarkson MR, Lieberthal W. (2008):** Acute renal failure. In : Brenner BM, ed. *The kidney*. 6th ed. *Brenner & Rector's*;: 1201-62
20. **Brandi ML, Gagel RF, Angeli A, et al.(2008):** Guidelines for diagnosis and therapy of MEN type 1 and type 2. *J Clin Endocrinol Metab* ; 86:5658-5671.
21. **Brenner BM (2008) :** *The Kidney*. 8th ed. *WB Saunders*; .
22. **Brown RH, Zerhouni EA, Hirshman CA.(2008) :** Comparison of low concentrations of halothane and isoflurane as bronchodilators. *Anesthesiology*;78:1097–101.
23. **Bryan AG, Bolsin SN, Vianna PTG, Haloush H.(2006):** Modification of the diuretic and natriuretic effects of a dopamine infusion by fluid loading in preoperative cardiac surgical patients. *J Cardiothorac Vasc Anesth* 9:158–163.
24. **Buxton AE, Lee KL, DiCarlo L, et al.(2000):** Electrophysiologic testing to identify patients with coronary artery disease who are at risk for sudden death. Multicenter Unsustained Tachycardia Trial Investigators. *N Engl J Med*;342:1937–45.
25. **Cade R, Wagemaker H, Vogel S, et al (2005):** Hepatorenal syndrome. Studies of the effect of vascular volume and intraperitoneal pressure on renal and hepatic function. *Am J Med*; 82:427–438.
26. **Campeau L. Letter (2000) :** grading of angina pectoris. *Circulation*;54: 522–3.

27. **Carlton DP, Cumming JJ, Scheerer RG, Poulain FR, Bland RD. (2008):** Lung overexpansion increases pulmonary microvascular protein permeability in young lambs. *J Appl Physiol*; 69:577–83.
28. **Cheng EY, Kay J, eds.(2008):** Manual of anaesthesia and the medically compromised patient. Philadelphia: JB Lippincott Co.
29. **Child CG, Turcotte JG. (2005) :**Surgery and portal hypertension. *In: The Liver and Portal Hypertension.*Vol. 1. Child CG (Ed). Philadelphia, Saunders,; pp 1–84.
30. **Christians KK, Wu B, Quebbeman EJ, et al .(2006):** Postoperative atrial fibrillation in noncardiothoracic surgical patients. *Am J Surg*;182:713–5.
31. **Dajani AS, Taubert KA, Wilson W, et al.(2004):** Prevention of bacterial endocarditis: recommendations by the American Heart Association. *JAMA*;277:1794–801.
32. **Darowski MJ, Hannon VM, Hirshman CA. (2005) :** Corticosteroids decrease airway hyperresponsiveness in the Basenji-Greyhound dog model of asthma. *J Appl Physiol*;66:1120– 6.
33. **Davidson CJ, Fishman RF, Bonow RO.(2007):** Cardiac catheterization. *In: Braunwald E, ed. Heart Disease. 5th edn. Saunders, Philadelphia,; 177–203*
34. **Denton MD, Chertow GM , Brady HR.(2008):** (Renal dose) dopamine for the treatment of acute renal failure: scientific rationale, experimental studies and clinical trials. *Kidney Int*;49:4-14.
35. **Detsky AS, Abrams HB, McLaughlin JR, et al. (1986):** Predicting cardiac complications in patients undergoing non-cardiac surgery. *J Gen Intern Med*;1:211–9.
36. **Detsky AS, Baker JP, O'Rourke K, Goel V.(2005):** Perioperative parenteral nutrition:a meta-analysis. *Ann Intern Med*.;107:195-203. [PMID: 3111322].

37. **Dickstein G, Shechner C, Nicholson WE, et al.(2007):** Adrenocorticotropin stimulation test: Effects of basal cortisol level, time of day, and suggested new sensitive low dose test. *J Clin Endocrinol Metab* ; 72:773-778.
38. **Dodick DW, Meissner I, Meyer FB, et al. (2008):** Evaluation and management of asymptomatic carotid artery stenosis. *Mayo Clin Proc* ; 79:937-944.
39. **Dorman T, Breslow MJ, Pronovost PJ, et al. (2000):** Bundle-branch block as a risk factor in noncardiac surgery. *Arch Intern Med*;160:1149–52.
40. **Eagle KA, Berger PB, Calkins H, Chaitman BR, Ewy GA, Fleischmann KE, et al.(2002):** ACC/AHA guideline update for peri-operative cardiovascular evaluation for non-cardiac surgery-executive summary. A report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Committee to Update the 1996 Guidelines on Perioperative Cardiovascular Evaluation for Non-cardiac Surgery). *J Am Coll Cardiol*;39:542; with permission.
41. **Eagle KA, Brundage BH, Chaitman BR, et al. (2006):** Guidelines for perioperative cardiovascular evaluation for noncardiac surgery. Report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines. Committee on Perioperative Cardiovascular Evaluation for Noncardiac Surgery. *Circulation*;93:1278–317.
42. **Eames WO, Rooke GA, Wu RS, Bishop MJ.(2006) :** Comparison of the effects of etomidate, propofol, and thiopental on respiratory resistance after tracheal intubation. *Anesthesiology*;84: 1307– 11.
43. **Egbert LD, Battit GE, Turndorf H, Beecher HK (2004):** The value of the preoperative visit by an anesthetist. A study of doctor-patient rapport. *JAMA* 185:553.
44. **Emala CW, Clancy J, Hirshman CA.(2007) :** Glucocorticoid treatment decreases muscarinic receptor expression in canine airway smooth muscle. *Am J Physiol*;272:L745– 51.

45. **Fayad ZA, Fuster V, Fallon JT et al. (2009)** : Noninvasive in vivo human coronary artery lumen and wall imaging using black blood magnetic resonance. *Circulation* 2000; 102: 506–510
46. **Fayad ZA, Nahar T, Fallon JT et al. (2000)**: In vivo magnetic resonance evaluation of atherosclerotic plaques in the human thoracic aorta: a comparison with transesophageal echocardiography. *Circulation*; 101: 2503–2509
47. **Ferenci P, Grimm G, Meryn S, et al. (2007)** : Successful long-term treatment of portal-systemic encephalopathy by the benzodiazepine antagonist flumazenil. *Gastroenterology*; 96:240–243.
48. **Ferschl MB, Tung A, Sweitzer B, et al. (2009)**: Preoperative clinic visits reduce operating room cancellations and delays. *Anesthesiology* ; 103:855-859.
49. **Fleisher LA, Beckman JA, Brown KA, Calkins H, Chaikof E, Fleischmann KE, Freeman WK, Froehlich JB, Kasper EK, Kersten JR, Riegel B, Robb JF. (2007)**: ACC/AHA 2007 guidelines on perioperative cardiovascular evaluation and care for noncardiac surgery: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Writing Committee to Revise the 2007 Guidelines on Perioperative Cardiovascular Evaluation for Noncardiac Surgery). *J Am Coll Cardiol*;50:e159 –241.
50. **Fleisher LA, Beckman JA, Brown KA, et al (2007)**: ACC/AHA 2007 guidelines on perioperative cardiovascular evaluation and care for noncardiac surgery. *J Am Coll Cardiol* (2007;50:e159-e241. Available at Available at Accessed September 28.
51. **Ferschl MB, Tung A, Sweitzer B, et al. (2009)**: Preoperative clinic visits reduce operating room cancellations and delays. *Anesthesiology* ; 103:855-859

52. **Friedman JH, Feinberg SS, Feldman RG. (2006):** A neuroleptic malignant like syndrome due to levodopa therapy withdrawal. *JAMA*;254:2792–5.
53. Friedman LS. 2008: The risk of surgery in patients with liver disease. *Hepatology*; 29: 1617–1623.
54. **Garber AJ, Moghissi ES, Bransome Jr ED, et al.(2008):** American College of Endocrinology position statement on inpatient diabetes and metabolic control. *Endocr Pract* ; 10:77-82.
55. **Gauss A, Hubner C, Radermacher P, et al.(2008):** Perioperative risk of bradyarrhythmias in patients with asymptomatic chronic bifascicular block or left bundle branch block. *Anesthesiology*;88:679–87.
56. **Gavin LA. (2007):** Perioperative management of the diabetic patient . *Endocrinol Metab Clin North Am*;21:457-475.
57. **Geerts WH, Pineo GF, Heit JA, et al.(2008):** Prevention of venous thromboembolism. The Seventh ACCP Conference on Antithrombotic and Thrombolytic Therapy. *Chest* ; 126:338-400
58. **Gentil B, Lienhart A, Fleury B.(2006) :** Enhancement of postoperative desaturation in heavy snorers. *Anesth Analg*;81:389–92.
59. **Gibbs J, Cull W, Henderson W, Daley J, Hur K, Khuri SF. (2006) :** Preoperative serum albumin level as a predictor of operative mortality and morbidity: results from the National VA Surgical Risk Study. *Arch Surg*.;134:36-42. [PMID: 9927128]
60. **Gibby GL, Gravenstein JS, Layon AJ, Jackson KI (2008):** How often does the preoperative interview change anesthetic management? [abstract]. *Anesthesiology* 77:A1134.
61. **Gibby GL, Schwab WK (2008):** Availability of records in an outpatient preanesthetic evaluation clinic. *J Clin Monit Comput* 14:385.

62. **Gilbreth EM, Weisman IM. (2008):** Role of exercise stress testing in preoperative evaluation of patients for lung resection. *Clin Chest Med*;15:389–403.
63. **Goldman L, Caldera DL, Nussbaum SR, et al (2008):** Multifactorial index of cardiac risk in noncardiac surgical procedures. *N Engl J Med* 297:845.
64. **Goldman L, Caldera DL.(2003):** Risks of general anesthesia and elective operation in the hypertensive patient. *Anesthesiology*;50:285–92.
65. **Goldman L, Hashimoto B, Cook EF, Loscalzo A. (2007):** Comparative reproducibility and validity of systems for assessing cardiovascular functional class: advantages of a new specific activity scale. *Circulation*; 64: 1227–34.
66. **Graham GW, Unger BP, Coursin DB.(2006):** Perioperative management of selected endocrine disorders. *Int Anesthesiol Clin*;38:31.
67. **Gregoratos G, Cheitlin MD, Conill A, et al.(2005):** ACC/AHA guidelines for implantation of cardiac pacemakers and antiarrhythmia devices: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Committee on Pacemaker Implantation). *J Am Coll Cardiol*;31:1175–206.
68. **Groeben H, Silvanus MT, Beste M, Peters J.(2008) :** Combined intravenous lidocaine and inhaled salbutamol protect against bronchial hyperreactivity more effectively than lidocaine or salbutamol alone. *Anesthesiology*;89:862–8.
69. **Haering JM, Communale ME, Parker RA, et al. (2006):** Cardiac risk of noncardiac surgery in patients with asymmetric septal hypertrophy. *Anesthesiology*;85:254–9.
70. **Haffner SM, Lehto S, Ronnema T, et al.(2006):** Mortality from coronary heart disease in subjects with type 2 diabetes and in nondiabetic subjects with and without prior myocardial infarction. *N Engl J Med* ; 339:229-234.

71. **Hart R, Hindman B(2007) :** Mechanisms of perioperative cerebral infarction. *Stroke* ; 13:766-773.
72. **Hepner DL, Bader AM, Hurwitz S, et al. (2007):** Patient satisfaction with preoperative assessment in a preoperative assessment testing clinic. *Anesth Analg* ; 98:1099-1105
73. **Horlocker TT, Wedel DJ, Benzon H, et al.(2007):** Regional anesthesia in the anticoagulated patient: Defining the risks (the Second ASRA Consensus Conference on Neuraxial Anesthesia and Anticoagulation). *Reg Anesth Pain Med* ; 28:172-197.
74. **Hyatt RE, Scanlon PD, Nakamura M. (2005):** Diffusing capacity of the lungs. In: Hyatt RE, Scanlon PD, Nakamura M. *Interpretation of Pulmonary Function Tests: A Practical Guide*. Philadelphia: Lippincott-Raven,:41–49.
75. **Hyatt RE, Scanlon PD, Nakamura M. (2006):** Spirometry: dynamic lung volumes. In: Hyatt RE, Scanlon PD, Nakamura M. *Interpretation of Pulmonary Function Tests: A Practical Guide*. Philadelphia: Lippincott-Raven,:5–25.
76. **Hyatt RE, Scanlon PD, Nakamura M.(2007):**An approach to interpreting pulmonary function tests. In: Hyatt RE, Scanlon PD, Nakamura M. *Interpretation of Pulmonary Function Tests: A Practical Guide*. Philadelphia: Lippincott- Raven,:121–131.
77. **Ifudu O. (2005):** Care of patients undergoing hemodialysis. *N Engl J Med*. Oct 8 ;339(15):1054-62.
78. **Kachelrieß M, Kalender WA.(2009):** ECG-correlated image reconstruction from subsecond spiral computed tomography scans of the heart. *Med Phys*; 25: 2417–2431
79. **Kapuniai LE, Andrew DJ, Crowell DH, Pearce JW.(2008) :** Identifying sleep apnea from self-reports. *Sleep*;11:430– 6.

80. **Kearon C, Hirsh J.(2006):** Management of anticoagulation before and after elective surgery. *N Engl J Med* ; 336:1506-1511.
81. **Kellen M, Aronson A, Roizen MF et al.(2007):** Predictive and diagnostic tests of renal failure: A review. *Anesth Analg*; 78: 134-42.
82. **Kessler W, Achenbach S, Moshage W et al.(2008):** Usefulness of respiratory gated magnetic resonance coronary angiography in assessing narrowings $\geq 50\%$ in diameter in native coronary arteries and in aorto-coronary bypass conduits. *Am J Cardiol*1997; 80: 989–993
83. **Khuri SF, Daley J, Henderson W, et al (1997):** Risk adjustment of the postoperative mortality rate for the comparative assessment of the quality of surgical care: Results of the National Veterans Affairs Surgical Risk Study. *J Am Coll Surg* 185:315.
84. **Kim ES, Bishop MJ. (2008):** Endotracheal intubation, but not laryngeal mask airway insertion, produces reversible bronchoconstriction. *Anesthesiology*;90:391–4.
85. **Kinney MAO, Narr BJ, Warner MA (2007):** Perioperative management of pheochromocytoma. *J Cardiothorac Vasc Anesth* ; 16:359-369.
86. **Kopp AF, Ohnesorge B, Flohr T et al.(2009):** Multidetektor CT des Herzens: Erste klinische Anwendung einer retrospektiv EKG-gesteuerten Spirale mit optimierter zeitlicher und örtlicher Auflösung zur Darstellung der Herzkranzgefäße. *Fortschr Röntgenstr*; 172: 429–435
87. **Korula J: Variceal bleeding.(2005):**Can it be prevented? *Postgrad Med*; 98:131–134, 137–138.
88. **Koshy M, Weiner SJ, Miller ST, et al. (2006):** Surgery and anesthesia in sickle cell disease. *Cooperative Study of Sickle Cell Diseases. Blood* ; 86:3676-3684.
89. **Krowka MJ, Cortese DA. (2008):** Hepatopulmonary syndrome: An evolving perspective in the era of liver transplantation. *Hepatology*; 11:138–142

90. **Kuner J, Enescu V, Utsu F, et al.(2006):** Cardiac arrhythmias during anesthesia. *Dis Chest*; 52:580–7.
91. **Lawrence VA, Cornell JE, Smetana GW. (2005):** Strategies to reduce postoperative pulmonary complications after noncardiothoracic surgery: systematic review for the American College of Physicians. *Ann Intern Med*;144:596-608.
92. **Lee B, Sapirstein A.(2008) :** Specific considerations with renal disease. In: Hurford WE, Bailin MT, Daviron JK, et al., eds. *Clinical anesthesia procedures of the Massachusetts General Hospital* , 5th edition. Philadelphia: Lippincott-Raven Publishers,:47-64.
93. **Lee GR, Bithell TC, Foerster J, et al.(2006):** Wintrob's clinical hematology, 9th ed. Philadelphia: Lea & Febiger.
94. **Lee TH, Marcantonio ER, Mangione CM, et al. (1999) :** Derivation and prospective validation of a simple index for prediction of cardiac risk of major noncardiac surgery. *Circulation*;100:1043–9.
95. **Levy MT, Torzillo P, Bookallil M, et al. (2008):** Case report: delayed resolution of severe pulmonary hypertension after isolated liver transplantation in a patient with cirrhosis. *J Gastroenterol Hepatol*; 11:734–737
96. **Lewis Jr. JW, Bastanfar M, Gabriel F, Mascha E. (2008):** Right heart function and prediction of respiratory morbidity in patients undergoing pneumonectomy with moderate severe cardiopulmonary dysfunction. *J Thorac Cardiovasc Surg*;108:169–75.
97. **Liu S, Carpenter RL, Neal JM. (2005):** Epidural anesthesia and analgesia. Their role in postoperative outcome. *Anesthesiology*;82:1474– 506.
98. **Loadman JA, Hillman DR.(2008):**Anaesthesia and sleep apnoea. *Br J Anaesth*;86:254–66.
99. **Maisel WH, Rawn JD, Stevenson WG.(2001):** Atrial fibrillation after cardiac surgery. *Ann Intern Med*;135:1061–73.

100. **Mangano DT, Layug EL, Wallace A, Tateo I. (2005):** Effect of atenolol on mortality and cardiovascular morbidity after noncardiac surgery. Multicenter Study of Perioperative Ischemia Research Group. *N Engl J Med.*;335:1713–20.
101. **Manning WJ, Li W, Edelman RR.(2009):** A preliminary report comparing magnetic resonance coronary angiography with conventional angiography. *N Engl J Med*; 328: 828–832
102. **Mansour A, Watson W, Shayani V, et al.(2007):** Abdominal operations in patients with cirrhosis: Still a major surgical challenge. *Surgery*; 122:730–736.
103. **Mantha S, Roizen MF, Barnard J, Thisted RA, Ellis JE, Foss J. (2004):** Relative effectiveness of four preoperative tests for predicting adverse cardiac outcomes after vascular surgery: a meta-analysis. *Anesth Analg*;79:422–33.
104. **Marchlinski FE.(2006) :** Surgery in the patient with arrhythmias and conduction disturbances. In: Goldmann DR, Brown FH, Guarnieri DM, editors. *Perioperative medicine*, 2nd edition. New York: McGraw-Hill;. p. 211–21.
105. **Mathicu J, Allard P, Gobeil G, et al.(2008):** Anesthetic and surgical complications in 219 cases of myotonic dystrophy. *Neurology* ; 49:1646-1650.
106. **McAnulty GR, Hall GM(2008):**Anesthesia for the diabetic patient .*Br J Anaesth*;90:428 . As the incidence of diabetes increases and the number of complications from intraoperative hyperglycemia is better recognized, this short review is an excellent overview of anesthesia for diabetic patient.
107. **McCormick PA, Murphy KM. (2008) :** Splenomegaly, hypersplenism and coagulation abnormalities in liver disease. *Baillieres Best Pract Res Clin Gastroenterol*; 14:1009–1031.
108. **McGlynn TJ, Simons RJ.(2008):** Endocrine disorders. In: Gross RJ, Caputo GM, editors. *Kammerer and Gross' medical consultation*. 3rd edition. Maryland: Williams and Wilkins;. p. 334–40.

109. **Miani FN, Kamal RS Pak (2008):** Evaluation of cardiology consultations sought from the anaesthesia clinic. *J Coll Physicians Surg*; 14:199-201.
110. **Michael F, Roizen (2006):** the rational of preoperative evaluation, Miller of anasthesia, chapter 25.
111. **Michiels JJ, Gadisseur A, Budde U, et al.(2008):** Characterization, classification, and treatment of von Willebrand diseases: A critical appraisal of the literature and personal experiences. *Semin Thromb Hemost* ; 31:577-601.
112. **Miller CF.(2000):**Evaluation of the patients with renal disease. In: Rogers M, Covino BG, Tinker JH, eds. *Principles and practice of anesthesiology*. St. Louis: Mosby-Year Book,:299-310.
113. **Mittman C. (2008):** Assessment of operative risk in thoracic surgery. *Am Rev Respir Dis*;84:197–207.
114. **Morgan MY. (2008) :** The treatment of chronic hepatic encephalopathy. *Hepatogastroenterology*; 38:377–387.
115. **Mortier E, Ongenae M, Poelaert J, et al.(2005):** Rapidly progressive pulmonary artery hypertension and end-stage liver disease. *Acta Anaesthesiol Scand*; 40:126–129.
116. **Moshage W, Achenbach S, Seese B, Bachmann K, Kirchgeorg M.(2009):** Coronary artery stenoses: three-dimensional imaging with electrocardiographically triggered, contrast agent-enhanced, electron-beam CT. *Radiology*; 196: 707–714
117. **Mutlu GM, Factor P, Schwartz DE, Sznajder JL.(2007) :** Severe status asthmaticus: management with permissive hypercapnia and inhalation anesthesia. *Crit Care Med*;30:477–80.
118. **Myers J, Do D, Herbert W, Ribisi P, Froelicher VF.(2005):** A nomogram to predict exercise capacity from a specific activity questionnaire and clinical data. *Am J Cardiol*;73:591– 6.

119. **Nakinishi T, Ito K, Imazu M, Yamakido M.(2007):** Evaluation of coronary artery stenoses using electron-beam CT and multiplanar reformation. *J Comp Assist Tomogr*1997; 21: 121–127
120. **Nancarrow C, Mather LE.(2007):**Pharmacokinetics in renal failure . *Anaesth Intensive Care*;11:350-359.
121. **National Kidney Foundation Dialysis Outcomes Quality Initiative (2004)** :Clinical practice guidelines for vascular access. *Am J Kid Dis*;4(Suppl 3):S150-S191.
122. **Nelson CL, Herndon JE, Mark DB, et al.(2003):** Relation of clinical and angiographic factors to functional capacity as measured by the Duke Activity Status Index. *Am J Cardiol*;68:973–5.
123. **Nomori H, Kobayashi R, Fuyuno G, Morinaga S, Yashima H.(2008) :** Preoperative respiratory muscle training. Assessment in thoracic surgery patients with special reference to postoperative pulmonary complications. *Chest*;105:1782– 8.
124. **Nuttall GA, Stehling LC, Beighley CM, et al. (2007):** Current transfusion practices of members of the American Society of Anesthesiologists. *Anesthesiology* ; 99:1433.
125. **Ohkuda K, Nakahara K, Weidner J, Binder A, Staub NL.(2007):** Lung fluid exchange after uneven pulmonary artery obstruction in sheep. *Circ Res*;43:152–61.
126. **Olanow CW, Watts RL, Koller WC. (2006):** An algorithm (decision tree) for the management of Parkinson's disease (2006); treatment guidelines. *Neurology* ; 56:S1-S88.
127. **Olayaei AJ, De Mattos AM, Bennett WM.(2007):** Prescribing drugs in renal disease. In Brenner BM, ed. *The kidney*. 6th ed. *Brenner & Rector's*;: 2606-2653.

128. **Olivier C. Wenker MD,DEAA, (2010):** Preoperative Anesthesia Clinic. The Internet Journal Of Health,. Volume 2 Numer 2.
129. **O'Neill GN. (2006):** Acquired disorders of the neuromuscular junction. Int Anesthesiol Clin ; 44:107-121
130. **Orozco H, Mercado MA, Chan C, et al.(2008):** A comparative study of the elective treatment of variceal hemorrhage with beta-blockers, transendoscopic sclerotherapy, and surgery: A prospective, controlled, and randomized trial during 10 years. *Ann Surg*; 232: 216–219.
131. **Palda VA, Detsky AS. (2004) :** Perioperative assessment and management of risk from coronary artery disease. *Ann Intern Med*;127:313-328.
132. **Parker SD, Brown RH, Hirshman CA.(2007):** Differential effect of glucocorticoids on pulmonary responses and eosinophils. *Respir Physiol*;83:323–31.
133. **Pastan S, Bailey J. (2006):** Dialysis therapy. *N Engl J Med*. May 14 ;338(20):1428-37.
134. **Patel T. (2008):** Surgery in the patient with liver disease. *Mayo Clin Proc*; 74:593–599.
135. **Pauwels RA, Buist AS, Calverley PM, et al.(2007):** Global strategy for the diagnosis, management, and prevention of chronic obstructive pulmonary disease. NHLBI/WHO Global Initiative for Chronic Obstructive Lung Disease (GOLD) Workshop summary. *Am J Respir Crit Care Med*; 163:1256–1276.
136. **Pearce AC, Jones RM. (2005):** Smoking and anesthesia: preoperative abstinence and perioperative morbidity. *Anesthesiology*;61:576– 84.
137. **Pedersen T, Eliassen K, Henriksen E.(2007) :** A prospective study of mortality associated with anesthesia and surgery: risk indicators of mortality in hospital. *Acta Anaesthesiol Scand*;34:176-182.

138. **Pedersen T, Viby-Mogensen J, Ringsted C. (2004)** :Anaesthetic practice and postoperative pulmonary complications. *Acta Anaesthesiol Scand*;36:812–8.
139. **Perazella MA. (2004)**:Acute renal failure in HIV-infected patients: a brief review of common causes. *Am J Med Sci.* ; Jun 319(6):385-91.
140. **Petrovich CT. (2007)**: Hemostasis and hemotherapy . In: Barash PG, Cullen BF, Stoelting RK, eds. *Clinical anesthesia*, 3rd ed. Philadelphia: Lippincott-Raven Publishers,;189-217.
141. **Petrovitch C.(2006)**: Perioperative evaluation of coagulation. ASA Refresher course. Philadelphia: Lippincott Williams & Wilkins and the American Society of Anesthesiologists,;20:169-190.
142. **Pierce RJ, Copland JM, Sharpe K, Barter CE. (2006)** : Preoperative risk evaluation for lung cancer resection: predicted postoperative product as a predictor of surgical mortality. *Am J Respir Crit Care Med*;150:947–55.
143. **Pinski SL, Trohman RG. (2000)**: Interference with cardiac pacing. *Cardiol Clin*;18:219–39.
144. **Piraino B. (2008)** : Peritonitis as a complication of peritoneal dialysis. *J Am Soc Nephrol.* ;oct 9(10):1956-64.
145. **Pizov R, Brown RH, Weiss YS, Baranov D, Hennes H, Baker S, et al.(2008)** : Wheezing during induction of general anesthesia in patients with and without asthma. A randomized, blinded trial. *Anesthesiology*;82:1111 –6.
146. **Poldermans D, Fioretti PM, Forster T, Boersma E, Arnesen M, du Bois NA, et al. (2005)**: Dobutamine-atropine stress echocardiography for assessment of perioperative and late cardiac risk in patients undergoing major vascular surgery. *Eur J Vasc Surg*;8:286–93.
147. **Posner KL, Van Norman GA, Chan V.(2008)**: Adverse cardiac outcomes after noncardiac surgery in patients with prior percutaneous transluminal coronary angioplasty. *Anesth Analg*;89: 553– 60.

148. ***Practice guidelines for blood component therapy. (2007):*** A report by the American Society of Anesthesiologists Task Force on Blood Component Therapy. Available at Accessed July 5, <http://www.asahq.org/> 1996
149. **Prys-Roberts C, Meloche R, Foex P. (2008) :** Studies of anaesthesia in relation to hypertension: cardiovascular responses to treated and untreated patients. *Br J Anaesth*;43: 122–37.
150. **Prys-Roberts C. (2001):** Isolated systolic hypertension: pressure on the anesthesiologist? *Anaesthesia*;56:505–10.
151. **Prys-Roberts C. (2006):** Pheochromocytoma-recent progress in its management. *Br J Anaesth*;85:44.
152. **Pugh R, Murray-Lyon I.(2007):** Transection of the(oesophagus in bleeding oesophageal varices. *Br J Surg*, 60:646–652.
153. **Ram F, Jones P, Castro A, et al. (2007) :** Oral theophylline for chronic obstructive pulmonary disease (Cochrane Review). The Cochrane Library, Issue 4. Oxford: Update Software.
154. **Rao TL, Jacobs KH, El-Etr AA.(2005):** Reinfarction following anesthesia in patients with myocardial infarction. *Anesthesiology*;59:499–505.
155. **Rao TLK, Jacobs KH, El-Etr AA. (2003):** Reinfarction following anesthesia in patients with myocardial infarction. *Anesthesiology*;59:499– 505.
156. **Raymer K, Yang H. (2007):** Patients with aortic stenosis: cardiac complications in non-cardiac surgery. *Can J Anaesth*;45:855–9.
157. **Reilly DF, McNeely MJ, Doerner D, et al (2007):** Self-reported exercise tolerance and the risk of serious perioperative complications. *Arch Intern Med* 159:2185.
158. **Remuzzi G, Livio M, Marchiaro G, et al.(2006) :** Bleeding in renal failure:altered platelet function in chronic uremia only partially corrected by hemodialysis. *Nephron*;22:347-353.

159. **Riegler JL, Lang KA, Johnson SP, et al. (2008):** Transjugular intrahepatic portosystemic shunt improves oxygenation in hepatopulmonary syndrome. *Gastroenterology*; 109: 978–983
160. **Rihal C, Gersh B, Whisnant J, Rooke T, Sundt TM, O’Fallon W, et al. (2004):** Influence of coronary heart disease on morbidity and mortality after carotid endarterectomy: a population-based study in Olmsted County, Minnesota (1970– 1988). *J Am Coll Cardiol*;19:1254–60.
161. **Riley TR, Bhatti A. (2001):** Preventive strategies in chronic liver disease: Part II. Cirrhosis. *Am Fam Physician*; 64:1735–1740.
162. **Rivers SP, Scher LA, Gupta SK, Weith FJ. (2008):** Safety of peripheral vascular surgery after recent acute myocardial infarction. *J Vasc Surg*;11:70–5.
163. **Rodgers A, Walker N, Schug S, McKee A, Kehlet H, van Zundert A, et al. (2000):**Reduction of postoperative mortality and morbidity with epidural or spinal anaesthesia: results from overview of randomised trials. *BMJ*.;321:1493.
164. **Roizen M. (2008):** Anesthetic implications of concurrent diseases. In:Miller RD, ed. *Anesthesia*, 4th ed. New York: Churchill Living-stone,:980-986.
165. **Roizen MF (2007):** Oncologic disease. In Miller RD, ed.: *Anesthesia*, 4th ed. New York: Churchill Livingstone,:986-987.
166. **Ruberstein E, Federman DD, eds. (2005):** *Scientific American medicine*. New York: Scientific Medicine,. Hematology I-IV.
167. **Sagar SM, Israel MA. (2007):** Tumors of the nervous system. In: Fauci AS, Braunwald E, Isselbacher KJ, et al., eds. *Harrison principles of internal medicine*, 14th ed. New York: McGraw-Hill,:2398-2409.
168. **Salem DN, Daudelin DH, Levine HJ, et al.(2001):** Antithrombotic therapy in valvular heart disease. Sixth ACCP Conference on Antithrombotic Therapy. *Chest*;119:207–19.

169. **Schmermund A, Rensing BJ, Sheedy PF, Bell MR, Rumberger JA.(2009):** Intravenous electron-beam computed tomographic coronary angiography for segmental analysis of coronary artery stenoses. *J Am Coll Cardiol*; 31: 1547–1554
170. **Sechtem U, Baer FM, Voth E, Theissen P, Schneider CA.(2009):** Stress functional MRI: detection of ischemic heart disease and myocardial viability. *J Magn Reson Imaging*; 10: 667–675
171. **Selim M.(2008):** Perioperative stroke. *N Engl J Med* ; 356:706-713.
172. **Sestini P, Renzoni E, Robinson S, et al.(2008):** Short-acting beta2 agonists for stable chronic obstructive pulmonary disease (Cochrane Review). *The Cochrane Library Issue 4*. Oxford: Update Software.
173. **Shah KB, Kleinman BS, Rao T, Jacobs HK, Mestan K, Schaafsma M. (2002):** Angina and other risk factors in patients with cardiac diseases undergoing noncardiac operations. *Anesth Analg*;70: 240– 7.
174. **Shah KB, Kleinman BS, Sami H, Patel I, Rao T.(2007):** Reevaluation of perioperative myocardial infarction in patients with prior myocardial infarction undergoing noncardiac operations. *Anesth Analg*;71:231–5.
175. **Shinnar M, Fallon JT, Wehrli S et al.(2009):** The diagnostic accuracy of ex vivo MRI for human atherosclerotic plaque characterization. *Arterioscler Thromb Vasc Biol*1999; 19: 2756–2761
176. **Siafakas NM, Vermeire P, Pride NB, et al. (2006):** Optimal assessment and management of chronic obstructive pulmonary disease (COPD). *The European Respiratory Society Task Force. Eur Respir J*; 8:1398–1420.
177. **Skolnick ET, Vomvolakis MA, Buck KA, et al (2005):** Exposure to environmental tobacco smoke and the risk of adverse respiratory events in children receiving general anesthesia. *Anesthesiology* 88:1144.
178. **Smetana GW. (1999):** Preoperative pulmonary evaluation [see comments]. *N Engl J Med* 340:937–944.

179. **Smetana GW.(2008):** Preoperative pulmonary evaluation. *N Engl J Med*;340: 937-44.
180. **Solomonson MD, Johnson ME, Ilstrup D.(2007) :** Risk factors in patients having surgery to create an arteriovenous fistula. *Anesth Analg*;79:694-700.
181. **Spell NO.(2007):** Stopping and restarting medications in the perioperative period. *Med Clin North Am*;85:1117–28.
182. **Stamler J, Stamler R, Neaton JD (2005):** Blood pressure, systolic and diastolic, and cardiovascular risks. US population data. *Arch Intern Med* 153:598.
183. **Stanton BA, Koeppen BM.(2008):** Control of body fluid osmolality and volume. In Berne RM, Levy MN (eds): *Physiology*, 4th ed. St Louis, CV Mosby, , pp 715–743.
184. **Starker PM, Group FE, Askanazi J, et al (2008) :** Serum albumin levels as an index of nutritional support. *Surgery* 91:194.
185. **Steiner RW, Halasz NA. (2008):** Abdominal catastrophes and other unusual events in continuous ambulatory peritoneal dialysis patients. *Am J Kidney Dis.* ;15(1):1-7.
186. **Stephenson GR, Moretti EW, El-Moalem H, et al. (2008):** Malnutrition in liver transplant patients: Preoperative subjective global assessment is predictive of outcome after liver transplantation. *Transplantation*; 72: 666–670.
187. **Steven Pon, MD.(2000):**Renal function tests ,Weill Medical College of Cornell University. Created: January 7,. Revised: October 19, 2001.
188. **Stoeliting RK, Dierdorf SF.(2005) :** Handbook Of Anesthesia and Co-existing disease, 2nd ed. Churchill Livingstone.
189. **Synder-Ramos SA, Seintsch H, Bottinger BW, et al (2005):** Patient satisfaction and information gain after the preanesthetic visit: A comparison of face-to-face interview, brochure, and video. *Anesth Analg* ; 100:1753-1758.

190. **Tait A, Pandit U, Voepel-Lewis T, Munro H, Malviya S.(2007):**Use of the laryngeal mask airway in children with upper respiratory tract infections: a comparison with endotracheal intubation. *Anesth Analg*;86(4):706– 11.
191. **Tarhan S, Moffitt EA, Taylor WF, Giuliani ER.(2000):** Myocardial infarction after general anesthesia. *JAMA*;220:1451– 4.
192. **Thompson RC, Liberthson RR, Lowenstein E.(2004):** Perioperative anesthetic risk of noncardiac surgery in hypertrophic obstructive cardiomyopathy. *JAMA*;254:2419–21.
193. **Torsher LC, Shub C, Rettke SR, Brown DL.(2006) :** Risk of patients with severe aortic stenosis undergoing noncardiac surgery. *Am J Cardiol*;81:448– 52.
194. **U.Srejcic & O.C.Wenker.(2010):** Preoperative Anesthesia Clinic. The Internet Journal Of Health,. Volume 2 Numer 2.
195. **Vanzetto G, Machecourt J, Blendea D, et al. (2007):** Additive value of thallium single-photon emission computed tomography myocardial imaging for prediction of perioperative events in clinically selected high cardiac risk patients having abdominal aortic surgery. *Am J Cardiol* 77:143–8.
196. **Vichinsky EP, Haberkern CM, Neumayr L, et al. (2008):** A comparison of conservative and aggressive transfusion regimens in the perioperative management of sickle cell disease. *N Engl J Med* ; 333:206-213
197. **Vincent JL, Baron JF, Reinhart K, et al.(2007):** Anemia and blood transfusion in critically ill patients. *JAMA* ; 288:1499.
198. **Wallace A, Layug B, Tateo I, et al.(2003) :** Prophylactic atenolol reduces postoperative myocardial ischemia. *McSPI Research Group. Anesthesiology*.;88:7–17.
199. **Walters EH, Walters JA, Gibson PW.(2007):** Regular treatment with long acting beta agonists versus daily regular treatment with short acting beta

- agonists in adults and children with stable asthma (Cochrane Review). The Cochrane Library, Issue 4. Oxford: Update Software.
200. **Wang JS. (2008):** Predicted postoperative product to postpneumonectomy cardiopulmonary complications. *J Chin Med Assoc*;66:643–54.
201. **Wanger J. (2007):** Forced spirometry. In: Wanger J.: *Pulmonary Function Testing: A Practical Approach*. 2nd edition. Baltimore: Williams & Wilkins,:1–76.
202. **Warkentin TE, Kelton JG. (2008):** Temporal aspects of heparin-induced thrombocytopenia. *N Engl J Med* ; 344:1286-1292.
203. **Warner DO, Warner MA, Barnes RD, Offord KP, Schroeder DR, Gray DT, et al. (2003):** Perioperative respiratory complications in patients with asthma. *Anesthesiology*;85:460– 7.
204. **Warner DO, Warner MA, Offord KP, Schroeder DR, Maxson P, Scanlon PD. (2004):** Airway obstruction and perioperative complications in smokers undergoing abdominal surgery. *Anesthesiology*;90:372– 9.
205. **Warner DO.(2000) :** Preventing postoperative pulmonary complications: the role of the anesthesiologist. *Anesthesiology*;92:1467– 72.
206. **Waters C.(2008) :** Catechol-O-methyltransferase inhibitors in Parkinson's disease. *J Am Geriatr Soc*;48:692–8.
207. **Weimann A, Kuse ER, Bechstein WO, et al. 2007:** Perioperative parenteral and enteral nutrition for patients undergoing orthotopic liver transplantation. Results of a questionnaire from 16 European transplant units. *Transpl Int*; 11(Suppl 1):S289–S291.
208. **Weiner HL.(2008):** Multiple sclerosis is an inflammatory T-cell-mediated autoimmune disease. *Arch Neurol* ; 61:1613-1615.
209. **Weir PHC, Chung FF. (2006) :** Anesthesia for patients with chronic renal disease. *Can Anaesth Soc J*;31:468-480.

210. **Weitz HH. (2001):** Perioperative cardiac complications. *Med Clin North Am*;85:1151–69.
211. **Whyte MK, Choudry NB, Ind PW.(2006):** Bronchial hyper-responsiveness in patients recovering from acute severe asthma. *Respir Med*;87:29 –35.
212. **Wilson J D, Foster DW, Kronenberg HM, et al. (2006):** Williams Textbook of Endocrinology, 10th ed. W.B. Saunders.
213. **Wolfer JA, Davis CE (2006):** Assessment of surgical patients' preoperative emotional condition and postoperative welfare. *Nurs Res* 19:402.
214. **Wolfson AB, Singer I. (2007):** Hemodialysis-related emergencies--Part II. *J Emerg Med.* ;6(1):61-70.
215. **Wu W-C, Schiffner TI, Henderson WG, et al.(2007):** Preoperative hematocrit levels and postoperative outcomes in older patients undergoing noncardiac surgery. *JAMA* ; 297:2481-2488.
216. **Wyser C, Stulz P, Soler M, et al. (2007):** Prospective evaluation of an algorithm for the functional assessment of lung resection candidates. *Am J Respir Crit Care Med*;159:1450–6.
217. **Xue FS, Li BW, Zhang GS, Liao X, Zhang YM, Liu JH, et al. (2005) :** The influence of surgical sites on early postoperative hypoxemia in adults undergoing elective surgery. *Anesth Analg*;88: 213– 9.
218. **Yu HT. (2003):** Progression of chronic renal failure. *Arch Intern Med.* Jun 23 ;163(12):1417-29.
219. **Yuan C, Beach KW, Smith LH Jr, Hatsukami TS.(2008):** Measurement of atherosclerotic plaque size in vivo using high resolution magnetic resonance imaging. *Circulation*1998; 98: 2666–2671
220. **Zaugg M, Tagliente T, Lucchinetti E, et al (2005):** Beneficial effects from beta-adrenergic blockade in elderly patients undergoing noncardiac surgery. *Anesthesiology* 91:1674.
221. **Zibrak JD, O'Donnell CR, Marton K.(2007):** Indications for pulmonary function testing. *Ann Intern Med*;112:763–71.
222. **Zurawska U, Parasuraman S, Goldhaber SZ. (2007):** Prevention of pulmonary embolism in general surgery patients. *Circulation* ; 115:e302-e307.