

1. Agarwal R, Aggarwal AN, Gupta D, et al (2005): Non invasive ventilation in acute cardiogenic pulmonary oedema. *Postgrad Med J*; 81: 637-643.
2. Aguilo R, Togores B, Pons S, et al (1997): non invasive ventilatory support after lung resectional surgery. *chest*; 112: 117-121.
3. Ambrosino N, Foglio K, Rubini F, et al. Non-invasive mechanical ventilation in acute respiratory failure due to chronic obstructive airways disease: correlates for success. *Thorax* 1995; 50: 632-638.
4. Andrew BL. Functional anatomy of the respiratory tract. In: Nunn JF (ed). *Applied respiratory physiology*, 6th ed. Butterworth Heinemann 2005; 1:3-25.
5. Annane D, Quera-Salva MA, Lofoso F, et al (1999): Mechanisms underlying effects of nocturnal ventilation on daytime blood gases in neuromuscular diseases. *Eur Respir J*; 13: 175-162.
6. Antonelli M, Conti G, Bufi, et al (2000): Non invasive ventilation for treatment of acute respiratory failure in patients undergoing solid organ transplantation: a randomized trial. *JAMA*; 283: 235-241.
7. Antonelli M, Pennisi MA, Pelosi P, et al (2003): Fiberoptic bronchoscopy during NIPPV delivered by helmet. *Intensive Care Med*; 29: 126-129.
8. Antonelli M, Conti G, Pelosi P, Gregoretti C, Pennini MA, Costa R, et al. New treatment of acute hypoxemic respiratory failure: noninvasive pressure support ventilation delivered by helmet- a pilot controlled trial. *Crit Care Med* 2002;30(3):602-608.
9. Appendini L, Paleasio A, Zanboni S, et al (1994): Physiologic effects of positive end expiratory pressure and mask pressure support during exacerbations of chronic obstructive pulmonary disease. *Am J Respir Crit Care Med*; 149: 1069-1076.

10. Atwood CW and Strollo PJ (1999): Obstructive sleep apnea. In: "Comprehensive Respiratory Medicine". Albert RK, Spiro SG and Jett JA (eds). 1st ed., Mosby; Ch., 75: 1-10.
11. Auriant I, Jallot A, Herve P, et al.. Noninvasive ventilation reduces mortality in acute respiratory failure following lung resection. *Respir Crit Care Med* 2001; 164:123-126.
12. Auriant I, Jallot A, Herve P, et al (2001): Non invasive ventilation reduces mortality in acute respiratory failure following lung resection. *Am J Respir Crit Care Med*; 164: 1231-1235.
13. Bach PB, Brown C, Gelfand SE, et al.. Management of acute exacerbations of COPD: Summary and appraisal of published evidence. *Ann Intern Med* 2001; 134:600-620.
14. Bach JR (1994): Update and perspective on non invasive respiratory muscle aids: 2. the expiratory aids. *Chest*; 105: 1538-44.
15. Bach JR and Alba AS (1991): Total ventilatory support by the intermittent abdominal pressure ventilator. *Chest*; 99: 630-636.
16. Bach JR, Alba AS, Bodofsky E, et al (1987b): Glossopharyngeal breathing and non invasive aids in the management of post polio respiratory insufficiency. *Birth defects*; 23: 99-113.
17. Baudouin S, Blumenthal S, Cooper B, et al (2002): non invasive ventilation in acute respiratory failure. *Thorax*; 57:192-211.
18. Berger KI, Ayappa I, Chatr-amountri B, et al (2001): obesity hypoventilation syndrome as a spectrum of respiratory disturbances during sleep. *Chest*; 120: 1231-1238.
19. Blanshard HJ, Chung F, Manninen PH, et al.. Awake craniotomy for removal of intracranial tumor: considerations for early discharge. *Anesth Analg* 2001; 92: 89-94.

20. British Thoracic Society (BTS). Standards of Care Committee: Non-invasive ventilation in acute respiratory failure; *Thorax* 2002; 57: 192-211.
21. Brochard L, Mancebo J, Wysocki M, et al. Noninvasive ventilation for acute exacerbations of chronic obstructive pulmonary disease. *N Engl J Med* 1995; 333: 817-822.
22. Brown J, Jones D, Mikelsons C, et al. Using nasal intermittent positive pressure ventilation on a general respiratory ward. *J R Coll. Physicians Lond* 1998; 32: 219-224.
23. Bradley TD (1996): Haemodynamic and sympathoinhibitory effects of nasal CPAP in congestive heart failure. *Sleep*; 19:S232-235.
24. Broachard L, Mancebo J, Wysocki M, et al (1995): Non invasive ventilation for acute exacerbation of cronic obstructed pulmonary disease. *New Engl J Med*; 333:817-822.
25. Broachard L (2005): Non invasive ventilation. In: "Principles of Critical Care". Hall JB, Schmidt GA and Wood DH (eds.), 2nd ed., Mcgraw Hill Companies; Ch., 33:5-453.
26. Bunburaphong T, Imanaka H, Nishmimura M, et al (1997): Performance characteristics of bilevel pressure ventilators: a lung model study. *Chest*; 111: 1050-1060.
27. Bye PTP, Ellis ER, Issa FG, et al (1990):Respiratory failure and sleep in neuromuscular disease. *Thorax*; 45: 241
28. Crimi C, Noto A, Esquinas A, Nava S. Non-invasive ventilation (NIV) practices: a European web-survey. *Eur Respir J* 2008; 32.
29. Confalonieri M, Garuti G, Cattaruzza MS, et al. A chart of failure risk for noninvasive ventilation in patients with COPD exacerbation. *Eur Respir J*. Feb 2005;25(2):348-55.

30. Calderini E, Confalonieri M, Puccio PG, et al.. Patient-ventilator asynchrony during non-invasive ventilation: the role of the expiratory trigger. *Intensive Care Med* 1999; 25:622-667.
31. Criner GJ, Brennan K, Travaline JM, et al. Efficacy and compliance with noninvasive positive pressure ventilation in patients with chronic respiratory failure. *Chest* 1999; 116: 667-675.
32. Criner GJ and Kelsen SG (1998): Effects of neuromuscular diseases on ventilation. In: "Fishman's pulmonary diseases and disorders". Fishman JA, Grippi MA, Kaiser LR and Senior RM (eds). 3rd ed., McGraw Hill Companies; Ch., 98: 1591-1585.
33. Crimi C, Nota A, Esquinas A, Nava S. Non-invasive ventilation practices: a European web-survey. *Eur Respir J* 2008 (in press)
34. Claman DM, Piper A, Sanders MH, et al (1996): Nocturnal non invasive positive pressure ventilatory assistance. *Chest*; 110:1581-1588.
35. Cotter G, Metzkor E, Kaluski E, et al (1998): Randomized trial of high dose isosorbide dinitrate plus low dose furosemide versus high dose furosemide plus low dose isosorbide dinitrate in sever pulmonary oedema. *Lancet*; 351: 389-393.
36. Cuvelier, A, Pujol, W, Pramil, et al., (2009). Cephalic versus oronasal mask for noninvasive ventilation in acute hypercapnic respiratory failure. *Intensive Care Med.* 35, 519–526.
37. De Lucas-Ramos P, De Miguel-Dieze J, Santacruze-Siminiani A, et al (2004): Benefits at 1 year of nocturnal intermittent positive pressure ventilation in patients with obesity hypoventilation syndrome. *Respire Med*; 98: 961-967.

38. Demoule A, Grrou E, Taille S,et al (2003): Current use of non invasive ventilation: Results from 2002 multicenter French survey. *Intensive Care Med*;29: S63.
39. Diaz O, Iglesia R, Ferrer M, et al. Effects of noninvasive ventilation o pulmonary gas exchange and hemodynamics during acute hypercapnic exacerbations of chronic obstructive pulmonary disease. *Am J Respir Crit Care Med* 1997; 156: 1840-1845
40. Diaz GG, Alcaraz AC,Talavera JC, et al (2005): Non invasive positive pressure ventilation to trial hypercapnic coma secondary to respiratory failure. *Chest*; 127: 952-960.
41. DiMarco AF, Connors AF and Alrose MD (1987): Management of chronic alveolar hypoventilation with nasal positive pressure breathing. *Chest*; 92: 952-954.
- 42.Dominic Dellweg(2010) Determinants of skin contact pressure formation during non-invasive ventilation *Journal of Biomechanics*; 652-657.
43. Elliot M and Moxham J (1994): non invasive ventilation by nasal or face mask. In: "Principles and practice of mechanical ventilation". Tobin MJ (ed). 2nd ed., McGraw Hill Companies; Ch.,19: 427-453.
44. Elliott MW, Plant PK, Owen JL, Parrott S,. Cost effectiveness of ward based non-invasive ventilation for acute exacerbations of chronic obstructive pulmonary disease: economic analysis of randomised controlled trial. *BMJ*. May 3 2003;326(7396):956.
45. Fauroux B, Boffa C, Dsguerre I,et al (2003): Long term non invasive mechanical ventilation for children at home: a national survey. *Pediatr Pulmonol*; 35: 119-125.
46. Ferguson GT and Gilmartin M (1995): CO2 rebreathing during BiPAP ventilatory assistance. *Am J Respir Crit Care Med*; 151: 1126-1135.

47. Fernandez-Vivas M, Caturia-Such J, De La Rosa JG, et al (2003): Non invasive pressure support versus proportional assist ventilation in acute respiratory failure. *Intensive Care Med*; 29: 1126-1133.
48. Fink JB and Hunt GE (1999). Non invasive ventilation. In: "Clinical Practice in Respiratory Care". 1st ed., Lippincott Williams& Wilkins; Ch.,15:429-435.
49. Alfred P. Fishman 2008.Fishman's Pulmonary Diseases and Disorders 4th Edition 147-161
50. Fortenberry JD, Del Toro J, Jefferson LS, et al (1995): Management of pediatric acute respiratory insufficiency with Bilevel positive pressure ventilation. *Chest*; 108: 1059-1064.
51. Ganong WF (2005): Pulmonary functions. In: "Review of Medical physiology"; 22nd ed., The McGraw Hill Companies; Ch., 34: 647-666.
52. Girou, E, Schortgen F, Delclaux C, et al. Association of noninvasive ventilation with nosocomial infection and survival in critically ill patients; *JAMA* 2000; 284: 2361-2367.
53. Goldberg P, Reissmann H, Maltais F, et al.(1995): Efficacy of non invasive CPAP in COPD with acute respiratory failure. *Eur Respir j*; 8: 1894-1900.
54. Guyton AC and Hall JE (2006): Pulmonary ventilation and pulmonary circulation. In: "Textbook of Medical Physiology". 11th ed., WB Saunders' Company; Ch., 37: 471-483.
55. Guyton AC. Text book of medical physiology, 12th ed. WB Saunders and company 2006.
56. Hess DR. The evidence for noninvasive positive-pressure ventilation in the care of patients in acute respiratory failure: a systematic review of the literature. *Respir Care* 2004; 49: 810-829.

57. Hess DR (2004): the evidence for non invasive positive pressure ventilation in the care patients in acute respiratory failure: a systemic review of the literature. *Respir Care*; 49: 810-829.
58. Hess DR. Noninvasive ventilation in neuromuscular disease: equipment and application. *Respir Care* 2006; 51: 896-911.
59. Hilbert G, Gruson D, Gbikpi-Benissan G, et al. Sequential use of noninvasive pressure support ventilation for acute exacerbations of COPD. *Intensive Care Med* 1997; 23: 955-961.
60. Hilbert G, Gruson D, Vargas F, et al (2001): Non invasive ventilation in immunosuppressed patients with pulmonary infiltrates, fever , and acute respiratory failure. *N Engl J Med*; 344: 481-487.
61. Hill NS. Complications of noninvasive positive pressure ventilation. *Respir Care* 1997; 42: 432-442.
62. Hill NS (1994): use of the rocking bed, pneumobelt, and other non invasive aids to ventilation. In: "Principles and Practices of Mechanical Ventilation". Tobin MJ (ed). The McGraw Hill Companies; Ch., 10: 413-425.
63. Hill NS (1999): Non invasive ventilation. In: "Comprehensive Respiratory Medicine". Albert RR, Spiro GS and Jett JR (eds). 1st.,ed Harcourt Brace and Company. Ch., 12: 1-10.
64. Hill NS (2006): Non invasive positive pressure ventilation. In: "Principles and Practice of Mechanical Ventilation". Tobin MJ (ed). 2nd., The McGraw Hill Companies; Ch., 19: 433-471.
65. Hodson ME. Noninvasive ventilation in cystic fibrosis patients with acute or chronic respiratory failure. *Eur Respir J* 2002;19(2):310-313. Erratum in: *Eur Respir J* 2002;20(3):790.

66. Holland AE, Denehy L, Buchan CA, Wilson JW. Efficacy of a heated passover humidifier during noninvasive ventilation: a bench study. *Respir Care* 2007;52(1):38-44.
67. Hung S-C, Hsu H-C, Chang S-C. Cerebral air embolism complicating bi-level positive airway pressure therapy. *Eur Respir J* 1998; 12: 235-237.
68. Jackson CE, Rosenfeld J, Moore DH, et al (2001): A preliminary evaluation of a prospective study of pulmonary function studies and symptoms of hypoventilation in ALS/NMD patients. *J Neurol Sci*; 191: 75-78.
69. Janssens JP, Derivaz S, Breitenstein E, et al (2003): Changing patterns in long term non invasive ventilation: a 7 years prospective study in the Geneva Lake Area. *Chest*; 123: 67-79.
70. Jiang JS, Kao SJ and Wang SN (1999): Effects of early application of BiPAP on the outcome of extubation in ventilator weaning. *Respirology*; 4: 161-165.
71. Joris JL, Sottiaux TM, Chiche JD, et al. Effect of bi-level positive airway pressure (Bi-PAP) nasal ventilation on the postoperative pulmonary restrictive syndrome in obese patients under-going gastropasty. *Chest* 1997; 111: 665-670.
72. Jimenez JFM, De Cos Escuin JS, Vicente CD, et al (1995): nasal intermittent positive pressure ventilation: analysis of its withdrawal. *Chest*; 107: 382-388.
73. Jolliet P, Abajo B, Pasquina P, et al (2001): Non invasive pressure support ventilation in sever community acquired pneumonia. *Intensive Care Med*; 27: 812-821.
74. Jounieaux V, Aubert G, Dury M, et al. Effects of nasal positive-pressure hyperventilation on the glottis in normal sleeping subjects. *J Appl Physiol* 1995; 79: 183-186.

75. Kacmarek RM. NIPPV: patient-ventilator synchrony, the difference between success and failure? *Intensive Care Med* 1999; 25: 645-647.
76. Kacmarek RM (1999): NIPPV: patient-ventilator synchrony, the difference between success and failure. *Intensive Care Med*;25:645-647.
77. Keenan SP, Sinuff T, Cook DJ, Hill NS. Which patients with acute exacerbation of chronic obstructive pulmonary disease benefit from noninvasive positive-pressure ventilation? A systematic review of the literature. *Ann Intern Med.* Jun 3 2003;138(11):861-70.
78. Kramer N, Meyer TJ, Meharg J, et al. Randomized, prospective trial of noninvasive positive pressure ventilation in acute respiratory failure. *Am J Respir Crit Care Med* 1995; 151: 1799-1806.
79. Kramer N, Meyer TJ, Meharg J, et al. Randomized, prospective trial of noninvasive positive pressure ventilation in acute respiratory failure. *Am J Respir Crit Care Med* 1995; 151: 1799-1806.
80. Kramer N, Meyer TJ, Meharg J, et al (1995): Randomized, prospective trial of non invasive positive pressure ventilation in acute respiratory failure. *Am J Respir Crit Care Med*; 151: 1799-1806.
81. Kühnlein P, Kübler A, Raubold S, et al. Palliative care and circumstances of dying in German ALS patients using non-invasive ventilation. *Amyotroph Lateral Scler* 2008; 9: 91–98.
82. Kwok H, McCormack J, Cece R, et al (2003): Controlled trial of oronasal versus nasal mask ventilation in the treatment of acute respiratory failure. *Crit Care Med*; 31: 468-473.
83. Leger P, Jennequin J, Gerard M, et al (1989): Home positive pressure ventilation via nasal mask for patients with neuromuscular weakness or restrictive lung or chest wall deformities. *Respir Care*: 34: 73-77.

84. Lellouche F, Fraticelli A, Taille' S, Deye N, L'Her E, Demoule A, et al. Physiological evaluation of five interfaces during non-invasive ventilation in healthy subjects (abstract). *Intensive Care Medicine* 2002;28:A180.
85. Leo M. A. Heunks, Charlotte J. R. de Bruin Johannes G.(2009). Non-invasive mechanical ventilation for diagnostic bronchoscopy using a new face mask: an observational feasibility study *Intensive Care Med* DOI 10.1007/s00134-009-1662-6
86. Linder KH, et al. Continuous positive airway pressure effect of functional residual capacity, vital capacity and its subdivisions. *Chest* 1987; 92: 66-70.
87. Liesching T, Kwok H, Hill NS. Acute applications of noninvasive positive pressure ventilation. *Chest* 2003; 124: 699-713.
88. Lieshing T, Kwok H and Hill NS (2003a): Acute application of non invasive positive pressure ventilation. *Chest*; 124: 699-713.
89. L'Her E, Duquesne F, Girou E, et al (2004): Non invasive continuous positive airway pressure in elderly cardiogenic pulmonary edema patients. *Intensive Care Med*; 30: 882-888.
90. Lofaso F, Fodil R, Lorino H, et al. Inaccuracy of tidal volume delivered by home mechanical ventilators. *Eur Respir J* 2000; 15: 338-341.
91. Lofaso F, Fodil R, Lorino H, et al (2000): Inaccuracy of tidal volume delivered by home mechanical ventilators. *Eur Respir J*; 15: 338-341.
92. Madden BP, Kariyawasam H, Siddiqi AJ, et al (2002): Non invasive ventilation in cystic fibrosis patients with acute or chronic respiratory failure. *Eur Respir J*; 19: 310-313.
93. Make BJ, Hill NS, Goldberg AI, et al (1998): Mechanical ventilation beyond the intensive care unit. Report of a consensus conference of American College of chest physicians. *Chest*; 113: 5, 3025-3085.

94. Marini JJ (1995) : Down side up a partial and liquid asset. *Intensive Care Med.*, 21: 963-965.
95. Masip J, Betebeze AJ, Paez J, et al (2000): Non invasive pressure support ventilation versus conventional oxygen therapy in acute cardiogenic pulmonary oedema: a randomized trial. *Lancet*; 356: 2126-2132.
96. Matte P, Jacquet L, Van Dyck M, et al. Effects of conventional physiotherapy, continuous positive airway pressure and non-invasive ventilatory support with bi-level positive airway pressure after coronary artery bypass grafting. *Acta Anaesthesiol Scand* 2000; 44: 75-81.
97. Matthew E. Cross (2008) *Physics, Pharmacology and Physiology for Anesthetists.*, sec.6 115-142.
98. Mazia CG, De Vito EL and Varela M(2003): BiPAP in acute respiratory failure due to myasthenia crisis may prevent intubation. *Neurology*; 8:61-144.
99. McNicholas WT (1997): impact sleep in respiratory failure. *Eur Respir*; 10: 920-933.
100. McConnell AK, Romer LM (2004): Dyspnea in health and obstructive pulmonary disease: the role of respiratory muscle function and training. *Sports Med* 34:117.
101. Mehta S and Hill NS. Noninvasive Ventilation. *Am. J. Respir. Crit. Care Med.* 2001; 163:540-577.
102. Mehta S and Hill NS (2001): Non invasive ventilation. *Am J Respir Crit Care Med*; 163: 540-577.
103. Mehta S, McCool FD, and Hill NS (2001):Leak compensation in positive pressure ventilation: a lung model study. *Eur Respir J*; 17: 259-267.31.

104. Meyer TJ, and Hill NS. Noninvasive positive pressure ventilation to treat respiratory failure. *Ann Intern Med* 1994; 120: 760-770.
105. Meduri GU (1996): Non invasive positive pressure ventilation in patients with acute respiratory failure. *Clinics in chest medicines*;17: 513-553.
106. Meduri GU, Cook TR, Turner RE, et al. Noninvasive positive pressure ventilation in status asthmaticus. *Chest* 1996; 110: 767-774.
107. Meurice JC, Marc I and Series F (1996): Efficacy of auto-CPAP in the treatment of obstructive sleep apnea/hypopnea syndrome. *Am J Respir Crit Care Med*; 153: 794-798.
108. Meyer TJ, Pressman MR, Benditt J, et al. Air leaking through the mouth during nocturnal nasal ventilation: Effect on sleep quality. *Sleep* 1997; 20: 561-569.
109. Miller JH, Thomas E and Wilmont CB (1988): Pneumobelt use among high quadriplegic population. *Arch Phys Med Rehab*; 69:369-372.
110. Morgan GE, Mikhail MS, Murray MJ, et al (2002): Respiratory physiology and anaesthesia. In: "Clinical Anaesthesiology". 3rd ed., The McGraw Hill Companies; Ch.,22: 475-510.
112. Moxham J and Shneerson JM (1993): Diaphragmatic pacing. *Am Rev Respir Dis*; 148: 533-536.
113. Nava S, Carbone g, DiBattista N, et al (2003): Non invasive ventilation in cardiogenic pulmonary oedema: a multicenter randomized trial. *Am J Respir Crit Care Med*; 168: 1432-1437.
114. Nava S, Gregoretti C, Fanfulla F, et al. Noninvasive ventilation to prevent respiratory failure after extubation in high-risk patients. *Crit Care Med*. Nov 2005;33(11):2465-70.

115. Nava S, Cirio S, Fanfulla F, Carlucci A, Navarra A, Negri A, Ceriana P. Comparison of two humidification systems for chronic non-invasive mechanical ventilation. *Eur Respir J* 2008;32(2):460-464.
116. Navalesi P, Fanfulla F, Frigerio P, et al (2000): Physiological evaluation of non invasive mechanical ventilation delivered by three types of masks in patients with chronic hypercapnic respiratory failure. *Crit Care Med*; 28: 1785-1790.
117. Navalesi P, Fanfulla F, Frigerio P, Gregoretti C, Nava S. Physiologic evaluation of noninvasive mechanical ventilation delivered with three types of masks in patients with chronic hypercapnic respiratory failure. *Crit Care Med* 2000;28(6):1785-1790.
118. Padman R, Nadkarini VM, Von Nessen S, et al (1994): Non invasive positive pressure ventilation in end stage cystic fibrosis: a report of seven cases . *Respir Care*; 39: 736-739.
119. Patrick W, Webster K Ludwig L, et al (1996): Non invasive positive pressure ventilation in acute respiratory distress without prior chronic respiratory failure. *Am J Respir Crit Care Med*; 153: 1005-1011.
120. Pilbeam SP (1998): Home mechanical ventilation. In : "Mechanical Ventilation: Physiological and Clinical Applications". Baxter 3rd., mosby; Ch., 18: 385-412.
121. Plant PK, Owen JL and Ellliott MW (2000): Early use of non invasive ventilation for acute exacerbations of chronic obstructive pulmonary disease on general respiratory wards: a multicenter randomized, controlled trial. *Lancet*; 355: 1931-1935.
122. Poponick JM, Renston JP, Bennett RP, Emerman CL. Use of a ventilatory support system (Bi-PAP) for acute respiratory failure in the emergency department. *Chest* 1999; 116: 166-171.

123. Prinianakis G, Delmestro M, Carlucci A, et al (2004): Effect of varying the pressurization rate during non invasive pressure support ventilation. *Eur Respir J*; 23: 314-320.
124. Powell FL, Hopkins SR (2004): Comparative physiology of lung complexity: implications for gas exchange. *News Physiol Sci* 19:55.
125. Ram FS, Wellington S, Rowe BH, et al (2005): Non invasive positive pressure ventilation for treatment of respiratory failure due to sever acute exacerbation of asthma. *Cochrane Database Syst Rev*; 1: CD004360.
126. Restrict LJ, Fox NC, Braid G, et al (1993): Comparison of nasal pressure support ventilation with nasal intermittent positive pressure ventilation in patients with nocturnal hypoventilation. *Eur Respir J*; 6: 365-370.
127. Richards GN, Cistulli PA, Ungar G, et al. Mouth leak with nasal continuous positive airway pressure increases nasal airway resistance. *Am J Respir Crit Care Med* 1996; 154: 182-186.
128. Richard Nowak MD, Cleveland MD. Non invasive ventilation, Jallergygy Clin Immunol August 2009)
129. Rocker GM, Mackenzie MG, Williams B, et al (1999): Non invasive positive pressure: successful outcome in patients with acute lung injury/ARDS. *Chest*; 115: 173-177.
130. Saatci E, Miller DM, Sztell IM, et al (2004): Dynamic dead space in face masks used with non invasive ventilators: a lung model study. *Eur Respir J*; 23: 129-135.
131. Sanders MH, Kern NB, Costantino JP, et al. Accuracy of end-tidal and transcutaneous PCO₂ monitoring during sleep. *Chest* 1994; 106: 472-483.

132. Schoenhofer B, sonneborn M, Haide P, et al (1997): Comparison of two different modes for non invasive ventilation in chronic respiratory failure: volume versus pressure controlled device. *Eur Respir J*; 10: 184-191.
133. Schoenhofer B and Sorter-Leger S (2002): Equipment needed for non invasive mechanical ventilation. *Eur Respir J*; 20: 1029-1036.
134. Schwab RJ, Goldberg AN and Pack AI (1998): Sleep apnea syndromes. In "Fishman's Pulmonary Diseases and Disorders". Fishman's AP, Elias JA, Grippi MA, Kaiser LR and Senior RM (eds). 3rd ed., The McGraw Hill Companies; Ch., 102: 1617-1637.
135. Seaton A (2000): Clinical aspects. In: "Crafton and Douglas's Respiratory Diseases". Seaton A, Seaton D and Leitch AG (eds). 5th ed., Blackwall Science; ch.,6: 102-118.
136. Sharma S. Non-invasive Ventilation: Business Briefing. *U S Respiratory Care* 2006; 112: 75-93.
- airway pressure in decompensated hypercapnic respiratory failure as a complication of sleep apnea. *Chest*; 104: 770-774.
137. Sheneerson JM (2000): assisted ventilation. In: "Crafton and Douglas's Respiratory Diseases". Seaton A, Seaton D and Leitch AG (eds). 5th ed., Blackwall Science; ch.,58: 1495-1515.
138. Sheneerson JM and Simonds AK (2002): non invasive ventilation for chest wall and neuromuscular disorder. *Eur Respir J*; 20:480-487.
139. Shivaram U, Cash ME and Beal A (1993): Nasal continouse positive 136. Sivasothy P, Browen L, Smith IE, et al (2001): effect of manually assisted cough and mechanical insufflation on on cough flow of normal subjects, patients with chronic obstructive pulmonary disease (COPD), and patients with respiratory muscle weakness. *Thorax*; 56:438-444.

140. Strollo PJ and Rogers RM (1996): obstructive sleep apnea. *N Engl J Med*; 334: 99-104.
141. Stefano Nava, Nicholas Hill (2009). Non invasive ventilation in acute respiratory failure, *Respiratory intensive care unit*; *Lancet* 2009; 374:250-59.
142. Soo Hoo GW, Santiago S, Williams AJ. Nasal mechanical ventilation for hypercapnic respiratory failure in chronic obstructive pulmonary disease: determinants of success and failure. *Crit Care Med* 1994;2(8)2:1253-1261.
143. Talavera JC, Diaz GG, Alcaraz AC, et al. Noninvasive positive-pressure ventilation to treat hypercapnic coma secondary to respiratory failure. *Chest*. Mar 2005;127(3):952-60.
144. Teague WG (2005): non invasive positive pressure ventilation: current status in pediatric patients. *Pediatric respiratory reviews*; 6: 52-60.
145. Timothy L, Henry K and Hill N (2003): Acute application of non invasive positive pressure ventilation . *chest*; 124: 699-713.
146. Tobin MJ (1998): mechanical ventilation: conventional modes and setting. In: "Fishman's Pulmonary Diseases and Disorders". Fishman's AP, Elias JA, Grippi MA, Kaiser LR and Senior RM (eds). 3rd ed., The McGraw Hill Companies; Ch., 176: 2691-2708.
147. Tomomasa Tsuboi , Toru Oga (2009). Importance of ventilator mode in long-term noninvasive positive pressure ventilation, 2009 *Respiratory Medicine* 103, 1854-1861.
148. Vitacca M, Clini E, Pagani M, et al. Physiologic effects of early administered mask PAV (proportional assist ventilation) in patients with chronic obstructive pulmonary disease and acute respiratory failure. *Crit Care Med* 2000; 28: 1791-1797.

149. Vianello A, Corrado A, Arcaro G, et al (2005). Mechanical insufflation-exsufflation improves outcomes for neuromuscular disease patients with respiratory tract infections. *Am J Phys Med Rehabil*; 84: 83-85.
150. Yamamoto F, Kato R, Sato J, et al. Anaesthesia for awake craniotomy with non-invasive positive pressure ventilation; *British Journal of Anaesthesia*, 2003; 90:382-385.
151. Willson GN, Piper AJ, Norman M, et al (2004): nasal versus full face mask for non invasive ventilation in chronic respiratory failure. *Eur Respir J*; 23: 605-609.