

References

Abdoud TK, Lee K, Zhu J. (1990):

Prophylactic oral naltrexone with intrahectal morphine for Cesarean section.

Anesth. Analg., 71: 367-370.

Adriaensen H, Gybels J, Handwerker HO, Van Hees; (1983):

“Response properties of thin myelinated (a, δ) fibers in human skin nerves.

J Neuro Physical ; 49: 11-22

Aroma U, Lahdensuu M and Cozanits DA (1997):

“Severe complications associated with epidural and spinal anaesthesias in Finland 1987-1993.” In: A study based on patients’ insurance claims.

Acta Anaesthesiol Scand. 41:445-452.

Ashburn MA and Rice LJ (1998):

“ The management of pain .”

New York . Churchill Livingstone L. 111 – 140.

Atcheson R, Lambert DG (1994):

update on opioid receptors.

Br. J. Anesth., 73 : 132 :134

Bach S, Noreng MF, Tjellden NU. (1988):

Phantom limb pain in amputees during the first 12 months following limb amputation after preoperative lumbar epidural blockade. Pain, 33: 297.

Barth H, Giert ZH, Schmal A. Lorenz W. (1987):

”Anaphylactoid reaction and histamine release don’t occur after application of opioid Agents and actions”

20: 310 – 313.

Behar M, Morgan F and Olshwang D. (1989):

“ Epidural morphine in treatment of pain”

. Lancet: 1: 527 – 529.

Behar M, Morgan F and Olshwang D. (1989):

“ Epidural morphine in treatment of pain”.

Lancet: 1: 527 – 529.

Berti M, Fanelli G, Casati A, Albertin A, Palmisano S.(2000)

: “ Patient supplemented epidural analgesia after major abdominal surgery with bupivacaine, fentanyl or ropivacaine / fentanyl.”

Can. J. Anesth , 47 : 27 – 32.

Bromage PR, Camporesl EM, Durant PAC (1982):

Rostral spread of epidural morphine.

Anesthesia analgesia, 56: 431

Bonica J. (1990):

“General consideration of acute pain.”

In: Bonica J, eds. The management of pain. International copyright union. 7:157.

Bonica JJ. (1985):

“Biology, Pathophysiology and treatment of acute Pain. ”

In: Lipton S and Miles J (eds). Persistent Pain. Vol 5. Grune & Stratton. Orladon. 1-32.

Bowler G, Wildsmith J and Scott DB. (1986):

“Epidural administration of local anaesthetics.”

In: Cousins MJ and Philips GD (eds). Acute Pain management. Churchill Livingstone. New York. 187:23

Bredbacka S, Blomback M and Hagnevik K. (1986):

“Pre-and Postoperative changes in coagulation and fibrinolytic variables during abdominal hysterectomy under epidural or general anaesthesia.”

Acta Anaesthesiol Scand. 30:204-210.

Bromage P.R. (1978):.

Epidural Analgesia.

Philadelphia, Saunders.

Brose WF, Wamsley PNH. (1992):

Patient-controlled epidural analgesia.

In: Sinatra RS, Hord AH, Ginsberg B, Preble LM (Eds): Acute Pain-Mechanisms and management.

St. Louis, Mosby Year Book.

Brown DL.(1996):

Observations on regional anesthesia.

In Brown DL (ed): Regional Anesthesia and analgesia, W.B. Saunders Co., Philadelphia, pp. 3-9.

Butler MJ, Britton BJ and Wood WG.(1977):

Plasma catecholamine concentrations during operation.

Br J Surg, 64:786.

Cannon WD. (1989) :

“Bodily changes in pain , hunger , fear and rage .”

In 2nd ed , New york , Appelto. 311 - 321

Carli F, Webster J, Ramachandra V et al.(1990):

Aspects of protein metabolism after elective surgery in patients receiving constant nutritional support.

Clin Sci, 78:621, 1990.

Carlsson AM.(1983):”

Assessment of chronic pain “

In : Aspects of the reliability and validity of the visual analog scale .
pain . 16:87.

**Caterina, MJ, MA Schumacher, M Tominaga, TA Rosen, JD Levine,
and D Julius(1997):**

The capsaicin receptor; A heat-activated ion channel in the pain
pathway.

Nature, 389: 816-24.

Cervero F, Jennifer M, Laird JMA and Miguel A (1992) :

“ Selective changes of receptive field properties of spinal nociceptive
neuron induced by noxious visceral stimulation in the cat.”

Pain. Vol. 51 (3) 335 – 342.

Chapman CR and Syrjala KL.(1994):

“Measurement of pain”.

In: Wall D, Melzack KR, eds , Textbook of pain , Churchill Livingstone
.580-594.

Chapman DB and Way EL. (1980):

“ Metal ion interactions with opiates”.

Annual Review of Pharmacology and Toxicology. 20: 553 – 579.

Chen Y, Mestek A, Liu J, et al.(1999):

Molecular cloning and functional expression of an μ -opioid fromrat
brain.

Mol Pharmacol, 44:8-12.

Chin ML. (1995):

“Adult postoperative pain management update”.

In the American Society of Anesthesiologists , 4th Annual
refresher course lecture ; Washington .271 : 1 – 7.

Chundler EH, Dong WK. (1995):

“ The role of basal ganglia in nociception and pain.

Pain 60, 3-38.

Coderre TJ, Vaccarino AL, Melzack R. (1990):

Central nervous system plasticity in the tonic pain response to subcutaneous formalin injection.

Brain Res., 535: 155

Cook AJ, Woolf CJ, Wall PD and McMahon SB. (1987):

“ Synaptic receptive field plasticity in rat spinal cord dorsal horn following C-primary afferant input .” Nature. 32s: 151-153.

Cousins M.J and Bridenbaug PO.(1988):

“Neural blockade in clinical anaesthesia and mangement of pain "

. 2nd ed , Lippincott . Philadelphia. 612 – 15..

Cousins MJ and Mather LE. (1984):

“ Intrathecal and epidural administration of opioids”. Anesthesiology ; 61: 276 – 310

Cousins MJ and Phillips GD. (1986):

” Acute pain management”.

In Melzack KR, eds, Pain . Churchill Livingstone, Edinburgh. 320-346.

Cousins MJ, Cherry DA and Gourlay GK. (1988):

”Acute and chronic pain” . Use of spinal opioids.

In: Cousins MJ, Bridenbaugh Po (eds) Neural blockade in clinical anaesthesia and management of pain 2nd ed. JB Lippincott , Philadelphia .955-1029.

Cox BM.(2004):

Peripheral actions mediated by opioid receptors.

In: Pasternak GW, ed. The opiate receptors. Clifton, NJ: Humana Press, 357-422 .

Craig DB(1981):

Postoperative recovery of pulmonary function.

Anesth. analg, 60:174.

Cross SA . Mayo clin Prog (1994):

" Pathophysiology of pain"

Pain69: 375 - 83.

Cruikshank AM, Fraser WD, Burns HIJ et al.(1990):

Response of serum interleukin 6 in patients undergoing elective surgery
of varying severity.

In clin. Sci .79:161 .

Cuthbertson DP,(1999):

The metabolic response to injury and its nutritional implications.

J. Parenter Enteral Nutr, 3:107.

Danial B and Carr MD(1992) :

” Acute pain management . Operative or medical procedures and trauma.”

American Society of Anesthesiology 55(4) 12 – 16.

David H, Richerd T, Robert A, Kathryn J, et al. (1995):

“Practice guidelines for acute pain management in the perioperative
setting.

American Society of Anesthesiologists Task Force on pain Management.

“Anesthesiology. 82:1071

De Conno F, Caraceni A, Martini C and Ventafridda V. (1992):

“Multidimensional pain measurement in cancer patients”.
poster Presentation .

2nd European Congress on palliative Care , Brussels 13 : 115 - 121.

DE Leon – Casasola OA and Lema MJ. (1996) :

“Postoperative epidural opioid analgesia : what are the choices ? ”.

Anesth. Analg. 83 : 867 – 875.

Desborough JP, Hemmings HC Jr and Hopkins PM(1999):

Physiological responses to surgery and trauma

. Foundations of Anaesthesia, London, Mosby, 713 – 20.

Desborough JP and Hall GM,(1993):

Endocrine response to surgery.

Anaesthesia Review, Vol.10. Edinburgh, Churchill Livingstone, 131 -48.

Deschamps M, Band P R, and Coldmon A J. (1988) :

“Assessment of adult cancer pain “. Shortcomings of current methods.

Pain .32 : 133 – 139.

Dickenson AH, Sullivan AF. (1997):

Subcutaneous formalin-induced activity of dorsal horn neurons in the rat:

Differential response to an intrathecal opiate administered
pre-or post-formalin.

Pain, 30: 349.

Donovan BD. (1983) :

“patient attitudes to postoperative pain relief”.

Anesth . Intensive Care. 11 : 125.

Dudgeon D, Raubertas RF and Rosenthal SN. (1993) :

“The short-form McGill pain Questionnaire in chronic cancer pain.

Journal of pain and Symptom Management . 8 : 191 – 195.

Engquist A, Fogmoller F and Christiansen C,(2004):

Influence of epidural analgesia on the catecholamine and cyclic AMP
response to surgery.

Acta Anaesthesiol Scand, 17:24.

Feng Y, Moldawer LL, Shires GT and Lowry SF,(2000):

The biological characteristics of cytokines and their implications in
surgical injury.

Surg Gyneco Obst, 170:363.

Fields H et al., (1983):

"Activity of neurons in the rostral medulla of the rat curing withdrawal from noxious heat" .

J . Neuroscience. 3:2545.

Fields H et al., (1983):

"Activity of neurons in the rostral medulla of the rat curing withdrawal from noxious heat" .

J . Neuroscience. 3:2545.

Fishman B, Pastetrnak S, Wallenstein SL, Houde R W, Holland J C and Foley K M. (1987):

"The Memorial Pain Assessment Card ". A valid instrument for the evaluation of cancer pain .

Cancer. 60:1151-1158.

Fishman B, Pastetrnak S, Wallenstein SL, Houde R W, Holland J C and Foley K M. (1987):

"The Memorial Pain Assessment Card ". A valid instrument for the evaluation of cancer pain .

Cancer. 60:1151-1158.

Fletcher D,(2006):

Postoperative analgesia after surgery of the knee,
Clin. Anesthesiol, 44(3):253-9 .

Frank AJM, Moll JMH and Hot JF. (1989):

"A comparison of three ways of measuring pain " .
Rheumatol. Rehabil. 21:211.

Frank AJM, Moll JMH and Hot JF. (1989):

"A comparison of three ways of measuring pain " .
Rheumatol. Rehabil. 21:211.

Fun – Sun F. YAO. (2003):

“Complex regional pain syndrome problem-oriented patient management
Vol (2) 616 – 628.

Georgopoulos AP . (1979) :

Functional Properties of Primary afferent units Probably related to Pain
mechanisms in Primate glabrous skin .

J .Neurophysiol .39 :71 .

Grass JA (2000):

"The role of epidural anaesthesia and analgesia in postoperative
outcome".

Anesthesiol. Clin. North America. Jun; 18 (2) : 407-428, viii.

Griffith JP, Whiteley S and Gough MJ,(2006):

Prospective randomized study of a new method of providing
postoperative pain relief .

Br J Surg, 83 (12): 1735-8.

Grubb BD,(1998):

peripheral and central mechanism of pain.

Br J Anaesth, 81:8 .

Gwirtz K, Young JV and Byers RS. (1999):

" The safety and efficacy of intrathecal opioid analgesia for acute
postoperative pain". In : seven years' experience with 5969
surgical patients at Indiana UniversityHospital.

Anesth. Analg. 88:599-604.

Hallin RG, Torebjork HE, Wiesenfeld Z. (1982):

“ Nociceptors and warm receptors innervated by C fibers in human skin
J. Neurol. Neurosurg. Psychiatry 45: 313-319.

Hamilton GR and Baskett TF.(2000):

“ Uses of morphine in postoperative pain relief “.

Can. J. Anesthesia . Apr; 47(4) 367 – 74.

Hamilton M. (1988):

"Some notes on rating scales."

The Statistician.18:11.

Hederson G and McKnight AT,(1997):

The orphan opioid receptor and its endogenous ligand-nociceptin/orphanin FQ.

Trends Pharmacol Sci, 18:293-300.

Herdegen TJ and CREB/A TF. (1998):

” Transcription factor in brain : control of gene expression under normal and pathophysiological conditions.

Neuroscientist (Brain Research Reviews) 28: 337 – 490.

Hollander M and Wolfe DA. (1973):

“ Non parametric statistical methods “, New york.

Imura H, Fukata JI and Mori T,(1991):

Cytokines and endocrine function: an interaction between the immune and neuroendocrine systems.

Clin. Endocrinol 35:107.

Jadad A.R. and McQuay H.J(2004):

Pain measurement.In Outcome Measures in Trauma.

(Eds. J. Fairbank, P. Pysent and A. Carr), pp. 17-24.

Jadad AR and Mc Quay HJ. (1993) :

“The measurement of pain “.

In: pynsent PB,Fairbank J C T. Carr A (eds) . Outcome measures in orthopedics.

Butterworth-Heiemann, Oxford. 16 – 29.

Jahoor F, Desai M, Herndon DN and Wolfe RR,(1988):

Dynamics of the protein metabolic response to burn injury.

Metabolism, 37:330.

Jensen MP, Karoly P and Braver S. (1986) :

“ The measurement of clinical pain intensity “.

A comparison of six methods. *Pain*.27 : 117 – 126.

Jin FL, Chung F(2006):

Postoperative pain- a challenge for anaesthetists in ambulatory surgery.

Can J Anaesth; 45: 293-6, .

Johnson M. (1980) :

“ Anxiety in surgical Patients .”

Psychological medicine. 10 : 145.

Jurna L and Grossman W(1977):

” The effects of morphine on mammalian nerve fibers .”

Eur .J Pharmacol . 44: 339- 348.

Keefe FJ and Hill RW (1985):

“ An objective approach to qualify pain behavior and gait patterns in low back pain patients”.

Pain. 21: 153.

Kehlet H(1994):

Postoperative pain relief-what is the issue?.

Br J Anaesth, 72:375-378.

Kehlet H(1997):

Multimodal approach to control postoperative pathophysiology and rehabilitation.

Br J Anaesth, 78: 606 – 17.

Kehlet H,(1997):

Multimodal approach to control postoperative pathophysiology and rehabilitation.

Br J Anaesth, 78: 606 – 17.

Kehlet H. (1982):

”The stress response to anesthesia and surgery release modifying factor”.
Clinical Anaesthesiology.2: 315.

Kehlet H. (1997):

”Multimodal approach to control postoperative. pathophysiology and rehabilitation”.

Br J Anaesth. 78: 606-617.

Kehlet H.(1986):

”Pain relief and modification of the stress response.”.
acute pain management.

Edited by Cousins MJ and Philips DW.New York Churchill Livingstone
11 : 137 – 142.

Kehlet H.(1994):

“Postoperative pain relief”.

What is the issue? *Br J Anaesth*.72: 375.

Keppel G and Wickens TD. (2004):

“ Design and analysis”

A researchers handbook (fourth edition).”

Englewood cliffs New Jersey. Prentice Hall

Kiliçkan L.and Toker K,2004:

Perioperative pain management.

Edited by Cousins MJ and Philips DW.New York Churchill Livingstone
21 : 154 – 169.

Kilpatrick G.J and Smith T. W; 2005:

Pain measurement.In Outcome Measures.

Anesth . Intensive Care. 11 : 1125.

Kosteroitz HW(1987):

Biosynthesis of morphine I the animal kingdom.

Nature, 330:606.

Kotiniemi LH, Ryhanen PT, Valanne J, Jokela R, Mustonen A, Poukkula E(1998):

Postoperative symptoms at home following day-case surgery in children: a multicentre survey of 551 children.

Anaesthesia; 52: 563-9.

KumazawaT; Peel ER . (1977) :

Primate cutaneous sensory units With unmylenated (c) afferent fibers.

J.Neurophysiol. 40 :1325.

Lee CR, Mctavish D, Sorkin EN (1993):

“Tramadol: a preliminary review of its pharmacodynamic and pharmacokinetic properties, and therapeutic potential in acute and chronic pain states”.

Drugs, Aug; 46:313-40.

Liu SS, Allen HW and Olsson GL.(1998):

“patient controlled epidural analgesia with bupivacaine and fentanyl on hospital wards.”. Prospective experience with 1030 surgical patients.

Anaesthesiology.88: 688-695.

Liu SS, Carpenter R, Neal J. (1995):

“ Epidural anesthesia and analgesia. Their role in postoperative outcome.”

Anesthesiology, 82: 1474 – 1484.

Loeser JD,Butler SH and Chapman CR.(2001):

Bonica's Management of Pain,

Lippincott Williams&Wilkins .

Longhurst JC ; Kaufman MP ; Ordway G A ; Musch T I . (1984).

Effect of bradykinin and capsaicin on ending of afferent
fibres from abdominal visceral organs .

American J. Physiol . 16 : 552 .

Lumpin MD.(1987):

The regulation of ACTH secretion by IL-1.

Science, 238:452.

Lyons FM and Meeran K(1997):

The physiology of the endocrine system,

Int Anesthesiol Clin, 35 : 1 – 21.

**M. Kizilkaya , O. S. Yildirim , N. Ezirmik , H. Kursad and
O. Karsan. (2005):**

Comparisons of analgesic effects of different doses of morphine and
morphine plus methylprednisolone after knee surgery.

European journal of anaesthesiology, 22: (603-608).

Max MB, Portenoy R K and Laska E M. (1991):

“Advances in pain research and therapy.”.

Vol 18. Raven Press, New York. 63 – 70.

Max MB, Portenoy R K and Laska E M. (1991):

“Advances in pain research and therapy.”.

Vol 18. Raven Press, New York. 63 – 70.

McQuay HJ (1998) :

Do pre-emptive treatments provide better pain control?

Anesth analg., 36 : 212.

McQuay HJ(1999):

Pre-emptive analgesia: a systematic review of clinical studies.

Ann Med , 27 , 249-58.

McQuay HJ, Carroll D, and Moore RA. (1988):

“postoperative orthopaedic pain: The effect of opiate on premedication
and local anaesthetic blocks”.

Pain.33: 291-295

McQuay HJ, Dickenson AH (2002):

Implications of nervous system plasticity for pain management.

Anesthesia, 45 : 101.

McQuay HJ. (1992):

Pre-emptive analgesia.

Br. J. Anaesth., 69: 1.

Melzack R.(1988):

“Psychological aspects of pain, implications for neural blockade.”. In
Cousins MJ and Brienbaugh PO (eds). Neural blockade in
clinical anaesthesia and management of pain.

2nd ed, JB Lippincott, Philadelphia. 845 – 860.

Melzack R and Torgerson WS .(1971):

“ON the language of pain.”

Anaesthesiology.34: 50 – 59.

Melzack R.(1982):

”The McGill Questionnaire.” Major properties and scoring methods.

Pain.1: 275

Mense , Meyer H . (1985) :

“Different types of slowly conducting afferent units in cat’s skeletal
muscle and tendon “.

J. Physiol . (Lond), 363 : 403.

Merskey H and Bogduk N. (1994):

”Classification of chronic pain.”

In:Task Force on Taxonomy.2. Seattle, IASP Press.

Merskey H and Bogduk N. (1994):

”Classification of chronic pain.”

In:Task Force on Taxonomy.2. Seattle, IASP Press.

Mestek A, Hurley JH, Bye IS(2005):

The human Mu opioid receptor; modulation of functional desensitization by calcium/calmodulin-dependent protein kinase and protein kinase C,

Journal of Neuroscience, 15:2396-2406.

Miao FJ, Janig W, Lervine JD(2000):

Nociceptive neuroendocrine negative feedback control of neurogenic inflammation activated by capsaicin in the rat paw: role of the adrenal medulla,

Annual Review of Neuroscience 15:527 pt 3:601-10.

Michael J Caterina and David Julius,(2001):

The Vanilloid Receptor; A Molecular Gateway to the Pain Pathway.

Annual Review of Neuroscience, 24: 487-517.

Moore C, Desborough J, Powell H et al,(1994):

effects of extradural Anaesthesia on IL-6 and acute phase response to surgery.

Br J Anaesth, 172:272.

Morgan M (1987):

“Epidural and intrathecal opioids”.

Anesthesia and Intensive Care; 15: 60 – 67.

Morgan M , Mikhail M, Murray MJ . (2002):

”Pain management “.

Clinical anaesthesiology , Churchill Livingstone ; Vol 1 : 309 – 358 .

Morgan M , Mikhail M, Murray MJ . (2006):

”Pain management “.

Clinical anaesthesiology , Churchill Livingstone ; Vol 1 : 619 – 655 .

Nagasaka H, Awad H and Yaksh TL,(1996):

Peripheral and spinal actions of opioids in the blockade of the autonomic response evoked by compression of the inflamed knee joint.

Anesthesiology, 85: 808-816.

Nagle CJ and McQuay HJ,(2000):

Opiate receptors; their role in effect and side-effect.

Current Anaesthesia & Critical Care, 1 :247-252.

Nimmo WS,(1984):

Effects of anaesthesia on gastric mobility and emptying.

Br J Anaesth, 56:29, 1984.

Ocana M,Del Pozo E,Barrios M and Baeyens JM(1995):

Subgroups among mu-opioid receptor agonist distinguished by ATP-sensitive K⁺ channel-acting drugs,

British journal of Pharmacology, 114:12,1995.

Park G and Flulton B. (1991) :

“ The management of acute pain” .

Br. J. of pain 23: 12 - 15

Petrack EM, Christopher NC and Kriwinski J(1997):

Pain management in the emergency department. patterns of analgesic utilization.

Pediatrics, 99(5):711-4, 1997.

Phillip Scuderi and Winston Salem (2004) :

management of postoperative pain .

in ASA, 6 : 223

Pilosky I. (1994):

“ pain and illness behavior : assessment and management.”. In: Wall PD , Melzack (eds):

Textbook of pain. New York, Churchill Livingstone.

Pleuvry BJ(1991):

Opioid receptors and their ligands: natural and unnatural.

Br J Anaesth, 66:370-380.

Pleuvry BJ(1993):

Opioid receptors and their relevance to anaesthesia.

Br J Anaesth, 71:119-126.

Pleuvry GJ (2004) :

opioid receptors and their relevance to anaesthesia

Br. J. Anesth., 71 : 119 – 126

Plezia PM, Kramer TH, Linford J and Hameroff S R,(1989):

Pharmacokinetics and preliminary clinical evaluation.

Pharmacotherapy, 9:2-9.

Pullicino EA, Carli F, Poole S et al,(1990):

The relationship between circulating concentrations of interleukin-6 (IL-6), tumor necrosis factor(TNF) and the acute phase response to elective surgery and accidental injury.

Lymphokine Res, 9:231.

Raeder J.(2000):

Epidural blocks for day surgery.

Tech Reg Anesth Pain Mgmt; 4: 10-2.

Raj PP,(2000):

Practical Management of pain, 3rd ed. Mosby.

Raj PP. (1995): “ Epidural infusion and patient controlled epidural analgesia”.

In: Pain medicine.A comprehensive review.St, Louis, Mosby; 23: 272 – 277.

Rang HP, Beyan S, Dray A. (1991):

Chemical activation of nociceptive peripheral neurons.

Br. Med. Bull., 47: 534

Rawal N and Bergger L.(1994):

” Organization of acute pain services : a low-cost model “. Pain.57: 117-123.

Rawal N,(2001):

Analgesia for day-case surgery.

British Journal of Anaesthesia, Vol. 87, 1:73-87.

Rawal N. (1997):

“ Epidural opioid.”.

Curr Opin Anaesthesiol. 10:350-355.

Ready LB, Edwards WT and Seattle. (1992):

“ Management of acute pain”. A practical guide took force on acute pain.

International association for the study of pain.15: 107 – 121.

Robert S, Eric W, Weber G, Ris D. (1999) :

“ Optimization of the dose of intrathecal morphine in total hip surgery: A dose finding study .”

Anesth Analg. 88: 822

Sanjib Das Adhikary and Mary Koura,(2004):

The stress response and its implications in surgery and anaesthesia.

The Indian Anesthetists' Forum - On-Line Journal, 1.

Scott DA and Beilby DSN. (1995):

" Postoperative analgesia using epidural infusions of fentanyl with bupivacaine.

".Anaesthesiology. 3:727.

Scott N and Kehlet H. (1988):

" Regional anaesthesia and surgical morb".

British Journal of Surgery. 75:199-204.

Selzer Z, Beilin BZ, Ginzburg R, Paran Y, Shinko T. (1991):

The role of injury discharge in the induction of neuropathic pain
behavior in rats.

Pain, 46: 327.

Shafer SL and Varvel JR(1991):

Pharmacokinetics, pharmacodynamics and rational opioid selection.

Anaesthesiology, 74:53-63.

Shipton EA . Pain , Acute and chronic W .U .P . (1993):

“Acute and chronic pain management”.

J . of pain management 8: 191 – 195.

Smart D, Smith G and Lambert DG,(2005):

Mu-opioids activate phospholipase C in SH-5Y5Y human neuroblastoma
cells via calcium-channel opening,

Biochemical Journal, 305:577-581 .

Stanley TH, Berman L, Green O and Robertson D(1983):

“ Plasma catecholamine and cortisol response to fentanyl-oxygen
anesthesia for coronary artery operations.”.

Anesthesiology. 53:250.

**Stein C, Hassan AH, Lehrberger K, Giefing J and Yassouridis
A(1993):**

Local analgesic effect of endogenous opioid peptides.

Lancet,342:321-4.

Stein C,(1993):

Peripheral mechanisms of opioid analgesia.

Anesth Analg, 76: 182-191.

Stein C,(1995):

The control of pain in the peripheral tissue by opioids.

N Engl J Med, 332:1685-1690.

Tarkkila P, Tuominen M and Lindgren L. (1997):

" Pharmacology of spinal adrenergic systems which modulate spinal nociceptive processing".

*Pharmacol. Biochem Behav.*22: 845-858.

Thomas N. (1997):

"Pain, its nature and management. ".

Bailliere Tindall. Pain 48: 132 – 137.

Tuman KJ, McCarthy RJ and March RJ. (1991):

"Effects of epidural anaesthesia and analgesia on coagulation and outcome after major vascular surgery .".

Anaesth Analg. 73:696-704.

Tursky B, Jamner LD and Freidman R. (1982):

“ The pain perception profile .".

A psychological approach to the assessment of pain report. *Behav. Ther.* 13:376.

Van Hees J, Gybels J. (1981):

“ C nociceptor activity in human nerve during painful and non painful skin stimulation.

Neurol Neurosurg. Psychiatry 44: 600-607.

Vanderschuren LJ, Njesink RJ, Spruijt BM, and Van Ree JM, (2005) :

Mu and Kappa opioid receptor- mediated opioid effects on social play in juvenile rats, European Journal of Pharmacology 276:257-266.

Wall PD, Melzack R, editors (1993):

“Text book of pain management . Principles and practice of pain management “.

New York : Mc Graw . Hill Inc , 1 – 9.

Warfield C, (2006):

principles& practice of Pain Management, 2ed ed, Mc-Graw-Hill,.

Warfield CA and Kahn CH (1995):

"Acute Pain management".

Anaesthesiology. 83: 1090-1094 .

Wasylak TJ, Abbott FV, English MJ, and Jeans ME. (1990):

“Reduction of postoperative morbidity following patient – controlled morphine.“.

Canadian Journal of Anaesthesia. 36:726-731.

Wattwil M. (1989):

“Postoperative pain relief and gastrointestinal motility.“.

Acta Chirurgica Scandinavica, 550 (Suppi): 140-145.

Wattwil M. (1989):

“Postoperative pain relief and gastrointestinal motility.“.

Acta Chirurgica Scandinavica, 550 (Suppi): 140-145.

White PF. (1995):

“ Management of postoperative pain and emesis .”

Can. J. Anesth. Nov, 42. 11: 1053 – 5.

Willis WD & Westlund KN . (1997) :

Neuroanatomy of the Pain System and of the Pathways that modulate Pain . A comprehensive and recent review .

J. clin Neurophys 142 – 31.

Winer BJ, Brown DR, Michels KM. (1991) :

“ Statistical principles in Experimental Design (3rd edition)” . New York.

Woolf CJ and wall PD.(1986): ”

A dissociation between the analgesic and antinociceptive effects of morphine. “ .

Neuroscience Letters. 64:238.

Woolf CJ, Chong MS. (1986):

Pre-emptive analgesia treating postoperative pain by preventing the establishment of central sensitization.

J. Neurosc.,6: 1433.

Woolf CJ, Shortland P and Coggeshall RE. (1992):

“Peripheral nerve injury triggers central sprouting of myelinated afferents. “ .

Nature. 355:75-78.

Woolf CJ. (1983):

“Evidence for a central component of post injury pain hypersensitivity. “
Nature. 306:686-688.

Yakash TL and Noueihed R. (1985):

“ The physiology and pharmacology of spinal opiates”.

Annu Rev Pharmacol Toxicol; 25: 433 – 62.

Yaksh TL,(1997):

Pharmacology and mechanisms of opioid analgesic activity. A good review of opiates.

Acta Anaes Scand, 41: 94-111.

Zering G, Issaevitch T and Broadbear JH,(1995):

Receptor reserve and affinity of mu opioid agonist in mouse
antinociception: correlation with receptor binding,

Life Science, 57:2113-2125.

Ziegler MG, Morrissey EC and Marshall LF,(2004):

Catecholamine and thyroid hormone in traumatic injury.

Crit Care Med 18:253.