

References

REFERENCES

Alarcon-Segovia and Sanchez,Guerrero J (1989a) :
primary antiphospholipid syndrome. Journal of Rheumatology (16)
482-486.

Alarcon-Segovia D and Sanchez-Guerrero J
(1989b) :
Correction thrombocytopenia with small dose aspirin in the primary
antiphospholipid syndrome . J. Rheumatology (16) 1358-1361.

Alarcon-Segovia D, Cardiel MH, Reyes E: (1989) :
Anti-phospholipid arterial vasculopathy. J. Rheumatol : 16: 762-767.

Alarcon-segovia D, Osmudson PJ (1965) :
peripheral vascular syndromes associated with SLE. Ann-Inter-Med :
62: 907-919.

Alegre VA,Gastineau DA , Winkelmann RK, (1989) :
Skin lesion associated with lupus anticoagulant . Br . J. Dermatol 120 :
419 - 29 .

Allain C.C et al (1974) :
Clin Chem , 20: 470-475.

Alving C (1977) :

Immune reaction of lipids and lipid model membranes and the antigens (Ed by M. Seale) . vol 4 pp1-15. Academic press, New York.

Alving C (1984) :

Natural antibodies against phospholipids and liposomes in humans:
Biochem Soc Trans , 12; 442-344

Anderson D, Bell D, Lodge R (1987) :

Recurrent cerebral ischaemia and mitral valve vegetation in a patient with antiphospholipid Abs. J. Rheumat 14: 839-41.

Angeles-Cano E, Sultan Y, Clauvel J P , (1979) :

Predisposing factors to thrombosis in systemic lupus erythematosus ;
Possible relationship to endothelial Cell damage . J . Lab Clin Med 94 :
312 .

Arvieux J, Roussel B, Colomb MG. Jacob MC (1991) :

Measurement of APLAs by ELISA using beta 2-glycoprotein I as an antigen . J. Immunol Methods 143 (2) 223-229.

Arvieux J, Roussel B, Ponard D, Colomb M.G (1991) : reactivity patterns of antiphospholipid antibodies in systemic lupus erythematosus sera in relation to erythrocyte binding and complement activation . Clin Exp Immunol (84) 466-471.

Asburg A.K (1987) :

Disease of the peripheral nervous system. Textbook of Harrison's principles of internal medicine, 11th edition. Braunwald E, Isselbacher KJ, Petersdorf RG, Wilson J.D, Martin JB & Fauci A.S. McGraw-Hill Book company. Chapter 335-2063.

Asherson RA and Cervera R (1991) :

Antiphospholipid Abs and Heart Lesion . Circulation vol 84 No. 2: 920-923.

Asherson RA, Chan JKH (1985) :

Anticardiolipin antibodies, recurrent thrombosis, warfarin withdrawal. Annals of Rheumatic diseases, 1985, 44, 323-325.

Asherson RA, Chan, JKH, Harris EN et al (1985) : Clinical and laboratory features associated with anticardiolipin antibodies in non-SLE patients . Arthritis Rheum: 28:77.

Asherson RA, Derksen RHWM; Harris EN et al (1986)
Large vessel occlusion & gangrene in systemic lupus erythematosus &
lupus like disease. A report of six cases. J. Rheumatol 13: 740-747.

Asherson RA, Higenbottam T.W, Dinhxuan AT (1990) :
Pulmonary hypertension in a lupus clinic: experience with 42 patients .
J. Rheumatol 17: 1292-1298.

Asherson RA, Khamashta MA, Hughes GRV (1991) :
Hepatic complications of the antiphospholipid syndrome. Clini Exp
Rheumatology (9) 341-4.

Asherson RA, Mayou S, black M, Harris EN &
Hughes. GRV (1987) :
Livedo reticularis, Connective tissue disease, anticardiolipin Abs &
CNS complications. Arthritis. Rheum 30- S 69.

Asherson RA. Hughes GRV (1989) :
Recurrent deep vein thrombosis and addison's disease in primary
antiphospholipid syndrome. J. Rheumatol 16: 378-80.

Asherson RA (1988) :

A primary antiphospholipid syndrome? J. Rheumat. 1742-1746.

Asherson RA , Harris EN (1986) :

Anticardiolipin antibodies : Clinical association . Postgrad Med J 62 : 1081 .

Asherson R , Cervera R , (1992) :

The Antiphospholipid syndrome : a syndrome in evolution . Ann Rheum Diseases 51 : 147 : 150 .

Asherson RA , Cervera R , (1993) :

Antiphospholipid syndrome . J. Invest Derm . Jan 100 (1) 21 – 27 .

Asherson RA ,Khamashta MA,Gil AG et al ,(1989) :

Cerebrovascular disease and antiphospholipid antibodies in systemic lupus erythematosus , lupus like diseases and primary Antiphospholipid syndrome . Am . J . Med 86 : 391 – 399 .

Bajaj SP,Rapaport SI,Barclay S,Herbst KD (1985)

Acquired hypoprothrombinemia due to non neutralizing Abs in prothrombin: mechanisms and management. Blood 1985 (65) 1538-43.

Bell WN, Alton HG (1954) :

A brain extract as a substitute for platelets suppression in the thromboplastin generation test .Nature, 174, 880-881.

Bick RA, jakway J, Baker WF (1992) :

Deep vein thrombosis prevalence of etiologic factors and results of management in 100 consecutive patients. *Semin Thromb Hemost* 18: 267-274.

Bick RL, Baker WF (1992) :

Anticardiolipin Antibodies and thrombosis. *Haematol oncol clin North Am*, (6) 1287-1299.

Bick RL, Pascoe HR, Laughlin WR (1994) :

Efficacy of four common activated thromboplastin times in screening for lupus anticoagulant. *Blood* 84: 82 .

Bick RL (1992) :

Hypercoagulability and thrombosis. In disorders of thrombosis and Haemostasis: clinical and laboratory practise Chicago IL, ASCP press, p.p 261-290.

Bick RL , Backer WF . (1994) :

The antiphospholipid and thrombosis syndromes . *Med . Clin North Am* . 78 : 667 .

Bick RL , Cohen BM , Staub AJ . et al , (1994) :

Coagulation protein defects associated with fetal wastage syndrome : Diagnosis and management . *Blood* 84 : 82 .

Bick RL , (1993) :

Lupus anticoagulant anticardiolipin antibodies . Biomed Prog 6 : 35 .

Bick RL , (1995) :

The antiphospholipid thrombosis syndrome : lupus anticoagulant and anticardiolipin antibodies . Adv in pathology and Lab medicine vol 8 , p 391 – 421 .

Bick RL , (1994) :

Hypercoagulability and thrombosis . Med . Clin North Am . 78 : 635 .

Boey ML, Colaco C.B, Gharavi AE, Elkon K.B, Lizou S & Hughes GRV (1983) :

Thrombosis in systemic lupus erythematosus: Striking association with the presence of circulating lupus anticoagulant. British Med Journal (287) 1021-1023.

Bonfiglio TA. Tott RE, Hagstrom JWC (1972) :

Coronary arteritis occlusion and myocardial infarction due to lupus erythematosus. Am Heart J 1972 (83) 153-158.

Bowles C.A (1990) :

Vasculopathy associated with antiphospholipid antibody syndrome . Rheumatic disease clinics of North America 16 (2).

Boxer M, Ellmann L & Carvalho A (1976) :

The lupus anticoagulant. *Arthritis Rheum* 19: 1244-48.

Boyer RS, Sun, NCJ, Verity A, Nies KM; Louie JS
(1980)

Immunoperoxidase staining of the choroid plexus in SLE. *J. Rheumatol*
7: 645-650.

Branch D.W, Scott JR, Kochenour NK & Hershgold
E (1985) :

Obstetric complications associated with lupus anticoagulant. *N. Engl J.*
Med 313 1322-1326.

Brandt, KD, Lessel S (1978) :

Migraneous phenomeona in SLE. *Arth. Rheum* 21: 7-16.

Braverman IM (1981) :

skin signs of systemic disease. Ed 2 Philadelphia WB saunders Co. 439-
440.

Brey RL, Hart RG, Sherman DG, Tegeler CH
(1990) :

Anti phospholipid Abs and ischemia in young people. *Neurology* 40:
1190-1196.

Ally DP , Coull BM , Goodnight SH , (1989) :
Immunological diseases associated with antiphospholipid antibodies . Ann
Rheum Dis 25 : 221 - 227 .

Chanan RRC, Wardlaw JR, Riglar AG, Littlejohn
D and Miller MH (1989) :
Antiphospholipid antibodies in the connective tissue diseases; their
relation to antiphospholipid syndrome and thrombotic disease .
Journal of Rheumatology 16:6 737-761.

Zon MA (1982) :
Clotting defect in SLE Clin. Rheum Dis 18: 137-151.

Mosso RT and Oliveira R.M (1985) :
Risk of thrombosis in chlorpromazine-induced lupus anticoagulant &
antiphospholipid Abs. Blood 66 suppl 348a.

Mosso R T , Zon LI and Groopman J. E. (1987) :
Anticardiolipin Abs associated with HTLV-III infection. Br. J.
Rheumatology 65 496-498 .

Metzger S, Jobin F (1989) :
Primary adrenal insufficiency as a manifestation of the anticardiolipin
syndrome? Ann. Rheum Dis 1989 (48) 430-1.

Cariouou R (et al) Tobelem G, Bellucci S (1988)
Effect of lupus anticoagulant on Antithrombogenic properties of
endothelial cells-inhibition of thrombo modulin dependant protein
activation. Thrombosis and Haemostasis (60) 54-58.

Carreras LO, Defreyn G, Machin SJ, et al (1981)
Arterial thrombosis, intrauterine death and lupus anticoagulant
detection of immunoglobulin interfering with prostacyclin formation
Lancet (1981) 244-246.

Cerreras L.O, Vermeylen J, Spitz B and Vassche, (1981):
LAC and inhibition of prostacyclin formation in patients with repeat
abortion, intrauterine growth retardation and intrauterine death. J
J. Obstet. Gynaecol (88) 890-894.

Carrera L, Machin SJ, Deman R, (1987):
Arterial thrombosis, intra uterine death and lupus anticoagulant
detection of immunoglobulin interfering with prostacyclin formation
Thromb Haemost 57: 374.

Cines D.B., Lyss AP, Reeber M, et al (1984):
Presence of complement fixing antiendothelial cell antibodies
systemic lupus erythematosus. J. Clin Invest (73) 611-625.

- Cohen AJ, Phillips TM & Kessler CH (1986) :
Circulating coagulation inhibitors in the acquired immunodeficiency syndrome. *Ann Int. Med* 104: 175-186.
- Colaca CB, Scadding GK & Lockharts, (1987) :
Anticardiolipin Abs in neurological disorders: Cross reaction with Antisingle stranded DNA activity. *J Exp Immunology* (68) 313-319.
- Colaco C.B, Mackie I.J. Irving W et al (1989) :
Anticardiolipin Antibodies in Viral infections. *Lancet* 1; 622.
- Coller Bs , Hultin MB , Hoyer LW , (1981) :
Normal Pregnancy in patient with a prior postpartum factor VIII inhibitor : with observations on Pathogenesis and prognosis . *Blood* 58 : 619 .
- Comp PC , Debault LE , Esman NL , (1983) :
Human thrombomodulin is inhibited by Ig G from two patients with non apecific anticoagulants . *Blood* 62 (Suppl I) Abstract .
- Cosgriff T.M & Martin BA (1981) :
Low functional and high antigenic antithrombin III level in- patient with the L.AC & recurrent thrombosis. *Arth. Rheum* 24, 94-96.

Criel A , Collen D , Masson PL , (1978) :

A case of Ig M antibodies which inhibit the Contact activator of blood coagulation . Thromb Res 12 : 833 .

Cynthia W , Marian HM , Miller RA , Russel B ,
Geoffrey OL , (1987) :

Livedo reticularis associated with increased titre of anticardiolipin antibodies in Systemic lupus erythematosus . Arch Dermatol vol 123
596 -600 .

Deleze M: Alarcon-Segovia, D-Valdes-Macho, E,
Oria C.V and Ponce de Leon (1989) :

Relationship between Antiphospholipid Abs and recurrent fetal loss in patients with SLE in apparently healthy women. J. Rheumatol 16 (6)
768-772.

Derksen RH, Bouma, BN and Kater L (1986) :

The striking association between LA and Fetal loss in systemic lupus erythematosus patients. Arthritis Rheum 29 (695)

Derksen RH, Kater L (1985) :

Lupus anticoagulant, revival of an old phenomenon. Clin Exp Rheumat (3) 349-57.

Derksen RHW, Bouma BN, Kater L. (1986) :

The association between lupus anticoagulant and cerebral infarction in SLE. *Scand. J. Rheumatol* (15) 179-184.

Derlon A. Fiessinger J N et al (1991) :

Utilisation des antivitamines Ken pratique medical courante, STV, no Special mai, 11-15.

Derue G , Englert H , Harris E , (1985) :

Fetal loss in systemic lupus : association with anticardiolipin antibodies . *Br. J. Obstet. Gynaecol* 5 : 207 .

Dewolf F, Carreras, L.O, Moerman P, Vermynen J, Van asche A, & Renaer M (1982) :

Decidual vasculopathy & extensive placental infarction in a patient with repeated thromboembolic accidents, recurrent fetal loss & a lupus anticoagulant. *Am. J. Obstet. Gynecol* 142: 829-834.

Digre KB , Durcan FJ , Branch DW , Jacobson DM , Varner MW , Baringer JR , (1989) :

Amaurosis fugax associated with antiphospholipid Antibodies . *Ann Neurol* . 25 : 228-232 .

Donaldson MC, Weinberg DS, Belkin M, Whitttemose AD, Mannick JA. (1990) :

Screening for hypercoagulable states in vascular surgical practise. A pre-liminary study. J. Vasc Surg (11): 825-831.

Douglas A , Ttiplett MD , (1993) :

Antiphospholipid Antibodies and thrombosis ; a consequence , coincidence , or cause ? Arch . Path Lab Med 117 : 78-88 .

Edson JR, Vogt JM, Hasegawa DK. (1984) :

Abnormal prothrombin cross immunoelectrophoresis in patients with lupus inhibitors. Blood (64) 807-16.

Elias M, Eldor A (1984) :

Thromboembolism in patient with "Lupus type" circulating anticoagulant. Arch. Int. Med 1984 144: 510-515.

Engel AG (1987) :

Myasthenia Gravis and other disorders of neuromascular transmission. Text book of harrison. Principles of medicine. Eleventh edition, Braunwald E, Isselbacher KJ, Petersdrof RG, Wilson J.D, Martin J.B & Fauci AS. McGraw Hill book company chapter 358: 2081.

- Englert H.J, Loizou S, Derue G.G, Walport MJ & Hughes G.R (1989) :
Clinical and immunologic features of livedo reticularis in lupus: a case control study. Am. J. Med 87 (4) 408-410.
- Englert H , Hawkes CH , Boey ML et al , (1984) :
Dego's disease , association with anticardiolipin antibodies and the lupus anticoagulant . Br Med J 289 : 576 .
- Esmon CT , (1992) :
The protein C anticoagulant pathway. Arterioscler Thromb 12: 135:145
- Exner T (1983) :
Comparison of two simple tests for the lupus anticoagulant. Am. J. Clinical path (83) 215-218.
- Exner T, Barber S, Kronenberg H et al (1980) :
Familial association of LAC. Br. J. haematol 45: 89-96.
- Exner T, McRea (1990) :
Studies on the relationship between antiphospholipid antibodies and lupus anticoagulant. Blood Coagul Fibrinolysis : 1: 17-21.
- Exner T, Richard KA & Kronenberg H (1975) :
studies on phospholipids in the action of a lupus coagulation inhibitors. Pathology 7: 319-28.

Extner T, Triplett DA, Taberner D, Howard M,
Harris N (1988) :

Comparison of test methods for the lupus anticoagulant: International
survey on LA (ISLA-1) . (Abstract) Blood (72) 295a.

Exner T , Triplett DA , Taberner Detal (1991) :
Guidelines for testing and revised criteria for lupus anticoagulant .
Thromb . Haemost 65 : 320 .

Firkin BG , Howard MA , Radford N , (1980) :
Possible relationship between lupus inhibitor and recurrent abortion in
young women . Lancet 2 : 366 .

Fong Ky , Boey MI , (1992) :
The antiphospholipid Syndrome . Singapore - Med - J oct , 33 (5) : 514
: 516.

Font J , Cervera R , Pare C , (1991) :
Non - infective verrucous endocarditis in a patient with primary
antiphospholipid syndrome . British . J . Rheum 30 : 305 - 307 .

Frampton G et al (1987) :
Successful removal of antiphospholipid antibody during pregnancy
using plasma exchange and low-dose prednisolone. The Lancet ii 1023-
1024.

Fauci A.S. (1985) :

The Acquired immunodeficiency syndrome: an update. Annals of Internal Medicine (192) 800-813.

Fauci AS (1987) :

The vasculitis syndrome, textbook of Harrison's principle of internal medicine eleventh edition, Braunwald E, Isselbacher KJ, Petersdorf RG, Welson JD, martin JB & Fauci AS. McGraw Hill book company, Chapter 269: 1443.

Feinstein DI (1985) :

Lupus anticoagulant, thrombosis and fetal loss. N. Eng J Med 1985 (313) 1348-9.

Feinstein DI (1972) :

Rapaport SI; Acquired inhibitors of blood coagulation. Prog hemost Thromb: 1: 75-95.

Fisher M & McGhee W (1986) :

Cerebral infarct, TIA & Lupus inhibitor. Neurology (36) 1234-1237.

Fleck RA, Rapaport SI, Rao LV (1988) :

Antiprothrombin antibodies and lupus anticoagulant. Blood (72) 512-9.

Fort J.G, Cowchock F.S, Abruzzo, J.L et al
(1987) :

ACLA's in patients with Rheumatic disease. Arthritis Rheum (30) 572-760.

Fossatip, Prencipe L (1982) :

Clin. Chem 28, 2077.

Freyssinet J.M, Wissel M, Gauchy J et al (1986) :

An IgM lupus anticoagulant that neutralize the enhancing effect of phospholipid on purified endothelial thrombomodulin activity, a mechanism for thrombosis. Thromb Haemostasis (55) 309-313.

Fruchart J.C. (1982) :

Rev. Fr. Des laboratoires (103), 7-17

Fulford, KWM, Catterall RD, Delhanty JJ; Domach
D, & Kremer H (1972) :

A collagen disorder of the nervous system presenting as multiple sclerosis. Brain 95: 373-386.

Gharavi AE, harris EN, Asherson, RA & Hughes
GRV (1987) :

Anticardiolipin isotypes: a study of their clinical prevalence. Ann Rheum Dis 46: 1-6.

Gastineau DA, Kazmier FJ. Nichols WL et al
(1985) :

Lupus anticoagulant: An analysis of the clinical & laboratory features
of 219 cases. Am. J. Haematol 19: 265-275.

Gharavi AE, IgG (1988) :

Subclass and light chain distribution of anticardiolipin and Anti-DNA
antibodies in systemic lupus erythematosus. Ann. Rheum Dis, 1988 (47)
286-290.

Gharavi AE , (1988) :

Ig G subclass and light chain distribution of anticardiolipin and anti
Dna antibodies in systemic lupus erythematosus . Ann Rheum Dis
47:286 – 290 .

Gleicher N & Friberg J (1985) :

IGM gammopathy & LAC syndrome in habitual abortions. JAMA
(253) 3278-3281.

Gold J.E, Havbenstock A and Zalusky R (1986) :

Lupus anticoagulant and AIDs. New England Journal of Med 314 (19)
1252-1253.

Gonzalez-Scarano, Fy Lisak RP, Bilanuk LT;
Zimmerman RA, Atkins PC and Zweiman B (1979) :
Cranial computed tomography in the diagnosis of SLE. Am. Neurol 5:
158-165.

Gostriff TM; Martin BA (1981) :
Low functional and high antigenic antithrombin III level in a patient
with lupus anticoagulant and recurrent thrombosis. Arthritis Rheum
(24) 94-96.

Greaves and Preston (1991) :
Clinical and laboratory aspects of thrombophilia. Text book of blood
coagulation number 5, (ed); Poller L. Churchill Livingstone. Chapter 7
128-138.

Green D, Hougie C, Kazmier FJ et al (1983) :
Report of the working party on acquired inhibitors of coagulation:
studies of the lupus anticoagulant. Thromb Haemostasis (49) 144-146.

Greenfield LJ. (1988) :
Lupus like anticoagulants and thrombosis. J. Vasc Surg 1988 7: 818-
819.

Greisman SG, Thayaparan RS, Godwin TA, Lockshin MD. (1991) :

Occlusive vasculopathy in systemic lupus erythematosus. Association with anticardiolipin Abs. Arch-Inten-Med 1991 (151): 389-92.

Grob J.J & Bonerandi J.J (1989) :

Thrombotic skin disease as a marker of ACL syndrome: Livedo vasculitis and distal gangrene associated with abnormal serum APL activity. J. Am Acad Dermat 20 1063-1069.

Hamsten A, Norberg R, Bjorkhln M, Defirre U, Holm G. (1986) :

Antibodies to cardiolipin in young survivors of myocardial infarction: an association with recurrent cardiovascular events. Lancet 1: 113-116.

Harris EN, Gharavi A.E, Mackworth-young G.G, et al (1985) :

A posaible pathogenesis role for APLAS. Ann rheum Dis (44) 281-283.

Harris EN, Gharavi AE, boey ML (1983) :

Anticardiolipin Abs: detection by radioimmunoassay and association with thrombosis in systemic lupus erythematosus. Lancet (2): 1211-1214.

Harris EN, Gharavi AE, Huges GR. (1984) :

Anticardiolipin antibody: clinical and serological correlations abstracted. Arthritis Rheum (27) 543.

Harris EN., Gharavi AE, Asherson R.A. (1984) :

Cerebral infarction in systemic lupus: association with anticardiolipin Antibodies. Cline Exp Rheumatol (1) 47-51.

Harris EN, Asherson RA and Hughes GR (1988) :

Antiphospholipid Abs. Ann. Rev. Med (39) 261-271.

Harris EN, Asherson RA, Gharavi AE, Morgan SH,

Derue G, Hughes GR. (1985) :

Thrombocytopenia in SLE & related autoimmune disorders: association with anticardiolipin Abs. Br. J. Haematol (59) 227-30.

Harris EN, Asherson RA, Hughes GR. (1988) :

Antiphospholipid Abs autoantibodies with a difference. Annu Rev Med : 39 261-71.

Harris EN, Englert H, Derue, g. Hughes GRV & Gharavi A (1983):

Antiphospholipid Abs in acute Guillain-Barre syndrome. Lancet ii, 1361-1362.

Harris EN, Gharavi AE, Boey ML, Mackworth-young C.G, Patel BM & Loizou S (1983):

Anticardiolipin Antibodies: Detection by radioimmunoassay & association with thrombosis in SLE. Lancet II, 1211-1214.

Harris EN, Gharavi AE, Hedge U. (1985):

anticardiolipin Abs in autoimmune thrombocytopenic purpra. Br. J. Haematol 59: 231-4.

Harris EN. , Gharavi AE. , Patel S. , Hughes GRV (1987):

Evaluation of the anticardiolipin antibody test : report on an international workshop held April 4, 1986. Clin. Exp. Immunol 68, 215-222.

Harris EN. (1990) :

The second international anticardiolipin standardization workshop/the Kingston antiphospholipid antibody study (KAPS) Group. Am. J. Clin. Pathol 94, 476.

Harris EN , Chan JKH , Asherson RA , Aber VR ,
Gharavi AE , Hughes GRV , (1986) :

Thrombosis , recurrent fetal loss and thrombocytopenia : predictive value of the anticardiolipin antibody test . Arch Int . Med 2153 - 2156 .

Harris EN , Hughes GRV , Gharavi AE (1986) :

Anticardiolipin antibodies and the lupus anticoagulant . Clinical Exp Rheum : 4 : 187 - 190 .

Harrison RL, Alperin J.B, Kumar D, (1987) :

Concurrent LA and prothrombin deficiency due to phenyton use. Arch Pathol. Lab. Med III 719-722.

Hasselaar P, Derksen RH, Blokzijl L, de groot, P.g (1988) :

Thrombosis associated with antiphospholipid Antibodies cannot be explained by effects on endothelial and platelet prostanoid synthesis. Thromb Haemostasis 59 (80-85)

ss DC , (1992) :

roke associated with antiphospholipid antibodies . Stroke (Suppl 1) 23
8.

ward MA, Fickon BG, Healy DL et al (1987) :

in women with multiple spontaneous miscarriages. Am J Haemt
) 175-178.

ghes, GRV (1984) :

anective tissue disease and the skin. Clini Exp Dermatol 9: 535-544.

ghes, Harris EN, Gharavi AE. (1986) :

icardiolipin syndrome. J. Rheumatol 1986 (13) 486-9.

ll R.G, Harris EN, Gharavi A.E et al (1984) :

icardiolipin antibodies: occurrence in Behcet's syndrome. Ann
um Dis 43 746-748.

abo G, Aoyama J. Shiumuzu T (1975) :

dies of neuro-bechect's syndrome. Annual reports of behacet's
ase. Research committee of Japan 279.

um S, Sidki K, Al-Marshedy AR, Judzwitsch R.

991) :

lison's disease hypertension, renal and hepatic microthrombosis in
nary antiphospholipid syndrome. Post Grad Med. J (67) 385-8.

Infante-Rivard C, David M, Gauthier R, Riva:
GE, (1991):

Lupus anticoagulant, anticardiolipin Antibodies and fetal loss. N. En
J Med 1991; 325: 1063-1066.

Intrator L, Oksenhendler E, Derforges L a
Bierling P (1988):

Anticardiolipin antibodies in HIV infected patients with or with
immune thrombocytopenic purpra. Br. J. Haematology (68) 269-270.

Jeffrey RF (1986):

Transient LA and fansidar therapy. post grad Med. J 62: 893: 894.

Jindal BK, Martin MFR, Gaynor A. (1983):

Gangrene developing after minor surgery in patient with undiagn
SLE & LAC. Ann Rheum Dis (42) 347-349.

Jones H.W, Ireland R, Senaldi G, Wang
Khamashta M, Bellingham AJ. Veerapan K, Hugh
GRV and Vergani D, (1991):

Anticardiolipin antibodies in patients from malaysia with syste
lupus erythematosus. Anal of Rheumatic diseases (50) 173-175.

Jude B, Goudemand J, Dolle I et al (1988):

Lupus anticoagulant: a clinical and laboratory study of 100 cases.
Lab. Haematol (10) 41-51.

Kalunian KC, Middlkauff HR, Peter JB, Sayre J et al (1988) :

The clinical significance of a single test for ACLAs in patients with SLE
Am. J. Med 85: 602-608.

Kant KS. Pollack VE, Weiss MA, Glueck HI, Miller AN, Hess EV (1981) :

Glomerular thrombosis in SLE Prevalance and significance. Medicine
(Baltimore) : 60: 71-86.

Keane A, Woods R, Dowding V, Roden D and Barry C (1987) :

ACLAs in Rheumatoid Arthritis. Br. J. Rheumatology (26) 346-350.

Keeling DM , Campbell SJ , Makie IJ , Machin SJ , Isenberg DA , (1991) :

The fibrinolytic response to venous occlusion and natural anticoagulants in patients with antiphospholipid antibodies both with and without systemic lupus erythematosus . Br. J. Haematol 77 : 354-359 .

Khamasta MA, Gil A, Ancione B et al (1988) :

Chorea in SLE: association with Antiphospholipid Abs. Ann rheum Dis
47: 681-683.

Khasmata M.A, Cervera R, Asherson R.A (1990) :
Association of antibodies against phospholipids with heart valve disease
in SLE. Lancet 1: 1541-4.

Khamashta MA , Harris EN , Gharavi AE et al
(1988) :

Immune mediated mechanism for thrombosis ; antiphospholipid
antibody binding to platelet membrane . Ann Rheum Dis (47) 849 – 854

Kinacaid-Smith P, Fairley KF, Kloss M. (1988) :
Lupus anticoagulant associated with renal thrombosis microangiopathy
and pregnancy related renal failure. J. of Med : 795-815.

Kittner SJ, Gorelik PB (1992) :
APAs and Stroke an epidemiological perspective. Stroke (1992) 23
(Suppl 1) 19-22.

Koike T, Sueishi M, Funki H, Tomioka H &
Yoshida S (1984) :

APLAs & biological false positive serological test in syphilis patients
with SLE. clinical exp immunol 56: 193.

- Kumar V, Bartholomeno W, Shieh MT, Pierce C & Kaul N (1991):
Standardization of ELISA for the detection of anticardiolipin antibodies effect of non specific IgG binding. *Immunol Invest* 20 (7) 583-593.
- Kunkel LA (1992):
Acquired circulating anticoagulant. *Haematol Oncol Clin North Am* (6) 1341-1357.
- Kushner M, Simonia N, (1989):
Lupus anticoagulant, anticardiolipin antibodies and cerebral ischemia. *Stroke* 20: 225 - 229.
- Landi G, Calloni Mv, Sabbodini, MC et al (1983):
Recurrent ischaemic attack in two young adults with LA. *Stroke* (14) 377-379.
- Laurell AB, Nilsson IM (1957):
Hypergamaglobinaemia, circulating anticoagulant and biologic false positive wassermann reaction. *J. Lab-Clin Med* (49) 494-707.
- Lavalle C, Pizzaro S, Drenkard C, et al (1990):
Transverse myelitis: a manifestations of SLE strongly associated with antiphospholipid. *Abs. J. Rheum* 17: 34; 37.

Le Roux G, Wautier MP, Guillevin L et al
(1986) :

IgG binding to endothelial cells in systemic lupus erythematosus.
Thromb Haemostasis (56) 144-146.

Lefrere JJ, Gozin D, Modai J, Vitteloq D.
(1987) :

Circulating anticoagulant in the acquired immunodeficiency syndrome
Ann intern Med : 107, 429-430.

Lefrere JJ , Gozin D , Lerable J , (1988) :

Circulating anticoagulant in a symptomatic persons seropositive for
human immunodeficiency virus . Ann Intern Med 108 - 771 .

Levine SR, Langer SL, Albers JW et al (1988) :

Sneddon's syndrome: an antiphospholipid Ab, Syndrome? Neurology
(38) 379-800.

Levine SR , Deegan MJ , Welch KMP , (1997) :

Cerebrovascular and neurologic disease associated with APL .
Neurology 40 1181 : 1189 .

Leung WH, Wong KL, Lau C.P (1990) :

association between Antiphospholipid Abs and Cardiac Abnormalities
in patients with S.L.E. Am. J. Med : 89 : 411 - 19 .

Leventhal L-J Borofsky MA, Bergey PD (1989) :
Antiphospholipid Ab syndrome with right arterial thrombus mimicking
an arterial myxoma. Am J. Med 87: 111-113.

Levine SR, Deegan MJ. Futrell N, Welch KMA
(1990) :

Cerebrovascular and neurologic disease associated with
antiphospholipid antibodies 48 cases. Neurology 1990 (40) 1181-1189.

Levine, SR & Welch MA (1987) :

The spectrum of neurological disease associated with APLAS. Arch-
Neurol (44) 876-883.

Levy Y , George J , Ziporen L , Cledes J ,
Amital H , Bar - Dayan Y , Afek A , Youinou P ,
Shoenfeld Y , (1998) :

Massive proteinuria as a main manifestation of primary
antiphospholipid syndrome . Pathology 66 49 - 52 .

LI, GC, Greenberg CS, Currie M.S (1988) :

Procainamide-induced LAC & Thrombosis. South Med. J. 81 262-264.

Lipp E , Von Felten A , Sax H , Muller D ,
Berchtold (1998) :

Antibodies against platelet glycoproteins and antiphospholipid
antibodies in autoimmune thrombocytopenia . Eur. J. Haematol 60 283
- 288.

Lockshin MD, Druzin ML et al (1985) :

Antibody to cardiolipin as a predictor of fetal distress or death in
pregnant patients with systemic lupus erythematosus. The New
England Journal of medicine, 1985, 313, 152-156.

Lockshin MD, Druzin ML, Qamar T. (1989) :

Prednisone does not prevent recurrent fetal death in women with
antiphospholipid antibody. Am. Obstet Gynecol 1989, 160, 439-443.

Lockshin MD. Druzin ML, Goei, S et al (1985) :

Antibody to cardiolipin as a predictor of fetal distress or death in
pregnant patients with SLE. N. eng. J. Med (313) 152-156.

Lubbe WF, Asheron RA (1988) :

Intracardiac thrombus in systemic lupus erythematosus, associated
with lupus anticoagulant. Arthritis Rheum (31) 1453-1454.

Lubbe WF, Butler WS, Palmer SJ. (1984) :

Liggins GC lupus anticoagulant in pregnancy. Br. J. Obstet Gynaecol
(91) 357-63.

Lubbe WF , Walker EB , (1983) :

Chorea gravidarum associated with circulating lupus anticoagulant
successful outcome of pregnancy with prednisone and aspirin therapy .
Br. J. Obst Gynaecol 90 487 - 490 .

Lubbe WF , Palmer SJ , Butler WS , (1983) :

Fetal Survival after prednisolone suppression of maternal lupus
anticoagulant. Lancet 1 : 1361 .

Mackie IJ, Colaco CB & Machin SJ (1987) :

Familial lupus anticoagulant. Br. J. Haematol 67: 359-363.

Mackworth-young C.G, Chan, J. Harris EN, et al
(1987) :

High incidence of ACLAs in relatives of patients with SLE. J.
Rheumatol 14: 723-726.

Mackworth-young CG, Harris EN, Steere AC
(1988) :

Antibodies to cardiolipin in Lyme disease. Arthritis Rheum (31). 1052-
1056.

Macleod J , (1984) :

Diseases of the nervous system . Textbook of Davidson's principles and
practice of medicine . 14 th edition . Allan N.C , Crean G.P , Geeds AM

, Julian DG , Walton HJ. ELBs book society / churchil livingstone .
Chapter 15 , P : 629 .

McNeil HP, Chesterman CN, Krilis SA. (1991) :
Immunology and clinical importance of Antiphospholipid antibodies.
Adv. Immunol 49: 193-280.

Mc Neil HP , Chesterman CN , Krilis SA, (1989) :
Anticardiolipin antibodies and lupus anticoagulant comprise separate
antibody subgroups with different phospholipid binding characteristics
. Br . J . Haematol 73 – 506 .

Macworth-young CG, Loizou S, Walport MJ (1989) :
primary antiphospholipid syndrome: features of patients with raised
anticardiolipin Antibodies and no other disorders. Ann Rheum Dis (48)
362-7.

Masuda K, Inbada G, Mizushima Y et al (1975) :
a nationwide survey of Behcet's disease in Japan . J Pn. J. Ophthalmol
(19) 278.

Matthey F, Walshe K, Mackie IJ et al (1989) :
Familial occurrence of APLS. J. Clin Path 42. 495-497.

McNeil HP, Simpson RJ, Chesterman CN and Kirlis
(1990) :

Antiphospholipid Abs are directed against a complex antigen that
include a lipid binding inhibitor of coagulation B2 glycoprotein I
(Apolipoprotein H). Proc. Natl. Acad Sci USA (87) 4120-4124.

Misra R, Venables PJW, Walkins RP and Maini R.N
(1987) :

Autoimmunity to cardiolpin in infectious mononucleosis (Letters).
Lancet II, 629.

Moll JMH, and Wright V (1973) :

Psoriatic Arthritis. Semin. Arthritis Rheum (3) 55-78.

Moncada S, Higgs EA, Vane. J.R (1977) :

Human arterial and venous tissue generate prostacyclin a potent
inhibitor of platelet aggregation. Lancet 1: 18-21.

Mohtalban J. , Arboi A. , Staub H. , (1989) :

Transiet Global amnesia and antiphosphit Abs. Clinic Exp Rheumat 7:
86- 87.

Montalban J , Arboi A , Staub H , (1989) :

Transient Global amnesia and antiphospholipid AB . Clinic Exp Rheumat 36-87 .

Montgomery RD, Cruikshark EK, Robertson WB & McMenemy WH (1964) :

Clinicals and pathological observation on jamaican neruopathy, a report on 206 cases. Brain; 87 425-469.

Mor F, Beiget Y. Inbal A, Goren M, Wysenbeek AJ. (1989) :

Hepatic infarction in a patient with lupus anticagulant. Arth-Rheum 1 (32) 491-5.

Morton KE, Gavaghan TP, Krilis SA, et al. (1986) :

Coronary artery bypass graft failure-an autoimmune phenomenon? Lancet (2) 1353-1357.

Mouritsen S, Hoier-Madsen M, Wilk A, Orum O & Pedersen N.S (1989) :

The specificty of ACAs from syphilis & from patients with SLE. Clin. Exp. Immunol 76: 178.

Much JR, Herbst KD, Rapaport SI. (1980) :
Thrombosis in patients with lupus anticoagulant Ann Intern Med (92)
156-159.

Nakamura H, Uehara H, Okada T et al. (1989) :
Occlusion of small hepatic veins associated with SLE with a lupus
anticoagulant and anticardiolipin Antibodies. Hepatogastroenterology
(36) 393-7.

Nilsson IM, Astedt B, Hedner U, Berezin D.
(1975) :
Intrauterine death and circulating anticoagulant, Antithromboplastin.
Acta Med Scand (197) 153-159.

Norbeg R, Cardling B, thorstenssen R & Lidmar
(1984) :
Further immunological studies of sera containing anti-mitochondrial
antibodies type M5. Clin exp immunol 59: 639.

O'brien PF , North WRS , Ingram GIC , (1981) :
Thromosis Haemostasis 45 (2) 162 – 168 .

O'Duffy J.D, Lehner T, Barnes CG (1983) :
Summary of the 3rd international conference on Behcet's disease. J.
Rheumatol 10: 154-158.

Ostuni PA, Lazzarin P. Penga V, Ruffatti A, Schiavon F, Gambari P. (1990) :

Renal artery thrombosis and hypertension in a 13 year old girl with antiphospholipid syndrome . Ann. Rheum. Dis (49) 184-7.

Out H.J, Kooijman CD, Bruinse H.W & Derksen RH (1991) :

Histopathological findings in placental from patients with intrauterine fetal death & APAS. Eur. J. Obst Gynecol. Reprod Biol (8) 41 (3) 179-186.

Palosus T, Vaarala O, Kinnunen E, (1985) :

Anticardiolipin in guilain-Barre syndrome. Lancet 2: 839.

Patrizia N , Maria CB , Rosanna A , Graziella M , Luigi A , Domenico I , (1992) :

Lupus anticoagulant and anticardiolipin antilodies in young adults with cerebral ischemia Stroke vol 23 (2) 189 - 193 .

Proctor (et al), RP & Rappaport SI (1961) :

The partial thromboplastin time with Kaolin: a simple screening test for first stage plasma clotting factor deficiency. Am J. Clin Pathol 36: 212-219.

- Rao RH, Vagnucci AH, Amico JA. (1989) :
Bilateral massive adrenal haemorrhage: early recognition & treatment.
Ann Intern Med. 1989 (110) 227-35.
- Robin L, Brey MD, Robert G, Hart M, David G,
Sherman MD & Charles H, Tegeler MD. (1990) :
Antiphospholipid antibodies and cerebral ischemia in young people.
Neurology : 40: 1190-1196.
- Rosove MH , Brewer P , Runge A , (1989) :
Simultaneous lupus anticoagulant and anticardiolipin assays and
clinical detection of antiphospholipids . Am. J. Hematology 32 : 148 .
- Rossi, E, Gatti, Guarneri D, Finotto E,
Lombardi A & Preda L (1992) :
Function protein S in women with lupus anticoagulant inhibitor.
Thrombo Res 15 65 (2) 253-262.
- Sairenji T, Nguyen QV; Woda B and Humphreys RE
(1987) :
Immune response to intermediate filament associated Epstein-barr
virus induced early antigen. J. Immunol 138 2645.

Sammaritano LR. Gharavi AE, and Lockshim MD
(1990) :

Antiphospholipid syndrome: immunological and clinical aspects.
Seminar in Arthritis and Rheumatism 20 (2) 81-96.

Sammaritano LR. (1996) :

Significance of APL IgG subclasses. Lupus 5: 436-439.

Sanfelippo MJ , Drayna GJ (1982) :

Prekallikerein inhibition associated with lupus Anticoagulant. Am. J.
Clinical Pathol (77) 275-279.

Saxena R , Saraya AK , Kottle VK et al, (1991) :

Evaluation of four coagulation tests to detect plasma lupus
anticoagulant . Am. J. Clin Path 96 : 755 .

Schleider MA, Nachman RL, Jaffe EA, Coleman M.
(1976) :

A clinical study of lupus anticoagulant. Blood (48) 499-509.

Shapiro SS, Thiagarajan P. (1982) :

Lupus anticoagulants. Prog Haemost Thromb (6) 263-85.

- Shi Bs , Chong BH , Chesterman CN , (1993) :
Beta - 2 - glycoprotein I is a requirement for anticardiolipin antibodies
binding to activated platelets ; Differences with lupus anticoagulants .
Blood 81 : 1255 .
- Shortell CK, Owiel K, Green RM, Condemi JJ,
Deweese JA. (1992) :
Vascular disease in the antiphospholipid syndrome: a comparison with
the patient population with atherosclerosis. J. Vasc Surg (15) 158-166.
- Shulze-Lohoff. E, Krapf F: Bleil L et al
(1989) :
IgM containing immune complexes and APLAs in patient with
snedddon's syndrome. Rheum Int (9) 43-48.
- Siest G , Henny J , Schiele F , (1981) :
Interpretation des examens de Laboratoire . Karger ed 206 - 223 .
- Slaughter L. Carson DA, Jensen FC Holbrook T.L
& Vaughan JH (1978) :
In vitro effects of Epstein-Barr virus on peripheral blood mononuclear
cells from patients with Rheumatoid arthritis and normal subjects. J.
Exp Med 148-149.

Smeank RJ. Lucassen WA, Swaak TJ (1987) :

Anticardiolipin activity a cross reaction of Anti DNA or a separate entity. *Arthritis Rheum* (30) 607-17.

Smolarski M (1980) :

A simple radioimmunoassay to determine binding of antibodies to lipid antigens. *J. of Immunol Methods* (38) 85-93.

Soulier RP, Boffa MC. (1980) :

Avortements a repetition, thromboses et anticoagulant circulant antithromboplastine. *Nouv Presse Med* 1980 (9) 859-64.

Spiera H, Rothenberg RR. (1983) :

Myocardial infarction in four young patients with SLE. *J. Rheumatol* (10) 464-466.

Steere A.C (1987) :

Lyme disease in textbook of Harrison's principles of internal medicine. 11th edition Braunwald E, Isselbacher KJ, Petersdorf RG, Wilson JD, Martin JB & Fauci AS. McGraw-Hill book Company chapter 127: 658-659.

Stegnar M , Bozic B , Peternel P , Kveder T ,
Vene N , Rozman B , (1991) :

Prevalence of antiphospholipid antibodies in deep vein thrombosis and
their relationship to blood coagulation and fibrinolysis . Thromb . Resh
63 : 433 - 443 .

Stenflo J (1978) :

vitamin K, prothrombin and Y-carboxyglutamic acid. Adv. Enzymol
(46) 1-31.

Steven R Levine MD, Leeza Salowich palm Bs,
Kara L. Saway RN, Marry perry BA, HJ Spencer,
Ph D, H Jason Winkler, BA, Zarina Alam, John L
Carey, MD. (1997) :

IgG anticardiolipin Antibody Titer > 40 GPL and the Risk of
Subsequent Thrombo-occlusive events and death. Stroke vole 28 No 9,
1660-1665.

Steven R , Levine A , Michael J , Nancy F ,
Welch KMA ; (1990) :

Cerebro vascular and Neurological diseases associated with
antiphospholipid antibodies : 48 Cases . Neurology 40 : 1181 - 1189 .

Steven R , Levine MD , Welch KMA , (1987) :

The Spectrum of neurological diseases associated with antiphospholipid
antibodies . Arch Neurol 44 876 - 883 .

Stimmler MM, Quismorio F.P, McGehee W.G, boylen T, Sharpe O.P (1989) :

Anticardiolipin Abs in acquired immunodeficiency syndrome. Arch. Int Med 149 (8) 1833-1835.

Sutjita M, Hohmann A, Commacchio R, Boey M.L. Bradely J (1989) :

a common anticardiolipin Ab idotype in autoimmune disease. Identification using a mouse monoclonal antibody directed against a naturally occurring antiphospholipid antibody. Clin Exp Immunol 75: 211-216.

Tailan B , Roul C , Fuzibet JG , (1989) :
Circulating anticoagulant in patients seropositive for human immunodeficiency virus . Ann . Inter Med 87 . 238 .

Thiagarajan P, Pengo V & Shapiro SS (1986) :
The use of Dilute Russel Viper Venom time for the diagnosis of lupus anticoagulant. Blood 68: 869-73.

The antiphospholipid Abs in Stroke study group
(1990) :
Clinical and laboratory findings in patients with APAs and cerebral ischaemia. Stroke (21) 1268-1273 .

Thiagarajan P, Shapiro SS. (1983) :

Lupus anticoagulants. In colman RW (ed): Methods in Haematol. Disorders of thromboin formation other than hemophilia. Livingston: New York p 10.

Thiagarajan P, Shapiro SS (1980) :

Lupus anticoagulants are antibodies reactive against phospholipids. Circulation (62) 279 (Abstr).

Thiagarajan P, Shapiro SS, De Marco L. (1980) :

Monoclonal immunoglobulin in coagulation inhibitor with phospholipid specificity. J. Clin. Invest (66) 397-405.

Tobelem G , Cariou R , Camez A , (1987) :

Lupus anticoagulant and its role in Thrombosis . Blood Rev 1 : 21 - 24 .

Triplett DA, Brandt JT, Musgrave KA, Orrc A (1988) :

The relationship between lupus anticoagulant and antibodies to phospholipids. Jama (259) 550-554.

Triplett DA, Brandt ST. (1982) :

Lupus anticoagulant; misnomer, Paradox, riddle epiphenomenon. Haematol pathol 2; 121-123.

Triplett DA. (1989) :

Antiphospholipid antibodies and recurrent pregnancy loss. Am J
Reprod immunol 20; 52-67.

Triplett DA. Brandt HT, Kaczor D & Schaeffer J
(1983) :

Laboratory diagnosis of lupus inhibitors: a comparison of the tissue
thromboplastic inhibition procedure with new platelets neutralization
procedure. Am. J. Clin Path (79) 678-82.

Triplett DA , Brandt JT , (1988) :

Lupus anticoagulant : misnomer , Paradox , riddle . epiphenomenon .
Hermat. Pathol 2 : 121 : 123 .

Triplett DA ; (1988) :

Clinical significance of antiphospholipid antibodies . Hemost . Thromb
10 ; 1.

Triplett MD , Douglas A , (1993) :

Antiphospholipid antibodies and Thrombosis . Arch . Path Lab . Med
117 : 78 - 88 .

Vaarala O, Palosuo T, Kleemola M, Alto K.
(1986) :

Anticardiolipin response in acute infections. Clini immunol
immunopathol 1986, 41, 8-15.

Vermess M, Bernstein RM, Bydder GM, Steiner RE, Young I-R & Hughes GRV (1983) :

Nuclear magnetic resonance (NMR) imaging of the brain in SLE. J. Comput. Assist Tomogr (7) 461-467.

Vermeylen J, Blockmans D, Spitz B (1986) :

Thrombosis and immundisorders. Clin. Haematol 15 393-412.

Victor M & Martin J.B (1987) :

Disease of cranial nerves. Text book of Harrison's principles of Internal medicine, Eleventh edition, Brauwald E, Isselbacher KJ, Petersdor RC, Wilson J.D, Martin JB & Fauci AS. McGraw-Hill Book company. Chapter 352-2035.

Vismara A, Meroni PL, Tincani A et al (1988) :

Relationship between anticardiolipin and anti-endothelial cell antibodies in systemic lupus Erythem. Clin Exp Immunol (74) 247-253.

Waddell CC, Brown J.A (1982) :

The lupus anti-coagulatn in 14 male patients. JAMA 248: 2493-2495.

Wakai S, Matsumara O, Koike T, Maruyama N and Yumura W (1991) :

ACLA sand renal microthrombi in lupus nephritis. Rumachi (31) (5) 481-487.