

REFERENCES

- Aitkinhead AR, Rowbotham DJ, Smith Graham. (2007):** ophthalmic surgical anaesthetics – complications in textbook of Anaesthesia 4th ed. p. 602-5.
- Albert, Daniel M, Fackobie FA (2000):** Principles and practice of ophthalmology, 2nd edition,
- Allen MJ, Bunce C, Presland AH (2008):** The effect of warming local anaesthetic on the pain of injection during sub-Tenon's anaesthesia for cataract surgery. *Anaesthesia* 2008; 63:276–278
- Aziz ES, Samra A. (2007):** Prospective evaluation of deep topical fornix nerve block versus peribulbar nerve block in patients undergoing cataract surgery using phacoemulsification. *Br J Anaesthesia* ; 86: 742.
- Barash, Paul G.; Cullen, Bruce F.; Stoelting, Robert K (2008).** : Clinical Anesthesia, 6th Edition Lippincott Williams & Wilkins: 980-89.
- Barash, Paul G.; Cullen, et al (2008).** Clinical Anesthesia, 6th Edition Lippincott Williams & Wilkins: 469-73.
- Barash, Paul G.; Cullen, et al Bruce F (2008):** Clinical Anesthesia, 6th Edition Lippincott Williams & Wilkins: 1257-59.
- Beard C, Quickert MH.(2006):** Anatomy Of the orbit: A dissection manual. 3rd ed. Birmingham. AL: Aesculapius Publishing Co; 215-9,
- Belyamani L, Kriet M, Laktaoui A, Azendour H, et al,(2008):** Peribulbar anesthesia: comparing 1% ropivacaine and a mixture of 0.5% bupivacaine 2% lidocaine. *J Fr Ophtalmol*; 26: 953-6.

- Bron AJ, Tripathi RC, Tripathi BJ. (2006):** Wolff's Anatomy of the eye and orbit. 8th ed. London: Chapman and Hall Medical; 110-8.
- Calobrisi BL and Lebowitz P (1990):** Int Anaesthesiology clinics, 1990; 28 (2): 83.
- Chandra M. Kumar (2010) :**Department of Anaesthesia, The James Cook University Hospital, Middle brough TS4 3BW, UK Current Anaesthesia & Critical CareVolume 21, Issue 4, August 2010, Page 157
- Cionni RJ. Osher RH. (2004):** Retrobulbar hemorrhage. Ophthalmology. 88:1153-5.
- Cox B, Durieux ME, Marcus MA. (2008):** Toxicity of local anaesthetics. Best Pract Res Clin Anaesthesiol; 17: 111-36.
- Dowd TC, Kumar CM, (2006):** Complications of ophthalmic regional blocks: their treatment and prevention. Ophthalmologica; 220:73–82
- Doxanas MT, Anderson RL. (2006):** Clinical Orbital Anatomy. Baltimore; Williams and Wilkins; 715-9.
- Duker JS, Belmont JB, Benson WE (2005):** Inadvertent globe perforation during retrobulbar and peribulbar anesthesia. *Ophthalmology*; 98:519-26.
- Eggeling P, Pleyer U, Hartmann C (2007):** Corneal endothelial toxicity of different lidocaine concentrations .J Cataract Refract Surg; 26: 1403-8.
- Gauba V, Saleh GM, Watson K, Chung A (2007):** Sub-Tenon anaesthesia: reduction in subconjunctival haemorrhage with controlled bipolar conjunctival cautery. Eye 2007; 21:1387–1390.

- Gillart T, Barrau P, Bazin JE, (2006):** Lidocaine plus ropivacaine versus lidocaine plus bupivacaine for peribulbar anesthesia by single medial injection. *Anesthesia & Analgesia*; 89: 1192- 6
- Goswami T ,Quantock CL, (2007).:** Death potentially secondary to sub-Tenon's block. *Anaesthesia*; 62:175–177.
- Gray's G, (2007):** Gray's anatomy, Standring S (ed.) 39th edition. Elsevier Churchill Livingstone, 799:812.
- Hamilton RC. (2008):** A discourse on the complications of retrobulbar and peribulbar blockade. *Can J Ophthalmol*; 35:363-72.
- Hay A, Flynn HW Jr, Hoffman JI, and Rivera AH (2005):** Needle penetration of the globe during retrobulbar and peribulbar injections. *Ophthalmology*; 98:1017-24. *Investigative ophthalmology and visual science* 27; 1428-1431.
- Koornneef L. (2006):** The architecture of musculo-fibrous apparatus in the human orbit. *Acta morphol Neerl- scand* 15:27,
- Kumar C.M, Dowd T.C (2008) :** Ophthalmic regional anaesthesia, *Curr Opin Anaesthesiol* 21 (5) (2008 Oct), pp. 632–637pp. 356–360
- Kumar CM. (2006):** orbital regional anesthesia; *Indian J Ophthalmology* volume 54; issue-2.
- Kumar CM. (2008):** orbital regional anesthesia; complications and their prevention. *Indian J Ophthalmology* volume 54; issue-2.

Leonardo Rizzo ,MD, Maurizio Marini, MD, Chiara Rosati, MD, Italo Calamai, MD, Michela Nesi, MD, Roberto Salvini, MPH, Cinzia Mazzini, MD, Fiamma Campana, MD, and Enzo Brizzi, MD (2005): Department of Critical Care Medicine and Surgery, Section of Anesthesiology, University of Florence, Viale Morgagni 85, 50134, 2005.

Madan R, Bharti N, Shende D, (2006): A dose response study of clonidine with local anesthetic mixture for peribulbar block: a comparison of three doses. *Anesth Analg*; 93:1593-7.

Mausolf FA. (2006): The Anatomy of ocular Adenxa, springfield, charles C Thomas; 45:51.

Mc Lure HA, Rubin Ap.(2005): Review of local anesthetic agents.

McGaldrick KE (1989) : *J Clin Anaesthesia*, 1989; 1 (4): 297. *Minerva Anestesiol* 71: 59-74

Newman NJ, eds. Walsh and Hoyt's.(2005): Clinical Neuro-Ophthalmology. 5th edition : facial nerve blocks. Baltimore: Williams & Wilkins: 723-36.

Nicol M. (2008); Anaesthesia for ophthalmic surgery in *Textbook of Anaesthesia* Aitkinhead AR, Rowbotham DJ, Smith Graham. 4th ed. Churchill Livingstone: London; p. 594-605.

Nishiyama T, Hanaoka K. (2008): Usefulness of a new nasal cannula with an end-tidal carbon dioxide measuring port. *Masui*; 52: 424-6.

Ozdemir M, Ozdemir G, Zencirci B, (2008): Articaine versus lidocaine plus bupivacaine for peribulbar anaesthesia in cataract surgery. *Br J Anaesth*; 92: 231-4.

Perez G.M, Keyser RB.(2006): Cell body counts in human ciliary ganglia.

Peterson WC,and Yanoff M.(2006):Subconjunctival anaesthesia :an alternative to retrobulbar and peribulbar techniques.Ophthalmic surg;22:199-201.

Quantock C.L and Goswami T (2007): Death potentially secondary to sub-Tenon's block, *Anaesthesia* **62** (2007), pp. 175–177

Reach G, Bodenham AR, Braithwaite P,et al.(2006): Peribulbar anaesthesia using a mixture of local anaesthetic and vecuronium . *Anaesthesia*; 53: 551- 4.

Rodrigues RP.A, Vale P.J, Cruz L.M, Carvalho R.P, Riberio I.M and Martins J.L (2008): Topical versus sub-Tenon's block for cataract surgery: surgical conditions and patient satisfaction, *Eur J Ophthalmol* **18** (2008).

Ronald D Miller (2007): Anaesthesia, 3th edition. Anesthesia and eye,ear,nose and throat surgery. John V, Donald Jr.:2001-9.

Ronald D Miller. (2007): Anaesthesia, 3th edition. Anesthesia and eye,ear,nose and throat surgery. John V, Donald Jr.:

Rosenthal KJ. (2007): Topical nerve block anaesthesia.J. Cataract refracts. *Surg*; 21: 499-503.

Rubin A. (2006): Complications of local anaesthesia for ophthalmic surgery.*Br J Anaesth*;75:93-6.

Ruschen H, Bremner FD, Carr C. (2008): Complications after sub-Tenon's eye block. *Anesth Analg*; 96:273.

- Saha L.Au, Fernando B, Ataullah S, and SpencerF (2008) :** Fast-track cataract services and diagnostic and treatment centre: impact on surgical training, *Eye* 22 (2008), pp. 55–59.
- Sinnott CJ, Cogswell III LP, Johnson A. (2007):** On the mechanism by which epinephrine potentiates lidocaine's peripheral nerve block. *Anesthesiology*; 98: 181-8
- Smith I, Taylor E. (2008):** Monitored anesthesia care. *Int Anesthesiol Clin.*; 32: 99-112.
- Tan CS. Eong KG, Kumar CM. (2008):** Visual experiences during cataract surgery; what anaesthesia provider should know. *Eur J Anest.* 22:413-9.
- Tassnem Barker ,Dos, Varikshit ,Vovete ,NS ,FFRCS,Nadan deshand,NS Arif Adenwala,NS Amr maske,Doms;k Geraappa,NS 2005:** Comparison of sub tenon Anaesthesia with peribulbar for manual small incision cataract surgery ,*Indian journal of ophthalmology*
- Waller SG, Taboda J, O'Connor P. (2005):** Retrobulbar anesthesia risk. Do sharp needles really perforate the eye more than blunt needles? *Ophthalmology*; 100:506-10.
- Wilson LD, Shelat C. (2008):** Hemodynamic effects of sodium bicarbonate in severe cocaine intoxication. *Local Anaesthetic toxicity*; 41: 777-88.