

- Aantaa R, Kallio A, Virtanen R.:** Dexmedetomidine, a novel α_2 -adrenergic agonist. A review of its pharmacodynamic characteristics. *Drugs of the Future*;18(1):49-56, 1993.
- Aantaa R, Kanto J, Scheinin M, et al.:** Dexmedetomidine, an α_2 -adrenoceptor agonist, reduces anaesthetic requirements for patients undergoing minor gynecological surgery. *Anesthesiology*;73:230-5, 1990.
- Aantaa R.:** Assessment of the sedative effects of dexmedetomidine, an α_2 -adrenoceptor agonist, with analysis of saccadic eye movements. *Pharmacol Toxicol*, 68:394-8, 1991
- Aghajanian GK, VanderMaelen CP:** α_2 adrenoceptor-mediated hyperpolarization of locus coeruleus neurons: Intracellular studies in vivo. *Science* 215:1394-1396, 1982
- Aho M, Scheinin M, Lehtinen AM, Erkola O, Vuorinen J, Korttila K.:** Intramuscularly administered dexmedetomidine attenuates haemodynamic and stress hormone responses to gynecologic laparoscopy. *Anesth Analg*, 75:932–393. 1992.
- Aho. M, Lehtinen, A.M.; Laatikainen, T. and Kortilla, K.:** Effects of intramuscular clonidine on haemodynamic and plasma B-endorphin responses to gynecologic laparoscopy. *Anesthesiology*, 72: 797-802. 1990
- Angel I, Langer SZ:** Adrenergic-induced hyperglycemia in anaesthetized rats: Involvement of peripheral α_2 adrenoceptors: *Eur J Pharmacol* 154:191-06, 1988

- Arndts, D.; Sdoevendans. J.; Kirsten, R. and Heintz:** New aspects of pharmacokinetics and pharmacodynamics of clonidine in man. Eur. J. Clin. Pharmacol., 24: 21-30, 1983
- Arnold. D.E, Coombs. D.W., Yeager, M.P. and Brinck-Johsen T.:** Single blind comparison of continuous epidural clonidine, epidural morphine and parenteral narcotic upon post-abdominal surgery, neuroendocrine stress response. Anesth. Analg. 68: 11-18, 1989.
- Arnsten A F, Goldman-Rakic PS:** A₂-adrenergic mechanisms in prefrontal cortex associated with cognitive decline in aged non-human primates. Science 230:173-1276, 1985
- Asano T, Shuji D and Hiroki L:** Antinociceptive action of epidural K⁺ATP channel openers via interaction with morphine and an α_2 -adrenergic agonist in rats. Anesth Analg; 90:1146-1151, 2000.
- Ashton. H.:** Benzodiazepine withdrawal outcome in 50 patients. Br. J. Addicts. 82: 665-671, 1987.
- Aslanian V and Renaud B:** Changes in serotonin metabolism in the rat raphe magnus and cardiovascular modifications following systemic administration of clonidine and other central α_2 agonists: an in vivo voltametry study Neuropharmacology. 28:387–395, 1989.
- Bedder M, Kozody R, Palahniuk R.J., Cuzzing. M.O. and Pucci WR.:** Clonidine prolongs tetracaine spinal anaesthesia in dogs. Anesth. Analg., 56:514, 1986

- Belleville JP, Ward DS, Bloor BC and Maze M:** Effects of intravenous dexmedetomidine in humans. I. Sedation. Ventilation and metabolic rate. *Anesthesiology*. 77:1125–1133, 1992.
- Bernard. J.M., Lechevalier T., Pinaud M. and Passuti. N.:** Postoperative analgesia by I.V. Clonidine . *Anesthesiology*. 71: A154, 1989
- Bloor BC. Ward DS, Belleville JP and Maze M:** Effects of intravenous dexmedetomidine in humans. II. Haemodynamic changes. *Anesthesiology*. 77:1134—1142, 1992
- Bloor. B.C. and Flacke W.E.:** Reduction of halothane anaesthetic requirements by clonidine. *Anesth. Analg.*, 61: 741-745, 1982
- Boico O., Bonnet F., Rostaing S., Loriferne J.E., Quintin L. and Ghignone M.:** Epidural clonidine produces postoperative analgesia. *Anesthesiology*, 69: A388. 1988.
- Bonnet F. Boico O., Rostaing S., Loriferene J.F., Quintin, L. and Ghignone M. :** Clonidine for postoperative analgesia: Epidural versus. I.M. Study. *Anesthesiology*, 69: A 395. 1988a.
- Bonnet F. Brun-Buisson V. Saada. M., Boico O., Rostaing S. and Touboul, C.:** Dose-related prolongation of hyperbaric tetracaine spinal anaesthesia by clonidine in humans. *Anesth. Analg.*, 68: 619-622, 1989b.
- Bonnet F., Boico D., Rostaing S., Saada M., Loriferene J.F., Touboul C., Abhay K. and Ghignone M.:** Postoperative analgesia with extradural clonidine. *Br. J. Anaesth.* 63: 465-469, 1989a.

- Bonnet F., Diallo A., Saada M., Delon M., Guilband M., and Boico O.:** Prevention of tourniquet pain by spinal isobaric bupivacaine with clonidine. Br. J. Anaesth., 63: 93-96. 1989c.
- Bousquet P, Feldman J, Bloch R, Schwartz J:** The nucleus reticularis lateralis: A region highly sensitive to clonidine. Eur pharmacol 69:389-392, 1981
- Bousquet P. and Schwartz J:** α adrenergic drugs: pharmacologic for the study of the central vasomotor control. Biochem pharmacol 32:1459-1465. 1983
- Boyajian CL, Loughlin SE, Leslie FM:** Anatomical evidence for α_2 -adrenoceptor heterogeneity: Differential autoradiographic distributions of (^3H)rauwolscine and (^3H)idazoxan in rat brain. J Pharmacol Exp Ther 241:1079-1091, 1987.
- Boyer R.M., Fixler D.F., Kaplan N.M., Graham R.M., Price K.P., Chipman J.J. and Laird V.P.:** Effect of clonidine on 24 hours hormonal secretory patterns, cardiovascular haemodynamic and central nervous function in hypertensive adolescents. Hypertension, 2: 83-89, 1980.
- Branson KR, Ko JCH, Tranquilli WJ, Benson J and Thurman JC:** Duration of analgesia induced by epidurally administered morphine and medetomidine in dogs. J Vet Pharmacol Ther 16:369-372, 1993.
- Bravo E.L. and Gifford R.W.:** Pheochromocytoma: Diagnosis, localization and management. N. Eng. J. Med., 311: 1298-1303, 1984.

- Bredfeldt R.C., Sutherland J.L. and Kruse. J.E.:** Efficacy of transdermal clonidine for headache prophylaxis and reduction of narcotic use in migraine patients. *J. Fam. Pract.*, 29: 153-158, 1989
- Brenner W.I. and Liberman A.M.:** Acute clonidine withdrawal following open heart operation. *Ann. Thorac. Surg.*, 24: 80, 1977.
- Bryant CE, Clarke KW and England GCW:** Clinical use of α_2 adrenoceptor agonists and antagonists for sedation and premedication in veterinary medicine. In: Szabadi E, Bradsaw CM, and Birkhaeuser, eds. *Proceedings of Manchester Symposium: Pharmacology of Adrenoceptors*. 3rd, pp 351—352, 1991
- Buerkle H and Yaksh TL:** Pharmacological evidence for different α_2 -adrenergic receptors in mediating analgesia and sedation in the rat. *Br J Anaesthesia*; 81:208–215, 1998.
- Butelman ER and Woods JH:** Effects of clonidine, dexmedetomidine and xylazine on thermal antinociception in rhesus monkeys. *J Pharmacol Exp Ther*; 264:762–769, 1993.
- Bylund DB, Petrash AC:** α_2 -adrenergic receptor subtypes indicated by (^3H)yohimbine binding in human brain. *Life Sci* 38:2129-2137, 1986.
- Bylund DB, Ray-Prenger C, Murphy TJ:** α_{2A} and α_{2B} adrenergic receptor subtypes: Antagonist binding in tissues and cell lines containing only one subtype. *J Pharmacol Exp Ther* 245:600-607, 1988.
- Bylund DB:** Subtypes of α_2 -adrenoceptors: Pharmacological and molecular biological evidence converge. *Trends Pharmacol Sci* 9:356-361, 1988.

- Chen M. Lee j, Huang BS, Grekin RJ, Malvin RL:** Clonidine and morphine increase atrial natriuretic peptide secretion in anaesthetized rats. *Proc. Soc Exp Biol Med* 191:299-303, 1989
- Chen S. and Vidt D.G.:** Patient acceptance of transdermal clonidine: A retrospective review of 25 patients. *Cleve. Clin. J. Med.*, 55:21-26, 1989.
- Cheng HC, Gleason EM, Nathan BA, Lachmann PJ, Woodward JK:** effects of clonidine on gastric secretion in the rat. *J. Pharmacol. Exp Ther.* 217:121-126.1987
- Cheung YD, Barnett DB, Nahorski SR:** ^3H -rauwolscine and ^3H -yohimbine binding to rat cerebral and human platelet membranes: Evidence for possible heterogeneity of α_2 -adrenoceptors. *Eur J Pharmacol* 81:79-85, 1982.
- Chiu AT, McCall DE, Thoolen MJ, Timmermans PB:** Calcium utilization in the constriction of rat aorta to full and partial α_1 adrenoceptor agonists. *J Pharmacol Exp Ther* 238:224-231, 1986
- Clementy J, Castagne D. Wicker P, Dallochio M, Bricaud H:** Study of the electro physiologic properties of clonidine administered intravenously. *J Cardiovasc Pharmacol* 8(suppl 3):S24-S29, 1986
- Codona J, Yatani A. Grenet D, Brown AM, Birnbaumer L:** The α -subunit of the GTP binding protein G α opens atrial potassium channels. *Science* 236:442-445, 1987
- Conner C.S. and Watanabe A.C.:** Clonidine over dose: A review. *Am. J. Hosp. Pharm.*, 26: 906, 1979

- Coombs D.W., Saunders R.L. and Lachance D.:** Intrathecal morphine tolerance: Use of intrathecal clonidine, saddle and intraventricular morphine. *Anesthesiology*, 62: 358-363, 1985.
- Correa—Sales C, Nacif—Coelho C, Reid C and Maze M:** Inhibition of adenylate cyclase in the locus coeruleus mediates the hypnotic response to an α_2 agonist in the rat. *J. Pharmacol Exp Ther*; 263:1046—1049, 1992.
- Correa—Sales C, Rabin B and Maze M:** A hypnotic response to dexmedetomidine, an α_2 agonist, is mediated in the locus coeruleus in rats. *Anesthesiology*. 76:948—952, 1992.
- Cote D:** Managing patient anxiety in the intensive care unit: current challenges and future prospects. *International Congress and Symposium Series-Redefining Sedation* 221:63-71, 1998
- Cousins M.J. and Mather L.E.:** Intrathecal and epidural administration of opioid. *Anesthesiology*, 61: 276-310, 1984.
- Crosby G., Russo M.A., Szabo M.D. and Davies K.R.:** Subarachnoid clonidine reduces spinal cord blood flow and glucose utilization in conscious rats. *Anesthesiology*, 73: 1179-1185, 1990
- Cushman P.J. and Sowers J.R.:** Alcohol withdrawal syndrome: Clinical and hormonal responses to Alph_2 adrenergic treatment. *Alcoholism*, 13: 361-364. 1989
- Davison R., Kaplan K., Fintel D., Parker M., Anderson L. and Marring O.:** The effect of clonidine on cessation of cigarette smoking. *Clin. Pharmacol. Ther.*, 44: 265-267. 1988

- De Jonge A, Timmermans PB, Van Zwieten PA:** Participation of cardiac presynaptic α_2 adrenoceptors in the bradycardic effects of clonidine and analogues. *Arch Pharmacol* 317:8-12, 1981
- Devicic A, Schmeling WT, Kampine JP and Warltier DC:** Oral dexmedetomidine preserves photoreceptor function and decreases anaesthetic requirements of halothane in the dogs. *Anesthesiology*, 81:419–430, 1994.
- Dollery CT, Davies DS:** Centrally acting drugs in antihypertensive therapy. *Br. J Clin Pharmacol* 10:55-12S, 1980
- Dollery CT:** Advantages and disadvantages of α_2 adrenoceptor agonists for systemic hypertension. *Am j Cardiol* 6(Suppl):1D-5D. 1988
- Duke P, Maze M, Morrison P.** Dexmedetomidine: a general overview. International Congress and Symposium Series—Redefining Sedation; 221:11-22, 1998.
- Dukes ID, Vaughan Williams FM:** Effects of selective α_1 , α_2 , β_1 and β_2 adrenoceptor stimulation on potentials and contractions in the rabbit heart. *J Physiol (Lond)* 355:523-546, 1984
- Dunlap K, Holz GC., Rane SG:** C proteins are regulators of ion; channel function. *Trends Neuro Sci* 10:241-244, 1987
- Dyck JB, Maze M, Haak C:** The pharmacokinetics and haemodynamic effects of intravenous and intramuscular dexmedetomidine hydrochloride in adult human volunteers. *Anesthesiology* 78:813, 1993
- Dyck JB, Shafer SL.** Dexmedetomidine pharmacokinetics and pharmacodynamic. *Anaesth Pharm Review*.1:238-45, 1993

- Eisenach J.C.** : Alpha₂ adrenergic agonist. In American society of anaesthesiologists, Annual refresher course lectures, Los Angeles. American society of anaesthesiologists Inc., 129: 1-4, 1990
- Eisenach J.C. and Grice S.C.:** Epidural clonidine does not decrease blood pressure or spinal cord blood flow in awake sheep. *Anesthesiology*, 68: 335-340, 1988.
- Eisenach J.C. Lysak S.Z. and Viscomi C.M.:** Epidural clonidine analgesia following surgery: Phase I. *Anesthesiology*, 71: 640-646, 1989c.
- Eisenach J.C., Castro M.J., Dewan D.M. and Rose J.C.** : Epidural clonidine analgesia in obstetrics, sheep studies. *Anesthesiology*, 7C: 51-56, 1989a
- Eisenach J.C., Dewan. D.M.; Rose, J.C. and Angelo, J.N.:** Epidural clonidine produces antinociception but not hypotension, in sheep. *Anesthesiology*, 66: 496-501, 1987
- Eisenach J.C., Lysak S.Z., Castro M.I. and Dewan D.M.:** Epidural clonidine analgesia: An open - label dose - ranging study . *Anesth. analg.* 68: S 79, 1989b
- Eisenach J.C., Radek R.L., Buzzanell C. and Lysak S.Z.:** Epidural clonidine analgesia for intractable cancer pain: Phase I. *Anesthesiology*, 71: 647-652, 1989d
- Ekins S, Gianpaolo B, Shelly B, Jennifer SG, Ring BJ, Wikel JH and Worighton SA:** Three and four dimensional—quantitative structure activity relationship: (3D/4D-QSAR) analysis of CYP2D6 inhibitors. *Pharmacogenetic*; 9:477189, 1999.

- Eltahir KEH and Ageel AM:** Pharmaco-therapeutic management of inflammatory pain. Saudi Pharma J, 10:73-85, 2002
- Ernsberger P, Meeley MP, Mann JJ, Reis DJ:** Clonidine binds to imidazole binding sites as well as α_2 -adrenoceptors in the ventrolateral medulla. Eur J Pharmacol 134:1-13, 1987.
- Farmos Yhtyma OY:** An analgesic for veterinary medicine. Japan Patent No. 61,134, 1986.
- Farsang C.:** Reversal by naloxone of the anti-hypertensive action of clonidine: Involvement of the sympathetic nervous system. Circulation 3: 461-69, 1984.
- Fedorak R.N., Field M. and Chang F.B. :** Treatment of diabetic diarrhoea with clonidine. Ann. Intern. Med., 102: 197-199, 1985.
- Felting J.P. :** Clonidine for anticipatory nausea and vomiting. Cancer treat. Rev., 71: 409-410, 1987
- Ferrari F. Tartoni PL Margiafico V:** B-HT 920 antagonizes neurophobia in the X-Maze test. Arch Int Pharmacody. Ther. 298:7-14. 1989
- Fisher B, Zornow MH. Yaksh TL AND Peterson BM:** Antinociceptive properties of swarm intrathecal dexmedetomidine in rats. Eur J Pharmacol; 192:221–225, 1991
- Flake JW, Bloor RC, Flake WE, Wong D. Dazza S, Stead SW and Laks H:** Reduced narcotic requirement by clonidine with improved haemodynamic stability in patient under going coronary by bass surgery. Anesthesiology 67:11-19, 1987.
- Fleetwopd-Walker SM., Mitchell R., Rope P.J., Molony V. and Iggo A.:** An α_2 receptor mediates the selective inhibition by noradrenaline

- of nociceptive responses of identified dorsal horn neurons. *Brain Res.*, 334: 243-254, 1985.
- Freissmuth M. Casey PJ. Gilman AG:** G proteins control diverse pathways of transmembrane signaling. *FASEB J* 3:2125-2131, 1989.
- Frisk-Holmberg M.:** Clinical pharmacology of clonidine. *Chest.* 83: 395-399, 1983.
- Frisk-Holmberg M.:** Pharmacokinetics of clonidine in relation to hypotensive effect in patients. *Br. J. Clin. Pharmacol.*, 6: 227, 1978
- Furchgott RF, Vanhoutte PM:** Endothelium-derived relaxing and contracting factors. *FASEB J* 3:2007-2018, 1989
- Garty M, Ben-Zvi Z. Hurwitz A:** Interaction of clonidine and morphine with lidocaine in mice and rats. *Toxicol Appl Pharmacol* 101:255-260, 1989
- Gaumman D.U., Tassony E., Rivest R.W., Fathi M. and Reverdin A.F.:** Cardiovascular and endocrinological effects of clonidine premedication in neurosurgical patients. *Can. J. Anesth.*, 38 (7): 837-843, 1991.
- Gellai M, Edwards RM:** Mechanism of α adrenoceptor agonist induced diuresis. *Am. J Physiol* 255:F317-F323, 1988
- Germain H., Neron A. and Lomssey. A. :** Analgesic effect of epidural clonidine. In proceedings of the fifth world congress on pain. (Eds. Dunbar, R.; Gebhart, G.F. and Bond, M.R.); New York: Elsevier. 472-476, 1988.

- Ghignone M., Moe C., Calvillo O., Shihab Z. and Quintin L.:** Effect of clonidine on intraocular pressure and cardiovascular response to laryngoscopy and endotracheal intubation. *Anesthesiology*, 65: A 47, 1986a.
- Ghignone M., Moe C., Caluillo O. and Quintin L.:** Anaesthesia for ophthalmic surgery in the elderly: The effects of clonidine on intraocular pressure, perioperative haemodynamics and anaesthetic requirements. *Anesthesiology*, 68: 707-716, 1988
- Ghignone Quintin, L., Duke P.C., Kehler C.N. and Calevillo O.:** Effects of clonidine on narcotic requirements: and; haemodynamic responses during induction of fentanyl anaesthesia and endotracheal intubation. *Anesthesiology*, 64:36-42, 1986b
- Ghignone M., Caluillo O. and Quintin L.:** Anaesthesia and hypertension: The effect of clonidine on perioperative haemodynamics and isoflurane requirements. *Anesthesiology*, 67:3-10, 1987
- Gilman AG:** G proteins:1-ransducers of receptor-generated signals. *Annu Rev Biochem* 56:615-649, 1987
- Glachetti A. Micheletti R, Montagna E:** Cardio selective profile AF-DX 116, a muscarine M2 receptor antagonist. *Life Sci* 38: 1663-1672. 1983
- Gold M.S., Potta.sh, Al., Sweeney D.R. and Kleber N.D.:** Efficacy of clonidine in opiate withdrawal: A study of 30 patients. *Drug alcohol depend.*, 6: 201-208, 1980

- Gordh T.J.:** Epidural clonidine for treatment of postoperative pain after thoracotomy: A double blind placebo-controlled study. *Acta. Anesthesiol. Scand.*, 32: 702-709, 1988.
- Greene CS, Gretler DG, Cervenka K, McCoy CE, Brown F, Murphy MB:** Cerebral blood flow during acute therapy of severe hypertension with oral clonidine. *Am J Emerg Med* 8:293-29 , 1990
- Grossman A, Weerasuriya K, Al-Damluji S, Trnter P. Besser GM:** α -adrenoceptor agonists stimulate growth hormone secretion but have no acute effects on plasma cortisol under basal conditions. *Horm Res* 25:65-71, 1987
- Hall JE, Uhrich TD, Barney JA, Arian SR and Ebert TJ:** Sedative amnestic and analgesic properties of small dose dexmedetomidine infusions. *Anesthesia Analgesia*; 90:699—705, 2000.
- Handley. SIL. Mithani S:** Effects of α -adrenoceptor agonists and antagonists in a maze-exploration model of "fear"-motivated behavior. *Arch Pharmacol* 327:1-5,1984
- Harron DW, Riddell JG, Shanks RG:** Effects of azepexole and clonidine on baroreceptors mediated reflex bradycardia and physiological tremor in man. *Br J Clin Pharmacol* 20:431-43, 1985
- Hayashi Y, Maze M:** Alpha₂-adrenoceptor agonists and anesthesia. *Br J Anesth*; 71:108–18, 1993
- Hermiller J.B.:** Clonidine in congestive heart failure: a vasodilator with a negative inotropic effects. *Am. J. Cardiol.*, 51: 791, 1983

- Hescheler J, Rosenthal W, Traut W, Schultz C:** The GTP-binding protein, Go, regulates neuronal calcium channels. *Nature* 325:445-447, 1987
- Heusch G, Schipke J, Thamer V:** Sympathetic mechanisms in poststenotic: myocardial ischemia. *J Cardiovasc. Pharmacol* 8 (Suppl 3) : S33-S40, 1986
- Hirakata H, Fouad-Tarazi FM:** The differential effects of α_2 adrenoceptor stimulation on the myocardium and coronary vessels in the isolated rat heart. *Life Sci* 43:2025-2033, 1988
- Hodapp E., Kolker A.E., Kass M.A., Gold-berg I., Becker B. and Gordon. M.:** Effect of topical clonidine on intraocular pressure. *Arch. Ophthalmol.*, 99: 1208-1211, 1981
- Hoffman BB, Lavin TN, Lefkowitz RJ. Ruffolo RR Jr:** α adrenergic receptor subtypes in rabbit uterus: Mediation of myometrial contraction and regulation by estrogens. *Pharmacol. Ther* 219:290-295, 1981
- Hokfelt B, Hedeland H, Hansson B.-G:** The effect of clonidine and penbutolol, respectively on catecholamines in urine, plasma renin activity and urinary aldosterone in hypertensive patients. *Arch Int Pharmacodyn* 213:307-321, 1975
- Holz GG. Rane SG. Dunlap K:** GTP-binding proteins regulate voltage-sensitive Ca^{++} channels. *Nature* 319:670-672, 1986
- Hong M, Milne B, Loomis, C and Jhamandask:** Stereo selective effects of central α_2 - adrenergic agonist medetomidine on in vivo catechol

activity in the rat rostral ventrolateral medulla (RVLM). Brain Res; 592:163-169, 1992.

Horuvath J.S., Phippard A., Korda A., Henderson-Smart D.J., Child A. and Tiller D.J.: Clonidine hydrochloride: A safe and effective antihypertensive agent in pregnancy. Obstet. Gynecol., 66: 634-638, 1985.

Horvath G, Kovacs M, Szilskay M and Benedek D: Drugs acting at calcium channels can influence the hypnotic - anaesthetic effect of dexmedetomidine. Ada Biochim Biophys Hung; 41:75-81.1992.

Hossman V , Maling TJB, Hamilton CA, Reid JL Dollery CT: sedative and cardiovascular effects of cloindine and nitrazepam. Clin pharamacol Ther 28:167-176, 1980

Humphreys M11, Reid IA; Chou LY: Suppression of antidiuretic hormone secretion by clonidine in the anesthetized dog. Kidney Int. 7:405-412, 1975

Isom LL, Cragoe EJ Jr, Limbird LE.: α_2 adrenergic receptors accelerate Na^+/H^+ exchange in neuroblastoma x glionaa cells. Biol Client 262:6720-6787, 1987

James I.M., Larbi E. and Zaimis E.: The effect of acute intravenous administration of clonidine on cerebral blood flow in man. Br. J. Pharmacol., 39: 198-199, 1970.

Japrott B.: Clonidine and related compounds. In clinical pharmacology of antihypertensive drugs. Handbook of hypertension. Amesterdam: Elsevier., 5: 114-168, 1984.

- Jarrott B., Conway E.L., Maccarrone C. and Lewis S.:** Clonidine: Understanding its disposition, site and mechanism of action. Clin. Exp. Pharmacol. Physiol, 14: 471-479, 1987.
- Jim KF, Matthews WD:** Role of extra cellular calcium in Contractions produced by activation of postsynaptic α_2 -adrenoceptors in the canine saphenous vein. J Pharmacol Exp Ther 234:161-165. 1985
- JIN Y, Wilson S, Elko E and Yorio T:** Ocular hypotensive effects of dexmedetomidine and its analogs. J Ocular Pharmacol; 7:285-296, 1991.
- Joffe BL, Haitas B, Edelstein D, Panz V, Lamprey J , Baker SG, Seftel HC:** Clonidine and the hormonal response to graded exercise in healthy subjects. Horm Res 23:136-14, 1986
- Johan M., Prty-Doz., Eva Graber and Kurt L.:** Addition of clonidine enhances postoperative analgesia from epidural morphine: A double blind study. Anesthesiology, 73: 1067-1073, 1990.
- Jorm CM and Stamford JA:** Actions of the hypnotic anesthetic, dexmedetomidine, on noradrenaline release and cell tiring in rat locus coeruleus/slices. Br J Anaesth. 71:447-449, 1993.
- Kalia P.K., Madan R., Batra R.K., Latha V., Vardham V. and Godg G.R.:** Clinical study on epidural clonidine for postoperative analgesia. Indian. J. Med. Res., 83: 550-552, 1986
- Kallio A, Scheinin M, Koulu M, Ponkilainen R, Ruskoaho H, Viinamaki O and Scheinin H:** Effects of dexmedetomidine, a selective α_2 -adrenoceptor agonist, on haemodynamic control mechanisms. Clin Pharmacol Ther; 46:33-42, 1989.

- Kanawati I.S., Yahsh T.L., Anderson R.E. and Marsh R.W. :** Effects of clonidine on cerebral blood flow and response to arterial CO₂. J. Cereb. blood flow metab., 6: 358-365, 1986.
- Karjalainen AJ, Virtanen RE and Savolainen EJ:** Preparation and testing of medetomidine enantiomers as CNS agents. UK Patent No. 2,206,880; 1989.
- Khan ZP, Munday IT, Jones RM.:** Effect of dexmedetomidine on isoflurane requirements in healthy volunteer. 1: Pharmacodynamic and pharmacokinetic interactions. Br J Anaesth 83:372, 1999
- Kharasch ED, Herrmann S and Labroo R.** Ketamine as a probe for medetomidine stereoisomer inhibition of human liver microsomal drug metabolism. Anesthesiology, 77:1208-1214, 1992.
- Kimura T, Share L, Wang BC, Crofton JT:** The role of central-adrenoreceptors in the control of vasopressin release and blood pressure. Endocrinology 108:1829-1836, 1981
- Kobilka BK, Kobilka TS, Daniel K, Regan JW, Caron:** Chimeric α_{2-b} -adrenergic receptors: Delineation of domains involved in effectors coupling and ligand binding specificity., Science 240:1310-1316, 1988
- Kobinger W.:** Central alpha - adrenergic systems as targets for hypotensive drugs. Bev. Physiol. Biochem. Pharmacol 8: 377-394, 1978.
- Kobinger W:** Central blood pressure regulation: Involvement of presynaptic or postsynaptic α_1 or α_2 adrenoceptors. Chest 83:296-299. 1983.

- Konno F. Takayanagi I:** Effect of morphine, clonidine and papaverine on synaptosomal ^{45}Ca uptake and antinociceptive action. *Horm Res* 34:101-107, 1984
- Koulu M, Pesonen U and Virtanen K:** Chronic dexmedetomidine, a selective α_2 agonist, decreases serotonin but not noradrenaline turnover in rat brain stem nuclei. *Eur. J Pharmacol*; 176:151–157, 1990.
- Kubo T, Misu:** Pharmacological characterization of the α adrenoceptor responsible for a decrease of blood pressure in the nucleus tractus solitarius of the rat. *Rat Schmiedebergs Arch Pharmacol* 317:120, 1981
- Kuraishi Y., Hirota N., Sato Y., Kaneko S., Satoh and Toleag H.:** Noradrenergic inhibition of the release of substance P from the primary afferent in the rabbits spinal dorsal horn. *Brain. Res.*, 359: 177-182, 1985
- Lammintausta R and Virtanen R:** Anxiolytic composition containing medetomidine. European Patent No. 270267; 1988.
- Lanes A; Herrera A, Palacios A, Moncada C:** Decreased secretion of cortisol and ACTH after clonidine administration in normal adults. *Metabolism* 32:568-570. 1983
- Langer S Z:** Presynaptic regulation of catecholamine release. *Biochem Pharmacol* 23:1793-800, 1974.
- Langer S.Z., Cavero I. and Massingham R.:** Recent developments in noradrenergic neurotransmission and its relevance to the

mechanism of action of certain antihypertensive agents.
Hypertension. 2: 372-382, 1980

Langer S.Z.; Duval N. and Massingham R.: Pharmacologic and therapeutic significance of α - adrenoceptor subtypes. J. Cardiovasc Pharmacol., 7 (Suppl. 8), 1-8, 1985

Langley M.S. and Heel R.C.: Transdermal clonidine, a preliminary review of its pharmacodynamic properties and therapeutic efficacy. Drugs 35: 123-142, 1988

Lasagna L.: Cardiovascular diseases. In the year book of drug therapy (eds) Hollister, L.E. and Lasagna, L. Chicago: Year book medical publishers. Inc., 6: 86, 1990

Lechin F., Berthavonder DiJs. Insausti C.L., Gomez F., Villa S., Lechin A.E., Arocha L., Oramas O. : Treatment of ulcerative colitis with clonidine. J. Clin. Pharmacol 25: 219-226, 1985

Lewis G.R.J.: Transdermal clonidine catapres -TTS, monotherapy in the management of mild hypertension in general practice. NZ. Med. J., 100: 711-713, 1987

Limbird LE: Receptors linked to inhibition of adenylate cyclase: Additional signaling mechanisms. FASEB J 2:2686-2695, 1988

Lindgren BR, Ekstrom T, Andersson RG: The effect of inhaled clonidine in patients with asthma. Am Rev Respir Dis 134:266-269, 1986

Liper D.J. and Townsend G.E.: Improved haemodynamic and renal function with clonidine in coronary artery bypass grafting. Anesth. Analg., 70: S 240, 1990.

- Lomsaney JW, Loernz W, Allen LF, King K, regan JW, Yang Feng TL., Caron MG Lefkowitz RJ.:** Expansion of the alpha₂ adrenergic receptor family: Cloning and characterization of a human alpha₂-adrenergic receptor subtype, the gene for which is located on chromosome 2. Proc Natl Acad Sci USA 87:5094-5098, 1990
- Loughran PG., Moore J. and Dundee J.W :** Maternal stress response associated with caesarean delivery under general and epidural anaesthesia . Br. J. Obstet. Gynaecol., 93: 943-949, 1986.
- Lowenthal D.T; Matzele K.M. and Maegregor T.R. :** Clinical pharmacokinetics of clonidine. Clin. Pharmacokinetic 14: 287-310, 1988.
- Lund C., Qvitzan S., Greulich A., Hjorsto N.C. and Kehlet H.:** Comparison of the effects of extradural clonidine with those of morphine on postoperative pain, stress response, cardiopulmonary function and motor and sensory block. Br. J. Anaesth. 63: 516-519, 1989.
- Martin PR, Ebert MH , Gordon EK, Wringartner H, Kopin H:** Effects of clonidine on central and peripheral catecholamine metabolism. Clin Pharmacol Ther 35:322-327. 1984
- Marwaha J., Kehne J.N., Commissaris R.L., Lokoshi Shaw W. and Davis M.:** Spinal clonidine inhibits neural firing in locus coeruleus. Brain. Res., 276: 379-382, 1982.
- Masala A., Salta G., Alagna S., Anania V., Frassetto G.A., Rovasio P.P. and Serniani A.:** Effect of clonidine on stress - induced cortisol release in man during surgery. Pharmacol. Res. Commun. 17: 293-298, 1985.

- Massara F, Limone P, Cagliero E, Tagliabue M, Isaia GG, Molinatti GM:** Effects of naloxone on the insulin and growth hormone responses to α adrenergic stimulation with clonidine. *Acta Endocrinol (copenh)* 103: 371-375, 1983
- Masters SR. Stroud RM. Bourne HR:** Family of G protein α chains: Amphipathic analysis and predicted structure of functional domains. *Protein Eng* 1:47-54, 1986
- Mathias CJ, Reid JL, Wing LM, Frankel HE, Christensen NJ:** Antihypertensive effects of clonidine in tetraplegic subjects devoid of central sympathetic control. *Clio Sci* 57:425S-428S, 1979
- Matsui H, Lefkowitz RJ, Caron MG, Regan J W:** Localization' of the fourth membrane scanning domain as a ligand binding site in the human platelet α adrenergic receptor. *Biochemistry*: 28:4125-4130, 1989
- Maze M and Scheinin M:** 4-Substituted imidazole derivatives useful in perioperative care to enhance anesthesia. Eur patent No. 331,374; 1989.
- Maze M. and Tranquilli W.:** Alpha- $_2$ adrenoceptor agonists: Defining the role in clinical anaesthesia . *Anesthesiology* 74:581-605, 1991.
- Maze M., Doze VA., Chen B-X:** Functional antagonism of α_2 mediated hypnoticaction, α_1 adrenergic mechanism in rats. *FASEB* 2:A 1554, 1988

- Maze M.:** Clinical uses of α_2 agonists. In Barash PG, ed. The American Society of Anesthesiologists. Philadelphia: Lippincott JB, 133-42 (Vol 20), 1992.
- Maze M.:** Sedation in the intensive care unit. International Congress and Symposium Series-Redefining Sedation; 221:3-10, 1998
- McArthur KF., Anderson DS., Durbin FF, Orloff Dharmasathaphorn K:** Clonidine and lidantidine to inhibit watery diarrhea in a patient with lung cancer. Ann Intern Med 96:323-325. 1982
- Meert TF and De Kock M:** Potentiation of the analgesic properties of fentanyl-like opioids with α_2 -adrenoceptor agonists in rats. Anesthesiology 81:677-688, 1993.
- Mendez R., Eisenach J.C. and Kashtan K.:** Epidural clonidine analgesia after caesarean section. Anesthesiology 37: 848-852, 1990.
- Mensink F.J., Kozody R., MacIntyre C., Wade JG. and Ghinone M.:** Alpha- $_2$ adrenoceptor stimulation increases regional spinal cord blood flow. Can. J. Anaesth., 43: S 115, 1987
- Metz SA, Halter JB, Robertson RP:** Induction of defective insulin secretion and impaired glucose tolerance by clonidine. Selective stimulation of metabolic α adrenergic pathways. Diabetes 27:554-562, 1978.
- Miller M:** Clonidine-induced diuresis in the rat: Evidence for a renal site of action. J Pharmacol Exp Ther 214:608-613, 1980
- Milne J:** Alpha- $_2$ agonist and anaesthesia. Can. J. Anaesth., 38 (7): 809-813, 1991.

- Moran N C, Perkins M E:** Adrenergic blockade of mammalian heart by a dichloro analog of isoproterenol. *J Pharmacol Exp Ther* 124:223-237, 1975.
- Mrozek, WJ, Davidov M, Finnerty FA:** Intravenous clonidine in hypertensive patients. *Clio Pharmacol Ther* 14:847-851, 1973
- Murata K., Nakagawa I., Kumeta Y., Kitahata L.M. and Collins J.G.:** Intrathecal clonidine suppresses noxiously evoked activity of spinal wide dynamic range neurons in cats. *Anesth. Analg.*, 69: 185-191, 1989.
- Murphy TJ, Bylund DB:** Characterization of α_2 -adrenergic receptors in the OK cell, an opossum kidney cell line. *J Pharmacol Exp Ther* 244:571-578, 1988.
- Nakamura K, Endo H, Mizuno M, Minato E, Yoshida T, Kazaki H, Tomizawa N. and Har A.S:** Sedative–analgesic effects of medetomidine in cats. *Dayaku Nogakuhu H* 21:201-213, 1993.
- Nasseri A, Minneman KP:** Relationship between α_2 -adrenergic receptors binding sites and the functional receptors inhibiting norepinephrine release in rat cerebral cortex. *Mol Pharmacol* 32:655-662, 1987.
- Nichols A.J., Hieble J.P. and Ruffolo R.R. Jr.:** The pharmacology of peripheral α_1 and α_2 adrenoceptors. *Rev. Clin. Basic. Pharm.*, 7: 129-205, 1988.
- North RA, Williams JT, Suprenant A, Christie MJ:** Mu and delta opioid receptors belonging to a family of receptors that are coupled to

- potassium channels. *Proc Natl Acad Sci (USA)* 84: 5487-5491, 1987.
- Olsson JM, Pruitt AW:** Management of clonidine ingestion in children. *J Pediatric* 103:646-650, 1983
- Orko R. Pauta J Ghignone M , Rosenberg PH:** effects of clonidine on haemodynamic response to endotracheal intubation and on gastric acidity. *Acta Anaesthesiol Scan* 31:325-329, 1987.
- Ossipov MH, Harris S. Lloyd P. Messineo E. Lin BS and Bagley J:** Antinociceptive Interaction between opioids and medetomidine: systemic activity and spinal synergy. *Anesthesiology*; 73:1227–1235, 1990.
- Payen D., Quintin L., Piaicance P., Chiron a. and Lhoste F.: Head injury:** Clonidine decrease plasma catecholamines. *Critical care medicine*, 18: 392-395, 1990.
- Pertovaara A, Hamalainen MM, Kauppila T, Mecke E and carlson S:** Dissociation of the (α_2 adrenergic antinociception from sedation following microinjection of medetomidine into the locus coeruleus in rats. *Pain*; 59:207—215, 1994.
- Peskind ER, Raskind MA, Lealc RD, Elvin MG, Ross MG, Dorsa DM:** Clonidine decreases plasma and cerebrospinal fluid arginine vasopressin but not oxytocin in humans. *Neuroendocrinology* 46:395-100, 1987
- Quintin L., Roux C., Macquin I., Bonnet F. and Ghienone M.:** Clonidine blunts the endocrine and circulatory surge during recovery of aortic surgery. *Anesthesiology* 71: A 155, 1989.

- Rall T.W. and Schleifer L.S.:** Drugs effective in therapy of epilepsies. In Goodman and Gilman's: The pharmacological basis of therapeutics. 7th ed. Eds. Gilman, A.G.; Goodman, L.S.; Rall. T.W. and Murad, F. New York: Macmillan publishing company, 20: 458, 1985.
- Ramire Z. and Gonzalez M.D.:** Beta-endorphin acting on the brain stem is involved in the antihypertensive action of clonidine and a methyl dopa in rate . *Circ. Res.*, 53: 150, 1983.
- Regan JW, Kobilka TS, Yang-Feng TL, Caron MG, Lefkowitz RJ, Kobilka BK:** Cloning and expression of a human kidney cDNA for an α_2 – adrenergic receptor subtype. *Proc Natl Acad Sci (USA)* 85:6301-6305, 1988.
- Reid JI, Wing IM Mathais CJ Frankel HI, Neill E:** The central hypotensive effects of Clonidine studies in tetraplegic subjects. *Clin Pharmacol.* 21:375-381, 1977
- Reid JI., Wing IM., Mathias CJ, Frankel HL. Neill E:** The central hypotensive effects of clonidine-studies in tetraplegic subjects. *Clio Pharmacol Ther* 21:375-381. 1977
- Rudd P. and Blaschke T.F. :** Antihypertensive agents and the drug therapy of hypertension . In: Goodman and Gilman's: The pharmacological basis of therapeutics. 7th ed. (Eds. Gilman, A.G.; Goodman, L.S.; Rail, W. and Murad, F., New York: MacMilian publishing company., 32: 784-805, 1985
- Ruffolo RR Jr:** Distribution and function of peripheral α adrenoceptors on the cardiovascular system. *Pharmacol Biochem Behav* 22:827-833, 1985

- Rvskoaho H and Leppaluoto L.:** The effect of medetomidine, an α_2 -adrenoceptor agonist, on plasma; a trial natriuretic peptide levels, haemodynamic and renal excretory function in spontaneously hypertensive Wistar Kyoto rats. *Br. J. Pharmacol* 97:125-132, 1989.
- Sabbe MB, Penning JP, Ozaki GT, Yaksh TL:** Spinal and systemic action of the α_2 -receptor agonist dexmedetomidine in dogs: Antinociception and carbon dioxide response. *Anesthesiology* 80:1057-1072, 1994.
- Salonen M, Onavi ES and Maze M:** Dexmedetomidine synergism with midazolam in the elevated plus - maze test in rats. *Psychopharmacology* 108: 229–234, 1992.
- Savola IM and Virtanen R:** Central α_2 -adrenoceptors are highly stereoselective for dexmedetomidine, the dextro enantiomer of medetomidine. *Eur . J Pharmacol*; 195:193-199, 1991.
- Savola M, Savola JM and Puurunen J:** α_2 -adrenoceptor-mediated inhibition of gastric acid secretion by medetomidine is efficiently antagonized by atipamezole in rats. *Archiv Int. Pharmacodyn Ther*; 301:267-276, 1989.
- Scheinin B, Lindgren L, Randell T.:** Dexmedetomidine attenuates sympathoadrenal responses to tracheal intubation and reduces the need for thiopentone and perioperative opioids. *Br J Anaesth* 68:126, 1992.
- Scheinin H, Karhljva.Ara S, Oikkola KT. Kallio A, Anttila M, Vuorilehto L, and Scheinin M:** Pharmacodynamics and pharmacokinetics of

intra-muscular dexmedetomidine. Clin Pharmacol Ther; 52:537-546, 1992.

Scheinin H, Virtanen R and Scheinin M: α_2 -adrenoceptor agonists decrease free 3-methoxy-4-hydroxyphenyl-glycol in rat cerebrospinal fluid. Eur. J Pharmacol 123:115-121, 1986.

Scheinin H, Virtanen R. and Macdonald E.: Medetomidine a novel α_2 adrenoceptor agonist: A review of its pharmacodynamic effects. Prog. Neuropsychopharmacol. Biol. Psychiatry, 13:650-651, 1989.

Schmitt H. The pharmacology of clonidine and its related products. Handbook of Experimental Pharmacology :19:299-396. 1977

Schoffeleer ANM and Mulder AH: Presynaptic opioid receptor and α_2 -adrenoceptor mediated inhibition of noradrenaline release in the rat brain: Role of hyper polarization. Eur J Pharmacol 105:129-135, 1984

Smyth DD, Umemura S, Yang E, Pettinger W: Inhibition of renin release by α adrenoceptor stimulation in the isolated perfused rat kidney. Eur j Pharmacol 140:33-38, 1987

Soderpalm B and Engel JA: Biphasic effects of clonidine on conflict behavior: involvement of different α -adrenoceptors. Pharmacol. Biochem Behav 30:471-177, 1988

Sperry RJ, Bailey PL, Pace NI., Eldrege S, Johnson K, Stanley TH: Clonidine does not depress the ventilatory response to CO₂ in man, Anesth Analg 70:5383, 1990

- Stanton B, Puglisi E, Gellai M:** Localization of α_2 adrenoceptor mediated increase in renal Na^+ , K^+ , and water excretion. *Am Physiol* 252:71016-1021, 1987
- Stenberg D, Salven P, Miettinen MVJ:** Sedative action of the α_2 agonist medetomidine in cats. *J Vet Pharmacol Ther*; 10:319-323, 1987.
- Sternweis PC, Robshaw JD:** Isolation of two proteins with high fluor guanine nucleotides from membranes of bovine brain. *J Biol. Chem* 259:13806-13813. 1984.
- Strandhoy JW:** ..Role of α_2 receptors in the regulation of renal function. *J Cardiovasc Pharmacol* 7 (Suppl 8):S28-S33, 1985
- Sullivan AF, Kalso EA, MC Quay HJ and Dickenson AH:** The antinociceptive actions of dexmedetomidine on dorsal horn neuronal responses in the anesthetized rat. *Eur J Pharmacol*; 215:127–133. 1992.
- Svensson T H, Bonney BS, Aghajanian GK:** Inhibition of both noradrenergic and serotonergic neurons in brain by the α -adrenergic agonist clonidine. *Brain Res* 92:291-306. 1975
- Swensson T.N.:** Stress central neurotransmitters and the mechanism of action of α_2 adrenoceptor agonists. *J. Cardiovasc. Pharmacol.*, 10 (Suppl. 12): 88-92, 1987.
- Szreder Z:** Comparison between thermoregulatory effects mediated by α_1 and α_2 adrenoceptors in normothermic and febrile rabbits. *Gen Pharmacol*; 24:929—941, 1993.
- Takada K, Yukio II, Takahiko K, Tadanori M, Atsushi Y, Sejic K and Ikiito Y:** The involvement of pertussis toxin—sensitive G proteins

- in the post receptor mechanism of central imidazoline receptors. Br J Pharmacol 120:1575-1581, 1997.
- Takano Y, Takano M, and Yaksh TL:** The effect of intrathecally administered imiloxan and WB 4101: Possible role of α_2 -adrenoceptor subtypes in the spinal cord. Eur.J. Pharmacol 219:465–468, 1992.
- Tanila H, Kauppila T, and Taira T:** Inhibition of intestinal motility and reversal of post-laparotomy ileus by selective α_2 adrenoceptor drugs in the rat. Gastroenterolgy; 104:819-824, 1993.
- Tazi—Saad K, Chariot J, Del Tacca M, and Roze C:** Effect of α_2 adrenoceptor agonists on gastric pepsin and acid secretion in the rat. Br J Pharmacol 106:790-796, 1992.
- Thenanopavam C.:** Clonidine centrally acting sympathetic inhibitor as monotherapy for mild to moderate hypertension. Am. J. Cardiol., 49:153, 1982
- Theodorou AE, Mistry H, Davies SL, Yamaguchi Y, Horton RW:** Platelet α_2 - adrenoceptor binding and function during the menstrual cycle. J Psychiatr Res 21:163-169, 1987.
- Thom S, Hayes R, Calvete J, Sever PS:** In vivo and in vitro studies in human vascular smooth muscle. J Cardiovasc. Pharamcol 7 (Suppl 6):S137-S143, 1985
- Torben M., Kirsten E. Ellen E. Palle V. Ingrid K.N. and Henrik K.:** Epidural clonidine enhances postoperative analgesia from a combined low-dose epidural bupivacaine and morphine regimen. Anesth. Analg., 75: 607-610, 1992

- Tzeng. JI., Wang. J.J., Mok. M.S., Ind Lippman M.:** Clonidine potentiates lidocaine induced epidural anaesthesia. *Anesth. Analg.*, 68: 82-89, 1989.
- Uhde TW, Stein MB, Vittone BJ, Seiver LJ, Boulenger JP, Klein F Mellman TA:** Behavioral and physiologic effects of short-term and long-term administration of clonidine in panic disorder. *Arch Gen Psychiatry* 46:170-177, 1989
- Van Zewieten P.A.:** Pharmacology of centrally acting hypotensive drugs. *Br. J. Clin. Pharmacol.*, 10:135, 1980.
- Van Zewieten. P.A., and Timmerman. P. :** Pharmacology and characterization of central adrenoceptor involved in the effect of centrally acting anti-hypertensive drugs . *Chest* 133: 340-346, 1983
- Veith RC, Best JD, Halter JB:** Dose-dependent suppress of norepinephrine appearance rate in plasma by clonidine. *J Clin Endocrinol Metab* 59:151-155, 1984
- Venkataraman BV, Shams G, Hamade A, Amemiya Y, AND Tantishaiyakul V:** Structure activity studies of new imidazolines on adrenoceptors of rat astra and human platelets. . *Archive Pharmacol* 344: 454-463, 1991.
- Venn RM, Bradshaw CJ, Spencer R, Brealey D, Caudwell E, Naughton C, Vedio A, Singer M, Feneck R, Treacher D, Willats SM, Grounds RM:** Preliminary UK experience of dexmedetomidine, a novel agent for postoperative sedation, in the intensive care unit. *Anaesthesia* 54:1136–42, 1999.

- Vickers M.D., Morgan M., and Spencer P.S.J.:** Clonidine hydrochloride. In: Drugs in anaesthetic practice. 7th ed. (Eds. Vickers M.D., Morgan M. and Spencer P.S.J.) Published by Oxford: Bulterworth. Heinemann, 12: 330-331, 1991.
- Watkins j, FitzGerald G, Zamboulis C, Brown MJ, Dollery CT:** Absence of opiate and histamine H₂ receptor-mediated effects of clonidine. Clin Pharmacol Ther 28:805-810, 1981
- Weerasuriya K, Shaw E, Turner P:** Preliminary clinical pharmacological studies of S3341, a new hypotensive agent, and comparison with clonidine in normal states. Eur J Clin Pharmacol 127:281-286, 1984
- Weiner N.:** Drugs that inhibit adrenergic nerves and block adrenergic receptors. In: Godman and Gilman, The pharmacological basis of therapeutics 7th ed. (Eds. Gilman, A.G.; Goodman, L.S.; Rail, T.W. and Murand, F.) New York: MacMillan Publishing company. 9: 181-214, 1985.
- Wikberg JES:** Synthesis of ³H-acetylcholine in the rabbit lacrimal gland and its release by electrical field stimulation. Acta Physiol Scand 468: 1-89, 1979.
- Williams JT and North RA:** Catecholamine inhibition of calcium action potentials in rat locus coeruleus neurones. Neuroscience 14:103-109, 1985
- Woodcock T.E., Millar P.K., Dixon F. and Pays-Roberts C.:** Clonidine premedication for isoflurane induced hypotension. Br. J. Anesth, 00: 388-394, 1988

- Yaksh T.L. and Reddy S.V.R.:*** Studies in the primate on the analgesic effects associated with intrathecal actions of opiates, α -adrenergic agonists and baclofen. *Anesthesiology*, 54: 451-467, 1981.
- Yaksh T.L.:*** Pharmacology of spinal adrenergic systems which modulate spinal nociceptive processing. *Pharmacol. Biochem. Behav.* 22: 845-858, 1985.
- Yaksh T.L.:*** Spinal opiate analgesia: Characteristics and principles of action. *Pain*, 11: 293-346, 1981
- Zebrowska-lupina I, Preglainski E, Sloniec M, Klerinork Z:*** Clonidine – induced locomotor hyperactivity in rats. *Paramacol.* 297:227-231, 1977.
- Zornow MH, Fleischer JE, Scheller MS, Nakakimura , Drummond JC:*** Dexmedetomidine, an α_2 -adrenergic agonist, decreased cerebral blood flow in the isoflurane anesthetized dog. *Anesth .Analg* 70:620-630, 1999.