

REFERENCES

REFERENCES

Albengue, M.; Tall, F. and Dabis, F. (1990):

Epidemiological study of *Helicobacter pylori* transmission from mother to child in Africa.

Rev. Esp. Enferm Apar. Dig., 78 : 48.

Anthony, S.; Basile, E. and Anthony Jones (1997):

Ammonia and GABA-ergic Neurotransmission: Interrelated Factors in the pathogenesis of Hepatic Encephalopathy.

Hepatology, 25, 6 : 1303 – 5.

Antonio Tuci, Loris Poli, G. Grancesco (1998):

Weekened therapy for the treatment of *Helicobacter pylori* Infection.

Am. J. Gastroenterology, 6 : 737 – 42.

Avallone, M.L. Zeneroli, Iventurini (1998):

Endogenous benzodiazepine-like compounds and diazepam binding inhibitor in serum of patients with liver cirrhosis with and without overt encephalopathy.

Gut, 42 : 861 – 867.

Balan, K.K.; Jones, A.T.; Roberts, N.B.; Pearson, J.P.; Critchely, M. and Jenkins, S.A. (1996):

The effects of *Helicobacter pylori* colonization on gastric function and the incidence of portal hypertensive gastropathy in patients with cirrhosis of the liver.

J. Gastroenterol., Jul.; 91 (7): 1400-6.

Barreon, M.J.; Granter, S. and Mors, M. (1995):

Effect of Metronidazole treatment on *Helicobacter pylori*
Tgaku – Shoin Medical publishers, Inc. New York, Tokyo.

Basile, A.S.; Gammal, S.; Mullen, K.; Jones, E.A. and Skolnick, P. (1988):

Differential responsiveness of cerebellar purkinje neurons to GABA and benzodiazepine receptor ligands in an animal model of hepatic encephalopathy.

J. Neurosci, 8 : 1414 – 2421.

Bell, G.D.; Powell, K.; Burridge, S.M. (1992):

Experience with “triple” anti *Helicobacter pylori* eradication therapy : side effects and importance of testing the pretreatment isolate for metronidazole resistance.

Aliment pharmacol. Ther., 6 : 427 – 35.

Blaser, M.J. (1992):

Hypothesis on the pathogenesis and natural history of *Helicobacter pylori* – induced inflammation.

Gastroenterology, 102 : 720 – 727.

Blender, G.C.; Terry, H.L. and Elian, J. (1997):

New trends in the management of *Helicobacter pylori*.

N. Engl. J. Med. 321, 1562 – 66.

Blom, H.J.; Chamuneau, R.A.F. and Rothuizen, J. (1990):

Methanethiol metabolism and its role in the pathogenesis of hepatic encephalopathy in rats and dogs.

Hepatology, 11 : 682.

Carmel, R.; Perez, G. and Blaser, M.J. (1994):

Helicobacter pylori infection and food. Cobalamin malabsorption.

Digestive Diseases and Sciences, 309 – 314.

Caselliet, M.; Aleotti, A. and Boldrini, P. (1993):

Ultrastructural patterns of *Helicobacter pylori*.

Gut; 34 : 1507 – 1509.

- Chiba, N.; Rao, B.V. and Radaemaper, J.W. (1992):**
Meta-analysis of the efficacy of antibiotic therapy in eradicating *Helicobacter pylori*.
Am. J. Gastroenterol., 87 : 1716 – 27.
- Clarke, B.; Ellis, M.J.C. and Leung, V. (1989):**
Reversal of hepatic encephalopathy and alteration in amino acid profiles after blocking a surgical splenorenal shunt by interventional radiological techniques.
J. Hepatol., 8 : 325.
- Cohn, R.; Castell, D.O. (1996):**
The effect of acute hyperammonaemia on the electroencephalogram.
J. Lab. Clin. Med., 68 : 195 – 205.
- Cooper, A.J. and Plum, F. (1997):**
Biochemistry and physiology of brain ammonia.
Physiol. Rev., 67 : 440 – 519.
- Cordoba, J. and Blei, A.T. (1997):**
Treatment of hepatic encephalopathy.
Am. J. Gastroenterol., 92 : 1429 – 39.
- Culter, A.F. and Prasad, V.M. (1996):**
Long term follow-up of *Helicobacter pylori* serology after successful eradication.
Am. J. Gastroenterol. 91, 85 – 88.
- Craig, E. and David, A. (1990):**
Compylobacter (Helicobacter) pylori. Is peptic disease a bacterial infection?
Arch. Intern. Med., 150 : 951 – 55.
- Culter A.F. and Schubert, T.T. (1993):**
Patients factors affecting *Helicobacter pylori* eradication with triple therapy.
Am. J. Gastroenterol., 88 : 505 – 9.

- Crossley, I.R.; Wardle, E.N. and Williams, R. (1993):**
Biochemical mechanisms of hepatic encephalopathy.
Clin. Sci., 64 : 247.
- Davies, M.G.; Rowan, M.J. and Mcmathuna, P. (1990):**
The auditory p300 event related potential, an objective marker of encephalopathy of chronic liver disease.
Hepatology, 12 : 688 – 94.
- De Boer, W.A.; Driessen, W.M. and Potterns, H.V. (1994):**
Randomized study comparing one with two weeks of quadruple therapy for eradicating *Helicobacter pylori*.
Am. J. Gastroenterol., 89 : 33 – 8.
- Dekigai, H.; Murakami and Kita, T. (1995):**
Mechanism of *Helicobacter pylori* – associated gastric mucosal injury.
Digestive Diseases and sciences, 40 : 1332 - 1339.
- Dewan, J.G. (1938):**
Detection of systemic blood ammonia.
Biochem. J., 32: 1378.
- Dian, M.S. and Bros, J. (1993):**
Dual and Triple therapy in management of *Helicobacter pylori*.
Scand. J. Gastroenterol., 23 (Suppl. 142) : 50 – 2.
- Eddleston, A.L.W.F. (1994):**
Liver and biliary tract disease. In: Souhami, RL, Moxham J. (eds), text book of medicine Churchill Livingstone (2nd edition), P. 615 – 56.
- Effat, M., El Shrbini, Mona, M. Hassan, Aisha Abu Etta, Maissa omar and Mostafa, I. (1994):**
The effect of *Helicobacter pylori* infection on the gastric and blood ammonia levels in patients with chronic liver diseases.
Journal of tropical medicines JTM. Gastroenterology; hepatology & Infectious Diseases. Feb., Vol. 3, No. 1.

Ells, P.F. (1996):

Hepatic failure and encephalopathy. In: Kruse JA, Parker, M.M., Carlson, R.W. (eds). Principles and practice of medical intensive care, WB. Saunders company, P. 296 – 302.

Erikson, L.; Soderman, C. and Ericzon, B. (1990):

Normalization of ventilation perfusion relationship after liver transplantation in patients with decompensated cirrhosis.
Hepatology, 12: 1350.

Fan, X.G.; Chau, A. and Fax, J. (1995):

Increased gastric production of interleukin -8 and tumor necrosis factor in patients with *Helicobacter pylori* infection.
J. Clin. Pathol., 48 : 133 – 136.

Ferreira, M.R.; Gammal, S.H. and Jones, EA. (1997):

Resistance to 3- mercaptopropionic acid – induced seizures in hepatic encephalopathy.
Hepatogastroenterology, 6 : 350 – 54.

Flannery, D.B.; Hsia, Y.E. and Wolf, B. (1982):

Current status of hyperammonaemia syndromes.
Hepatology, 2 : 495 – 506.

Fonesca and Welheim (1973):

Different techniques in measurement of gastric ammonia level.
J. Clin. Path., 18: 121-33.

Gitlin, N. and Hinkley, L. (1996):

Diagnosis and prevalence of subclinical hepatic encephalopathy in apparently healthy ambulant, non shunted patients with cirrhosis.
J. Hepatol., 10 : 75.

Goodwin, C.S.; Armstrong, J.A. and Chilverst, T. (1989):

Transfer of *compylobacter pylori* and *compylobacter mustelae* to *Helicobacter* gen nov. as *Helicobacter pylori* comb nov and *helicobacter mustelae* comb. nov., respectively.
Int. J. Syst. Bacteriol., 39 : 397 – 405.

Goodwin, C.S.; McCulloch, R.K. and Armstrong, J.A. (1985):

Unusual cellular fatty acids and distinction ultrastructure in a new spiral bacterium (*campylobacter pyloridis*) from the human gastric mucosa.

J. Med. Microbiol., 19 : 257 – 267.

Graeme, A.; Macdonald, Kirk, A. Frey (1997):

Cerebral Benzodiazepine Receptor Binding. In-vivo patients with recurrent Hepatic Encephalopathy.

Hepatology August, 277 – 82.

Graham, D.Y. and Klein, P.D. (1991):

What you should know about the methods, problems, and uses of urea breath tests.

Am. J. Gastroenterol., 86 : 1118 - 1122.

Haussinger, D.; Steeb, R. and Gerok, W. (1990):

Ammonium and bicarbonate homeostasis in chronic liver disease.

Clin. Wachschr., 68 : 75.

Heatley, R.V. and Wyatt, J.I. (1995):

Gastritis and Duodenitis. In: Haubrick WS, Schaffner F and Berk JE, WB saunders (eds.) Bockus Gastroenterology Vol. 5th edition Co., Philadelphia, London, Toronto, Montreal, Sydney, Tokyo, P. 633 – 55.

Ito, S.; Kohli, Y.; Kato, T. (1994):

Significance of ammonia produced by *Helicobacter pylori*.

Eur. J. Gastroenterol., 6: 167-74.

Ito, S.; Miyaji, H. and Azuma, T. (1995):

Hyperammonaemia and *Helicobacter pylori*.

Lancet, 36: 124-5.

James, I.M. and Wein, J. (1993):

Treatment of chronic hepatic encephalopathy.

Q. J. med., 39 : 515.

Jerris, R.C. (1995):

Helicobacter. In: Murry, PR, Boran EJ, Pfaller, MA, Tenover FC and Yolken, (eds.). Manual of clinical microbiology, RH American Society of Microbiology, Washington DC, 6th Edition, P. 492 – 498.

Jones, D.M. and Curry, A. (1990):

The genesis of coccal forms of *H. pylori*. In: Maleferthein, Ditschuneit H. editors *H. pylori*, gastric and peptic ulcer. Berlin : Springer 2 : 30 – 7.

Jones, D.M.; Lessels, A.M. and Eldridge, J. (1984):

Compylobacter like organism on the gastric mucosa culture, histological and serological studies. Journal of Clinical pathology, 37 : 1002 – 6.

Jones, E.A.; Schafer, D.F. and Ferenci, P. et al. (1994):

The neurobiology of hepatic encephalopathy. Hepatology, 4 : 1235 – 42.

Jonkman, J.; Poortvliet, D.c. and Van Duijn, H. (1992):

Evaluation of hepatic encephalopathy by EEG. Brain topogr., 4 : 227 – 84.

Kabil, S.M.; Amany Lashin, Younis, Y.S. and El-Debakey, F. (1995):

Helicobacter pylori as a risk factor for chronic hepatic encephalopathy.

Journal of Hepatology, Gastroenterology & Infectious Diseases. December, Vol. 4, No. 1, PP. 1:8.

Kanamori, K.; Ross, B.D.; Chung, J.C. and Kuo, E.L. (1996):

Severity of hyperammonaemic encephalopathy correlates with brain ammonia level and saturation of glutamine synthetase in vivo.

J. Neurochem., 67 : 1584 – 1594.

- Karthunen, R.; Karthunen, T. and Ekre, H.T. (1995):**
Interferon gamma and interleukin 4. secreting cells in the gastric antrum in *H. pylori* positive and negative gastritis. Gut., 36 : 341 – 345.
- Kelly, S.M.; Pitcher, M.C.L. and Farmery, S.M. (1994):**
Isolation of *Helicobacter pylori* from feces of patients with dyspepsia in the united kingdom. Gastroenterology, 107 : 1671 – 1674.
- Klein, P.D.; Graham, D.Y. and Gaillour, A. (1991):**
Water source as risk factor for *Helicobacter pylori* infection in peruvian children. Lancet, 337 : 1503 – 1506.
- Krieger, D.; kriger, S. and Jansen, O. (1995):**
Manganese and chronic hepatic encephalopathy. Lancet., 346 : 270 – 74.
- Kumar, P.J. and Clark, M.L. (1995):**
Liver, biliary tract and pancreatic diseases. In: Kumar PJ, Clark ML (eds) clinical medicine Educational low – priced Books schewe (3rd edition).
- Latif, A.H.; Shami, S.K. and Batchoun R. (1991):**
Helicobacter pylori : A Jordanian study. Post – grad, Med. J., 67 : 994 : 998.
- Leder, L.D. (1964):**
The selective enzocytochemical demonstration of neutrophil myloid cell and tissue mast cell in paraffin section. Kinische-Wochenschrift, 42: 553.
- Leverstein – Van Hall, M.A.; Van der Ende, A.; Van Milligen de Wit M., Tygat, G.N. and Dankert, J. (1993):**
Transmission of *Helicobacter pylori* via feces. Lancet., 342 : 1419 – 1420 (letter).
- Lindell, G.; Hesselvik, M. and Schalen, C. (1991):**
Hebicobacter pylori, smoking and gastroduodenitis. Digestion, 49 (4) : 192 – 197.

- Maddison, J.E.; Dood, P.P. and Johnston, G. (1987):**
The role of GABA in hepatic encephalopathy
Gastroenterology, 93 : 1062 – 78.
- Malaty, H.M. and Graham, D.Y. (1994):**
Importance of childhood socioeconomic status on the
current prevalence of *Helicobacter pylori* infection.
Gut. 35 : 472 – 745.
- Malaty, H.M.; Evans, D.G.; Evans, D.J.J. and Graham, D.Y. (1992):**
Helicobacter pylori in Hispanics : Comparison with blacks
and whites of similar age and socioeconomic class.
Gastroenterology, 103 : 813 – 6.
- Markesich, D.C. and B.S. and Lew, G.M. (1995):**
Helicobacter pylori infection does not reduce the viscosity
of human gastric mucus gel.
Gut. 36 : 327 – 329.
- Mark, M.D.; Brand, G.C. (1996):**
Rapid urease test as diagnostic test for *Helicobacter pylori*.
Dig. Dis. Sci., 38 : 1681 – 1687.
- Mcgowan, C.C.; Cover, T.L. and Blaser, M.J. (1994):**
The proton pump inhibitor omeprazole inhibits acid
survival of *Helicobacter pylori* by a urease – dependent
mechanism.
Gastroenterology, 107 : 1573 – 1578.
- McNutly, C.A.M. and Watson, D.M. (1984):**
Spiral bacteria of the gastric antrum.
Lancet., 1: 1068 – 9.
- Megraud, F.; Brassens – Rabbe, M.P. and Denis, F. (1989):**
Seroepidemiology of *compylobacter pylori* infection in
various populations.
J. Clin. Microbiol., 27 : 1870 –3.

Megraud, F.; Bonnet, F. and Gammier, M. (1985):

Charactarization of *compylobacter pylori* by culture, enzymatic profile, and protein content.
J. Clin. Microbiol., 22 : 1007 – 10.

Mehndiratta, M.N.; Sood, G.K. and Sarin, S.K. (1990):

Evoked potentials in detection of subclinical hepatic encephalopathy in patients with non alcoholic cirrhosis.
Am. J. Gastroenterol., 85 : 799 – 803.

Menderhall, C.L.; Rouster, S. and Marshall, L. (1986):

A new therapy for portal – systemic encephalopathy.
Am. J. Gastroenerol., 45 : 43.

Mitchell, H.M.; Liy, Y. and Hu, P.J. (1992):

Epidemiology of *H. pylori* in Southern china. Identification of early childhood as the critical period for acquisition.
J. infect. Dis., 166 : 149 – 53.

Mitchell, J.D.; Mitchell, H.H. and Tobias, V. (1992):

Acute *Helicobacter pylori* infection in an infant associated with gastric ulceration and serological evidence of intrafamilial transmission.
Am. J. Gastroenterol., 87 : 382 – 386.

Misra, P. (1988):

Hepatic encephalopathy.
Med. Clin. Nor. Am., 65 : 209 – 26.

Miyaji, H.; Sito, T. Azuma et al. (1997):

Effect of *Helicobacter pylori* eradication therapy on hyperammonaemia in patients with liver cirrhosis.
Gut, 40 : 726 – 730.

Mobley, H.L.T. (1996):

The role of *Helicobacter pylori* urease in the pathogenesis of gastritis and peptic ulceration.
Aliment pharmacol. Ther., 10 : 57 – 64.

Mondzac, A.; Ehrlich, G.E.; Seegmiller, J.E. (1965):

Methods of lab diagnosis.
J. Lab. Clin. Md., 66: 526.

- Moore, J.W.; Dunk, A.A.; Crawford, J.R. (1989):**
Neuropsychological deficits and morphological MRI brain scan abnormalities in apparently healthy non encephalopathic patients with cirrhosis.
J. Hepatol., 9 : 913 – 25.
- Morgan, M.Y. (1990):**
Branched – chain amino acids in the management of chronic liver disease. Facts and Fantasies.
J. Hepatol., 11 : 33.
- Moss, S.F.; Legon, S.L. and Calam, J. (1994):**
Cytokine gene expression in *Helicobacter pylori* associated antral gastritis.
Gut., 35 : 1567 – 1570.
- Newell, D.G. et al. (1988):**
An enzyme – linked immunosorbent assay for the serodiagnosis of *campylobacter pylori*-associated gastritis.
Scand. J. Gastroenterol., 23 (Suppl. 142): 53.
- Noach, L.A.; Rolf, T.M. and Tytgat, G.N. (1994):**
Electron microscopic study of association between *Helicobacter pylori* and gastric and duodenal mucosa.
Clin. Path., 7 : 699 – 794.
- Norgaard, A.; pendersen, L.P. and Nielsen, H. (1995):**
Neutrophil degranulation by *Helicobacter pylori* proteins.
Gut., 36 : 354 – 57.
- O'Carroll, R.E.; Hayes, P.C. and Ebmeier, K.P. (1991):**
Regional cerebral blood flow and cognitive function in patients with chronic liver disease.
Lancet., 337 : 1250.

- Pappas, S.C.; Ferenci, P.; Schafer, D.F. and Jones, E.A. (1994):**
 I- Visual evoked potentials in a rabbit model of hepatic encephalopathy. II- Comparison of hyperammonaemic encephalopathy, postictal coma, and coma induced by synergistic neurotoxins.
 Gastroenterology, 86 : 546 – 551.
- Plum, F. and Hindfelt, B. (1986):**
 Neurological complications of liver disease. In: Vinken PH, Bruyn GW (eds). Handbook of Clinical neurology. American Elsevier Publishing Co.
- Podolsky, K.J. and Wands, J.R. (1991):**
 Disorders of the gastrointestinal system. In: Wilson JD (ed). Harrison's principles of internal medicine, Mc. Graw – Hill (12th edition).
- Prince, Nord, .B.; Heiver, D.J. (1995):**
 Proton Pump Inhibitors As An effective treatment of *Helicobacter pylori* Infection. *Compylobacer pylori* and gastroduodenal diseases.
 Taisho, Tokyo, 184 – 194.
- Qureo, J.C.; Hartmann, I.J.C. and De Rooij, F. (1995):**
 Hyperammonaemia and *Helicobacter pylori*.
 Lancet., 346 : 713 – 14.
- Uribe, M.; Marquez, M.A. and Ramos, G.G. (1984):**
 Treatment of the chronic portal systemic encephalopathy.
 Hepatology, 4 : 279 – 87.
- Rajiv, Jalan, Peter, C. Hages (1997):**
 Hepatic encephalopathy and ascites.
 Lancet, 350 : 1309 – 15.
- Ravallone, ML Zeneroli, Iventurini (1998):**
 Endogenous benzodiazepine – like compounds and diazepam binding inhibitor in serum of patients with liver cirrhosis with and without overt encephalopathy.
 Gut., 42 : 861 – 867.

Renie, N.; Holter, M.; Draty (1992):

Effect of Dual and triple therapy in the management of *Helicobacter pylori*.
Dig. Dis. Sci., 36 : 25 – 8.

Romanski, B.; Bartuziz, A. (1988):

Allergy to cockroach antigens in patients with peptic ulcer and chronic gastritis.
Allergol Immunopathol., 16 : 219 – 24.

Ross, S. (1995):

Evaluation of a physician's office rapid serology test which detects *Helicobacter pylori* IgG antibodies with whole blood samples.
Gut. 37 (Suppl. 1) : A15 (Abstract).

Sarin, S.K. and Nundy, S. (1995):

Subclinical hepatic encephalopathy after porto-systemic shunts in patients with non cirrhotic portal fibrosis.
Liver, 8 : 142 – 6.

Sarosick, J.; Marshal, B.M. and Peura, D.A. (1991):

Gastroduodenal mucus gel thickness in patients with *Helicobacter pylori*: A method for assessment of biopsy specimens.
Am. J. Gastroenterol., 86 (6) : 729 – 734.

Savarino, V.; Mela, G.S.; Zentilin, P.; Mansi, C.; Mele, M.R.; Vilsneri, S.; Cutela, P.; Vassalo, A.; Dallorto, E.; Celle, G. (1996):

Evaluation of 24-hour gastric acidity in patients with hepatic cirrhosis.
J. Hepatol. (1996) Aug.; 25 (2): 152-7.

Schafer, D.F.; Jones, E.A. (1992):

Hepatic encephalopathy and the Gamma- aminobutyric acid neurotransmitter system.
Lancet., I : 18 – 20.

Scharschmidt, B.F. (1996):

Acute and chronic hepatic failure. In: Bennet, JC, Plum E (eds). Cecil textbook of medicine. WB Saunders (20th edition), P : 769 – 76.

Sherlock, S. and Dooley, J. (1997):

Hepatic encephalopathy. In: Diseases of the liver and biliary system. Black well scientific publication (10th edition). P. 87 – 102.

Sitas, F.; Forman, D. and Yarnel, J.W.G. (1991):

Helicobacter pylori infection rates in relation to age and social class in a population of welsh men.
Gut., 32 : 25 – 28.

Slomiany, B.L. and Slomiany, A. (1991):

Mechanism of *Helicobacter pylori* pathogenesis : Focus on mucus.
J. Clin. Gastroenterol., 14 (suppl. 1) : S114 – 21.

Stephen, M.; Riordan and Roger, Williams (1997):

Treatment of Hepatic encephalopathy.
N. Engl. J. Med., 337 : 473 – 79.

Summerskill, W.H.J.; Wolpert, E. (1990):

Ammonia, Metabolism in the gut.
Am. J. Clin. Nutr., 23 : 633 – 9.

Suzuki, M.; Miura, S. and Mori, M. (1994):

Rebamipide, a novel antiulcer agent, attenuates *Helicobacter pylori* induced gastric mucosal cell injury associated with neutrophil derived oxidant.
Gut., 35 : 1375 – 1378.

Swain, M.; Roger, F. and Butterworth (1992):

Ammonia and related amino acids in the pathogenesis of brain oedema in acute ischaemic liver failure in rats.
Hepatology, 15 : 449 – 53.

Tally, N. et al. (1991):

Serodiagnosis of *Helicobacter pylori*: comparison of enzyme – linked immunosorbent assays.
J. Clin. Microbio., 29 : 1635 – 1639.

Tarter, R.E.; Hegedus, A.M. and Thiel, D.H. (1994):

Non alcoholic cirrhosis associated with neuropsychological dysfunction in the absence of overt evidence of hepatic encephalopathy.
Gastroenterology, 96 : 1421.

Taylor, D.N. and Blaser, M.J. (1991):

The epidemiology of *Helicobacter pylori* infection
Epidemiologic review, 13 : 42-59.

Tennyson, T.E.; Brown, W.S. and Vaziri, N.D. (1989):

Evoked potentials in hepatic encephalopathy.
Int. J. Artif. Organs., 8 : 269 –76.

Tompkins, D.S.; Dave, J. and Mapstone, N.P. (1993):

Some strains of *H. pylori* will grow on air.
Acta Gastroenterol Bel., 9.56 : 100.

Viara, D.; Holton, J. and Londei, M. (1988):

Compylobacter pylori in abattoir workers : is it a zoonosis?
Lancet, ii : 725 – 726.

Vicent, P.; Gottrand, F. and Pernes, P. (1994):

High prevalence of *Helicobacter pylori* infection in cohabiting children. Epidemiology of a cluster, with special emphasis on molecular typing.
Gut., 35 : 313 – 316.

Wang, C.H.; Ma, L.R.; Lin, R.C.; Kuo, J.Y.; Chang, K.K. (1997):

Helicobacter pylori infection and risk of peptic ulcer among cirrhotic patients.
J. Formos-Med. Assoc. 1997 (Jan) 96 (1): 55-8.

- Warren, J.R. and Marshall, B. (1993):**
Unidentified curved Bacilli on gastric epithelium in active chronic gastritis.
Lancet., 1 : 1273 – 1275.
- Weber, F.L.; Mico, D. and Fresard, K.M. (1995):**
Cirrhotic patients.
Gastroenterology, 99 : 538 – 44.
- Weissfeld, A.S. (1996):**
Invitro susceptibility of pre treatment isolates of *Helicobacter pylori* from two multicentre United states trials.
Gastroenterology, 110 (Abstract).
- Wendon, J.A.; Horrison, O.P.M. and Keays, R. (1994):**
Cerebral blood flow and metabolism in fulminant liver failure.
Hepatology, 19 : 1407 – 13.
- Williams, C.; Preston, T. and Slater, C. (1995):**
H. pylori uses urea for amino acid synthesis at neutral pH.
Gut., 36 (suppl. 1) : A9.
- Wyle, F.A.; Change, K.J. and Tarmowski, A. (1993):**
H. pylori : pathogenetic mechanisms. In: Domschkew, Konturek, S.J, (eds.). The stomach: physiology, Pathophysiology and treatment. Berlin, Heidelberg, New York, London, Paris, Tokyo, Hong, Barcelona, Budapest : Springer – Verlag; 165 – 198 – 211.
- Zieve, L. (1994):**
The mechanism of hepatic coma.
Hepatology, 9 : 360.