

References

- Abuol Enein M, Nasr E and Ahmed A.** Proposed Egyptian modification of FAB (FAB. E). Egypt J Hematol, 1986; 11:121.
- Amare P Buisane C, Saikia T, Nair R, Gawade H and Andrani S.** Fluorescence in situ hybridization: a highly efficient technique of molecular diagnosis & prediction for disease course in patients with myeloid leukemia. Cancer Genet Cy to Genet, 2001; 131:125.
- Anastasi J, LeBeau M, Vardiman J and Westbrook C.** Detection of numerical abnormalities in neoplastic hematopoietic cells in situ hybridization with a chromosome specific probe. Am J Path, 1990; 136:131.
- Arico M.** Outcome of treatment in children with Philadelphia chromosome positive ALL. N. England. J. Med., 2000; 342:998-1006.
- Artigas ACG, Cabrera CME, Melo AA, Páez FE, Arriagada MM, Astete AC, Roa EI, Roa SJC.** Frequency of TEL/AML1 and BCR/ABL fusion genes in children with acute lymphoblastic leukemia. Rev Med Chil. 2006 Nov;134(11):1367-76.
- Avet-Loiseau H.** FISH (Sic) analysis at diagnosis in acute lymphoblastic leukemia. Leuk. Lymphoma, 1999; 33:441.
- Ayer DE, Lawrence QA and Eisenman RN.** Mad-Max transcriptional repression is mediated by ternary complex formation with mammalian homologues of yeast repressor sin 3. Cell, 1995; 80:767.

References

- Bachir F, Bennani S, Lahjouji A, Cherkaoui S, Harif M, Khattab M, Nassereddine I, Zafad S, El Aouad R.** Characterization of acute lymphoblastic leukemia subtypes in moroccan children. *Int J Pediatr*, 2009; (2009):674801.
- Bae SY, Kim JS, Han EA, Lee HJ, Ryeu BJ, Lee KN, Lee CK, Cho Y, Kim YK, Yoon SY, Lim CS, Choi CW, Kim WY.** Cytogenetic abnormality involving 8p11.2 in T-lymphoblastic lymphoma: report of a new case. *Cancer Genet Cytogenet*. 2009 May;191(1):57-8.
- Baer M.** Cytogenetics. In: Wintrob's Clinical Hematology. G Lee, J Forster, J Gree G r, Rodgers, J Lukens and F Paraskevas (eds), 10th edition. Middle East edition. P: 98. 1999.
- Bain B and Catovsky D.** Current concerns in hematology: 2-classification of acute leukemia. *J Clin Pathol*, 1990; 43:882.
- Baker JM, Coppes MJ, Roland B.** A case of Down syndrome with acute lymphoblastic leukemia and isochromosome Xp. *Cancer Genet Cytogenet*. 2003 Nov;147(1):75-7.
- Bartolo C and Virwanatha D.** Molecular diagnosis in pediatric acute leukemia. *Clin Lab Med*, 2000; 20:139.
- Basso G, Case C, Dell'Orto MC.** Diagnosis and genetic subtypes of leukemia combining gene expression and flow cytometry. *Blood Cells Mol Dis*. 2007 Sep-Oct;39(2):164-8.
- Baxter-Lowe LA, Colombe BW.** Histocompatibility testing. In: Parslow TG, Stites DP, Terr Al, Imboden JB (eds): *Medical Immunology*. Tenth edition. New York, Chicago, San Francisco, Lange Medical Books/McGraw Hill Medical Publishing Division, 2001, pp. 282 - 293.

- Behm F.** Morphologic and cytochemical characteristics of childhood lymphoblastic leukemia. *Hematol Oncol Clin North Am.* 1990 Aug;4(4):715-41.
- Benett JM, Catovsky D, Danie MT, Flandin G, Galton DAG, Gralnick HR and Sultan C (FAB Cooperative Group).** Proposals for the classification of acute leukemias. *Br J Hematol*, 1976; 33:451.
- Bentz M, Dahrer H, Copot G and Richter P.** Fluorescence in situ hybridization in leukemias, the FISH are spawning leukemia. *Leukemia*; 1447. 1994.
- Bertrand FE, Vogtenhuber C, Shah N, LeBien TW.** Pro-B-cell to pre-B-cell development in B-lineage acute lymphoblastic leukemia expressing the MLL/AF4 fusion protein. *Blood.* 2001 Dec 1; 98(12):3398-405.
- Bloomfield C, Seeker-Walker L and Goldman A.** Six-year follow-up of the clinical significance of karyotype in acute lymphoblastic leukemia. *Cancer Genet Cytogenet*, 1989; 40:171.
- Boomer T, Varella-Garcia M, McGavran L, Meltesen L, Olsen AS, Hunger SP.** Detection of E2A translocations in leukemias via fluorescence in situ hybridization. *Leukemia* 2001;15:95- 102.
- Borowitz M, Hunger S, Carroll A, Shuster J, Pullen D, Steuber C and Cleary M.** Predictability of t(1,19)(q23,p13) from surface antigen phenotype: Implications for screening cases of childhood acute lymphoblastic leukemia for molecular analysis. *Blood*, 1993; 82:1086.
- Braga VM, Gendler SJ.** Co-amplification of two cDNAs in RT-PCR can alter the yield of both products. *Biotechniques.* 1994 Aug;17(2):228-30.

References

- Bram R and McManus M.** Molecular pathogenesis. In: Nelson Text Book of Pediatrics. K Behrman, R Kliegman and M Jenson (eds) 6th edition, W.B. Saunders Company; P: 1533. 2000.
- Broder S, Poplack D and Whang-Peng J.** Characterization of a suppressor-cell leukemia: evidence for the requirement of two T-cell interactions in the development of human suppressor effector cells. *New Engl J Med*, 1998; 339:66.
- Caroll W, Bhojwani D, Min D, Raetz E, Relling M, Davies S and Reed J.** Pediatric acute lymphoblastic leukemia. *Hematology*, 2003; 1:102.
- Carrera C, Eddy R and Shows T.** Assignment of the gene of methylthioadenosine phosphorylase to human chromosome 9 by mouse-human somatic cell hybridization. *Proc Natl Acad Sci USA*, 1984; 81:2665.
- Catovsky D and Hoffbrand V.** Acute leukemia. In: Postgraduate Hematology. V Hoffbrand, D Catovsky and E Tuddenham (eds), 4th edition. Chapter 18. P:373. 1999.
- Chami I, Pérot C, Portnoï MF, Jouault H, Rieux C, Pautas C, Kuentz M, Tulliez M, Bories D.** Molecular analysis of an unusual rearrangement between chromosomes 4 and 11 in adult pre-B-cell acute lymphoblastic leukemia. *Cancer Genet Cytogenet* 2002 Mar;133(2):129-33.
- Chan NP, Ma ES, Wan TS and Chan LC.** The spectrum of acute lymphoblastic leukemia with mature B-cell phenotype. *Leuk Res*, 2003; 27(3): 231.
- Chang S and Mark H.** Emerging molecular cytogenetic technologies. *Cytobios*, 1997; 90:7.

- Chang SYP.** Quantification of telomerase activity using kinetic telomeric repeat amplification protocol. In: Innis MA, Gelfand DH, Sninsky JJ (eds): PCR applications: protocols for functional genomics. San Diego, London, Boston, Academic Press, 1999, pp. 197 - 209.
- Chen W, Li Q, Hudson WA, Kumar A, Kirchhof N, Kersey JH.** A murine Mll-AF4 knock-in model results in lymphoid and myeloid deregulation and hematologic malignancy. *Blood*. 2006 Jul 15;108(2):669-77.
- Clayton J.** Chip-based diagnostics for meningitis and food poisoning. *Drug Discov Today*. 2002 Jun 15;7(12):637-8.
- Coleman W and Tsongalis G.** Molecular Diagnostics for The Clinical Laboratories. Totowa NJ: Humana press. 1997.
- Cole-Sinclair M, Foroni L and Hoffbrand A.** Genetic changes: Relevance for diagnosis and detection of minimal residual disease in acute lymphoblastic leukemia. *Baillierre's Clinical Hematology*, 1994; 7:183.
- Comeau F, Hau F, Boiron JM, et al.** Bone-marrow transplant monitoring with fluorescent multiplex PCR. *Qiagen New*, 3: 3 - 6, 2001.
- Consolini R, Legitimo A and Rondelli R.** Clinical relevance of CD 10 expression in childhood acute lymphoblastic leukemia. The Italian Association for Pediatric Hematology and Oncology. *Acta Hematologica*, 1998; 83:967.
- Craig FE.** Bone marrow evaluation in pediatric patients. *Semin Diagn Pathol*. 2003;20:237–246.

References

- Crist WM, Carroll AJ, Shuster JJ, Behm FG, Whitehead M, Vietti TJ, et al.** Poor prognosis of children with pre-B acute lymphoblastic leukemia is associated with the t (1;19)(q23;p13): a Pediatric Oncology Group study. *Blood* 1990;76: 117-22.
- Delgado R and Patte S.** Lymphoid Malignancies in Childhood. In: Text Book of Malignant Hematology. L Degas, D Linch and B lowenherg (eds), Martin Dunitz, Cambridge University Press, London; P: 519. 1999.
- Delia Ragione F and Iolascon A.** Inactivation of cyclin-dependent kinase inhibitor genes and development of human acute leukemias. *Leuk. Lymphoma*, 1997; 25:23.
- Den-Boer ML, Harms DO, Pieters R, Kazemier KM, Gobel U, Korholz D, Graubner U, Haas RJ, Jorch N and Spaar HJ.** Patient stratification based on prednisolone - vincristine - asparaginase resistance profiles in children with acute lymphoblastic leukemia. *J Clin Oncol*, 2003; 21(17): 3262.
- Dey P.** Aneuploidy and malignancy an unsolved equation. *J Clin Pathol*, 2004; 57:1245.
- Dhat R and Price C.** Methylation of the multitumor suppressor gene-2 (MTS2, CDKN1, p15INK4b) in childhood acute lymphoblastic leukemia. *Oncogene*, 1997; 15:2609.
- Diaz M, Rubin C and Harden A.** Deletions of interferon genes in acute lymphoblastic leukemia. *New Engl J Med*, 1990; 322:77.
- Divjak M, Glare EM, Walters EH.** Improvement of non-radioactive in situ hybridization in human airway tissues: use of PCR-generated templates for synthesis of probes and an antibody sandwich technique for detection of hybridization. *J Histochem Cytochem*, 2002 Apr; 50(4):541-8.

- Divoky V, Trka JM, Watzinger F, Lion T.** Cryptic splice site activation during RNA processing of MLL/AF4 chimeric transcripts in infants with t(4;11) positive ALL. *Gene*. 2000 Apr 18;247(1-2):111-8.
- Douet-Guilbert N, Morel F, Le-Bris M, Herry A, Le-Calvez G, Marion V, Berthov C and De-Braekeleer N.** t (4,11)(q21,p15) including one complex translocation t(1,4,1 I)(p23,q21,p15) in adult T-cell acute lymphoblastic leukemia. *Leuk Res*, 2003; 27(10): 965.
- Downing JR, Shannon KM.** Acute leukemia: a pediatric perspective. *Cancer Cell*. 2002;2:437–445.
- Drexler H.** Review of alterations of the cyclin-dependent kinase inhibitors: INK4 family, genes p15, p16, p18 and p19 in human leukemia-lymphoma cells. *Leukemia*, 1998; 12:845.
- du Manoir A, Apeicher M, Joos S, Schroeck E, Popp S, Doehner H, Kovacs G, Robert-Nicoud M and Lichter P.** Detection of complete and partial chromosome gains and losses by comparative genomic hybridization. *Hum Genet*, 1993; 90:590.
- DuBois DB, WalkerPeach CR, Winkler MM, Pasloske BL.** Standards for PCR assays. In: Innis MA, Gelfand DH, Sninsky JJ (eds): *PCR applications: protocols for functional genomics*. San Diego, London, Boston, Academic Press, 1999, pp. 197 - 209.
- Dunphy CH, van Deventer HW, Carder KJ, Rao KW, Dent GA.** Mature B-cell acute lymphoblastic leukemia with associated translocations (14;18)(q32;q21) and (8;9)(q24;p13). A Burkitt variant? *Arch Pathol Lab Med*. 2003 May;127(5):610-3.
- Durm M, Harr F, Hausmann M, Ludwig H and Cremer C.** Non enzymatic, low temperature fluorescence in situ hybridization of human chromosome with repetitive alpha satellite probe. *Z-N Alurforsch-C*, 1997; Jan SC; 1-2:82.
- Dworzak MN, Panzer-Grumayer ER.** Flow cytometric detection of minimal residual disease in acute lymphoblastic leukemia. *Leuk Lymphoma*. 2003;44:1445–1455.

References

- Dylla-Spears R, Townsend JE, Sohn LL, Jen-Jacobson L, Muller SJ.** Fluorescent marker for direct detection of specific dsDNA sequences. *Anal Chem.* 2009 Dec 15;81(24):10049-54.
- Edlin G.** Human genetics, a modern synthesis. Boston: Jones and Bartlett. 1990.
- Eguchi-Ishimae M, Eguchi M, Ishii E, Miyazaki S and Ueda K.** Breakage and fusion of the TEL (ETV6) gene in immature B-lymphocytes induced by apoptogenic signals. *Blood*, 2001; 97:737.
- Eguiguren JM, Schell MJ and Crist WM.** Complications and outcome in childhood acute lymphoblastic leukemia with hyperleukocyto-sis. *Blood*, 1992; 78:871.
- Esparza SD and Sakamoto KM.** Topics in Pediatric Leukemia – Acute Lymphoblastic Leukemia. *MedGenMed.* 2005 Mar 7;7(1):23.
- Faderl S, Kantarjian HM, Manshour T, Chan CY, Pierce S, Hays KJ, Cortes J, Thomas D, Estrov Z, Albitar M.** The prognostic significance of p16INK4a/p14ARF and p15INK4b deletions in adult acute lymphoblastic leukemia. *Clin Cancer Res.* 1999 Jul;5(7):1855-61.
- Faderl S, Kantarjian HM, Talpaz M and Estrov Z.** Clinical significance of cytogenetic abnormalities in adult acute lymphoblastic leukemia. *Blood*, 1998; 91:3995.
- Faderl S, Kantarjian HM, Thomas DA, Cortes J, Giles F, Pierce S, Albitar M, Estrov Z.** Outcome of Philadelphia chromosome-positive adult acute lymphoblastic leukemia. *Leuk Lymphoma.* 2000 Jan; 36(3-4):263-73.
- Farhi DC and Rosenthal NS.** Acute lymphoblastic leukemia. *Clinics in Laboratory Medicine*, 2000; 20:17.

- Ferguson-Smith MA and Andrews T.** Cytogenetic analysis. In: Principle and Practice of Medical Genetics. D Rimoin, J Cannor and R Pyeritz (eds). Churchill Livingstone. P: 25. 1997.
- Fierelli L, Marone M, Bonannon G, Mozzetti S, Rutella S, Morosetti R, Rumi C, Mancuso S, Lesne G and Scambia G.** Modulation of bcl-2 and p27 in human primitive proliferating hematopoietic progenitors by autocrine TGF-(31 is a cell cycle-independent effect and influence their hematopoietic potential. Blood, 2000; 95:10.
- Foa R, Vitale A, Mancini M, Cuneo A, Mecucci C, Elia L, et al.** E2A-PBX1 fusion in adult acute lymphoblastic leukaemia: biological and clinical features. Br J Haematol 2003;120:484-7.
- Fonatsch C and Streubel B.** Classical and Molecular Cytogenetics. In: New Diagnostic Methods in Oncology and Hematology. D Hubin (ed). Springer, Berlin. P: 113. 1998.
- Forestier E, Heyman M, Andersen MK, Autio K, et al.** Outcome of ETV6/RUNX1-positive childhood acute lymphoblastic leukaemia in the NOPHO-ALL-1992 protocol: frequent late relapses but good overall survival. Br J Haematol 2008 Mar; 140(6): 665-72.
- Forestier E, Izraeli S, Beverloo B, et al.** Cytogenetic features of acute lymphoblastic and myeloid leukemias in pediatric patients with Down syndrome: an iBFM-SG study. Blood. 2008 Feb 1;111(3):1575-83.
- Foroni L, Potter MN, Hoffbrand AV.** Molecular approaches to the investigation of minimal residual disease in acute lymphoblastic leukemia. Rev din Exp Hematol, 3: 28, 1997.

References

- Frater JL, Yaseen NR, Peterson LC, Tallman MS and Goolsby CL.** Biphenotypic acute leukemia with coexpression of CD79a and markers of myeloid lineage. Arch Pathol Lab Med, 2003; 127(3)-356.
- Gabert J, Beillard E, van der Velden VH, Bi W, Grimwade D, et al.** Standardization and quality control studies of 'real-time' quantitative reverse transcriptase polymerase chain reaction of fusion gene transcripts for residual disease detection in leukemia - a Europe Against Cancer program . Leukemia, 2003 Dec; 17(12):2318-57.
- Gadalla A.** Profile of childhood cancer in the National Cancer Institute form 1975-1994 MSc. Thesis of Pediatrics. National Cancer Institute, Cairo University, 1996.
- Gadner H, Masera G, Schrappe M, Eden T, Benoit Y, Harrison C, Nachman J, Pui CH.** The Eighth International Childhood Acute Lymphoblastic Leukemia Workshop ('Ponte di legno meeting') report: Vienna, Austria, April 27-28, 2005. Leukemia. 2006 Jan;20(1):9-17.
- Garg R, Kantarjian H, Thomas D, Faderl S, Ravandi F, Lowshe D, Pierce S, O'Brien S.** Adults with acute lymphoblastic leukemia and translocation (1;19) abnormality have a favorable outcome with hyperfractionated cyclophosphamide, vincristine, doxorubicin, and dexamethasone alternating with methotrexate and high-dose cytarabine chemotherapy. Cancer 2009 May 15; 115(10):2147-54.
- Garson J, Van Den Berge J and Kemshead J.** Novel isotopic in situ hybridization techniques detects small (1Kb) unique sequences in routinely banded human chromosomes fine mapping of N-myc and B-NGF genes. Nucleic Acids Res, 1987; 15:4761.

- Gassmann W, Loffler H and Thiel E.** Morphological and cytochemical findings in 150 cases of T-lineage acute lymphoblastic leukemia in adults. German Multicentre ALL. Study Group (GM ALL). Br J Hematol, 1997; 97:372.
- Goidberg JM, Silverman LB, Levy DE, Dalton VK, Gelber RD, Lehmann L, Cohen HJ, Sallan SE and Asselin BL.** Childhood T-cell acute lymphoblastic leukemia: The Dana-Farber Cancer Institute acute lymphoblastic leukemia consortium experience. J Clin Oncol, 2003; 21(19): 3616.
- Greaves M.** Childhood leukaemia. BMJ. 2002;324:283–287.
- Greer WL, Lee CL, Callanan MB, Zayed E and Sadek I.** Case of acute lymphoblastic leukemia presenting with t(14;18)/BCL2, t(8;14)/cMYC, and t(1;2)/FCGR2B. Am J Hematol, 2003; 74(2): 112.
- Guo SX, Taki T, Ohnishi H, Piao HY, Tabuchi K, Bessho F and Hanada R.** Hypermethylation of p16 and p15 genes and Rb protein expression in acute leukemia. Leukemia Research, 2000; 24:39.
- Gurney JG, Severson RK, Davis S, Robison LL.** Incidence of cancer in children in the United States. Sex-, race-, and 1-year age-specific rates by histologic type. Cancer. 1995 Apr 15;75(8):2186-95
- Haas OH, Henn T, Romanakis K, duManoir S and Lengauer C.** Comparative genomic hybridization as a part of a new diagnostic strategy in childhood hyperdiploid acute lymphoblastic leukemia. Leukemia, 1998; 12:474.
- Haase A, Retzle E and Stasius K.** Amplification and detection of viral DNA inside the cells. Proc Natl Acad Sci, 1990; 87:4971.

References

- Hamasaki N, Iida H, Kinoshita S.** Molecular biology techniques as clinical laboratory tests]. *Rinsho Byori*. 2001 Jan;49(1):9-18.
- Han S, Lee KM, Park SK, Lee JE, Ahn HS, Shin HY, Kang HJ, Koo HH, Seog JJ, Choi JE, Ahn YO, Kang D.** Genome-wide association study of childhood acute lymphoblastic leukemia in Korea. *Leuk Res* . 2010 Feb 25.
- Harris DW, Kenrick MK, Pither RJ, Anson JG, Jones DA.** Development of a high-volume in situ mRNA hybridization assay for the quantification of gene expression utilizing scintillating microplates. *Anal Biochem*. 1996 Dec 15; 243(2):249-56.
- Harris NL, Jaffe ES, Diebold J, Flandrin G, Muller-Hermelink HK, Vardiman J, Lister TA and Bloomfield M.** The World Health Organization Classification of Neoplasms of the Hematopoietic and Lymphoid Tissues. *HematologyJ*, 2000; 1:55.
- Harrison C and Foroni L.** Cytogenetics and molecular genetics of acute lymphoblastic leukemia. *Rev Clin Exper Hematol*, 2002; 6(2): 91.
- Hayaski Y, Raimondi S and Look A.** Abnormalities of the long arm of chromosome 6 in childhood acute lymphoblastic leukemia. *Blood*, 1990; 76:1626.
- Hayhoe F and Flemans R.** *Color Atlas Hematological Cytochemistry*. Churchill Livingstone, New York. 1980.
- He J, Chen ZX, Xue YQ, Pan JL, He HL, Li JQ, Wu YF, Huang YP, Zhu LL.** Study on clinical and biological characteristics of childhood acute leukemia with MLL gene rearrangements. *Zhonghua Xue Ye Xue Za Zhi* 2005 Aug;26(8):477-80.
- Healey K, Gray SL, Halligan GE, McKenzie AS, de Chadarevian JP, Morrisette JJ.** Hyperdiploidy with trisomy 9 and deletion of the CDKN2A locus in T-cell acute lymphoblastic leukemia. *Cancer Genet Cytogenet*. 2009 Apr 15;190(2):121-4.

- Heerema NA, Sather HN, Ge J, Arthur DC, Hilden JM, Trigg ME, Reaman GH.** Cytogenetic studies of infant acute lymphoblastic leukemia: poor prognosis of infants with t(4;11) - a report of the Children's Cancer Group. *Leukemia* 1999 May;13(5):679-86.
- Heim S and Mitelman F.** *Cancer Cytogenetics* 2nd edition. Wiley, New York. 1995.
- Henegariu O, Bray-Ward P, Artan S, Vance G, Qumsyieh M and Ward D.** Small marker chromosome identification in metaphase and interphase using centromeric multiplex FISH (CM-FISH). *Laboratory Investigation*, 2001; 81:475.
- Hilden JM, Dinndorf PA, Meerbaum SO, et al.** Analysis of prognostic factors of acute lymphoblastic leukemia in infants: report on CCG 1953 from the Children's Oncology Group. *Blood*. 2006 Jul 15;108(2):441-51.
- Hindkjaer J, Brandt C, Koch J, Lund T and Bolund T.** Simultaneous detection of centromere specific probes and chromosome painting libbers by a combination of primed in situ labeling and chromosome painting (PRINs painting). *Chromosome Res*, 1995; 3:41.
- Hoffbrand AV, Catovsky D, Tuddenham EGD.** *Postgraduate Haematology*, 5th Edition. March 2005, Wiley-Blackwell.
- Hotfilder M, Röttgers S, Rosemann A, Schrauder A, Schrappe M, Pieters R, Jürgens H, Harbott J, Vormoor J.** Leukemic stem cells in childhood high-risk ALL/t(9;22) and t(4;11) (are present in primitive lymphoid-restricted CD34+CD19- cells. *Cancer Res* 2005 Feb 15;65(4):1442-9.

References

- Hotfilder M, Röttgers S, Rosemann A, Schrauder A, Schrappe M, Pieters R, Jürgens H, Harbott J, Vormoor J.** Leukemic stem cells in childhood high-risk ALL/t(9;22) and t(4;11 (are present in primitive lymphoid-restricted CD34+CD19- cells. *Cancer Res* 2005 Feb 15;65(4):1442-9.
- Hully JR.** In situ PCR. In: Innis MA, Gelfand DH, Sninsky JJ (eds): PCR applications: protocols for functional genomics. San Diego, London, Boston, Academic Press, 1999, pp. 169 - 196.
- Huret JL, Dessen P, Bernheim A.** An atlas of chromosomes in hematological malignancies. Example: 11q23 and MLL partners. *Leukemia* 2001;15:987-99.
- Hurwitz CA and Miro J.** Mixed lineage leukemia and asynchronous antigen expression. *Hematol Oncol Clin North Am*, 1990; 4:767.
- Innis M and Gelfand D.** Optimization of PCR. In: Innis MA, Gelfand DH, Sninsky JJ (eds): PCR applications: protocols for functional genomics. San Diego, London, Boston, Academic Press, 1999, pp. 3 - 22.
- Jacobs A.** Benzene and Leukemia. *Br J Hematol*, 1989; 72:119.
- Jarosova M, Holzerova M, Jedlickova K, Mihal V, Zuna J, Stary J, Pospisilova D and Zemanova Z.** Importance of using comparative genomic hybridization to improve detection of chromosomal changes in childhood acute lymphoblastic leukemia. *Cancer Genet Cytogenet*, 2000; 123:114.
- Jeffery E, Rubnit Z, James R, Pui C, Sheida A, Shorteff S and Willian E.** TEL gene rearrangement in ALL: A new genetic marker with prognostic significance. *J Clin Oncol*, 1997; 16:1150.

- Jones DP, Stapleton FB and Kalwinsky D.** Renal dysfunction and hyperuricemia at presentation and relapse of acute lymphoblastic leukemia. *Med Pediatr Oncol*, 1990; 18:283.
- Kaczmarek A, Naganowska B, Wolko B.** Karyotyping of the narrow-leaved lupin (*Lupinus angustifolius* L.) by using FISH, PRINS and computer measurements of chromosomes. *J Appl Genet*, 2009; 50(2):77-82.
- Kaleem Z, Crawford E, Pathan MH, Jasper L, Covinsky MA, Johnson LR and White G.** Flow cytometric analysis of acute leukemias. Diagnostic utility and critical analysis of data. *Arch Pathol Lab Med*, 2003; 127(1): 42.
- Kamb A, Gruis N and Weaver-Feldhaus J.** A cell cycle regulator potentially involved in genesis of many tumor types. *Science*, 1994; 264:436.
- Kamel AM, Assem MM, Jaffe ES, Magrath I, Aboul Enein MI, Hindawy DS.** Immunological phenotypic pattern of acute lymphoblastic leukaemia in Egypt. *Leuk Res*. 1989;13(7):519-25.
- Kanerva J, Saarinen-Pihkala U and Niini T.** Favorable outcome in 20-years old children with very-low risk ALL and minimal standard therapy. *Pediatr Blood Cancer*, 2004; 42:30.
- Kawamura M, Ohnishi H, Guo SX, Sheng XM, Minegishi M, Hanada R, Horibe K, Hongo T, Kaneko Y, Bessho F, Yanagisawa M, Sekiya T, Hayashi Y.** Alterations of the p53, p21, p16, p15 and RAS genes in childhood T-cell acute lymphoblastic leukemia. *Leuk Res*, 1999 Feb;23(2):115-26.
- Khalifa A, El-Kerdany T, Fayek M, Abd El-Ghaffer SF and Nossair O.** Flow cytometric study in childhood acute lymphoblastic leukemia immunophenotyping and DNA analysis. *Egyptian J Hematology*, 1997; 22:1.

References

- Kikuchi A, Hayashi Y and Kobayashi S.** Clinical significance of TAL1 gene alteration in childhood acute lymphoblastic leukemia and lymphoma. *Leukemia*, 1993; 7:933.
- Kim J, Park TS, Lyu CJ, Song J, Lee KA, Kim SJ, Lee HJ, Choi JR.** BCR/ABL rearrangement with b3a3 fusion transcript in a case of childhood acute lymphoblastic leukemia. *Cancer Genet Cytogenet* 2009 Mar;189(2):132-7.
- Kinnet M and Lukens J.** Classification and differentiation of the acute leukemias. In: *Wintrobe's Clinical Hematology*. G Lee, J Forster and J Lukens (eds). 10th edition, Williams and Wilkins (A Waverly Company), Baltimore; P: 2209. 2001.
- Kinney MC, Lukens JN.** Classification and differentiation of the acute leukemias. In: Lee GR, Foerster J, Lukens J, Paraskevas F, Greer JP, Rodgers GM, eds. *Wintrobe's Clinical Hematology*, 12th edition. Baltimore, MD: Williams & Wilkins; 2008.
- Kirsch IR, Kuehl WM.** Lymphopoiesis. II. Gene rearrangements in lymphoid cells. In: Stamatoyannopoulos G, Majerus PW, Perlmutter RM, Varmus H (eds): *The Molecular Basis of Blood Diseases*. Second edition. Philadelphia, London, New York, WB Saunders Company, pp. 414-416.
- Kitazawa J, Tono C, Terui K, et al.** Successful outcome of mismatched hematopoietic stem cell transplantation from a related donor in an infant with acute lymphoblastic leukemia and 9;11 translocation: case report and review of the literature. *Int J Hematol*. 2005 Jun;81(5):428-32.

- Kjeldsberg C, Elenitoba-Jahonson K, Foucer K, Hussong J, Mckenna R, Perkins S, Peterson L and Rodgers G.** Acute lymphoblastic leukemia. In: Practical diagnosis of hematologic disorders. C Kjeldsberg, K Elenitoba-Jahonson, K Foucer, J Hussong, R Mckenna, S Perkins, L Peterson and G Rodgers (eds). 3rd edition. ASCP. P: 443. 2000.
- Kliegman RM, Behrman RE, Jenson HB, Stanton BMD.** Nelson Textbook of Pediatrics. Publisher: Saunders; 18 edition (July 11, 2007).
- Koch J.** Principles and applications of PRINS in cytogenetics. Curr Protoc Cytom. 2004 Feb; Chapter 8:Unit 8.11.
- Komminoth P.** In situ polymerase chain reaction: past, present, future, Boehringer Mannheim PCR Bibliography. BM publication no. 167504, 1997.
- Konig M, Reichel M, Marschalek R, Haas O and Strehl S.** A highly specific and sensitive fluorescence in situ hybridization assay for the detection of t (4,11) (q21,q23) and concurrent submicroscopic deletions in acute leukemias. Br J Hematol, 2002; 116:758.
- Kornblau SM, Thail PF, Estrov Z, Walterscheid M, Lpenpatel S, Theriault A, Keating MJ, Kantarjian H and Andreef M.** The prognostic impact of bcl-2 protein expression in acute myelogenous leukemia varies with cytogenetics. Clin Cancer Res, 1999; 5:1758.
- Kricka LJ, Stroebel J, Stanley PE.** Bioluminescent fusion conjugates and bioluminescent immunoassays: 1988-1998 Luminescence. 1999 Jan;14(1):39-46.

References

- Kristensen T, Wesenberg F, Jansson O, Carlsen N and Forestier E.** High-resolution comparative genomic hybridization yields a high detection rate of chromosomal aberrations in childhood ALL. *Eur J Hematol*, 2003; 70:363.
- Kronenberg M, Siu G, Hood LE, Shastri N.** The molecular genetics of the T-cell antigen receptor and T-cell antigen recognition. *Annu Rev Immunol*. 1986; 529: 91-4.
- Kwon YJ, Lee JW, Kim MS, Jang PS, et al.** Cytogenetic analysis in childhood acute lymphoblastic leukemia: experience at a single institution in Korea. *Int J Hematol*. 2009 Mar;89(2):150-8.
- Lai JL, Fenaux P and Zandecki M.** Cytogenetic studies in 30 patients with Burkitt's Lymphoma or L3 acute lymphoblastic leukemia with special reference to additional chromosome abnormalities. *Annals Genet*, 1989; 32:26.
- Lai R.** Pathologic diagnosis of acute lymphocytic leukemia. *Hematol Oncol Clin North Am*. 2000;14:1209–1235.
- Lanier AP, Holck P, Ehrt Day G, Key C.** Childhood cancer among Alaska Natives. *Pediatrics*. 2003 Nov;112(5):e396.
- Le Beau M and Rowley J.** Cytogenetics. In: Williams Hematology. W Williams, E Beutler, M Lichtman, B Coiler and T Kipps (eds). 5th edition. Me Graw-Hill. P: 99. 1995.
- Le Beau M.** Detecting genetic changes in human tumor cells: have scientists gone gene fishing. *Blood*, 1993; 81:197.
- Lee SG, Choi JR, Kim JS, Park TS, Lee KA, Song J.** Therapy-related acute lymphoblastic leukemia with t(9;22)(q34;q11.2): a case study and review of the literature. *Cancer Genet Cytogenet*. 2009 May;191(1):51-4.

- Lewis R.** Human genetics, concept and applications. Oxford University Press. 1994.
- Liang XL, Xian Y, Dai BT, Xu YH, Su YC, Wang SY, Lu LL, Li X ,Yu J.** Clinical study on childhood acute lymphoblastic leukemia diagnosed and treated with 04 Protocol in Chongqing, China[Zhonghua Er Ke Za Zhi .2009 Dec;47(12):939-41
- Lichter P and Cremer T.** Non-isotopic chromosome analysis. In: Human Cytogenetics. D Rooney and B Czepulkowski (eds). Oxford University press, N4. New York. 1992.
- Lichtman MA, Beutler E, Kipps TJ, Seligsohn U, Kaushansky K, Prchal JT.** Williams Hematology. Seventh Edition. Publisher: McGraw-Hill Professional. 2005.
- Lillington D and Young B.** Molecular cytogenetics. In: Molecular Hematology. D Provan, J Gribben and M Perutz (eds). Blackwell Science. P: 18. 2000.
- Little M, Holmes G and Walsh P.** WT1 what has the last decade told us? Bioassays, 1999; 21(3): 91.
- Lodish H, Berk A, Zipursky S, Matsudaira P, Baltimore D and Darnell J.** Regulation of eukaryotic cell cycle. In: Molecular Cell Biology. Fritzsche WH (ed). 4th edition. W.B. Saunders Company, Philadelphia. P:526. 2000.
- Lowsky R, Deroteau J, Ratmair A, Ichinohasama R, Dong W, Yu Y, Mak T, Kadin M and Minden M.** Defects of mismatch repair gene MSH2 are implicated in the development of murine and human lymphoblastic lymphomas and are associated with the aberrant expression of rhombotin2 (Lmo-2) and Tal-1 (Scl). Blood, 1997; 89:2276.

References

- Lundin C, Heldrup J, Ahlgren T, Olofsson T, Johansson B.** B-cell precursor t(8;14)(q11;q32)-positive acute lymphoblastic leukemia in children is strongly associated with Down syndrome or with a concomitant Philadelphia chromosome. *Eur J Haematol.* 2009 Jan;82(1):46-53.
- Luxton R.** Oncogenes, tumor suppressor genes and malignant transformation. In: *Progress in Hematology: 2.* C Pallister and C Dunn (eds). London. Chapter: 5. P: 107. 2000.
- Ma L, Wu SM, Huang J, Ding Y, Pang DW, Li L.** Fluorescence in situ hybridization (FISH) on maize metaphase chromosomes with quantum dot-labeled DNA conjugates. *Chromosoma*, 2008, Apr; 117(2):181-7.
- Macgregor RF.** Gene expression in cancer: the applications of microarrays. *Expert Rev Mo I Diagn*, 2005; 3:185.
- Maloney K, McGavran L, Murphy J, Odom L, Stork L, Wei Q, Hunger S.** TEL-AML1 fusion identifies a subset of children with standard risk acute lymphoblastic leukemia who have an excellent prognosis when treated with therapy that includes a single delayed intensification. *Leukemia* 1999 Nov;13(11): 1708-12.
- Mancini M, Nanni M, Sirleto P, DeCuia M, Castoldi G, Cilloni D and Cimino G.** Detection of BCR/ABL rearrangements in adult acute lymphoblastic leukemia using a highly sensitive interphase fluorescence in situ hybridization method (D-FISH). *Hematol J*, 2001; 2:54.
- Mancini M, Vegna ML, Castoldi GL, et al.** Partial deletions of long arm of chromosome 6: biologic and clinical implications in adult acute lymphoblastic leukemia. *Leukemia*. 2002 Oct;16(10): 2055-61.

- Mannouji K, Tasaka T, Akiyama T, Irei I, Sano F, Matsushashi Y, Wada H, Tohyama K, Sugihara T, Sadahira Y.** Transformation from follicular lymphoma to high-grade B-cell lymphoma/leukemia with additional t(2;8)(p12;q24), with inverse expressions of c-MYC and BCL-2, and light-chain switch. *Pathol Int.* 2009 Apr;59(4):261-4.
- Marilyn L, Slovak M, Tcheurekdjian L, Zhang F and Murata-Collins J.** Simultaneous detection of multiple genetic aberrations in single cells by spectral fluorescence in situ hybridization. *Cancer Research*, 2001; 61:83L.
- Marín C, Martínez-Delgado B, Meléndez B, Larrayoz MJ, Martínez-Ramírez A, Robledo M, Cigudosa JC, Calasanz MJ, Benítez J.** Multiplex-polymerase chain reaction assay for the detection of prognostically significant translocations in acute lymphoblastic leukemia. *Haematologica.* 2001 Dec; 86(12): 1254-60.
- Marín C, Martínez-Delgado B, Meléndez B, Larrayoz MJ, Martínez-Ramírez A, Robledo M, Cigudosa JC, Calasanz MJ, Benítez J.** Multiplex-polymerase chain reaction assay for the detection of prognostically significant translocations in acute lymphoblastic leukemia. *Haematologica.* 2001 Dec; 86(12): 1254-60.
- Martens D, De Die Smulders C, Kampschoer P, Offermans J, Engelen J, Haners A, Lammens M and Sclander-Stumpel C.** 14q terminal deletion: prenatal diagnosis in a child with severe congenital anomalies. *Genet Couns*, 2000; 11:341.
- McEvoy CR, Morley AA and Firgaira FA.** Evident of whole chromosome 6 loss and duplication of the remaining chromosome in acute lymphoblastic leukemia. *Genes Chromosomes Cancer.* 2003 Jul;37(3):321-5.

References

- Meeker T, Ha rely D and Willman C.** Activation of the interletikin-3 gene by chromosome translocation in acute lymphoblastic leukemia with eisinophilia. *Blood*, 1990; 76:285.
- Mesquita DR, Córdoba JC, Magalhães IQ, Córdoba MS, Oliveira JR, Gonçalves A, Ferrari I, Martins-de-Sá C.** Molecular and chromosomal mutations among children with B-lineage lymphoblastic leukemia in Brazil's Federal District. *Genet Mol Res*. 2009 Mar 24;8(1):345-53.
- Michalová K.** Fluorescence in situ hybridization (FISH) in cytogenetics of leukemia. *Folia Biol Praha*, 1996; 42(6): 311-4.
- Miller AJ, Rudin CM, Boise LH and Thompson CB.** Expression of bcl-2 can confer a multidrug resistance phenotype. *Blood*, 1995; 86:1903.
- Miller OJ and Therman E.** Human chromosomes. 4 edition, Springer-Verlag, New York. 2001.
- Mokhtar GM, Attia NI, Fahmy MA, EI-Tobgui MM and Ebrahim MM.** Radon a risk factor in childhood ALL and Lymphoma. *Egyptian J of Pediatrics*, 1999; 16(182): 193.
- Morimoto M, Monden T and Shimano T.** Methods in laboratory investigation: use of sulphonated probes for in situ detection of amylase in RNA in formalin fixed paraffin sections of human pancreas and submaxillary gland. *Lab Invest*, 1987; 57:734.
- Mosoka T, Nishioka J, Taga A, Kato K, Kawasaki H, Yamado Y, Yu A, Komado Y and Nobori T.** Detection of methylthioadenosine phosphorylase (MTAP) and pi6 gene deletion in T-cell acute lymphoblastic leukemia by real-time quantitative PCR assay. *Leukemia*, 2000; 14:935.

- Myers TW.** Recent advances in high-temperature reverse transcription and PCR. In: Innis MA, Gelfand DH, Sninsky JJ (eds): PCR applications: protocols for functional genomics. San Diego, London, Boston, Academic Press, 1999, pp. 141 - 151.
- Nachman JB, Heerema NA, Sather H, et al.** Outcome of treatment in children with hypodiploid acute lymphoblastic leukemia. Blood. 2007 Aug 15;110(4):1112-5.
- Nasedkina TV, Zharinov VS, Isaeva EA, Mityaeva ON, Yurasov RN, Surzhikov SA, Turigin AY, Rubina AY, Karachunskii AI, Gartenhaus RB, Mirzabekov AD.** Clinical screening of gene rearrangements in childhood leukemia by using a multiplex polymerase chain reaction-microarray approach. Clin Cancer Res. 2003 Nov 15;9(15):5620-9.
- Nasedkina TV, Zharinov VS, Isaeva EA, Mityaeva ON, Yurasov RN, Surzhikov SA, Turigin AY, Rubina AY, Karachunskii AI, Gartenhaus RB, Mirzabekov AD.** Clinical screening of gene rearrangements in childhood leukemia by using a multiplex polymerase chain reaction-microarray approach. Clin Cancer Res. 2003 Nov 15;9(15):5620-9.
- Navid F, Mosiijczuk AD and Head DR.** Acute lymphoblastic leukemia with (8 : U) (q2 i: q32) translocation and FAB L3 morphology associated with B- precursor phenotype: The Pediatric Oncology Group experience. Leukemia, 1999; 13:135.
- Niehues T, Kapaun P and Harms DO.** A classification based on T-cell selection-related phenotypes identifies a subgroup of childhood T-ALL with favorable outcome in the COALL studies. Leukemia, 1999; 13:614.

References

- Niyazov DM, Nawaz Z, Justice AN, Toriello HV, Martin CL, Adam MP.** Genotype/ phenotype correlations in two patients with 12q subtelomere deletions. *Am J Med Genet A*. 2007 Nov 15; 143A(22):2700-5.
- Nowak D, Le Toriellec E, Stern MH, et al.** Molecular allelokaryotyping of T-cell prolymphocytic leukemia cells with high density single nucleotide polymorphism arrays identifies novel common genomic lesions and acquired uniparental disomy. *Haematologica*. 2009 Apr;94(4):518-27.
- Olesen L, Clausen N, Dimitrijeric A, Kerndrup G, Kjeldsen E and Hokland P.** Prospective application of a multiplex reverse transcription-polymerase chain reaction assay for the detection of balanced translocations in leukemia: a single-laboratory study of 390 pediatric and adult patients. *Br J Hematol*, 2004; 127:59.
- Osumi K, Fukui T, Kiyoi H, Kasai M, Kodera Y, Kudo K, Kato K, Matsuyama T, Naito K, Tanimoto M, Hirai H, Saito H, Ohno R, Naoe T.** Rapid screening of leukemia fusion transcripts in acute leukemia by real-time PCR. *Leuk Lymphoma*. 2002 Dec;43(12):2291-9.
- Ozbek U, Sirma S, Agoaglu L, Yuksel L and Anak S.** Prognostic significance of the TEL-AML1 fusion gene in pediatric acute lymphoblastic leukemia in Turkey. *Pediatr Hematol Oncol*, 2003; 25:204.
- Pakakasama S, Kajanachumpol S, Kanjanapongkul S, Sirachainan N, Meekaewkunchorn A, Ningsanond V, Hongeng S.** Simple multiplex RT-PCR for identifying common fusion transcripts in childhood acute leukemia. *Int J Lab Hematol*. 2008 Aug; 30(4):286-91.

- Pallisgaard N, Hokland P, Riishøj DC, Pedersen B, Jørgensen P.** Multiplex reverse transcription-polymerase chain reaction for simultaneous screening of 29 translocations and chromosomal aberrations in acute leukemia. *Blood*. 1998 Jul 15;92(2):574-88.
- Pardue ML, Gall JG.** Molecular hybridization of radioactive DNA to the DNA of cytological preparations. *Proc Natl Acad Sci USA*. 1969 Oct;64(2):600-4.
- Passarge E.** Numerical chromosome aberrations. In: *Color Atlas of Genetics*. E Passarge (ed). Stuttgart-New York. P: 196. 2001.
- Paulsson K, An Q, Moorman AV, Parker H, Molloy G, Davies T, Griffiths M, Ross FM, Irving J, Harrison CJ, Young BD, Strefford JC.** Methylation of tumour suppressor gene promoters in the presence and absence of transcriptional silencing in high hyperdiploid acute lymphoblastic leukaemia. *Br J Haematol*. 2009 Mar;144(6):838-47.
- Pelz A, Koning H, Franke A, Wieacker P and Stumam M.** High reliability and sensitivity of the BCR-ABL1 D-FISH test in the detection of BCR/ABL rearrangements. *Amm Hematol*, 2002; 81:147.
- Perentes J.** Why is age an important independent prognostic factor in acute lymphoblastic leukemia. *Leukemia*, 1997; 11:4.
- Perry A, Nobori T, Ru N, Anderl K, Borell T, Mohapatra G and Carson D.** Detection of p!6 gene deletions in gliomas: a comparison of florescence in situ hybridization (FISH) versus quantitative PCR. *J Neuropath Exp Neur*, 1997; 56:999.
- Peter A, Heiden T, Taube T, Körner G, Seeger K.** Interphase FISH on TEL/AML1 positive acute lymphoblastic leukemia relapses--analysis of clinical relevance of additional TEL and AML1 copy number changes. *Eur J Haematol* 2009 Nov;83(5):420-32.

References

- Petkovic I, Josip K, Nakic M and Kastelan M.** Cytogenetic, cytomorphologic and immunologic analysis in 55 children with acute lymphoblastic leukemia. *Cancer Genet Cytogenet*, 1996; 88:57.
- Pettersson E, Ståhl PL, Mahdessian H, Käller M, Lundeberg J, Ahmadian A.** Visual DNA as a diagnostic tool. *Electrophoresis*. 2009 Nov;30(21):3691-5.
- Pinkel D, Langegent J, Collins C and Gray J.** FISH with human chromosome specific libraries detection of trisomy 21 and translocation of chromosome 4. *Proc Natl Acad Sci*, 1995; 87: 9138.
- Pizzo PA, Poplack DG,** editors. *Principles and Practice of Pediatric Oncology*. 4th ed. Philadelphia Pa: Lippincott Williams & Wilkins; 2002.
- Pomerantz J, Schreiber-Agus N and Liegeois N.** The INK4a tumor suppressor gene product, p14^{ARF} interacts with the MDM2 and neutralizes MDM2's inhibition of p53. *Cell*, 1998; 92:713.
- Poplack DG.** Acute Lymphocytic Leukemia. In: *Principles of Pediatric Oncology*. P Pizzo and D Poplack (eds), 2nd edition, Lippincott Company, Philadelphia, USA; P: 431. 1993.
- Potapnev M, Belevsev M, Bortkevich L, Grinev V, Martsev S, Kravchuck Z and Migal N.** Significance of serum IgG for leucocytosis and prognosis in childhood B-lineage ALL. *Pediatr Blood Cancer*, 2004; 45:421.
- Proven D and Gribben J.** Detection of minimal residual disease in hematological malignancies. In: *Molecular Hematology*. D Proven, J Gribben and M Peratz (eds). Blackwell Science. P:42. 2000.

- Pui C and Crist W.** Biology and treatment of infant leukemias. *J Pediatr*, 1994; 124:491.
- Pui C and Evans W.** Acute lymphoblastic leukemia (drug therapy) review article. *New Eng J Med*, 1998; 339:605.
- Pui C, Behm F and Crist W.** Clinical and biologic relevance of immunologic marker studies in childhood acute lymphoblastic leukemia. *Blood*, 1993; 82:343.
- Pui C.** Acute lymphoblastic leukemia. *Pediatr Clin North Am*, 1997; 44:831.
- Pui C.** Childhood leukemias. *N Engl J Med*, 1995; 332:1618.
- Pui CH, Chessells JM, Camitta B, et al.** Clinical heterogeneity in childhood acute lymphoblastic leukemia with 11q23 rearrangements. *Leukemia*, 2003; Apr;17(4):700-6.
- Pui CH, Robison LL, Look AT.** Acute lymphoblastic leukaemia. *Lancet*. 2008 Mar 22;371(9617):1030-43.
- Pui CH, Schrappe M, Ribeiro RC, Niemeyer CM.** Childhood and adolescent lymphoid and myeloid leukemia. *Hematology Am Soc Hematol Educ Program*. 2004:118-45.
- Qiagen** New: Quantitative real-time PCR for molecular diagnostics. Issue number 3, 2001.
- Raimondi S.** Current status of cytogenetic research in childhood acute lymphoblastic leukemia. *Blood*, 1993; 70:2237.
- Ramael M, Steelandt H, Styven G, et al.** Application of the primed in situ labeled (PRINS) method for detection of chromosomal aberrations in paraffin-embedded formalin-fixed tissue of molar and non-molar pregnancies. *Biochemica*, 2: 18 - 20, 1997.

References

- Raschke S, Batz V, Efferth T, Schulz WA and Florl AR.** Homozygous deletions of CDKN2A caused by alternative mechanisms in various human cancer cell lines. *Genes Chromosomes Cancer*, 2005; 42:58.
- Rautonen J and Siimes MA.** Elevated serum transaminase activity at diagnosis is associated with rapidly progressing disease in children with acute lymphoblastic leukemia. *Cancer*, 1998; 61:754.
- Reaman GH.** Pediatric oncology: current views and outcomes. *Pediatr Clin North Am*. 2002;49:1305–1318.
- Repp R, Borkhardt A, Haupt E, et al.** Detection of four different 11q23 chromosomal abnormalities by multiplex-PCR and fluorescent automatic DNA-fragment analysis. *Leukemia*, 9: 210, 1995.
- Robbitts P, Impey H and Heppel-Parton A.** Chromosome specific paints from a high-resolution flow karyotype of the mouse. *Nature Genet*, 1995; 9:369.
- Robert W, Estrov Z, Kitchingman G and Zipf T.** Detection of minimal residual disease in ALL: Biology methods and applications. *Cancer Treat Res*, 1996; 84:149.
- Roche Molecular Biochemicals.** Overview of LightCycler Quantification Methods. Technical note no. LC 10, 2000.
- Roche Molecular Biochemicals.** The fastest way to telomerase quantification. *Biochemica*, 2: 12-13, 2000.
- Rubintz J, Link M, Shusler J, Pullen D, Frankel L, Carroll A and Cleary M.** Frequency and prognostic significance of HRX rearrangements in infant acute lymphoblastic leukemia. *Blood*, 1994; 84:570.

- Rubnitz J, Downing J, Pui C, Schueff S, Raimondi S and Evans W.** TEL gene rearrangement in ALL, a new genetic marker with prognostic significance. Clin Oncol, 1997; 15:1150.
- Ruhman N, Arbour L, Houlston R, Bonaiti-Pellie C, Abidi F and Stratton MR.** Penetrance of mutations in familial Wilm's tumor gene FWT1. J Natl Cancer Inst, 2000; 92:650.
- Rull RP, Gunier R, Von Behren J, Hertz A, Crouse V, Buffler PA, Reynolds P.** Residential proximity to agricultural pesticide applications and childhood acute lymphoblastic leukemia. Environ Res. 2009 Oct;109(7):891-9.
- Saiki RK, Chang CA, Levenson CH, Warren TC, Boehm CD, Kazazian HH, Erlich HA.** Diagnosis of sickle cell anemia and beta-thalassemia with enzymatically amplified DNA and nonradioactive allele-specific oligonucleotide probes. N Engl J Med .1988 Sep 1, 319(9): 537-41.
- Sarkodee -Adoo C, Talavera F, Sacher R, Mckenna R and Besa E.** Acute lymphoblastic leukemia. eMedicine. comjnc. 2003.
- Sauerberg A, Stammler G, Zintt F and Volm M.** Expression and prognostic value of the retinoblastoma tumor suppressor gene (Rb) in childhood acute lymphoblastic leukemia. Br J Hematol, 1996; 94(1): 99.
- Schagger H.** Tricine SDS-PAGE electrophoresis for the separation of proteins. Anal Biochem, 1987; 166, 368-79.
- Schalch B, Bader L, Schau HP, Bergmann R, Rometsch A, Maydl G, Kessler S.** Molecular typing of Clostridium perfringens from a food-borne disease outbreak in a nursing home: ribotyping versus pulsed-field gel electrophoresis. J Clin Microbiol. 2003 Feb;41(2):892-5.

References

- Scheinberg DA and Golde DW.** The Leukmias. In: Harrison, principles of internal medicine. K Isselbacher , E Brawvwald, J Wilson, J Martin, A Fuci and D Kasper (eds), 13th edition, McGraw-Hill, Inc Health Professions Divisions, P: 1764. 1994.
- Schnittger S, Bacher U, Kern W, Haferlach T, Haferlach C.** JAK2V617F as progression marker in CMPD and as cooperative mutation in AML with trisomy 8 and t(8;21): a comparative study on 1103 CMPD and 269 AML cases. *Leukemia* 2007 Aug;21(8):1843-5.
- Schnittger S, Bacher U, Kern W, Haferlach T, Hertenstein B, Haferlach C.** A new case with rare e6a2 BCR-ABL fusion transcript developing two new resistance mutations during imatinib mesylate, which were replaced by T315I after subsequent dasatinib treatment.. *Leukemia* 2008 Apr;22(4):856-8.
- Schumacher H.** Cytochemistry and terminal deoxynucleotidyl transferase. In: *Acute Leukemia: approach to diagnosis.* IGAKU-SHOIN. Medical Publisher Inc, New York, Tokyo. 1990.
- Schwatz S and Palmer C.** Cytogenetics. In: *Clinical Laboratory Medicine.* K McClatchy (ed). Lippincott, Williams and Wilkins. P: 556. 2002.
- Scurto P, Hsu Rocha M, Kane JR, Williams WK, Haney DM, Conn WP, Shurtleff SA, Downing JR.** A multiplex RT-PCR assay for the detection of chimeric transcripts encoded by the risk-stratifying translocations of pediatric acute lymphoblastic leukemia. *Leukemia.* 1998 Dec;12(12): 1994-2005.

- Scurto P, Hsu Rocha M, Kane JR, Williams WK, Haney DM, Conn WP, Shurtleff SA, Downing JR.** A multiplex RT-PCR assay for the detection of chimeric transcripts encoded by the risk-stratifying translocations of pediatric acute lymphoblastic leukemia. *Leukemia*, 1998 Dec;12(12):1994-2005.
- Seeker-Walker L, Prentice H and Durrant J.** On behalf of the MRC Adult Leukemia Working Party: Cytogenetics adds independent prognostic information in adults with acute lymphoblastic leukemia on MRC trial UKALLXA. *Br J Hematol*, 1997; 96:601.
- Seibl R, Hoeltke H and Ruger R.** Non-radioactive labeling and detection of nucleic acids. *Biol Chem Hoppe Seyler*, 1990; 371:939.
- Shaffer LG, Slovak ML and Campbell JJ.** *ISCN: An International System For Human Cytogenetic Nomenclature* (2009) Recommendations Of The International Standing Commit. Publisher: S. Karger AG. (Switzerland) 2009 138pp.
- Shalapour S, Eckert C, Seeger K, Pfau M, Prada J, Henze G, Blankenstein T, Kammertoens T.** Leukemia-associated genetic aberrations in mesenchymal stem cells of children with acute lymphoblastic leukemia. *J Mol Med* .2010 Feb 14.
- Shearer B, Knudson R, Flynn H and Ketterling R.** Development of a D-FISH method to detect DEK/CAN fusion resulting from t (6,9) (p23, q34) in patients with acute myelogenous leukemia. *Leukemia*, 2005; 19:126.
- Sheth A, de Melo VA, Szydlo R, Macdonald DH, Reid AG, Wagner SD.** Specific patterns of chromosomal gains and losses associate with t(3;14), t(8;14), and t(14;18) in diffuse large B-cell lymphoma. *Cancer Genet Cytogenet*. 2009 Oct;194(1):48-52.

References

- Shiozawa Y, Pedersen EA, Taichman RS.** GAS6/Mer axis regulates the homing and survival of the E2A/PBX1-positive B-cell precursor acute lymphoblastic leukemia in the bone marrow niche. *Exp Hematol* 2010 Feb;38(2):132-40 .
- Shoemaker DD, Linsley PS.** Recent developments in DNA microarrays. *Curr Opin Microbiol.* 2002 Jun;5(3):334-7.
- Shurtleff SA, Buijs A, Behm FG, Rubnitz JE, Raimondi SC, Hancock ML, Chan GC, Pui CH, Grosveld G, Downing JR.** TEL/AML1 fusion resulting from a cryptic t(12;21) is the most common genetic lesion in pediatric ALL and defines a subgroup of patients with an excellent prognosis. *Leukemia*, 1995 Dec;9(12):1985-9.
- Silverman LB, Sallan SE.** Newly diagnosed childhood acute lymphoblastic leukemia. *Curr Opin Hematol.* 2003;10:290–296.
- Siraj AK, Ozbek U, Sazawal S, Sirma S, Timson G, Al-Nasser A, Bhargava M, El Solh H, Bhatia K, Gutiérrez MI.** Preclinical validation of a monochrome real-time multiplex assay for translocations in childhood acute lymphoblastic leukemia. *Clin Cancer Res.* 2002 Dec;8(12):3832-40.
- Slovak M, Tcheurekdjian L, Zhang F and Murata-Collins J.** Simultaneous detection of multiple genetic aberrations in single cells by spectral fluorescence in situ hybridization *Cancer Research*, 2001; 61:83L
- Sonneveled P and Wiemer E.** Assays for the analysis of p-glycoprotein in acute myeloid leukemia and CD34 subsets of AML blasts. *Leukemia*, 1997; 11:1160.

- Sonneveled P.** Multidrug resistance hematological malignancies. *J Intern Med*, 2000; 247(5): 521.
- Southern EM.** Detection of specific sequences among DNA fragments separated by gel electrophoresis. *J Mol Biol.* 1975 Nov 5;98(3):503-17.
- Specchia G, Mininni D and Guerrasion A.** Ph positive acute lymphoblastic leukemia in adults: Molecular and Clinical Studies. *Leuk Lymphoma*, 1995; 18:37.
- Spirito FR, Mancini M, Derme V, Cimino G, Testi AM, Tafuri A, Vitale A and Foa R.** Trisomy13 in a patient with common acute lymphoblastic leukemia description of a case and review of the literature. *Cancer-Genet-Cytogenet*, 2003; 144(1): 69.
- Squire J, Marrano P and Kolomietz E.** FISH a practical approach. By Barbara Beatty, Sabine Mat and Jerenny Squire. The Practical Approach Series. No. 260, FISH in clinical cytogenetics. 2002.
- Stams WA, den Boer ML, Beverloo HB, Meijerink JP, van Wering ER, Janka-Schaub GE, Pieters R.** Expression levels of TEL, AML1, and the fusion products TEL-AML1 and AML1-TEL versus drug sensitivity and clinical outcome in t(12;21)-positive pediatric acute lymphoblastic leukemia. *Clin Cancer Res*, 2005 Apr 15;11(8):2974-80.
- Stock W, Tsai T, Golden C, Rankin C, Sher D, Slovak ML and Pallavicini MG.** Cell cycle regulatory gene abnormalities are important determinants of leukemogenesis and disease biology in adult acute lymphoblastic leukemia. *Blood*, 2000; 95:2364.
- Strehl S, König M, Mann G, Haas OA.** Multiplex reverse transcriptase-polymerase chain reaction screening in childhood acute myeloblastic leukemia. *Blood*. 2001 Feb 1;97(3):805-8.

References

- Sun WL, Liu CY, Li H, He JJ, Sun XJ, Xu J.** Application of Interphase FISH on Cell Smears in Detection of Hematological Diseases. *Zhongguo Shi Yan Xue Ye Xue Za Zhi*. 2010 Jan;18(1):204-7.
- Suzuki N, Yumura-Yagi K, Yoshida M, Hara J, Nishimura S, Kudoh T, Tawa A, Usami I, Tanizawa A, Hori H, Ito Y, Miyaji R, Oda M, Kato K, Hamamoto K, Osugi Y, Hashii Y, Nakahata T, Horibe K; for the Japan Association of Childhood Leukemia Study (JACLS).** Outcome of childhood acute lymphoblastic leukemia with induction failure treated by the Japan Association of Childhood Leukemia Study (JACLS) ALL F-protocol. *Pediatr Blood Cancer*. 2009 Oct 7.
- Tainiguchi T, Chikatsu N, Takahashi S, Fujita A, Uchimar K and Asano S.** Expression of p16INK4A and p14ARF in hematological malignancies. *Leukemia*, 1999; 13:1760.
- Takeuchi S, Tsukasaki K, Bartram CR, Seriu T, Zimmermann M, Schrappe M, Takeuchi N, Park S, Taguchi H and Koeffler HP.** Longterm study of the clinical significance of loss of heterozygosity in childhood acute lymphoblastic leukemia. *Leukemia*, 2003; 17(1): 149.
- Taki T, Ida K and Bessho F.** Frequency and clinical significance of the MLL gene rearrangements in infant acute leukemia. *Leukemia*, 1996; 10:1303.
- Taylor GM and Birch JM.** The Hereditary Basis of Human leukemia. In: *Leukemia*. E Menders on, T Lister, M Greaves (eds), 6th edition, Philadelphia, W.B. Saunders; P: 210. 1996.
- Thirman M, Gill H and Burnett R.** Rearrangement of the MLL gene in acute lymphoblastic and myeloid leukemias with 11q23 chromosomal translocations. *New Engl J Med*, 1993; 329:909.

- Tsuganezawa K, Kiyokawa N, Matsuo Y, Kitamuca F, Toyama-Sorimachi N, Kuida K, Fujimoto J and Karasuyama H.** Flowcytometric diagnosis of the cell lineage and developmental stage of acute lymphoblastic leukemia by novel monoclonal antibodies specific to tumor pre-B-cell receptor. 1998; 92(11): 4317.
- Tsuzuki S, Karnan S, Horibe K, Matsumoto K, Kato K, Inukai T, Goi K, Sugita K, Nakazawa S, Kasugai Y, Ueda R, Seto M.** Genetic abnormalities involved in t(12;21) TEL-AML1 acute lymphoblastic leukemia: analysis by means of array-based comparative genomic hybridization. *Cancer Sci.* 2007 May; 98(5):698-706.
- Tucker M, Meadows A and Boice JJ.** Leukemia after therapy with alkylating agents for childhood cancer. *JNCL*, 1987; 78:459.
- Uckun FM, Sensel MG, Sather HN, Gaynon PS, Arthur DC, Lange BJ, et al.** Clinical significance of translocation t(1;19) in childhood acute lymphoblastic leukemia in the context of contemporary therapies: a report from the Children's Cancer Group. *J Clin Oncol* 1998;16:527- 35.
- Van der Burg M, Beverloo HB, Langerak AW, Wijsman J, van Drunen E, Slater R, et al.** Rapid and sensitive detection of all types of MLL gene translocations with a single FISH probe set. *Leukemia* 1999;13:2107-13.
- van Dongen JJM, Wolvers-Tettero ILM.** Analysis of immunoglobulin and T-cell receptor genes. Part II: Possibilities and limitations in the diagnosis and management of lymphoproliferative diseases and related disorders. *Clin Chim Acta*, 1999; 198: 93 - 174.

References

- Veelken H, Tycko B, Sklar J.** Sensitive detection of clonal antigen receptor gene rearrangements for the diagnosis and monitoring of lymphoid neoplasms by a polymerase chain reaction-mediated ribonuclear protection assay. *Blood*, 78: 1318-26, 1991.
- Versalovic J, Lupski JR.** Molecular detection and genotyping of pathogens: more accurate and rapid answers. *Trends Microbiol.* 2002; 10(10) Suppl):S15-21.
- Viehmann S, Borkhardt A and Lampert F.** Multiplex PCR- a rapid screening method for detection of gene rearrangements in childhood acute lymphoblastic leukemia. *Am Hematol*, 1999; 78:157.
- Visani G, Bernasconi P, Boni M, et al.** The prognostic value of cytogenetics is reinforced by the kind of induction/consolidation therapy in influencing the outcome of acute myeloid leukemia--analysis of 848 patients. *Leukemia*. 2001 Jun; 15(6):903-9.
- Wang Y, Li J, Jin J, Wang H, Tang H, Yang R, Wang K.** Strategy for molecular beacon binding readout: separating molecular recognition element and signal reporter. *Anal Chem*. 2009 Dec 1; 81(23):9703-9.
- Weatherall DJ:** The thalassemias. In: Stamatoyannopoulos G, Majerus PW, Perlmutter RM, Varmus H (eds): *The molecular basis of blood diseases*. Philadelphia, London, New York, WB Saunders Company, 2001, pp. 216-218.
- Wetzler M, Dodge R and Mrazek K.** Prospective karyotype analysis in adult acute lymphoblastic leukemia: The Cancer and Leukemia Group B experience. *Blood*, 1999; 93:383.

- Wetzler M, Dodge RK, Mrózek K, Stewart CC, Carroll AJ, Tantravahi R, Vardiman JW, Larson RA, Bloomfield CD.** Additional cytogenetic abnormalities in adults with Philadelphia chromosome-positive acute lymphoblastic leukaemia: a study of the Cancer and Leukaemia Group B. *Br J Haematol* 2004 Feb;124(3):275-88.
- Wetzler M.** Cytogenetics in adult acute lymphoblastic leukemia. *Hematol Oncol Clin North Am*, 2000; 14(6): 1237.
- Whitlock J and Gaynon P.** Acute Lymphoblastic Leukemia. In: *Wintrob's Clinical Hematology*. G Lee, J Forster, J Lukens, F Paraskevas, J Greer and G Rodgers (eds), 10th edition, Mass Publishing Co Egypt, 1999; P: 2241.
- Wickremasinghe RG and Hoffbrand AV.:** Molecular basis of leukemia and lymphoma. In: *Molecular Hematology*. D Provan and J Gribben (eds), Boston; P: 25. 2000.
- Wiemels JL, Leonard BC, Wang Y, et al.** Site-specific translocation and evidence of postnatal origin of the t(1;19) E2A-PBX1 fusion in childhood acute lymphoblastic leukemia. *Proc Natl Acad Sci U S A*. 2002 Nov 12;99(23):15101-6.
- Willard F and Waye J.** Hierarchical order in chromosome specific human alpha satellite DNA. *Trend Genet*, 1990; 3:92.
- Winich N, Carrol W and Hunger S.** Childhood leukemia. New advances and challenges. *New England J Med*, 2004; 351:601.
- Wnuk M, Lewinska A, Bugno M, Bartosz G, Slota E.** Rapid detection of yeast rRNA genes with primed in situ (PRINS) labeling. *FEMS Yeast Res*. 2009 Jun;9(4):634-40.
- Wolf G, Roth K, Peterson I and Dietel M.** Ape-based program for evaluation of comparative genomic hybridization (CGH) experiments. *File://A:/. Comparative genomic hybridization (CGH)-files 1 pub 101 bhtml*. 2002.

References

- Wong N, Chen S, Cao Q, Su X, Niu C, Leung T, Wickham N, Johnson P and Chen J.** Detection of chromosome over-and under presentations in hyperdiploid acute lymphoblastic leukemia by comparative genomic hybridization. *Cancer Genet Cytogenet*, 1998; 103:20.
- Woo KS, Kim JE, Kim KE, Kim MJ, Yoo JH, Ahn HS, Shaffer LG, Han JY.** A de novo Proximal 6q Deletion Confirmed by Array Comparative Genomic Hybridization. *Korean J Lab Med*. 2010 Feb;30(1):84-8.
- Worwood M and Wagstaff U.** Molecular biology and leukemia diagnosis. *Bai Here's Clinical Hematology*, 1990; 3(4): 949.
- Wu S, Korte A, Gessner R, Henze G and Seeger K.** Levels of the soluble, 55-kilodalton isoform of tumor necrosis factor receptor in bone marrow are correlated with acute lymphoblastic leukemia in first recurrence. *Cancer*, 2003a; 98(3): 625.
- www.biochemroche.com.*** PCR manual on the Worldwide web site for Roche Company, 2002.
- www.promega.com.*** Amplification dictionary on the Worldwide web site for Promega Company, 2002.
- Yeoh AE, Lu Y, Chan JY, Chan YH, Ariffin H, Kham SK, Quah TC.** Genetic susceptibility to childhood acute lymphoblastic leukemia shows protection in Malay boys: Results from the Malaysia-Singapore ALL Study Group. *Leuk Res*. 2009 Aug 1.
- Zangenberg G, Saiki RK, Reynolds R.** Multiplex PCR: optimization guidelines. In: Innis MA, Gelfand DH, Sninsky JJ (eds): *PCR applications: protocols for functional genomics*. San Diego, London, Boston, Academic Press, 1999, pp. 73 - 94.

- Zervas AS, Gyuris J and Brent R.** Mexil, a protein that specifically interacts with Max to bind Myc-Max recognition sites. *Cell*, 1993; 72:223.
- Zhang L, Parkhurst J, Kern W, Scott K, Niccum D and Mulvihill J.** Chromosomal changes detected by fluorescence in situ hybridization in patients with acute lymphoblastic leukemia. *Chin Med J*, 2003; 116:1298.
- Zhu YJ, Liu DS, Ding XP.** Detecting human chromosome anomalies with primed in situ labeling (PRINS). *Yi Chuan*. 2008 Aug; 30(8):983-90.