List Of Contents

Items		No of page
Introduction		1
		3
Review of liter	rature:	
□ Pulmor	ary hypertension	4
SILDEN	AFIL: A HIGHLY SELECTIVE	
PDE5 II	NHIBITOR	46
\Box Use of	sildenafil citrate in patients	
with ca	rdiovascular disease.	
□ Phosph	odiesterase type 5 Inhibitor	57
for Puli	monary Arterial Hypertension	
		70
Patients & Me	thods	77
Results		81
Discussion		111
Conclusion,recommendation and limitations		122
Summary		123
References		125

List Of Tables

Table No.	Title	Page
1	Updated clinical classification of	6
	pulmonaryhypertension	
2	Functional classification of pulmonary	27
	hypertension modified after the NYHA according	
	to the WHO.	
3	Agents for Vasodilator Testing	30
4	Baseline charachristic	82
5	Haemodynamic parameters after six weeks.	83
6	Etiology of pulmonary hypertension	84
7	Echocardiographic data at base line and after six	86
	weeks on sildenafil and placebo group	
8	NYHA changes from baseline to six weeks.	89
9	Haemodynamic,echocardiographic and functional	92
	parameters in patients with pulmonary	
	hypertension secondary to valvular disease.	
10	Haemodynamic,echocardiographic and functional	96
	parameters in patients with pulmonary	
	hypertension secondary to thromboembolic	
	disease.	
11	Haemodynamic,echocardiographic and functional	100
	parameters in patients with pulmonary	
	hypertension secondary toIPF.	
	Haemodynamic,echocardiographic and functional	104

- parameters in patients with pulmonary hypertension secondary to COPD
- Haemodynamic,echocardiographic and 108 functional parameters in patients with pulmonary hypertension secondary to non IDCM .

List Of Figures

Fig	Title	
No.		
1	Three major mechanistic pathways are known to be	15
	perturbed in patients with PAH	
2	Chest radiography, ECG and Doppler	26
a,b,c	echocardiogram in PAH	
3	Algorithm for the medical treatment of PAH	45
4	Chemical structure of sildenafil.	48
5	Mechanism of action of sildenafil. NOS, nitric	49
	oxide synthase; K, potassium; Ca, calcium	
6	Rationale for sildenafil use in pulmonary arterial	54
	hypertension. GC, guanylate cyclase; GTP,	
	guanosine triphosphate.	
7	Haemodynamic parameters at baseline and after 6	83
	weeks.	
8	PASP at baseline and after 6 weeks on sildenafil and	87
	placebo groups .	
9	Ejection fraction % at baseline and after 6 weeks on	87
	sildenafil and placebo group.	
10	Mean N Y H A class at baseline and after 6	90
	weeks on sildenafil and placebo groups.	
11	Haemodynamic and echocardiographic parameters at	93
	baseline to 6 weeks(valvular group.)	
12	Functionl class at six weeks (valvular group.)	94

13	Haemodynamic and echocardiographic parameters at	97
	baseline to 6 weeks(thromboembolic)	
14	Functionl class at six weeks(thromboembolic)	97
15	Haemodynamic and echocardiographic parameters at baseline to 6 weeks(I P F).	101
16	Functionl class at six weeks (IPF).	102
17	Haemodynamic and echocardiographic	105
	parameters at baseline to 6 weeks(C O P D).	
18	Functionl class at six weeks (COPD).	106
19	Haemodynamic and echocardiographic	109
	parameters at baseline to 6 weeks(non I D C M).	
20	Function class at six weeks (non I D C M).	110

List Of Abbreviations

COPD : Chronic obstructive pulmonary disease.

ECG: Elctrocardiogram.

EF : Ejection fraction.

FPAH : Familial pulmonary arterial hypertension.

HIV : Human immunodeficiency virus.

IPF : Interstitial pulmonary fibrosis.

LVEDD : Left ventricular End diastolic dimension.

LVESD : Left ventricular End systolic dimension.

LVH : Left ventricular hypertrophy .

LVRS : Lung volume reduction surgery.

NO : Nitric oxide.

PAH : Pulmonary arterial hypertension.

PASP : Pulmonary artery systolic pressure.

PHT : Pulmonary hypertension.

Ppcw : Pulmonary Capillary wedge pressure.

PPH : Primary pulmonary hypertension.

PT : Prothrombin Time.

PVR : Pulmonary vascular resistance.

RVDD : Right ventricular Diastolic dimension .

RVEF : Right Ventricular ejection fraction.

TDI : Tissue Doppler Imaging.

TGF : Transforming growth factor.

TR : Tricuspid regurge

WHO : World Health Organization.