

References

- Antman EM, Hand M, Armstrong PW, et al. 2007 focused update of the ACC/AHA 2004 guidelines for the management of patients with ST-elevation myocardial infarction: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines. J Am Coll Cardiol, 2008; 51:210-247
- Antman EM, Anbe DT, Armstrong PW, et al. ACC/AHA guidelines for the management of patients with ST-elevation myocardial infarction: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Committee to Revise the 1999 Guidelines for the Management of Patients with Acute Myocardial Infarction) J Am Coll Cardiol. 2004;44:e1-e211.
- Apple F.S. and Murakami M.M., Cardiac troponin and creatine kinase MB monitoring during in-hospital myocardial reinfarction, Clin Chem 51 (2005), pp. 460–463.
- Bayés de Luna A., Wagner G. and Birnbaum Y. et al., A new terminology for the left ventricular walls and for the location of myocardial infarcts that present Q wave based on the standard of cardiac magnetic resonance imaging: A statement for healthcare professionals from a Committee appointed by the International Society for Holter and Noninvasive Electrocardiography, Circulation 114 (2006), pp. 1755–1760.

- Bekkers SC, Yazdani SK, Virmani R, et al. Microvascular Obstruction: Underlying Pathophysiology and Clinical Diagnosis Journal of the American College of Cardiology Volume 55, Issue 16, 20 April 2010, Pages 1649-1660)
- Berger PB, Ellis SG, Holmes DR, et al. Relationship between delay in performing direct coronary angioplasty and early clinical outcome in patients with acute myocardial infarction: results from the global use of strategies to open occluded arteries in Acute Coronary Syndromes (GUSTO-IIb) trial. Circulation 1999;100: 14-20.)
- Bonnefoy E, Lapostolle F, Leizorovicz A, et al for the Comparison of Angioplasty and Prehospital Thrombolysis in Acute Myocardial Infarction Study Group. Primary angioplasty versus prehospital fibrinolysis in acute myocardial infarction: a randomised study. Lancet 2002;360:825-9).
- Braunwald E, Antman E, Beasley J, et al: ACC/AHA 2002 guideline update for the management of patients with unstable angina and non–ST-segment elevation myocardial infarction—summary article: A report of the American College of Cardiology/American Heart Association task force on practice guidelines (Committee on the Management of Patients With Unstable Angina) Journal of the American College of Cardiology, Volume 40, Issue 7, 2 October 2002, Pages 1366-1374)
- Brodie BR, Stuckey TD, Hansen C, Muncy D. Benefit of coronary reperfusion before intervention on outcomes after primary angioplasty for acute myocardial infarction. Am J Cardiol 2000;85:13-8)
- Burzotta F, Trani C, Romagnoli E, et al Manual Thrombus-Aspiration Improves Myocardial Reperfusion: The Randomized Evaluation of the Effect of Mechanical Reduction of Distal Embolization by Thrombus-

Aspiration in Primary and Rescue Angioplasty (REMEDIA) Trial. Journal of the American College of Cardiology Volume 46, Issue 2, 19 July 2005, Pages 371-376)

- Burzotta F, De Vita M, Gu YL et al. Clinical impact of thrombectomy in acute ST- elevation myocardial infarction: an individual patient-data pooled analysis of 11 trials, European Heart Journal (2009) 30, 2193–2203)
- Cannon CP, Gibson CM, Lambrew CT, et al. Relationship of symptom-onset-to-balloon time and door-to-balloon time with mortality in patients undergoing angioplasty for acute myocardial infarction. JAMA 2000;283:2941-7.)
- Cantor WJ, Fitchett D, Borgundvaag B, et al. Routine early angioplasty after fibrinolysis for acute myocardial infarction N Engl J Med. 2009;360:2705-2718.)
- Chen ZM, Jiang LX, Chen YP, et al. Addition of clopidogrel to aspirin in 45,852 patients with acute myocardial infarction: randomised placebo-controlled trial Lancet 2005;366:1607-1621.)
- Clements IP, Christian TF, Higano ST, Gibbons RJ, Gersh BJ. Residual flow to the infarct zone as a determinant of infarct size after direct angioplasty. Circulation 1993;88:1527-33.)
- Cockcroft DW, Gault MH. Prediction of creatinine clearance from serum creatinine Nephron 1976;16:31-41)
- Dalen JE, Gore JM, Braunwald E, et al. thrombolysis in myocardial infarction (TIMI) trial. The American Journal of Cardiology Volume 62, Issue 4, 1 August 1988, Pages 179-185)
- Dangas GD, Lansky AJ, Brodie BR. Predictors of Stent Thrombosis After Primary Angioplasty in Acute Myocardial Infarction: The HORIZONS-AMI

Trial

<http://www.cardiosource.com/rapidnewssummaries/summary.asp?SumID=406> 2008 Accessed August 3, 2009.)

- Dariusz Dudek, Waldemar Mielecki, Francesco Burzotta et al., Thrombus aspiration followed by direct stenting: A novel strategy of primary percutaneous coronary intervention in ST-segment elevation myocardial infarction. Results of the Polish-Italian-Hungarian RAndomized ThrombEctomy Trial (PIHRATE Trial). American Heart Journal, Volume 160, Issue 5, November 2010, Pages 966-972
- Davies MJ, Thomas A. Thrombosis and acute coronary-artery lesions in sudden cardiac ischemic death. N Engl J Med 1984;310:1137-40.
- de Boer MJ, Reiber JHC, Suryapranata H, van den Brand MJB, Hoorntje JCA, Zijlstra F. Angiographic findings and catheterisation laboratory events in patients with primary coronary angioplasty or streptokinase therapy for acute myocardial infarction. Eur Heart J 1995;16:1347-1356.
- De Luca G, Suryapranata H, Ottervanger JP, Antman EM. Time delay to treatment and mortality in primary angioplasty for acute myocardial infarction: every minute of delay counts. Circulation 2004;109:1223-5.
- De Luca G, Stone GW, Suryapranata H, et al. Efficacy and safety of drug-eluting stents in ST-segment elevation myocardial infarction: a meta-analysis of randomized trials Int J Cardiol. 2009;133:213-222.
- De Luca G, Ucci G, Casseti E, et al. Benefits from small molecule administration as compared with abciximab among patients with ST-segment elevation myocardial infarction treated with primary angioplasty: a meta-analysis J Am Coll Cardiol. 2009;53:1668-1673.

- den Heijer P, Foley DP, Escaned J, Hillege HL, van Dijk RB, Serruys PW, Lie KI. Angioscopic versus angiographic detection of intimal dissection and intracoronary thrombus. *J Am Coll Cardiol*. 1994;24:649-654.
- DeWood MA, Spores J, Notske R, et al. Prevalence of total coronary occlusion during the early hours of transmural myocardial infarction. *N Engl J Med* 1980;303:897- 902.
- Di Mario C, Dudek D, Piscione F, et al. Immediate angioplasty versus standard therapy with rescue angioplasty after thrombolysis in the Combined Abciximab REteplase Stent Study in Acute Myocardial Infarction (CARESS-in-AMI): an open, prospective, randomised, multicentre trial *Lancet* 2008;371:559-568.
- Eli IL, Ran K, Hana V et al. Comparison of the Predictive Value of Four Different Risk Scores for Outcomes of Patients With ST-Elevation Acute Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention. *The American Journal of Cardiology* Volume 102, Issue 1, 1 July 2008, Pages 6-11.
- Ellen C. Keeley, L. David Hillis. Primary PCI for Myocardial Infarction with ST-Segment Elevation. *N Engl J Med* 2007; 356:47-54.
- Ellis SG, Tendera M, de Belder MA, et al. Facilitated PCI in patients with ST-elevation myocardial infarction *N Engl J Med*. 2008;358:2205-2217.
- Eva M, Lars B, Lena L et al. Computer-assisted determination of left ventricular endocardial borders reduces variability in the echocardiographic assessment of ejection fraction. *Cardiovascular Ultrasound* 2008, 6:55
- Ever D Grech (ABC OF INTERVENTIONAL CARDIOLOGY), BMJ Publishing Group 2004.

- Falk E. Plaque rupture with severe pre-existing stenosis precipitating coronary thrombosis: characteristics of coronary atherosclerotic plaques underlying fatal occlusive thrombi. *Br Heart J* 1983;50:127-134.)
- Galiuto L, Garramone B, Burzotta F, et al. Thrombus Aspiration Reduces Microvascular Obstruction After Primary Coronary Intervention: A Myocardial Contrast Echocardiography Substudy of the REMEDIA Trial. *Journal of the American College of Cardiology* Volume 48, Issue 7, 3 October 2006, Pages 1355-1360)
- Gruntzig A. Transluminal dilatation of coronary-artery stenosis *Lancet* 1978;1:263)
- Gurm H, Tamhane U, Meier P, et al. A comparison of abciximab and small molecule glycoprotein IIb/IIIa inhibitors in patients undergoing primary percutaneous coronary intervention: a meta-analysis of contemporary randomized controlled trials *Circ Cardiovasc Intervent.* 2009;2:230-236.)
- Hannan EL, Racz M, Walford G, et al. Drug-eluting versus bare-metal stents in the treatment of patients with ST-segment elevation myocardial infarction *J Am Coll Cardiol Interv.* 2008;1:129-135.)
- Henriques JP, Zijlstra F. Frequency and sequelae of ST elevation acute myocardial infarction caused by spontaneous distal embolization from unstable coronary lesions. *Am J Cardiol* 2003;91:708-11.
- Henriques JP, Zijlstra F, Ottervanger JP, et al. Incidence and clinical significance of distal embolization during primary angioplasty for acute myocardial infarction. *Eur Heart J* 2002;23:1112-7.
- Hochman JS, Sleeper LA, Webb JG, et al, for the Should We Emergently Revascularize Occluded Coronaries for Cardiogenic Shock (SHOCK)

Investigators. Early revascularization in acute myocardial infarction complicated by cardiogenic shock. N Engl J Med 1999;341:625-34.)

- Hopkins WG, (2002) Simple Statistics & Effect Statistics. In "A New View In Statistic". <http://newstatsi.org>. Accessed 31 April 2006.
- Isbell D.C. and Kramer C.M. , Cardiovascular magnetic resonance: structure, function, perfusion, and viability, J Nucl Cardiol 12 (2005), pp. 324–336.
- Jaffe A.S., Chasing troponin: how low can you go if you can see the rise?, J Am Coll Cardiol 48 (2006), pp. 1763–1764.
- Janusz Lipiecki, Séverine Monzy, Nicolas Durel et al., Effect of thrombus aspiration on infarct size and left ventricular function in high-risk patients with acute myocardial infarction treated by percutaneous coronary intervention. Results of a prospective controlled pilot study. American Heart Journal Volume 157, Issue 3, March 2009, Pages 583.e1-583.e7
- John A. Bittl, Derek P. Chew, Eric J. Topol et al. Meta-Analysis of randomized trials of percutaneous transluminal coronary angioplasty versus atherectomy, cutting balloon atherotomy, or laser angioplasty ,Journal of the American College of Cardiology, Volume 43, Issue 6, 17 March 2004, Pages 936-942)
- Jonathan Beaudoin, Jean-Pierre Dery, Philippe Lachance et al. Impact of thrombus aspiration on angiographic and clinical outcomes in patients with ST-elevation myocardial infarction. Cardiovascular Revascularization Medicine Volume 11, Issue 4, October-December 2010, Pages 218-222
- Kastrati A, Dibra A, Spaulding C, et al. Meta-analysis of randomized trials on drug-eluting stents vs. bare-metal stents in patients with acute myocardial infarction Eur Heart J. 2007;28:2706-2713.)

- Keeley EC, Boura JA, Grines CL. Primary angioplasty versus intravenous thrombolytic therapy for acute myocardial infarction: a quantitative review of 23 randomised trials. *Lancet* 2003; 361:13-20.)
- Kern MJ, Moore JA, Aguirre FV, et al. Determination of Angiographic (TIMI Grade) Blood Flow by Intracoronary Doppler Flow Velocity During Acute Myocardial Infarction. *Circulation*. 1996;94:1545-1552.)
- Kerry L. Lee, Lynn H. Woodlief, Eric J. Topol, W. Douglas Weaver, Amadeo Betriu, Jacques Col, Maarten Simoons, Phil Aylward, Frans Van de Werf, and Robert M. Califf , Predictors of 30-Day Mortality in the Era of Reperfusion for Acute Myocardial Infarction : Results From an International Trial of 41 021 Patients *Circulation*, Mar 1995; 91: 1659 – 1668).
- King SB, Aversano T, Ballard WL, et al. ACCF/AHA/SCAI 2007 Update of the Clinical Competence Statement on Cardiac Interventional Procedures: A Report of the American College of Cardiology Foundation/American Heart Association/American College of Physicians Task Force on Clinical Competence and Training (Writing Committee to Update the 1998 Clinical Competence Statement on Recommendations for the Assessment and Maintenance of Proficiency in Coronary Interventional Procedures. *Journal of the American College of Cardiology* Volume 50, Issue 1, 3 July 2007, Pages 82-108)
- Kligfield P., Gettes L.S. and Bailey J.J. et al., Recommendations for the standardization and interpretation of the electrocardiogram: Part I: the electrocardiogram and its technology. A scientific statement from the American Heart Association Electro-cardiography and Arrhythmias Committee, Council on Clinical Cardiology; the American College of

Cardiology Foundation; and the Heart Rhythm Society, J Am Coll Cardiol 49 (2007), pp. 1109–1127.

- Korosoglou G., Labadze N. and Hansen A. et al., Usefulness of real-time myocardial perfusion imaging in the evaluation of patients with first time chest pain, Am J Cardiol 94 (2004), pp. 1225–1231.
- Kotani J, Nanto S, Mintz GS, et al. Plaque gruel of atheromatous coronary lesion may contribute to the no-reflow phenomenon in patients with acute coronary syndrome. Circulation 2002;106:1672-7.
- Kristian Thygesen, Joseph S. Alpert, Harvey D. White and on behalf of the Joint ESC/ACCF/AHA/WHF Task Force for the Redefinition of Myocardial Infarction) Journal of the American College of Cardiology Volume 50, Issue 22, 27 November 2007, Pages 2173-2195)
- Kushner FG, Hand M, Smith SC, King SB, al. 2009 Focused Updates: ACC/AHA Guidelines for the Management of Patients With ST-Elevation Myocardial Infarction (Updating the 2004 Guideline and 2007 Focused Update) and ACC/AHA/SCAI Guidelines on Percutaneous Coronary Intervention (Updating the 2005 Guideline and 2007 Focused Update. J Am Coll Cardiol, 2009; 54:2205-2241)
- Lima J.A.C, Myocardial viability assessment by contrast-enhanced magnetic resonance imaging, J Am Coll Cardiol 42 (2003), pp. 902–904.
- Lopez-Sendon J. , Coma-Canella I. , Alcasena S. , Seoane J. and Gamallo C., Electrocardiographic findings in acute right ventricular infarction: sensitivity and specificity of electrocardiographic alterations in right precordial leads V₄R, V₃R, V₁, V₂ and V₃, J Am Coll Cardiol 6 (1985), pp. 1273–1279.

- MacRae A.R, Kavsak P.A. and Lustig V. et al., Assessing the requirement for the six-hour interval between specimens in the American Heart Association classification of myocardial infarction in epidemiology and clinical research studies, Clin Chem 52 (2006), pp. 812–818.
- Mauri L, Silbaugh TS, Garg P, et al. Drug-eluting or bare-metal stents for acute myocardial infarction N Engl J Med. 2008;359:1330-1342.)
- McLaughlin MG, Stone GW, Aymong E, et al. Prognostic utility of comparative methods for assessment of ST-segment resolution after primary angioplasty for acute myocardial infarction: the Controlled Abciximab and Device Investigation to Lower Late Angioplasty Complications (CADILLAC) trial. J Am Coll Cardiol 2004;44:1215-23.
- Mehilli J, Kastrati A, Schulz S, et al. Abciximab in patients with acute ST-segment-elevation myocardial infarction undergoing primary percutaneous coronary intervention after clopidogrel loading: a randomized double-blind trial Circulation 2009;119:1933-1940.)
- Mehran R, Brodie B, Cox DA, et al. The Harmonizing Outcomes with RevascularizatiON and Stents in Acute Myocardial Infarction (HORIZONS-AMI) Trial: study design and rationale Am Heart J. 2008;156:44-56)
- Mehta RH, Ou FS, Peterson ED, et al. Clinical Significance of Post-Procedural TIMI Flow in Patients With Cardiogenic Shock Undergoing Primary Percutaneous Coronary Intervention. J Am Coll Cardiol Intv, 2009; 2:56-64, doi:10.1016)
- Melandri G. The obsession with primary angioplasty. Circulation 2003;108:e162.)

- Montalescot G, Wiviott SD, Braunwald E, et al. Prasugrel compared with clopidogrel in patients undergoing percutaneous coronary intervention for ST-elevation myocardial infarction (TRITON-TIMI 38): double-blind, randomised controlled trial Lancet 2009;373:723-731)
- Morrow D.A, Cannon C.P. and Jesse R.L. et al., National Academy of Clinical Biochemistry Laboratory Medicine Practice Guidelines: clinical characteristics and utilization of biochemical markers of acute coronary syndromes, Circulation 115 (2007), pp. e356–e375.
- Nallamothu BK, Wang Y, Magid DJ, et al. Relation between hospital specialization with primary percutaneous coronary intervention and clinical outcomes in ST-segment elevation myocardial infarction: National Registry of Myocardial Infarction-4 analysis Circulation 2006;113:222-229.)
- Nallamothu BK, Bates ER. Percutaneous coronary intervention versus fibrinolytic therapy in acute myocardial infarction: is timing (almost) everything? Am J Cardiol 2003;92:824-6.)
- Napodano M, Pasquetto G, Saccà S, et al. Intracoronary thrombectomy improves myocardial reperfusion in patients undergoing direct angioplasty for acute myocardial infarction. J Am Coll Cardiol 2003; 42:1395-402.
- Nordmann AJ, Hengstler P, Harr T, et al. Clinical outcomes of primary stenting versus balloon angioplasty in patients with myocardial infarction: a meta-analysis of randomized controlled trials Am J Med. 2004;116:253-262.)
- Nilsen DWT, Wu R, Nordrehaug JE, et al. Impact of Thrombus Aspiration during Primary Percutaneous Coronary Intervention in Acute Myocardial Infarction: Analysis from the HORIZONS-AMI Trial, The American Journal

of Cardiology, Volume 104, Issue 6, Supplement 1, 21 September 2009-25 September 2009)

- Pasceri V, Patti G, Speciale G, et al. Meta-analysis of clinical trials on use of drug-eluting stents for treatment of acute myocardial infarction Am Heart J. 2007;153:749-754.)
- Pedro Silva-Orrego, Paola Colombo, Riccardo Bigi et al., Thrombus Aspiration Before Primary Angioplasty Improves Myocardial Reperfusion in Acute Myocardial Infarction: The DEAR-MI (Dethrombosis to Enhance Acute Reperfusion in Myocardial Infarction) Study (The DEAR-MI) Journal of the American College of Cardiology, Volume 48, Issue 8, 17 October 2006, Pages 1552-1559
- Poli A, Fetiveau R, Vandoni P, et al. Integrated analysis of myocardial blush and ST-segment elevation recovery after successful primary angioplasty: real-time grading of microvascular reperfusion and prediction of early and late recovery of left ventricular function. Circulation 2002;106: 313-8.
- Prasan AM, Flood C, Pitney MR, et al. Final Myocardial Blush Grade Predicts Troponin I Elevation in Unstable Angina Patients Undergoing Percutaneous Intervention. Heart, Lung and Circulation Volume 15, Issue 5, October 2006, Pages 291-296.
- Rathore SS, Curtis JP, Chen J, et al. Association of door-to-balloon time and mortality in patients admitted to hospital with ST elevation myocardial infarction: national cohort study BMJ 2009;338:b1807.
- Rolf Schröder et al. Prognostic Impact of Early ST-Segment Resolution in Acute ST-Elevation Myocardial Infarction: *Circulation*. 2004;110:e506-e510.

- Rosamond W, Flegal K, Friday G, et al. Heart Disease and Stroke Statistics—2007 Update: A Report From the American Heart Association Statistics Committee and Stroke Statistics Subcommittee , Circulation, Feb 2007; 115: e69 - e171.)
- Sabatine MS, Cannon CP, Gibson CM, et al. Addition of clopidogrel to aspirin and fibrinolytic therapy for myocardial infarction with ST-segment elevation N Engl J Med 2005;352:1179-1189.)
- Sardella G, Mancone M, Bucciarelli-Ducci C, et al. Thrombus Aspiration During Primary Percutaneous Coronary Intervention Improves Myocardial Reperfusion and Reduces Infarct Size: The EXPIRA (Thrombectomy With Export Catheter in Infarct-Related Artery During Primary Percutaneous Coronary Intervention) Prospective, Randomized Trial, Journal of the American College of Cardiology Volume 53, Issue 4, 27 January 2009, Pages 309-315)
- Scanlon P, Faxon D, Audet A, et al: ACC/AHA guidelines for coronary angiography: A report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Committee on Coronary Angiography) developed in collaboration with the Society for Cardiac Angiography and Interventions, Journal of the American College of Cardiology, Volume 33, Issue 6, May 1999, Pages 1756-1824)
- Silber S, Albertsson P, Avilés FF, et al. Guidelines for percutaneous coronary interventions: the Task Force for Percutaneous Coronary Interventions of the European Society of Cardiology. Eur Heart 2005;26:804-47.
- Silva-Orrego P, Colombo P, Bigi R, et al. Thrombus aspiration before primary angioplasty improves myocardial reperfusion in acute myocardial

infarction: the DEAR-MI (Dethrombosis to Enhance Acute Reperfusion in Myocardial Infarction) study. *J Am Coll Cardiol* 2006;48:1552-9.

- Sgarbossa E.B., Pinsky S.L. and Barbagelata A. et al., Electrocardiographic diagnosis of evolving acute myocardial infarction in the presence of left bundle branch block, *N Engl J Med* 334 (1996), pp. 481–487.
- Sinno MC, Khanal S, Al-Mallah MH, Arida M, Weaver WD. The efficacy and safety of combination glycoprotein IIb/IIIa inhibitors and reduced-dose thrombolytic therapy-facilitated percutaneous coronary intervention for ST-elevation myocardial infarction: a meta-analysis of randomized clinical trials *Am Heart J* 2007;153:579-586.)
- Steg PG, Bonnefoy E, Chabaud S, et al. Impact of Time to Treatment on Mortality After Prehospital Fibrinolysis or Primary Angioplasty: data from the CAPTIM randomized clinical trial. *Circulation* 2003;108:2851-6.)
- Stone GW, Cox D, Garcia E, et al. Normal flow (TIMI-3) before mechanical reperfusion therapy is an independent determinant of survival in acute myocardial infarction: analysis from the primary angioplasty in myocardial infarction trials. *Circulation* 2001; 104:636-41.)
- Stone GW, Peterson MA, Lansky AJ, Dangas G, Mehran R, Leon MB. Impact of normalized myocardial perfusion after successful angioplasty in acute myocardial infarction. *J Am Coll Cardiol* 2002; 39:591-7.
- Stone GW, Witzenbichler B, Guagliumi G, et al. Bivalirudin during primary PCI in acute myocardial infarction *N Engl J Med*. 2008;358:2218-2230.)
- Stone GW, Lansky AJ, Pocock SJ, et al. Paclitaxel-eluting stents versus bare-metal stents in acute myocardial infarction *N Engl J Med*. 2009;360:1946-1959)

- Svilaas T, Vlaar PJ, van der Horst IC et al. Thrombus Aspiration during Primary Percutaneous Coronary Intervention, N Engl J Med 2008;358:557-67)
- Svilaas T, Vlaar PJ, van der Horst IC et al. Cardiac death and reinfarction after 1 year in the Thrombus Aspiration during Percutaneous coronary intervention in Acute myocardial infarction Study (TAPAS): a 1-year follow-up study. THE LANCET Volume 371, Issue 9628, 7 June 2008-13 June 2008, Pages 1915-1920)
- Tahk SJ, Choi BJ, Choi SY et al. Distal protection device protects microvascular integrity during primary percutaneous intervention in acute myocardial infarction: A prospective, randomized, multicenter trial. International Journal of Cardiology, Volume 123, Issue 2, 11 January 2008, Pages 162-168)
- Tamhane UU, Chetcuti S, Hameed I, et al. Safety and efficacy of thrombectomy in patients undergoing primary percutaneous coronary intervention for Acute ST elevation MI: A Meta-Analysis of Randomized Controlled Trials. *BMC Cardiovascular Disorders* 2010, 10:10doi:10.1186/1471-2261-10-10)
- Topol EJ, Yadav JS. Recognition of the importance of embolization in atherosclerotic vascular disease. Circulation 2000;101: 570-80.
- Yoshimachi AF, Ikari BY, Matsukage BT et al, A Novel Method of PercuSurge Distal Protection in a Five French Guiding Catheter without an Export Aspiration Catheter, the journal of invasive cardiology, VOL: 20 .Apr 01 2008)

- Valgimigli M, Campo G, Percoco G, et al. Comparison of angioplasty with infusion of tirofiban or abciximab and with implantation of sirolimus-eluting or uncoated stents for acute myocardial infarction: the MULTISTRATEGY randomized trial JAMA 2008;299:1788-1799.
- Van't Hof AW, Liem A, Suryapranata H, Hoorntje JC, de Boer MJ, Zijlstra F. Angiographic assessment of myocardial reperfusion in patients treated with primary angioplasty for acute myocardial infarction:myocardial blush grade. Circulation 1998;97:2302-6.
- Van't Hof AW, Liem A, de Boer MJ, Zijlstra F. Clinical value of 12-lead electrocardiogram after successful reperfusion therapy for acute myocardial infarction. Lancet 1997;350:615-9.
- Van't Hof AW, Ten Berg J, Heestermans T, et al. Prehospital initiation of tirofiban in patients with ST-elevation myocardial infarction undergoing primary angioplasty (On-TIME 2): a multicentre, double-blind, randomised controlled trial Lancet 2008;372:537-546
- Victor J. Dzau (www.medtronic.com/for-healthcare-professionals/products-therapies/cardiovascular/catheters/aspiration-catheters/export-ap).
- Vlaar PJ, Svilaas T, Vogelzang M, A Comparison of 2 Thrombus Aspiration Devices With Histopathological Analysis of Retrieved Material in Patients Presenting With ST-Segment Elevation Myocardial Infarction, J Am Coll Cardiol Interv, 2008; 1:258-264.
- Westgard J.O. and Klee G.G., Quality management. In: C.A. Burtis, E.R. Ashwood and D.E. Bruns, Editors, Tietz Textbook of Clinical Chemistry and Molecular Diagnostics (4th edition), Elsevier Saunders, St Louis, MO (2006), pp. 498–499.

- Widimský P, Budesinský T, Vorác D, et al. Long distance transport for primary angioplasty vs immediate thrombolysis in acute myocardial infarction: final results of the randomized national multicentre trial-PRAGUE-2. *Eur Heart J* 2003;24:94-104.
- Wiviott SD, Braunwald E, McCabe CH, et al. Prasugrel versus clopidogrel in patients with acute coronary syndromes *N Engl J Med*. 2007;357:2001-2015.
- Wong C.K. , French J.K. and Aylward P.E.G et al., Patients with prolonged ischemic chest pain and presumed-new left bundle branch block have heterogenous outcomes depending on the presence of ST-segment changes, *J Am Coll Cardiol* 46 (2005), pp. 29–38.
- Woong Chol Kang, Tae Hoon Ahn, Seung Hwan Han, Wook-Jin Chung et al., Thrombosuction Utilizing an Export Aspiration Catheter during Primary Percutaneous Coronary Intervention in Acute Myocardial Infarction , *Yonsei Med J*. 2007 April 30; 48(2): 261–269
- Wu AH, Parsons L, Every NR, Bates ER, for the Second National Registry of Myocardial Infarction. Hospital outcomes in patients presenting with congestive heart failure complicating acute myocardial infarction: a report from the Second National Registry of Myocardial Infarction (NRMI-2). *J Am Coll Cardiol* 2002; 40:1389-94.
- Zhu MM, Feit A, Chadow H, et al. Primary stent implantation compared with primary balloon angioplasty for acute myocardial infarction: a meta-analysis of randomized clinical trials *Am J Cardiol*. 2001;88:297-301.
- Zijlstra F, Hoorntje JC, de Boer MJ, et al. Long-term benefit of primary angioplasty as compared with thrombolytic therapy for acute myocardial infarction. *N Engl J Med* 1999;341:1413-9.