

References

- **Abraham T, Nishimura R, Holmes D. et al.(2002):** Strain rate imaging for assessment of regional myocardial function: results from a clinical model of septal ablation. *Circulation*; 105:1403–6.
- **Abraham W, Fisher W, Smith A, et al. (2002):** Cardiac resynchronization in chronic heart failure. *N Engl J Med*; 346:1845–53.
- **Achilli A, Sassara M, Ficili S, et al.(2003):** Long-term effectiveness of cardiac resynchronization therapy in patients with refractory heart failure and "narrow" QRS complex. *J Am Coll Cardiol.* ; 42:2117–24.
- **Altmann K, Printz B, Solowiejczyk D, et al.,(2000):**Two-dimensional echocardiographic assessment of right ventricular function as a predictor of outcome in hypoplastic left heart syndrome. *Am J Cardiol.* ; 86:964–8.
- **Amara H., DVM, Herbert W. et al (2009):** Evaluation of pacing site in dogs with naturally occurring complete heart block; *Journal of Veterinary Cardiology* 11, 79e88.
- **Andi E, Jens C, Steen H. et al., (2008) :** Biventricular pacing preserves left ventricular performance in patients with high-grade atrio-ventricular block: a randomized comparison with DDD(R) pacing in 50 consecutive patients *Europace* 10(3): 314-320.
- **Anjan S and Balaji S. (2009):** Cardiac Resynchronization Therapy in Children; *Curr Cardiol Rev.*; 5(1): 40–44.
- **Ansalone G, Giannantoni P, Ricci R, et al. (2001):** Doppler myocardial imaging in patients with heart failure receiving biventricular pacing treatment. *Am Heart J* ; 142:881–96.

- **Ansalone G, Giannantoni P, Ricci R, et al. (2002):** Doppler myocardial imaging to evaluate the effectiveness of pacing sites in patients receiving biventricular pacing. *J Am Coll Cardiol*; 39: 489–99.
- **Antonis S. Manolis and Sakellariou D. (2008):** Alternate Site Pacing in Patients at Risk for Heart Failure, *Angiology*, 59: 97S - 102S.
- **Antonis S. Manolis. (2006):** Alternate Sites of Ventricular Pacing; *Clin Electrophysiol.* ; 29(3):298-315.
- **Aonuma K, Yokoyama Y, Seo Y, et al. (2005):** Tri-ventricular pacing: A novel concept of resynchronization therapy for better left ventricular performance in end-stage heart failure; **Heart Rhythm**; 2(5): S131.
- **Arnold C., Allman C, Vidaic J, et al. (2009):** Long-Term Impact of Right Ventricular Septal Versus Apical Pacing on Left Ventricular Synchrony and Function in Patients With Second- or Third-Degree Heart Block. *American Journal of Cardiology*; .103(8):1096-1101
- **Bader H, Garrigue S, Lafi tte S, et al.(2004):** Intra-left ventricular electromechanical asynchrony. A new independent predictor of severe cardiac events in heart failure patients. *J Am Coll Cardiol* ; 43: 248–56.
- **Baldasseroni S, Opasich C, Gorini M, et al. (2002):** Left bundle branch block is associated with increased 1-year sudden and total mortality rate in 5517 outpatients with congestive heart failure: a report from the Italian network on congestive heart failure. *Am Heart J*; 143: 398–405.
- **Bardy G, Lee K, Mark D, et al. (2005):** Amiodarone or an implantable cardioverter-defibrillator for congestive heart failure". *N. Engl. J. Med.* 352 (3): 225–37.
- **Batra A, and Balaji S. (2008):** Post operative

temporary epicardial pacing: When, how and why? *Ann Pediatr Card*; 1:120-5.

- **Bax J, Marwick T, Molhoek S, et al. (2003):** Left ventricular dyssynchrony predicts benefit of cardiac resynchronization therapy in patients with end-stage heart failure before pacemaker implantation. *Am J Cardiol*; 92: 1238–40.
- **Bax J, Ansalone G, Breithardt O, et al. (2004):** Echocardiographic evaluation of cardiac resynchronization therapy: ready for routine clinical use? A critical appraisal. *J Am Coll Cardiol*; 44: 1–9.
- **Benjamin W. (2009):** Tissue Doppler echocardiography in children with acquired or congenital heart disease; *Pediatrics and Child Health*; 19(2) S98-S105.
- **Bernstein A, Daubert J, Fletcher R, et al. (2002):** The revised NASPE/BPEG generic code for antibradycardia, adaptive-rate, and multisite pacing. *Pacing Clin Electrophysiol*; 25:260-4.
- **Bleeker G, Schalij M, Molhoek S, et al. (2004):** Relationship between QRS duration and left ventricular dyssynchrony in patients with end-stage heart failure. *J Cardiovasc Electrophysiol*; 15: 544–9.
- **Bleeker G, Schalij M, Molhoek S, et al. (2004):** Relationship between QRS duration and left ventricular dyssynchrony in patients with end-stage heart failure. *J Cardiovasc Electrophysiology*; 15: 544–9.
- **Blendea D, Shah R, Auricchio A, et al. (2007):** Variability of coronary venous anatomy in patients undergoing cardiac resynchronization therapy: a high-speed rotational venography study. *Heart Rhythm* ;4:1155-1162
- **Bristow M, Saxon L, Boehmer J, et al. (2004):** Cardiac-resynchronization therapy with or without an

implantable defibrillator in advanced chronic heart failure. *N Engl J Med.*; 350:2140–50.

- **Brockmeier K, Ulmer H, Hessling G. (2002):** Termination of atrial reentrant tachycardias by using transesophageal atrial pacing. *J Electrocardiol*; 35:159-63.
- **Butter C, Auricchio A, Stellbrink C, et al. (2001):** Pacing therapy for chronic heart failure II study group. Effect of resynchronization therapy stimulation site on the systolic function of heart failure patients. *Circulation*; 104:3026-3029.
- **Cannesson M, Farhat F, Scarlata M, et al.(2009):**The Impact of Atrio-Biventricular Pacing on Hemodynamics and Left Ventricular Dyssynchrony Compared With Atrio–Right Ventricular Pacing Alone in the Postoperative Period After Cardiac Surgery; *Journal of Cardiothoracic and Vascular Anesthesia* ;23: (3) 306-311 .
- **Shemy Carasso , Harry Rakowski , et al.(2009):** Left Ventricular Strain Patterns in Dilated Cardiomyopathy Predict Response to Cardiac Resynchronization Therapy: Timing Is Not Everything *Journal of the American Society of Echocardiography* 22:(3)242-250
- **Shemy Carasso , Harry Rakowski , et al.(2009):** Left Ventricular Strain Patterns in Dilated Cardiomyopathy Predict Response to Cardiac Resynchronization Therapy: Timing Is Not Everything *Journal of the American Society of Echocardiography* 22:(3)242-250
- **Carasso S , Rakowski H , et al.(2009):** Left Ventricular Strain Patterns in Dilated Cardiomyopathy Predict Response to Cardiac Resynchronization Therapy: Timing Is Not Everything

Journal of the American Society of Echocardiography

22:(3)242-250

- **Carolyn Y. and Scott D (2006):** A Clinician's Guide to Tissue Doppler Imaging , Principles of TDI ,*Circulation* ;113:e396-e398
- **Carroll K, Reeves L, Anderson G, et al. (1998):** Risks associated with removal of ventricular epicardial pacing wires after cardiac surgery. *Am J Crit Care*; 7:444-9.
- **Christoph Schmidt, Jürgen Frielingsdorf, et al.(2007):** Acute biventricular pacing after cardiac surgery has no influence on regional and global left ventricular systolic function; *Europace*; 9(6): 432-436.
- **Chudzik M, Piestrzeniewicz K, Klimczak A, et al.(2010):** Bifocal pacing in the right ventricle: An alternative to resynchronization when left ventricular access is not possible in end-stage heart failure patients. *Cardiology Journal*; 1897–5593
- **Cleland J, Daubert J, Erdmann E, et al. (2005):** The effect of cardiac resynchronization on morbidity and mortality in heart failure. *N Engl J Med*; 352: 1539–49.
- **Cleland J, Daubert J-, Erdmann E, et al., (2005):** for the CARE-HF Study Investigators. The effect of cardiac resynchronization on morbidity and mortality in heart failure. *N Engl J Med*; 352:1539-1549.
- **Citro R, Bossone E, Kuersten B et al.,(2008):** Tissue Doppler and Strain Imaging: Anything Left in the Echo-lab?: Physical Principles; *Cardiovasc Ultrasound* .
- **Dabrowska A; Lewicka E; et al. (2009):** Survival analysis in patients with preserved left ventricular function and standard indications for permanent cardiac pacing randomized to right ventricular apical or septal outflow tract pacing. *Circulation journal*.

- **David G. Healy, Hargrove M, et al. (2008):** Impact of pacing modality and biventricular pacing on cardiac output and coronary conduit flow in the post-cardiotomy patient ; *Interact CardioVasc Thorac Surg* ;7:805-808;
- **Delgado V, Laurens F, Serge A, et al. (2009):** Acute Effects of Right Ventricular Apical Pacing on Left Ventricular Synchrony and Mechanics, *Circ Arrhythm Electrophysiol* ;2;135-145;
- **Des Jurdins B. (1986):** cardiac index formula; Respiratory care calculations book.
- **Dominic P Rogers, Pier D Lambiase, Martin D Lowe, et al.(2009) :** Triventricular Pacing Significantly Improves Symptoms and Positive Remodelling Compared to Biventricular Pacing in Heart Failure Patients: A Randomised Crossover Trial ;*Circulation* 120: S815-c-816S.
- **Driscoll D, Gillette P, Hallman G, et al.(1979):** Management of surgical complete atrioventricular block in children. *Am J Cardiol*; 43:1175-80.
- **Dubin A, Feinstein J, Reddy V, et al.(2003):** Electrical resynchronization: a novel therapy for the failing right ventricle. *Circulation*; 107:2287–9.
- **Eberhardt, Frank, Heringlake, et al.(2009):**The effect of biventricular pacing after coronary artery bypass grafting: A prospective randomized trial of different pacing modes in patients with reduced left ventricular function ; *J Thorac Cardiovasc Surg* 137: 1461-1467
- **Elif Sade L, Demir O, Atar I, et al. (2009):** Effect of Right Ventricular Pacing Lead on Left Ventricular Dyssynchrony in Patients Receiving Cardiac Resynchronization Therapy

, *American Journal of Cardiology*. 11:27

- **Elmi F, Tullo N, Khalighi K. (2002):** Natural history and predictors of temporary epicardial pacemaker wire function in patients after open heart surgery. *Cardiology*; 98:175-80.
- **Fang F, Yat-Sun J Chan, Wai-Kwok G Yip,et al. (2010):**Prevalence and determinants of left ventricular systolic dyssynchrony in patients with normal ejection fraction received right ventricular apical pacing: a real-time three-dimensional echocardiographic study ;*Eur J Echocardiogr* 11(2): 109-11
- **Farwell D, Patel N, Hall A, et al. (2000):** How many people with heart failure are appropriate for biventricular resynchronization? *Eur Heart J*; 21:1246–50.
- **Fattse H, kuen K wong, wah C siu, et al. (2009):** Upgrading Pacemaker Patients with Right Ventricular Apical Pacing to Right Ventricular Septal Pacing Improves Left Ventricular Performance and Functional Capacity, *Journal of Cardiovascular Electrophysiology*; 1540-8167.
- **Filippi L, Vangi V, Murzi B, et al. (2007):** Temporary epicardial pacing in an extremely low-birth-weight infant with congenital atrioventricular block. *Congenit Heart Dis*; 2:199-202.
- **Fishberger S, Rossi A, Bolivar J, et al. (2008):** Congenital cardiac surgery without routine placement of wires for temporary pacing. *Cardiol Young*. ;18:96-9.
- **Flevvari P, Leftheriotis D, Fountoulaki K, et al.(2009):** Long-term nonoutflow septal versus apical right ventricular pacing: relation to left ventricular dyssynchrony ;*Pacing Clin Electrophysiol*.32(3):354-62.
- **Foster, Andrew H., Gold, et al. (1995):** Acute

Hemodynamic Effects of Atrio-Biventricular Pacing in Humans; *Ann Thorac Surg*; 59: 294-300.

- **Fred M. Kusumoto . (2008):** Cardiac Pacing for the Clinician, indication of permanent postoperative pacing in congenital heart disease. *Springer*.
- **Fruitsmaak. S (2007):** Pacemaker ; An artificial pacemaker from St. Jude Medical pacemaker, with electrode; *wikimedia*.
- **Fung J, Chan J, Omar R, et al. (2007):** The Pacing to Avoid Cardiac Enlargement (PACE) trial: clinical background, rationale, design, and implementation. *Cardiovasc Electrophysioy.*; 18(7):735-9. *Epub*
- **Gerber T, Nishimura R, Holmes D, et al. (2001):** Left ventricular and biventricular pacing in congestive heart failure. *Mayo Clin Proc*; 76:803-812.
- **Ghio S, Constantin C, Klersy C, et al. (2004):** Interventricular and intraventricular dyssynchrony are common in heart failure patients, regardless of QRS duration. *Eur Heart J* ; 25: 571–8.
- **Gil J. Gross, Christine C. Chiu, Robert M. Hamilton, et al., (2006):** Natural history of postoperative heart block in congenital heart disease; Implications for pacing intervention; *Heart Rhythm - 3: (5) 601-604*.
- **Giuliani E, Gersh B, McGoon M, et al. (1996):** Mayo Clinic practice of cardiology. 3rd ed. St.Louis: Mosby; p. 552, p. 554.
- **Giuliani E, Gersh B, McGoon M, et al, (1996):** Mayo Clinic practiceof cardiology. 3rd ed. St. Louis: Mosby; p 734 -738
- **Gold M, Auricchio A, Hummel J, et al. (2005):** Comparison of stimulation sites within left ventricular veins on the acute hemodynamic effects of cardiac resynchronization therapy. *Heart Rhythm*; 2:376e381.
- **Goldstein M, Schroeter J, Fozzard H, et**

- al.,(2002);**Ultrastructure of the heart. Handbook of Physiology, vol 1. Bethesda *American Physiological Society*; 3-74.
- **Gong X, Su Y, PanW, et al.(2009):** Is right ventricular outflow tract pacing superior to right ventricular apex pacing in patients with normal cardiac function? *Clin Cardiol.*; 32(12):695-9.
 - **Gorcsan J, Kanzaki H, Bazaz R, et al. (2004):** Usefulness of echocardiographic tissue synchronization imaging to predict acute response to cardiac resynchronization therapy. *Am J Cardiol* ;93: 1178–81.
 - **Gorcsan J, Tanabe M, Bleeker G, et al. (2007):** Combined longitudinal and radial dyssynchrony predicts ventricular response after resynchronization therapy. *J Am Coll Cardiol*; 50:1476–83.
 - **Gras D, Leclercq C, Tang A, Bucknall C, et al. (2002):** Cardiac resynchronization therapy in advanced heart failure-the multicenter InSync clinical study. *Eur J Heart Fail*; 4: 311–20.
 - **Greenbaum R, Ho S, Gibson D, et al (1981):** Left ventricular fibre architecture in man, *Br Heart J*; 45: 248–63.
 - **Gregoratos G, Abrams J, Andrew E. Epstein, et al.(2002):** ACC/AHA/NASPE Guideline Update for Implantation of Cardiac Pacemakers and Antiarrhythmia Devices: Summary Article A Report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (ACC/AHA/NASPE
 - **Grines C, Bashore T, Boudoulas H, et al. (1989):** Functional abnormalities in isolated left bundle branch block. The effect of interventricular asynchrony. *Circulation*; 79: 845–53.
 - **Hanke T, Misfeld M, Heringlake M, et al..(2009):**The effect of biventricular pacing on cardiac function after

weaning from cardiopulmonary bypass in patients with reduced left ventricular function: A pressure–volume loop analysis ;*The Journal of Thoracic and Cardiovascular Surgery* ; 138 (1) : 148-156

- **Hartnell G, Spence L, Hughes L, et al., (1997):** Safety of MR imaging in patients who have retained metallic materials after cardiac surgery. *AJR Am J Roentgenol*; 168:1157-9.
- **Hashimoto I, Li X, Hejmadi Bhat A, Jones M, et al. (2003):** Myocardial strain rate is a superior method for evaluation of left ventricular subendocardial function compared with tissue Doppler imaging. *J Am Coll Cardiol*; 42:1574–83.
- **Hawkins N, Petrie M, Macdonald M, et al. (2006):** Selecting patients for cardiac resynchronization therapy: electrical or mechanical dyssynchrony? *Eur Heart J*; 27:1270–81.
- **Henein M and Gibson D. (1999):** Normal long axis function. *Heart*; 81: 111–3.
- **Hudaverdi M , Hamilton-Craig C, Platts D ,et al.(2010):**Echocardiography for the Clinician - a practical update, *Internal Medicine Journal* ; 1445-5994.
- **Hunt SA, Abraham W, Chin M, et al.(2005):** ACC/AHA 2005 Guideline update for the diagnosis and management of chronic heart failure in the adult: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Writing Committee to Update the 2001 Guidelines for the Evaluation and Management of Heart Failure):developed in collaboration with the American College of Chest Physicians and the International Society for Heart and Lung Transplantation: endorsed by the Heart Rhythm Society. *Circulation*; 112: e154–235.

- **Irene E. , Vernooy K ,et al. (2010):** Beneficial effects of biventricular pacing in chronically right ventricular paced patients with mild cardiomyopathy; *Europace* 12(2): 223-229.
- **Irene E, Ward Y, Bauersfeld U, et al. (2008):** Chronic Left Ventricular Pacing Preserves Left Ventricular Function in Children; *Pediatric Cardiology*; 30(2):125-132.
- **Irene E. , Ward Y. , Bauersfeld U, et al.(2009):** Chronic Left Ventricular Pacing Preserves Left Ventricular Function in Children ; *Pediatric Cardiol* ;30:125–132
- **Isaaz K, Thompson A, Ethevenot G, et al. (1989)** Doppler echocardiographic measurement of low velocity motion of the left ventricular posterior wall. *Am J Cardiol*. 64:66–75.
- **Janousek J, Vojtovic P, Chaloupecký V, et al. (2000):** Hemodynamically optimized temporary cardiac pacing after surgery for congenital heart defects. *Pacing Clin Electrophysiol*; 23:1250-9.
- **Janousek J, Vojtovic P, Hucin B, et al. (2001):** Resynchronization pacing is a useful adjunct to the management of acute heart failure after surgery for congenital heart defects. *Am J Cardiol* ;88:145–152 .
- **Jeffrey W.H. , Zhang Q, Gabriel W.K. , et al.(2009):** Reversible left ventricular dyssynchrony and heart failure induced by right ventricular pacing, *International Journal of Cardiology*;10.1016
- **Jeoung H Yoon, Won S Jin, Ho S Her, et al.(2009):**Acute Changes in Cardiac Synchrony and Output According to RV Pacing Sites in Koreans with Normal Cardiac Function, *Echocardiography*; 0742-2822
- **Joseph G. and Margaret A.((2007):** Mayo Clinic cardiology: concise textbook ; Cardiac Resynchronization Therapy; 34:468-470
- **Joseph G. and Margaret A., et al. (2007):** Mayo Clinic

cardiology: concise textbook, Pacemakers, Pacing modes and nomenclature. *34:468-470*

- **Joseph G. Murphy, Margaret A. Lloyd, et al. (2007):** Mayo Clinic cardiology: concise textbook , systolic heart function ,90:1077-1080
- **Kang S, Song J, Yang H, et al. (2004):** Systolic and diastolic regional myocardial motion of pacing-induced versus idiopathic left bundle branch block with and without left ventricular dysfunction. *Am J Cardiol; 93: 1243–6.*
- **Kanzaki H, Bazaz R, Schwartzman D, et al. (2004):** A mechanism for immediate reduction in mitral regurgitation after cardiac resynchronization therapy: insights from mechanical activation strain mapping. *J Am Coll Cardiol; 44: 1619–25.*
- **Katz A. (2000):** Physiology of the Heart. 3rd Ed. Philadelphia: Lippincott Williams & Wilkins.
- **Keith R. and Mary A. (1973):**An Introduction to the Fine Structure of Cells and Tissues, 4th ed., Lea & Febiger, Philadelphia,
- **Kim J, Friedman R, Eidem B, et al.(2007):** Ventricular function and long-term pacing in children with congenital complete atrioventricular block. *J Cardiovasc Electrophysiol. ; 18:373–7.*
- **Kirstein-Pedersen A. (2002):** Cardiac resynchronization therapy in advanced heart failure-the multicenter InSync clinical study. *Eur J Heart Fail; 4: 311–20.*
- **Køhler H, Zink S, Scharf J, et al. (2007):** Severe esophageal burn after transesophageal pacing. *Endoscopy ;39:E300*
- **Lafitte S, Bordachar P, Lafitte M, et al. (2006):** Dynamic ventricular dyssynchrony: an exercise-echocardiography study. *J Am Coll Cardiol ; 47: 2253–9.*

- **Lane R, Mayet J, Peters S, et al .(2008):** Heart failure and cardiomyopathy: Comparison of temporary bifocal right ventricular pacing and biventricular pacing for heart failure:
- **Lau C, Yu C, Chau E, et al. (2000):** Reversal of left ventricular remodeling by synchronous biventricular pacing in heart failure. *Pacing Clin Electrophysiol* ; 23:1722-1725.
- **Leclercq C, Cazeau S, Lellouche D, et al. (2003):** Upgrading from right ventricular pacing to biventricular pacing in previously paced patients with advanced heart failure: A randomized controlled study. Presented at the *European Society of Cardiology Congress 2003*;
- **Leclercq C, Faris O ,et al.,(2002):** Systolic Improvement and Mechanical Resynchronization Does Not Require Electrical Synchrony in the Dilated Failing Heart With Left Bundle-Branch Block ;*Circulation* 106: 1760-1763
- **Leslie E, Geoffry J, and Jamc M. (1991):** Statistical Analysis: interpretation and uses of medical statistics (4th ed).*Oxford scientific publication,(pub),PP.411-6.*
- **Luechinger R, Zeijlemaker V, Pedersen E, et al. (2005):** In vivo heating of pacemaker leads during magnetic resonance imaging. *Eur Heart J*; 26:376-83.
- **Madriago E, David J. Sahn, and Balaji S (2010):** Optimization of myocardial strain imaging and speckle tracking for resynchronization after congenital heart surgery in children, *Europace*; euq169.
- **Manolis A, Sousani E, Simeonidou E, et al.(2004):** Alternate sites of permanent cardiac pacing: A randomized study of novel technology. *Hellenic J Cardiol* ; 45:147-151.
- **Martinelli M, Anísio A., et al. (2002);** Biventricular

Pacing Improves Clinical Behavior and Reduces Prevalence of Ventricular Arrhythmia in Patients with Heart Failure; *Arquivos Brasileiros de Cardiologia*; 78 (1).

- **McDicken W, Sutherland G, Moran C, et al.(1992):** Colour Doppler velocity imaging of the myocardium ;*Ultrasound Med Biol*;18:651–654.
- **Medi C and Mond H. (2009):** Right ventricular outflow tract septal pacing: long-term follow-up of ventricular lead performance. *Pacing Clin Electrophysiol.* ; 32(2):172-6.
- **Michael V. , Julius M. , Slawsky M, et al. (2010):** Biventricular pacing improves cardiac function and prevents further left atrial remodeling in patients with symptomatic atrial fibrillation after atrioventricular node ablation, *American Heart Journal*;
- **Mosteller R.(1987):** Simplified Calculation of Body Surface Area. *N Engl J Med* 22;317(17):1098
- **Moss R, Buck S. et al.,(2002):** Regulation of cardiac contraction by calcium. Handbook of Physiology, vol 1. Bethesda: *American Physiological Society*; 420-454.
- **Muehlschlegel J, Peng Y, Lobato E, et al.(2008):** Temporary biventricular pacing post cardiopulmonary bypass in patients with reduced ejection fraction; *J Card Surg.*;23(4):324-30.
- **Nathaniel M. , Mark C. , Malcolm I. , et al.,(2009):** Selecting Patients for Cardiac Resynchronization Therapy; *Journal of the American College of Cardiology*; 53:(21); 1944-1959
- **Nielsen J, Kristensen L, Andersen H, et al. (2003);**A randomized comparison of atrial and dual-chamber pacing in 177 consecutive patients with sick sinus syndrome

echocardiographic and clinical outcome. *J Am Coll Cardiol.* ; 42:614–23.

- **Nihoyannopoulos P and Kisslo J. (2009):** Echocardiography,tissue doppler imaging tips ,limitation and application.
- **Niu H, Hua W, Zhang S, et al.(2006):** Assessment of cardiac Novel speckle-tracking radial strain from routine black-and-white echocardiographic images to quantify dyssynchrony and predict response to cardiac resynchronization therapy. *Circulation* 2006;113: 960–8.
- **O’Keefe J, Abuissa H, Jones P, et al.(2005):** Effect of chronic right ventricular apical pacing on left ventricular function. *Am J Cardiol.* ;95:771–3.
- **Opie L. The Heart (1998):** Physiology from Cell to Circulation. 3rd Ed. *Philadelphia: Lippincott Williams & Wilkins.*
- **Paparella G, sciarra L, capulzini L, et al.(2010):** Long-Term Effects of Upgrading to Biventricular Pacing: Differences with Cardiac Resynchronization Therapy as Primary Indication; *Wiley Periodicals, Inc. 1540-8159.02701*
- **Peden C, Collins A, Butson P, et al .(1993):** Induction of microcurrents in critically ill patients in magnetic resonance systems. *Crit Care Med* ;21:1923-8.
- **Penicka M, Bartunek J, de Bruyne B, et al. (2004) :** Improvement of left ventricular function after cardiac resynchronization therapy is predicted by tissue Doppler imaging echocardiography. *Circulation* ;109: 978–83.

- **Peter Paul H. , Paul J ,et al.(2009):** Pressure–volume loop analysis during implantation of biventricular pacemaker/cardiac resynchronization therapy device to optimize right and left ventricular pacing sites ; *Eur Heart J* ;30(7): 797-804.
- **Pham P, Balaji S, Shen I, et al.(2005):** Impact of conventional versus biventricular pacing on hemodynamics and tissue doppler imaging indexes of resynchronization postoperatively in children with congenital heart disease. *J Am Coll Cardiol* ;46:2284-9.
- **Piran S, Veldtman G, Siu S, et al. (2002);**Heart failure and ventricular dysfunction in patients with single or systemic right ventricles. *Circulation.*;105:1189–94.
- **Price D, Wallbridge D and Stewart M. (2000):**Tissue doppler imaging , current and potenial clinical applications, *Heart* ;84(II):11–18.
- **Reade M.(2007):** Temporary epicardial pacing after cardiac surgery: A practical review: part 1: General considerations in the management of epicardial pacing. *Anaesthesia* ;62:264-71.
- **Rekawek J, Kansy A, Mischczak-Knecht M, et al.(2007):**Risk factors for cardiac arrhythmias in children with congenital heart disease after surgical intervention in the early postoperative period ; *J Thorac Cardiovasc Surg* ;133:900-4.
- **Rhodin J , Bohr D, Somlyo A et al.,(1980):** Architecture of the vessel wall. Handbook of Physiology, vol 2. Bethesda: American Physiological Society; 1-31.
- **Riedlbauchova L, Kautzner J, Fridl P.(2005):** Influence of different atrioventricular and interventricular delays on cardiac output during

cardiac resynchronization therapy. *Pacing Clin Electrophysiol.* ;28:S19–S23.

- **Robert O, John Kneeshaw, et al.(2010):** Core Topics in Transesophageal Echocardiography, recent development in Doppler imaging, *Historical background, Cambridge University Press* ; 52:173-161.
- **Roman A. Gebauer, Tomek V, et al. (2009):** Predictors of left ventricular remodelling and failure in right ventricular pacing in the young, *Eur Heart J*; 30(9): 1097-1104
- **Sade L, Kanzaki H, Severyn D, et al. (2004):** Quantification of radial mechanical dyssynchrony in patients with left bundle branch block and idiopathic dilated cardiomyopathy without conduction delay by tissue displacement imaging. *Am J Cardiol* ; 94:514–8.
- **Sanders K. (2001):** Invited review: mechanisms of calcium handling in smooth muscles. *J Appl Physiol*; 91:1438-1449.
- **Schattke S, Knebel F, Grohmann A et al.(2010):** Early right ventricular systolic dysfunction in patients with systemic sclerosis without pulmonary hypertension: a Doppler Tissue and Speckle Tracking echocardiography study ; *Cardiovascular Ultrasound* , 8:(3)1476-7120
- **Schmidt C, Frielingsdorf J, et al.(2007):** Acute biventricular pacing after cardiac surgery has no influence on regional and global left ventricular systolic function; *Europace*; 9(6): 432-436.
- **Schuster P, Faerstrand S, Ohm O. (2003):** Colour tissue velocity imaging can show resynchronisation of longitudinal left ventricular contraction pattern by biventricular pacing in patients with severe heart failure. *Heart* ;89:859–64

- **Scott D. Solomon , et al.(2007):** Essential echocardiography; limitation of 2D assessment of LV systolic function ;97:815-8-829
- **Sogaard P, Egeblad H, Kim W, et al.(2002):** Tissue Doppler imaging predicts improved systolic performance and reversed left ventricular remodeling during long-term cardiac resynchronization therapy. *J AmColl Cardiol* ;40:723–30.
- **Somlyo A , Bohr D, Somlyo A, et al. (1980):** Ultrastructure of vascular smooth muscle. Handbook of Physiology, vol 2. Bethesda: *American Physiological Society*,; 33-67.
- **Soo Lee Y, Wook Han S , Nyun Kim S, et al.(2008):** Similar Degree in Mechanical Left Ventricular Dyssynchrony Between Right Ventricular Outflow Tract and Right Ventricular Apical Pacing: A Strain Doppler Imaging Study; *Korean Circ J* ;38:590-595.
- **St John , Plappert T,et al.(2003):** for the MIRACLE Study Group. Effect of cardiac resynchronization therapy on left ventricular size and function in chronic heart failure. *Circulation* ; 107:1985-1990.
- **Strieper M, Karpawich P, Frias P, et al.(2004):** Initial experience with cardiac resynchronization therapy for ventricular dysfunction in young patients with surgically operated congenital heart disease. *Am J Cardiol* ;94:1352– 4.
- **Suffoletto M, Dohi K, Cannesson M, et al.(2006):** Novel speckle-tracking radial strain from routine black-and-white echocardiographic images to quantify dyssynchrony and predict response to cardiac resynchronization therapy. *Circulation* ; 113: 960–8.
- **Sun J, Chinchoy E, Donal E, et al.(2004):** Evaluation of ventricular synchrony using novel Doppler echocardiographic indices in patients with heart failure receiving cardiac resynchronization

therapy. *J Am Soc Echocardiogr* ;17:845–50

- **Sutherland G, Stewart M, Groundstroem K, et al.(1994):** Color Doppler myocardial imaging: a new technique for the assessment of myocardial function. *J Am Soc Echocardiogr* ;7:441–458.
- **Sweeney M, Hellkamp A, Ellenbogen K, et al.(2003):**systolic asynchrony and identify responders of cardiac therapy in patients with end-stage heart failure before pacemaker implantation. *Am J Cardiol* ; 92: 1238–40.
- **Thambo J, Dos Santos P, De Guillebon M, et al. (2010):**Biventricular stimulation improves right and left ventricular function after tetralogy of Fallot repair: Acute animal and clinical studies; *Heart Rhythm* ;7(3): 344-350.
- **Thelen M, Erbel R, Kreitner K, et al. (2008):** Cardiac Imaging: A Multimodality Approach ,principles of doppler echocardiography; 31:314-778.
- **Thomas H, Cheuk-Man Y, Ping Sun J.(2007):** Myocardial Imaging: Tissue Doppler and Speckle Tracking. 978-1-4051-6113-8
- **Tim J., Mike G. , George R. , et al. (2008):** Right ventricular outflow and apical pacing comparably worsen the echocardiographic normal left ventricle; *Eur J Echocardiogr*19(5): 672-677
- **Tomaske M, Ole A. , and Bauersfeld U.(2009):** Preserved cardiac synchrony and function with single-site left ventricular epicardial pacing during mid-term follow-up in paediatric patients ; *Europace* ;11(9): 1168-1176.
- **Maren M, Ole A, Balmer C, et al.(2009):** Successful cardiac resynchronization with single-site left ventricular pacing in children ;*International Journal of Cardiology*; 136(2):136-143

- **Tomioka H, Oliver J. , Gerald D, et al.(2006):**The effect of ventricular sequential contraction on helical heart during pacing : high septal pacing versus biventricular pacing ; *Eur J Cardiothorac Surg* ;29:198-206
- **Topol E, et al. (2009):** Electrophysiological procedures, Cardiac pacing.19:280-302.
- **Torrent-Guasp F, Kocica M, Corno A, et al (2004):** Systolic ventricular filling. *Eur J Cardiothorac Surg* ; 25: 376–86.
- **Triantafyllou K , Kranidis A, et al.(2010):** Clinical Implications of the Echocardiographic Evaluation of Right Ventricular Function on the Long Axis Using Newer Techniques ;*Hellenic J Cardiol*; 51: 42-48
- **Turner M, Bleasdale R, Mumford C,et al. (2004):** Left ventricular pacing improves haemodynamic variables in patients with heart failure with a normal QRS duration. *Heart*; **90**: 502–5.
- **Turner M, Bleasdale R, Vinereanu D, et al.(2004)** Electrical and mechanical components of dyssynchrony in heart failure patients with normal QRS duration and left bundle-branch block: impact of left and biventricular pacing. *Circulation*; 109: 2544–9.
- **Ueng K, Tsai T, Tsai C, et al. (2001);** Acute and long-term effects of atrioventricular junction ablation and VVIR pacemaker in symptomatic patients with chronic lone atrial fibrillation and normal ventricular response. *J Cardiovasc Electrophysiol* ; 12:303- 309.
- **Valsangiacomo E, Schmid E, Schüpbach R, et al.(2002):** Early postoperative arrhythmias after cardiac operation in children. *Ann Thorac Surg*; 74:792-6.
- **Vanagt W, Verbeek X, Delhaas T, et al.(2005);** Acute hemodynamic

benefit of left ventricular apex pacing in children. *Ann Thorac Surg*; 79:932– 6.

- **Vanerio G, Juan L, Fernández P, et al. (2008):** Medium- and long-term survival after pacemaker implant: Improved survival with right ventricular outflow tract pacing . *Journal of Interventional Cardiac Electrophysiology*; 41.238.208.134
- **Vasan R, Benjamin E, Larson M, et al.(2002):** Plasma natriuretic peptides for community screening for left ventricular hypertrophy and systolic dysfunction: the Framingham heart study. *JAMA*; **288**: 1252–9.
- **Vaturi M, Kusniec J, Shapira Y, et al.(2010):** Right ventricular pacing increases tricuspid regurgitation grade regardless of the mechanical interference to the valve by the electrode . *Eur J Echocardiogr* jeq; 18:25.
- **Yildirim A, Soylu O, Dagdeviren B, et al.(2007):** Cardiac resynchronization improves coronary blood flow. *Tohoku J Exp Med* ;211:43–47.
- **Yiu P, Tansley P, Pepper J. (2001):** Improved reliability of post-operative ventricular pacing by use of bipolar temporary pacing leads. *Cardiovas Surg*; 9:391-5.
- **Yu C, Zhang Q, Wing-Hong J, et al. (2007) :** Assessment of dyssynchrony and its application; 978- 4051-6113-8.
- **Yu C, Abraham W, Bax J, et al.(2005):** Predictors of response to cardiac resynchronization therapy (PROSPECT) – study design. *Am Heart J* ; 149: 600–5.
- **Yu C, Bleeker G, Fung J, et al.(2005):** Left ventricular reverse remodeling but not clinical improvement predicts long-term survival

- after cardiac resynchronization therapy. *Circulation* ; 112: 1580–6.
- **Yu C, Chan Y, Zhang Q, et al.(2007):** Benefits of cardiac resynchronization therapy for heart failure patients with narrow QRS complexes and coexisting systolic asynchrony by echocardiography. *J Am Coll Cardiol* ; 48:2251–7.
 - **Yu C, Chau E, Sanderson J, et al. (2002):**Tissue Doppler echocardiographic evidence of reverse remodeling and improved synchronicity by simultaneously delaying regional contraction after biventricular pacing therapy in heart failure. *Circulation* ; 105: 438–45.
 - **Yu C, Fung J, Zhang Q, et al. (2004):**Tissue Doppler imaging is superior to strain rate imaging and postsystolic shortening on the prediction of reverse remodeling in both ischemic and nonischemic heart failure after cardiac resynchronization therapy. *Circulation* ;110: 66–73.
 - **Yu C, Fung J, ZhangQ, et al.(2005):** Understanding nonresponders of cardiac resynchronization therapy–current and future perspectives. *J Cardiovasc Electrophysiol* ; 16: 1117–24.
 - **Yu C, Fung W, Lin H, et al. (2003):**Predictors of left ventricular reverse remodeling after cardiac resynchronization therapy for heart failure secondary to idiopathic dilated or ischemic cardiomyopathy. ; *Am J Cardiol* ; 91: 684–8.
 - **Yu C, Lin H, Zhang Q, et al.(2003):** High prevalence of left ventricular systolic and diastolic dyssynchrony in patients with congestive heart failure and normal QRS duration. *Heart* ;89:54 – 60.
 - **Yu C, Yang H, Lau C, et al. (2003):**Regional left ventricle mechanical asynchrony in patients with heart disease and normal QRS duration:

implication for biventricular pacing therapy. *Pacing Clin Electrophysiol* ; 26: 562–70.

- **Yu C, Zhang Q, Fung J, et al.(2005):** A novel tool to assess systolic asynchrony and identify responders of cardiac resynchronization therapy by tissue synchronization imaging. *J Am Coll Cardiol* ; 45: 677–84.
- **Yu C, Zhang Q, Fung J. (2005):** Visualization of regional left ventricular mechanical delay by tissue synchronization imaging in heart failure patients with wide and narrow QRS complexes undergoing cardiac resynchronization therapy. *Circulation* ; 112: e93–5.
- **Yueh-Tze L, Lee J, Wentzel G. (2003):** Postoperative arrhythmia. *Curr Opin Cardiol* ;18:73-8.
- **Zhang Q, Fung J, Auricchio A, et al.(2006):** Differential change in left ventricular mass and regional wall thickness after cardiac resynchronization therapy for heart failure. *Eur Heart J* ; 27: 1423–30.
- **Zimmerman F, Starr J, Koenig P, et al.(2003):** Acute hemodynamic benefit of multisite ventricular pacing after congenital heart surgery. *Ann Thorac Surg* ;75:1775-80.
- **Zhi-hui Z Cao .(2008):** Feasibility, Safety and Hemodynamics Changes in Patients With Right Ventricular Inflow Tract Septum Pacing; *Chinese Circulation Journal*;