LIST OF TABLES

No	Name Of The Table	Page
Table (1)	Spirometric Classification of COPD Severity Based	22
	on Post-Bronchodilator FEV1	
Table (2)	Differential diagnosis of COPD	25
Table (3)	Clinical history, physical findings and diagnostic	
	procedures in patients with exacerbation of chronic	42
	obstructive pulmonary disease	
Table (4)	Demographic data of the studied subjects as regards	65
	age, weight, height and body mass index	
Table (5)	Comparison between COPD cases and control	66
	smokers as regard the smoking index	
Table (6)	Spirometric data (pre and post bronchodilator)	67
Table (6)	among COPD patients (% Pred.)	
T-1-1- (7)	Comparison between pre-bronchodilator spirometry	<i>(</i> 0
Table (7)	in COPD patients and controls	69
T-1-1- (0)	Comparison between post-bronchodilator spirometry	71
Table (8)	in COPD patients and controls	
Table (0)	Classification of COPD patients according to the	73
Table (9)	stage of their disease (Gold 2009)	
Table (10)	Levels of serum CRP (mg/l) in patients and controls	74
Toble (11)	Comparison of CRP levels (mg/l) according to the	75
Table (11)	stage of the disease	
Toble (12)	Correlation between serum CRP level (mg/l) and	76
Table (12)	pre-bronchodilator FEV1 (% pred.) of COPD cases	
Table (13)	Correlation between serum CRP level (mg/l) and	77
Table (13)	pre-bronchodilator FVC (% pred.) of COPD cases	
Table (14)	Correlation between serum CRP level (mg/l) and	78
1 abie (14)	pre-bronchodilator FEV1/FVC%. of COPD cases	
	Correlation between serum CRP level (mg/l) and	79
Table (15)	pre-bronchodilator FEF25-75% (% pred.) of COPD	
	cases	
Table (16)	Correlation between serum CRP level (mg/l) and	
	pre-bronchodilator FEF50% (% pred.) of COPD	80
	cases	
Table (17)	Correlation between serum CRP level (mg/l) and	81
	pre-bronchodilator PEF (% pred.) of COPD cases	
Table (18)	Correlation between serum CRP level (mg/l) and	82
	pre-bronchodilator MVV (% pred.) of COPD cases	

No	Name Of The Table	Page
Table (19)	correlation between serum CRP level (mg/l) and smoking index among COPD patients	83
Table (20)	Comparison in control groups as regarding smoking index and serum CRP level (mg/l)	84
Table (21)	correlation between serum CRP level (mg/l) and BMI of COPD patients	85

LIST OF FIGURES

No	Name Of The figure	Page
Figure (1)	Pharmacologic Therapy by Disease Severity (Gold 2009)	34
Figure (2)	The Cycle of Physical, Social, and Psychosocial Consequences of COPD	35
Figure (3)	Algorithm for the Management of an Exacerbation of COPD at Home	44
Figure (4)	Spirometric data (pre and post) bronchodilator among COPD patients	68
Figure (5)	Comparison between pre-bronchodilator spirometry in COPD patients and controls	70
Figure (6)	Comparison between post-bronchodilator spirometry in COPD patients and controls	72
Figure (7)	Classification of COPD patients according to the stage of their disease (Gold 2009)	73
Figure (8)	Comparison of CRP levels (mg/l) according to the stage of the disease	75
Figure (9)	Correlation between serum CRP level (mg/l) and pre-bronchodilator FEV1 (% pred.) of COPD cases	76
Figure (10)	Correlation between serum CRP level (mg/l) and pre-bronchodilator FVC (% pred.) of COPD cases	77
Figure (11)	Correlation between serum CRP level (mg/l) and pre-bronchodilator FEV1/FVC%. of COPD cases	78
Figure (12)	Correlation between serum CRP level (mg/l) and pre-bronchodilator FEF25-75% (% pred.) of COPD cases	79
Figure (13)	Correlation between serum CRP level (mg/l) and pre-bronchodilator FEF50% (% pred.) of COPD cases	80
Figure (14)	Correlation between serum CRP level (mg/l) and pre-bronchodilator PEF (% pred.) of COPD cases	81
Figure (15)	Correlation between serum CRP level (mg/l) and pre-bronchodilator MVV (% pred.) of COPD cases	82
Figure (16)	correlation between serum CRP level (mg/l) and Smoking Index among COPD patients	83

No	Name Of The figure	Page
Figure (17)	correlation between serum CRP level (mg/l) and BMI of COPD patients	85