

References

- Abd Elhakim AM, Hassanin K, Hussein MF & Ahmed FA (1995):** Value of fiberoptic bronchoscopy in early bacteriologic diagnosis of suspected pulmonary tuberculosis. *Egyptian J. Chest Dis and Tuber*; 44:125-130.
- Abd Elhakim AM, Helmy NA, Mira AA & Abd Elghaffar M (1991):** Estimation of carcino-embryonic antigen and immunoglobulin in sera and bronchoalveolar lavage in patients with lung diseases. *Egyptian J. Chest Dis and Tuber*; 38: 1-12.
- Ahrendt SA & Sidransky D (1999):** The potential of molecular screening. *Surg Oncol Clin N Am*; 8:641-656.
- Alam N, Darling G, Evans WK, Mackay JA & Shepherd FA (2006):** Adjuvant chemotherapy for completely resected non-small cell lung cancer: A systematic review. *Crit Rev Oncol Hematol*:10.1016.
- Amatruda TT, Mulrow PJ, Gallagher JC, et al (1963):** Carcinoma of the lung with inappropriate antidiuresis. *N Engl J Med*; 269:544–549.
- American Cancer Society (1995):** Cancer Facts and Figures. *Atlanta:* American Cancer Society.
- American Cancer Society (2009):** Cancer Facts and Figures. *Atlanta:* American Cancer Society.
- Amin MB, Tamboli P, Merchant SH, et al (2002):** Micropapillary component in lung adenocarcinoma: a distinctive histologic feature with possible prognostic significance. *Am J Surg Pathol*; 26:358.
- Anderson HA and Prakash UBS (1982):** Diagnosis of symptomatic lung cancer. *Semin Respir Med* 1982; 3:165–169.
- Ando S, Suzuki M, Yamamoto N, Iida T & Kimura H (2004):** The prognostic value of both neuron-specific enolase (NSE) and CYFRA 21-1 in small cell lung cancer. *Anticancer Res.*; 24:1941-6.
- Ashour WM, Abdel Hakim AM, Kamel KM and Khatab HM (2006):** Fluorescence bronchoscopy for detection of early lung cancer, MD thesis, Cairo University, page 53.

Awad T (1987): A study of BAL in some chest diseases. MD thesis submitted for partial fulfillment of M.D. degree in chest diseases, Faculty of Medicine, Cairo University.

Azam Khan MK, Ansari JK, Saeed W, Zaman F, Naseem A, Baig IM, Humayun Z and Khalil KF (2008): Diagnostic yield of transbronchial needle aspiration-analysis of 30 cases. J Ayub Med Coll Abbottabad; 20 (3).

Bach P, Kelly M, Tate R, et al (2003): Screening for lung cancer; a review of the literature. Chest; 123(1 Suppl):72S-82S.

Bach PB, Gerard A, Silvestri, et al (2007): Screening for Lung Cancer: ACCP Evidence-Based Clinical Practice Guidelines (2nd Edition) Chest, 132:69s-77s.

Balsara BR and Test JR (2002): Chromosomal imbalances in human lung cancer. Oncogene; 21:6877-6883.

Barak V, Goike H, Panaretakis KW & Einarsson R (2004): Clinical utility of cytokeratins as tumor markers. Clin Biochem.; 37:529-40.

Barlesi F, Gimenez C, Torre JP, Doddoli C, Mancini J, Greillier L, Roux F & Kleisbauer JP (2004): Prognostic value of combination of CYFRA 21-1, CEA and NSE in patients with advanced non-small cell lung cancer. Respir Med.; 98:357-62.

Barzo P (1988): Transbronchial mediastinal cytography. Chest, 93:431-432.

Beckles M, Spiro S, Colice G, et al (2003): Initial evaluation of the patients with lung cancer: symptoms, laboratory tests, and paraneoplastic syndromes. Chest; 123(suppl): 97S-104S.

Benan C, Ulka A, Ali F, Banu S, Sevda O, et al (2005): Transbronchial needle aspiration in diagnosis of endobronchial malignant lesions. Chest; 128: 704-708.

Bennett WP, Alavanja MC, Blomeke B, et al (1999): Environmental tobacco smoke, genetic susceptibility, and risk of lung cancer in never-smoking women. *J Natl Cancer Inst*; 91.

Beutner KR & Tyring S (1997): Human papillomavirus and human disease. *Am J Med*; 102:9.

Bilaceroglu S, Gunel O, Cagirci U, et al (1997): Comparison of endobronchial needle aspiration with forceps and brush biopsies in the diagnosis of endobronchial lung cancer. *Monaldi Arch Chest Dis*; 52, 13-17.

Bilaceroglu, S. and Chhajed, P. (2005): Transbronchial Needle Aspiration: A Diagnostic Tool in Routine Bronchoscopy. *JAPI • VOL. 53 • September, 2005*.

Bilaceroglu, S.; Mehta, AC. and Light, RW. (2004): Transbronchial needle aspiration: Asian-Pacific experience. *J Bronchol*; 11:206-14.

Bliss DP, Battey JF, Linnoila RI, et al (1990): Expression of the atrial natriuretic factor gene in small cell lung cancer tumors and tumor cell lines. *J Natl Cancer Inst*; 82:305–308.

Blum J, Handmaker H, Lister-James J and Rinne N (2000): A multicenter trial with a somatostatin analog (99m)Tc depreotide in the evaluation of solitary pulmonary nodules. *Chest*; 117(5):1232-8. 52.

Boffetta P, Pershagen G, Jockel KH, et al (1999): Cigar and pipe smoking and lung cancer risk: A multicenter study from Europe. *J Natl Cancer Inst*; 91:697.

Bohlmeier TN, Shroyer AL, Markham N, et al (1998): Detection of human papilloma virus in squamous cell carcinomas of the lung by polymerase chain reaction. *Am J Respir Cell Mol Biol*; 2:265.

Bolliger CT, Mathur PN, Beamis JF, Becker HD, Cavaliere S and Colt H (2002): ERS/ATS statement on interventional pulmonology. European Respiratory Society/ American Thoracic Society. *Eur Respir J*; 19(2): 356-373.

Bota S, Autiac JB, Paris C, et al (2001): follow up of bronchial precancerous lesions and carcinoma in situ using fluorescence endoscopy. *Am J Respir and Crit Care Med*; 164:1688-1693.

Bouchet L, Valmary S, Dahan M, et al (2005): Detection of oncogenic virus genomes and gene products in lung carcinoma. *Br J Cancer*; 92:743.

Buccheri G, Torchio P & Ferrigno D (2003): Clinical equivalence of two cytokeratin markers in non-small cell lung cancer: a study of tissue polypeptide antigen and cytokeratin 19 fragments. *Chest*, Aug; 124:622-32.

Buirski G, Calverley PMA, Douglas NJ, Lamb D, McIntyre M, Sudlow MF, et al (1981): Bronchial needle aspiration in the diagnosis of Bronchial carcinoma. *Thorax*; 36:508-11.

Burns DM (1996): Cigarette smoking; In *Comprehensive Textbook of Thoracic Oncology*, Aisner J, et al (Eds), Williams and Wilkins, Baltimore. p.51.

Bush A (2003): Bronchoscopy in paediatric intensive care. *Paediatr Respir Rev*; 4(1): 67-73.

Cancer Statistics (2007): *Cancer J Clin*; 57: 43-66.

Carmona RH (2006): "The Health Consequences of Involuntary Exposure to Tobacco Smoke: A Report of the Surgeon General". U.S. Department of Health and Human Services.

Cetinkaya E, Yildiz P, Kadakal F, Tekin A, Soysal F, Elibol S and Yilmaz V (2002): Transbronchial Needle Aspiration in the Diagnosis of Intrathoracic Lymphadenopathy. *Respiration*; 69:335–338.

Chute C, Greenberg E, Baron J, et al (1985): Presenting conditions of 1539 population-based lung cancer patients by cell type and stage in New Hampshire and Vermont. *Cancer*; 56:2107.

Cohen MH (1983): Signs and symptoms of bronchogenic carcinoma. In: Straus MJ, editor. *Lung cancer: clinical diagnosis and treatment*. Philadelphia, PA: Grune & Stratton; p. 97–97.

Colice GL (1997): Detecting lung cancer as a cause of hemoptysis in a patient with a normal radiograph. *Chest*; 111:877-884.

Colt HG, Crawford SW & Galbraith III O (2001): Virtual reality bronchoscopy simulation: A revolution in procedural training. *Chest*; 120:1333-1339.

Comis RL, Miller M & Ginsberg SJ (1983): Abnormalities in water homeostasis in small cell anaplastic lung cancer. *Cancer*; 51:161–168.

Cooper CA, Carby FA, Bubb VJ, et al (1997): The pattern of K-ras mutation in pulmonary adenocarcinoma defines a new pathway of tumor development in the human lung. *J Pathol*; 181:401-404.

Daly RC, Trastek VF & Pairolero PC (1991): Bronchioloalveolar carcinoma: Factors affecting survival. *Ann Thorac Surg*. 51: 368-377.

Darby S, Hill D, Auvinen A, et al (2005): Radon in homes and risk of lung cancer: collaborative analysis of individual data from 13 European case-control studies. *BMJ*; 330:223.

Dasgupta A, Jain P, Minai OA, Sandur S, Meli Y, Arroliga AC and Mehta AC(1999): Utility of transbronchial needle aspiration in the diagnosis of endobronchial lesions. *Chest*; 115(5):1237–1241.

Dasika GK, Lin SC, Zhao S, et al (1999): DNA damage-induced cell cycle checkpoints and DNA strand break repair in development and tumorigenesis. *Oncogene*; 18:7883-7899.

David Feller-Kopman, William Lunn and Armin Ernst (2005): Auto-Fluorescence Bronchoscopy. *Ann Thorac Surg*; 80:2395-2401.

Denissenko MF, Pao A, Tang M and Pfeifer GP (1996): Preferential formation of benzo(a)pyrene adducts at lung cancer mutational hotspots in p53. *Science*; 274:430.

Detterback FC, DeCamp MM, Kohman LJ et al (2003): Invasive staging: the guidelines. *Chest*; 123(Suppl), 167s-175s.

Diederich S, Wormanns D, Semik M, et al (2002): Screening for early lung cancer with low-dose spiral CT: Prevalence in 817 asymptomatic smokers. *Radiology*; 222:773-781.

Disdier C, Varela G, Sanchez deCos J, Bengocchea O, Jimenez M, Garin J, Cruz JJ and Masa JF (1998): Usefulness of transbronchial puncture and mediastinoscopy in mediastinal nodal staging of non-microcytic bronchogenic carcinoma. Preliminary study.

Arch. Bronchoneumol., 34:237-244.

Djordjevic MV, Stellman SD & Zang E (2000): Dosages of nicotine and lung carcinogens delivered to cigarette smokers. *J. Natl. Cancer Inst.*, 92: 106-111.

Dooms C and Vansteenkiste J (2007): Positron emission tomography in non-small cell lung cancer. *Curr Opin Pulm Med.*; 13(4): 256-260.

Eindhoven GB, Dercksen B, Regtien JG, Borg PA and Wierda JM (2001): A practical approach to management of the difficult airway. *European Journal of Anaesthesiology*; volume 18, supplement 23:60-65.

Erdogan Cetinkaya, Pinar Yildiz, Sedat Altin et al (2004): Diagnostic value of transbronchial needle aspiration by Wang 22-gauge cytology needle in intrathoracic lymphadenopathy. *Chest* ;128(2):869-875.

Ernst A, Silvestri GA and Johnstone D (2003): Interventional pulmonary procedures: Guidelines from the American college of Chest Physicians. *Chest*; 123(5): 1693-1717.

Fein A, Feinsilver S and Ares C (1998): The solitary pulmonary nodule: A systemic approach. In Fishman AP, Elias JA, Fishman JA, et al (Eds): *Fishman's Pulmonary Diseases and Disorders*. New York, McGraw-Hill, pp: 1727-1737.

Field RW, Steck DJ, Smith BJ, et al (2000): Residential radon gas exposure and lung cancer: The Iowa Radon Lung Cancer Study. *Am J Epidemiol*; 151:1091.

Fischer R & Huber RM (2000): Endoluminal Brachytherapy in Central Lung Cancer. *Prog Respir Res*. Basel, Karger; vol. 30, pp: 146-158.

Fiterman et al (2010) : Effectiveness and Safety of Bronchial Thermoplasty in the Treatment of Severe Asthma. *American Journal of Respiratory and Critical Care Medicine* Vol 181. pp. 116-124.

Fontham ET, Correa P, Reynolds P, et al (1994): Environmental tobacco smoke and lung cancer in nonsmoking women. A multicenter study. *JAMA*; 271:1752.

Francis D & Mathur PN (2008): Endobronchial Ultrasound. *Chest*; 133:264-270.

Freitag L, Ernst A, Thomas M, et al (2004): Sequential photodynamic therapy (PDT) and high dose brachytherapy for endobronchial tumor control in patients with limited bronchogenic carcinoma. *Thorax*; 59:790-793.

Gaish G and Brutis WJ (1991): The diagnosis and treatment of malignancy associated hypercalcemia. *Endocrinologist* 1: 371-378.

Gaissert HA, Grillo HC, Wright CD, et al (2003): Complication of benign tracheobronchial strictures by self-expanding metal stents. *J Thorac Cardiovasc Surg*; 126:744-747.

- Gaspirini S, Ferretti M, Secchi E B, Baldelli S, Zuccatosta L and Gusella P (1995):** Integration of transbronchial and percutaneous approach in the diagnosis of peripheral pulmonary nodules and masses. *Chest*, 108: 131-137.
- Gazzeri S, Brambilla E, Caron de Fromentel C, et al (1994):** p53 genetic abnormalities and myc activation in human lung carcinoma. *Int J Cancer*; 58:24-32.
- Gerard A, Silvestri and James Jett (2005):** Bronchogenic Carcinoma. IN: Murray and Nadel(Eds):Murray & Nadel's Textbook of Respiratory Medicine, Saunders, An Imprint of Elsevier 4th Ed; ch: 44.
- Ghaffar H, Shin F, Sanchez-Cepedes M, et al (2003):** LKB1 protein expression in the evolution of glandular neoplasia of the lung. *Clin Cancer Res*; 9:2998-3003.
- Giatromanolaki A, Koukourakis MI, Sivridis E, et al (2001):** Relation of hypoxia inducible factor 1 alpha and 2 alpha in operable non-small cell lung cancer to angiogenic/molecular profile of tumors and survival. *Br J Cancer*; 85:881-890.
- Gorlova OY, Weng SF, Zhang Y, et al (2007):** "Aggregation of cancer among relatives of never-smoking lung cancer patients". *International Journal of Cancer* 121 (1): 111–118.
- Govert JA, Dodd LG, Kussin PS and Samuelson WM (1999):** A prospective comparison of fiberoptic transbronchial needle aspiration and bronchial biopsy for bronchoscopically visible lung carcinoma. *Cancer*; 87:129–134.
- Greco FA, Hainsworth J, Sismani A, et al (1981):** Hormone production and paraneoplastic syndromes. In: Greco FA, Oldham RK, Bunn PA Jr, editors. *Small cell lung cancer*. New York, NY: Grune & Stratton, Inc.; 1981. p. 177–223.
- Green CG (1991):** Assessment of the pediatric airway by flexible bronchoscopy. *Respir Care*; 36(6): 555-568.

Gullon JA, Fernandez R, Medina A et al (2003): Transbronchial needle aspiration in bronchogenic carcinoma with visible lesions: diagnostic yield and cost. *Arch Bronconeumol*; 39:496-500.

Gupta D, Gulati M and Rajwanshi A (1996): Fluoroscopic transbronchial fine needle aspiration for diagnosis of peripheral pulmonary nodules. *Indian J. Chest Dis. Allied Sci.*, 38: 163-167.

Hackshaw AK, Law MR and Wald NJ (1997): The accumulated evidence on lung cancer and environmental tobacco smoke. *Br Med J*; 315:980.

Hammond EC, Selikoff IJ & Seidman H (1979): Asbestos exposure, cigarette smoking and death rates. *Ann N Y Acad Sci*; 330:473.

Hansen-Flaschen J and Nordberg J (1987): Clubbing and hypertrophic osteoarthropathy. *Clin Chest Med*; 8:287–294.

Harkin T J, Ciotoli C, Addrizzo-Harris D J, Naidach D P, Jagiradr J and Rom W N (1988): Transbronchial needle aspiration in patients infected with HIV. *Am. J. Respir. Crit. Car. Med.*, 157:1913-1918.

Harris JE, Thun MJ, Mondul AM & Calle EE (2004): Cigarette tar yields in relation to mortality from lung cancer in the cancer prevention study II prospective cohort, 1982-8. *BMJ* 2004; 328:72.

Harrow E M, Oldenburg F A, Lingenfelter M S and Smith Am JR (1989): Transbronchial needle aspiration in clinical practice. A five-year experience. *Chest*, 96:1268-1272.

Harrow E M, Oldenburg FA and Smith AM (1985):
Transbronchial needle aspiration in clinical practice
Thorax; 40:756-759.

Henschke CI, McCauley DI, Yankelevitz DF, et al (2001): Early Lung Cancer Action Project: A summary of the findings on baseline screening. *Oncologist*; 6: 147-152.

Henschke CI, Yankelevitz DF, Naidich D, et al (2004): CT screening for lung cancer: suspiciousness of nodules at baseline according to size. *Radiology*; 231: 164-168.

Herth JF, Becker HD and Ernst A (2004): Conventional versus endobronchial ultrasound-guided transbronchial needle aspiration: a randomized trial. *Chest*; 125: 322-325.

- Herth JF, Eberhardt CR and Ernst A (2006):** The Future of Bronchoscopy in Diagnosing, Staging and Treatment of Lung Cancer. *Respiration*; 73, No 4:399-409.
- Hetzel M, Hetzel J, Schumann C, et al (2004):** Cryorecanalization; A new approach for the immediate management of acute airway obstruction. *J Thorac Cardiovasc Surg*; 127:1427-1431.
- Hibi K, Takahashi T, Yamakawa K, et al (1992):** Three distinct regions involved in 3p deletion in human lung cancer. *Oncogene*; 7:445-449.
- Hida T, Yatabe Y, Achiwa H, et al (1998):** Increased expression of cyclooxygenase 2 frequently occurs in human lung cancers, specifically in adenocarcinomas. *Cancer Res*; 58:3761-3764.
- Hirsch FR, Franklin WA, Gazdar AF, et al (2001):** Early Detection of Lung Cancer; Clinical Perspectives of Recent Advances in Biology and Radiology. *Clinical Cancer Research*; 7: 5-22.
- Hirsch FR, Matthews MJ, Aisner S, et al (1988):** Histopathologic classification of small cell lung cancer. *Cancer* 62: 973-977.
- Hoffstein V (1994):** Persistent cough in non-smokers. *Can Respir J*: 1:40-47.
- Holdenrieder S, Stieber P, von Pawel J, Raith H, Nagel D, Feldmann K and Seidel D (2004):** Circulating nucleosomes predict the response to chemotherapy in patients with advanced non-small cell lung cancer. *Clin Cancer Res.*; 10:5981-7.
- Hollstein M, Sidransky D, Vogelstein B and Harris CC (1991):** p53 mutations in human cancers. *Science*; 253:49-53.
- Hoo K, Chua GSW, Mukhopadhyay A, et al (2003):** Transbronchial needle aspiration :initial experience in routine diagnostic bronchoscopy. *Resp Med* ;97:1201-1204.
- Hoppe H, Dinkel H-P, Walder B, et al (2004):** Grading airway stenosis down to the segmental level using virtual bronchoscopy. *Chest*; 125:704-711.

- Horsely JR, Miller RE, Amy RW and King EG (1984):** Bronchial submucosal needle aspiration performed through the fiberoptic bronchoscope. *Acta Cytol*; 28(3):211-217.
- Hubbard R, Venn A, Lewis S & Britton J (2000):** Lung cancer and cryptogenic fibrosing alveolitis. A population-based cohort study. *Am J Respir Crit Care Med*; 161:5.
- Hughes JM & Weill H (1994):** Asbestos and man-made fibers. In: Samet JM (Ed): *Epidemiology of Lung Cancer*. Marcel Dekker, New York. p.185.
- Jemal A, Siegel R, Ward E, Murray T, Xu J and Thun MJ (2007):** *Cancer J Clin*; 57:43–66.
- Jerry DH and Gerard S (2000):** Diagnosis and staging of lung cancer. *Clinics in Chest Medicine*; 21: 31.
- Johnson B (1996):** The role of MYC, JUN, and FOS oncogenes in human lung cancer. In: Pass H, Mitchell J, Johnson D, Turrisi A, (Eds): *Lung Cancer: Principles and Practice*, Philadelphia: Lippincott-Raven; p. 83-98.
- Jones N, Iljin K, Dumont DJ & Alitalo K (2001):** Tie receptors: New modulators of angiogenic and lymphangiogenic responses. *Nat Rev Mol Cell Biol*; 2:257-267.
- Jonsson S, Thorsteinsdottir U, Gudbjartsson DF, et al (2004):** Familial risk of lung carcinoma in the Icelandic population. *JAMA*; 292:2977.
- Kabir Z, Bennett K and Clancy L (2007):** "Lung cancer and urban air-pollution in dublin: a temporal association?" *Irish Medical Journal* 100 (2): 367–369.
- Kamath AV and Prashant CN (2006):** Role of Bronchoscopy in Early Diagnosis of Lung Cancer. *Indian J Chest Dis Allied Sci*; 48; 265-269.
- Kao CH, Hsieh JF, Ho YJ and Ding HJ (1999):** Cytokeratin fragment 19 (CYFRA 21-1) and carcinoembryonic antigen for early prediction of recurrence of lung adenocarcinoma. *Lung*; 177:333-7.
- Karahalli E, Yilmaz A, Turker H et al (2001):** Usefulness of various diagnostic techniques during fiberoptic bronchoscopy for endoscopically visible lung cancer: should cytologic examinations be performed routinely? *Respiration*; 68:61-614.

Keith RL, Miller YE, Gemmill RM, et al (2000): Angiogenic squamous dysplasia in bronchi of individuals at high risk for lung cancer. Clin Cancer Res; 6:1616-1625.

Kennedy TC, McWilliams A, Edell E, et al (2007): Bronchial Intraepithelial Neoplasia/ Early Central Airways Lung Cancer: Clinical Practice Guidelines (2nd Edititon). Chest; 132:221S-233.

Kevin Palka, David H and Johnson (2008): Small Cell Lung Cancer: Diagnosis, Treatment, and Natural History. In Fishman's Pulmonary Diseases and Disorders. 4th edition, vol: II, part xv, ch: 106; 1899-1915.

Khoo, K, Chua, GSW, Mukhopadhyay, A, et al (2003): Transbronchial needle aspiration: initial experience in routine diagnostic bronchoscopy. Respir Med 97, 1201-1204

Klaveren V, Habbema JD, Pedersen JH et al (2001): Lung Cancer screening by low-dose spiral computed tomography. EUR Respir J; 18:857-866.

Knudson AG, Hethcote HW and Brown BW (1975): Mutation and childhood cancer: A probabilistic model for the incidence of retinoblastoma. Proc Natl Acad Sci U S A; 72:5116-5120.

Kraft, M. (2007): Approach to the patient with respiratory disease In: Goldman L, Ausiello D, eds. Cecil Medicine. 23rd ed. Philadelphia, Saunders Elsevier; chap 83.

Lam S, Macaulay C, Hung J, et al (1991): Detection and localization of early lung cancer by imaging techniques. J Thorac Cardiovasc Surg 105, 1035-1040.

Lardinosis D, Weder W, Hany TF, et al (2003): Staging of non-small-cell lung cancer with integrated positron-emission tomography and computed tomography. N Engl J MED; 348:2500-7.

Latif F, Tory K, Modi WS, et al (1992): Molecular characterization of a large homozygous deletion in the small cell lung cancer cell line: A strategy for cloning the putative tumor suppressor gene. Genes Chromosomes Cancer; 5:119-127.

Lauren G, Christopher H, Robert P, et al (2007): Lung Cancer; Diagnosis and Management. Amer family phys; Vol.75 No.1:123-135.

Lee P, Kupeli E and Mehta AC (2002): Therapeutic bronchoscopy in lung cancer: Laser therapy, electrocautery, brachytherapy, stents, and photodynamic therapy. Clin Chest Med; 23:241-256.

- Leslie A and Litzky (2008):** The pathology of non-small cell lung carcinoma. In Fishman A, Elias J, Fishman J and Grippi M (Eds): Fishman's Pulmonary Diseases and Disorders 4th edition, New York McGraw-Hill; 1831-1849.
- Levy H, Kallenbach JM and Feldman C (1998):** Delayed pneumothorax after transbronchial lung biopsy. Thorax; 41:647-648.
- Li X & Hemminki K (2005):** Familial multiple primary lung cancers; a population-based analysis from Sweden. Lung Cancer; 47:301.
- Lillington GA (1991):** Management of solitary pulmonary nodules. Dis Mon. 37: 271-318.
- Litzky LA (1998):** The pathology of non-small cell lung carcinoma. In Fishman AP, Elias JA, Fishman JA, Grippi MA, Kaiser LR, Senior RM (Eds): Fishman's Pulmonary Diseases and Disorders 4th edition, New York McGraw-Hill. pp1741-1756.
- Lundgren R, Bligman F, Angstrom T (1983):** Comparison of transbronchial fine needle aspiration biopsy, aspiration of bronchial secretion, bronchial washing, brush biopsy and forceps biopsy in the diagnosis of lung cancer. Eur J Respir Dis; 64:378-385.
- Maiwand MO (2001):** Endobronchial cryosurgery. Chest Surg Clin N Am; 11:791-811.
- Mao L, Lee JS, Kurie JM, et al (1997):** Clonal genetic alterations in the lungs of current and former smokers. J Natl Cancer Inst; 89:857-862.
- Marcus P, Bergstralh E, Fagerstrom R, et al (2000):** Lung cancer mortality in Mayo Lung Project: Impact of extended follow up. J Natl Cancer Inst; 92:1308-1316.
- Marek W, Kotschy NL, Muti A, et al (2001):** Can semi-automated image cytometry on induced sputum become a screening tool for lung cancer? EUR Respir; 18:942-950.
- Mario Castro, Adalberto S. Rubin, Michel Laviolette, Jussara Massacesi C, Rocchi MB, Marcucci F, Pilone A, Galeazzi M and Bonsignori M (2003):** Serum tumor markers may precede instrumental response to chemotherapy in patients with metastatic cancer. Int J Biol Markers; 18:295-300.
- Masuda A & Takahashi T (2002):** Chromosome instability in human lung cancers: Possible underlying mechanisms and potential consequences in the pathogenesis. Oncogene; 21:6884-6897.

Matthay RA and Carter DC (1995): Lung Neoplasms In: George RB, Light RW, Matthay MA, Matthay RA (Eds): "Chest Medicine: Essentials of Pulmonary and Critical Care Medicine", pp: 393-418.

Mattson ME, Pollack ES & Cullen JW (1987): What are the odds that smoking will kill you? Am J Public Health; 77:425.

Mayse ML, Greenheck J, Friedman M and Kovitz KL (2004): Successful bronchoscopic balloon dilatation of nonmalignant tracheobronchial obstruction without fluoroscopy. Chest; 126(2): 634-637.

Mazzone P, Jain P, Arroliga AC, et al (2002): Bronchoscopy and needle biopsy techniques for diagnosis and staging of lung cancer. Clin Chest Med; 23: 137-58.

Mehta AC (1999): Utility of transbronchial needle aspiration in the diagnosis of endobronchial lesions. Chest; 115(5):1237–1241.

Merrill WW & Bondy PK (1982): production of biochemical marker substances by bronchogenic carcinomas. Clin Chest Med. 3: 307-320.

Michael A. Nead and David G.Morris (2008): Interstitial Lung Disease: A Clinical Overview and General Approach. In : Fishman A, Elias J, Fishman J and Grippi M (Eds): Fishman's Pulmonary Diseases and Disorders 4th edition, New York McGraw-Hill, pp: 1105-1125.

Midthun DE & Jett JR (1996): Clinical presentation of lung cancer. In Pass HI, Mitchell JB, Johnson DH, et al (Eds): Lung Cancer: Principles and Practice. Philadelphia: Lippincott-Raven, p 422.

Miller AB, Altenburg HP, Bueno-de-Mesquita B, et al (2004): Fruits and vegetables and lung cancer; Findings from the European Prospective Investigation into Cancer and Nutrition. Int J Cancer; 108:269.

Mills NE, Fishman CL, Scholes J, et al (1995): Detection of K-ras oncogene mutations in bronchoalveolar lavage fluid for lung cancer diagnosis. J Natl Cancer Inst; 87:1056-1060.

Minai D, Dasgupta A and Mehta A C (2000): Transbronchial needle aspiration. Respir Care Clin N Am.; 9(1):51-76.

Minna JD and Schiller JH (2008): Harrison's Principles of Internal Medicine (17th ed.). McGraw-Hill. pp. 551–562.

Mohan A, Guleria R, Mohan C and Sharma R (2004): Laser bronchoscopy- current status. J Assoc Physicians India; 52: 915-920.

Molina R, Filella X and Auge JM (2004): ProGRP; a new biomarker for small cell lung cancer. Clin Biochem.; 37:505-11.

Molina R, Filella X, Auge JM, Fuentes R, Bover I, Rifa J, Moreno V, Canals E, Vinolas N, Marquez A, Barreiro E, Borrás J & Viladiu P (2003): Tumor markers (CEA, CA 125, CYFRA 21-1, SCC and NSE) in patients with non-small cell lung cancer as an aid in histological diagnosis and prognosis. Comparison with the main clinical and pathological prognostic factors. Tumor Biol.; 24:209-18.

Moodie SA, Willumsen BM, Weber MJ and Wolfman A (1993): Complexes of Ras.GTP with Raf-1 and mitogen-activated protein kinase. Science; 260:1658-1661.

Morales C F, Patefield A J, Strollo P J and Schenck D A (1994): Flexible bronchoscopic needle aspiration in the diagnosis of sarcoidosis. Chest, 106: 706-711.

Mountain C F, Libshitz H I and Hermes K E (2003): A handbook for staging, imaging and lymph node classification.

Muley T, Dienemann H and Ebert W (2004): CYFRA 21-1 and CEA are independent prognostic factors in 153 operated stage I NSCLC patients. Anticancer Res.; 24:1953-6.

Nakayama M, Satoh H, Ishikawa H, Fujiwara M, Kamma H, Ohtsuka M and Sekizawa K (2003): Cytokeratin 19 fragment in patients with nonmalignant respiratory diseases. Chest; 123:2001-6.

National Institute for Clinical Excellence (NICE, 2005): Diagnosis and Management of Lung Cancer Guidelines.

Nazan K, Fevziye T, Ozlem E , Sulun E and Salih Z (2005): Effectiveness of TBNA in the diagnosis of exophytic and submucosal /Peribronchial diseases of the lung. Lung cancer; 221-226.

Newcomb PA and Carbone PP (1992): The health consequences of smoking: cancer. Med Clin North Am; 76:305.

Ni Niho S, Nishiwaki Y, Goto K, Ohmatsu H, Matsumoto T, Hojo F, Ohe Y, Kakinuma R and Kodama T (2000): Significance of serum pro-gastrin-releasing peptide as a predictor of relapse of small cell lung cancer: comparative evaluation with neuron-specific enolase and carcinoembryonic antigen. Lung Cancer; 27:159-67.

Nolop K, Rhodes C, Brudin L, et al (1987): Glucose utilization in vivo by human pulmonary neoplasms. Cancer; 60:2682-2689.

Noppen M, Poppe K, D'Haese J, et al (2004): Interventional bronchoscopy for treatment of tracheal obstruction secondary to benign or malignant thyroid disease. *Chest*; 125:723-730.

Nowak R (1994): Beta-carotene: Helpful or harmful? *Science*; 264:500.1.

O'Byrne KJ, Koukourakis MI, Giatromanolaki A, et al (2000): Vascular endothelial growth factor, platelet-derived endothelial cell growth factor and angiogenesis in non-small-cell lung cancer. *Br J Cancer*; 82:1427-1432.

Oda K, Arakawa H, Tanaka T, et al (2000): p53AIP1, a potential mediator of p53-dependent apoptosis, and its regulation by Ser-46-phosphorylated p53. *Cell*; 102:849-862.

Okusaka T, Eguchi K, Kasai T, Kurata T, Yamamoto N, Ohe Y, Tamura T, Shinkai T and Saijo N. (1997): Serum levels of pro-gastrin-releasing peptide for follow-up of patients with small cell lung cancer. *Clin Cancer Res.*; 3:123-7.

Palcic B, Garner DM, Beveridge J, et al (2002): Increase of sensitivity of sputum cytology using high-resolution image cytometry: field study results. *Cytometry*; 50:168-176.

Pastis NJ and silvestri GA (2004): Tissue procurement: Bronchoscopic techniques. In: Pass HI, Carbone DP, Johnson DH, et al (Eds). *Lung Cancer: Principles and Practice*, 3rd ed. Philadelphia: Lippincott Williams & Wilkins; in press.

Patelli M, Agli LL, Poletti V, Trisolini R, Cancellieri A, Lacava L, et al (2002): Role of fiberoptic Transbronchial needle aspiration in the staging of N2 disease due to non-small cell lung cancer. *Ann Thorac* ; (25):321-323.

Paul A (2006): Chronic Cough due to Lung Tumors: ACCP Evidence-Based Clinical Practice Guidelines: *Chest*: 129 (1):54.

Perk K, Hod I, Presentey B & Nobel TA (1971): Lung carcinoma of sheep. Histogenesis of the tumor. *J Natl Cancer Inst*; 47:197.

Peto R, Darby S, Deo H, et al (2000): Smoking, smoking cessation, and lung cancer in the UK since 1950: combination of national statistics with two case-control studies. *BMJ*; 321:323.

- Phillipos EZ and Libsekal K (1998):** Flexible bronchoscopy in the management of congenital lobar emphysema in the neonate. *Can Respir J*; 5:219-221.
- Pieterman RM, Van Putten JW, Meuzelaar JJ, et al (2000):** Preoperative staging of non-small-cell lung cancer with positron-emission tomography. *N Engl J Med*; 343:254-261.
- Pope RJ and Hansell DM (2003):** Extra-thoracic staging of lung cancer. *Eur J Radiol*; 45:31-38.
- Postmus P (1998):** Epidemiology of lung cancer. In Fishman A, Elias J, Fishman J and Grippi M (Eds): *Fishman's Pulmonary Diseases and Disorders 4th edition*, New York McGraw-Hill: pp.1707-1719.
- Prakash UBS (1997):** Prophylactic antibacterial therapy for bronchoscopy. Indications. *J. Bronchology*, 4:281.
- Prakash UBS (2005):** Bronchoscopy. In: Mason RJ, Broaddus VC, Murray JF, Nadel JA, (eds): *Murray and Nadel's textbook of Respiratory Medicine, 4th ed*. Philadelphia, Saunders, pp1617-1650.
- Prakash, UBS, Offord KP and Stubbs SE (1991):** Bronchoscopy in North America: the ACCP survey. *Chest*; 100(6): 1668-1675.
- Prindiville SA, Hirsch FR, Miller YE, et al (2001):** Fluorescence versus white light bronchoscopy for detection of preneoplastic lesions. *J Nat Cancer Inst* 19; 93 18):1385-91.
- Pujol JL, Molinier O, Ebert W, Daures JP, Barlesi F, Buccheri G, Paesmans M, Quoix E, Moro-Sibilot D, Szturmowicz M, Brechot JM, Muley T and Grenier J (2004):** CYFRA 21-1 is a prognostic determinant in non-small-cell lung cancer: results of a meta-analysis in 2063 patients. *Br J Cancer*; 90:2097-105.
- Puzo C, Castella J and Romero A (1996):** Bronchoscopic needle aspiration in the diagnosis of bronchial carcinoid. *Eur. Respir. J.*, 9 (23 Suppl.): 568.
- Quinn M, Babb P, Brock A, Kirby L and Jones J (2001):** Cancer trends in England and Wales 1950-1999. *Studies on medical and population subjects*, No. 66. London: The Stationary Office.

Rachwal WJ, Bongiorno PF, Orringer MB, et al (1995): Expression and activation of erbB-2 and epidermal growth factor receptor in lung adenocarcinomas. Br J Cancer; 72:56-64.

Rai CS, Bhattacharyya LC And Choudhary CR (2007): Flexible Bronchoscopy in the Evaluation of Mediastinal and Hilar Lymphadenopathy. MJAFI; 63: 26-28.

Rajamani S and Mehta A C (2001): Transbronchial needle aspiration of central and peripheral nodules. Monaldi Arch. Chest Dis., 56:5, 436-445.

Rickles FR and Edwards RL (1983): activation of blood coagulation in cancer .Blood; 66; 14.

Ried R and Rudd R (2001): Diagnostic investigations in lung cancer. EUR Respir Mon; 17:151-169.

Rivera M, Detterbeck F and Mehta AC (2003): Diagnosis of lung cancer: The guidelines. Chest; 123(1 Suppl):129S-136S.

Rivera MP & Mehta AC (2007): Initial Diagnosis of Lung Cancer ACCP Evidence- Based Clinical Practice Guidelines (2nd ED) Chest; 132:131s-148.

Robles AI, Bemmels NA, Foraker AB and Harris CC (2001): APAF-1 is a transcriptional target of p53 in DNA damage-induced apoptosis. Cancer Res; 61:6660-6664.

Robles AI, Linke SP, Harris CC (2002): The p53 network in lung carcinogenesis. Oncogene; 21:6898-6907.

Rusch V, Baselga J, Cordon-Cardo C, et al (1993): Differential expression of the epidermal growth factor receptor and its ligands in primary non-small cell lung cancers and adjacent benign lung. Cancer Res; 53:2379-2385.

Salathe M, Soler M, Bolliger CT, et al (1992):Transbronchial needle aspiration in routine fiberoptic bronchoscopy. Respiration; 59, 5-8.

Samet JM (1991): Health benefits of smoking cessation. Clin Chest Med; 12:669.

Samet JM, Humble CG and Pathak DR (1986): Personal and family history of respiratory disease and lung cancer risk. Am Rev Respir Dis; 134:466.

Sanchez De Cos J, Masa F, de la Cruz JL, Disdier C & Vergara C (1994): Squamous cell carcinoma antigen (SCC Ag) in the diagnosis and prognosis of lung cancer. *Chest*; 105:773-6.

Sanchez-Cespedes M, Parrella P, Esteller M, et al (2002): Inactivation of LKB1/STK11 is a common event in adenocarcinomas of the lung. *Cancer Res*; 62:3659-3662.

Sarafian TA, Magallanes JA, Shau H, et al (1999): Oxidative stress produced by marijuana smoke. An adverse effect enhanced by cannabinoids. *Am J Respir Cell Mol Biol*; 20:1286.

Scagliotti GV (2001): Symptoms, Signs and Staging of lung cancer. *EUR Respir Mon*; 17, 86-119.

Schalhorn A, Fuerst H & Stieber P (2001): Tumor markers in lung cancer. *J Lab Med*; 25:353-61.

Schlessinger J (2000): Cell signaling by receptor tyrosine kinases. *Cell*; 103:211-225.

Schmekel B, Hornblac Y, Hvatum M, Norlund AL and Venge P (1995): Kinetic retrieval of eosinophilic cationic protein, secretory IgA, albumin, and urea during BAL in healthy subjects. *Chest*; 108: 62-7.

Schneider J, Philipp M, Velcovsky HG, Morr H and Katz N (2003): Pro-gastrin-releasing peptide (ProGRP), neuron specific enolase (NSE), carcinoembryonic antigen (CEA) and cytokeratin 19-fragments (CYFRA 21-1) in patients with lung cancer in comparison to other lung diseases. *Anticancer Res*; 23:885-93.

Schulze A, Lehmann K, Jefferies HB, et al (2001): Analysis of the transcriptional program induced by Raf in epithelial cells. *Genes Dev*; 15:981-994.

Seaton A (2000): Bronchoscopy, Clinical Features of R.B.P: In: Seaton A., Seaton D., and Leitch GA. (editors) *Crofton and Douglas Respiratory Diseases (4th edition)*. Black well. Scientific Publications; Oxford, London. P.146-401.

Seijo LM & Stermann DH (2001): Interventional pulmonology. *N Engl J Med*; 344:740-749.

Seoane J, Pouponnot C, Staller P, et al (2001): TGF β influences Myc, Miz-1 and Smad to control the CDK inhibitor p15INK4b. *Nat Cell Biol*; 3:400-408.

Sharon lesser RN(2008) :Transbronchial needle aspiration :A bronchoscopy procedure that stands the test of time .Am J Respir Crit Care Med .;151:282-287.

Sheski FD and Mathur PN (2004): Endobronchial electrosurgery: Argon plasma coagulation and electrocautery. Semin Respir Crit Care Med; 25 (4): 367-374.

Shibuya K, Hoshino H, Chiyo M et al (2003): High magnification bronchovideoscopy combined with narrow band imaging could detect capillary loops of angiogenic squamous dysplasia in heavy smokers at high risk for lung cancer. Thorax; 58: 989-95.

Shinagawa N, Yamazaki K, Onodera Y, et al (2004): CT-guided transbronchial biopsy using an ultrathin bronchoscope with virtual bronchoscopic navigation. Chest; 125:1138-1143.

Shure D and Astarita R (1983): Bronchogenic carcinoma presenting as an endobronchial mass. Chest; 83:865-867.

Shure D and Fedullo PE (1984):The role of transcarinal needle aspiration in the routine staging of bronchogenic carcinoma. Chest 1984; 86:693-6.

Shure D and Fedullo PF (1985): Transbronchial needle aspiration in the diagnosis of submucosal and peribronchial bronchogenic carcinoma. Chest 1985; 88, 49-51.

Siddiqui MT, Saboorian MH, Gokaslan ST, et al (2001):The utility of transbronchial (Wang) fine needle aspiration in lung cancer diagnosis. Cytopathology; 12, 7-14.

Sidransky D (1997): Nucleic acid-based methods for the detection of cancer. Science; 278:1054-1059.

Silvestri GA, Tanoue LT, Mitchell L, et al (2003): The Non-invasive Staging of Non-Small Cell Lung Cancer. Chest; 123:147s-156s.

Simoff MJ (2001): Endobronchial management of advanced lung cancer. Cancer Control; 8:337.

Slichenmyer WJ & Fry DW (2001): Anticancer therapy targeting the erbB family of receptor tyrosine kinases. Semin Oncol; 28:67-79.

Smith LE, Denissenko MF, Bennett WP, et al (2000): Targeting of lung cancer mutational hotspots by polycyclic aromatic hydrocarbons. J Natl Cancer Inst; 92:803.

Smith RA, Cokkinides V & Eyre HJ (2003): American Cancer Society guidelines for early detection of cancer. CA Cancer J Clin; 53:27-43.

- Sone S, Li F, Yang ZG, et al (2000):** Characteristics of small lung cancers invisible on conventional chest radiography and detected by population based screening using spiral CT. *Br J Radiology*; 73:137-145.
- Spira A and Ettinger DS (2004):** Multidisciplinary management of lung cancer. *N Engl J Med*; 350:379-92.
- Sridhar KS, Lobo CF and Altman RD (1998):** Digital clubbing and lung cancer. *Chest* 114: 1535-1537.
- Staller P, Peukert K, Kiermaier A, et al (2001):** Repression of p15INK4b expression by Myc through association with Miz-1. *Nat Cell Biol*; 3:392-399.
- Stie Stieber P and Yamaguchi K (2002):** ProGRP enables diagnosis of small-cell lung cancer. In: Diamandis EP, Frische HA, Lilja H, Chan DW, Schwartz MK (Eds): *Tumor markers; physiology, pathobiology, technology, and clinical applications*. 1st edition, Washington DC, p: 517-21.
- Stupp R, Monnerat C, Turrisi AT 3rd, Perry MC & Leyvraz S (2004):** Small cell lung cancer: state of the art and future perspectives. *Lung Cancer*; 45:105-17.
- Sunaga N, Tsuchiya S, Minato K, Watanabe S, Fueki N, Hoshino H, Makimoto T, Ishihara S, Saito R & Mori M. (1999):** Serum pro-gastrin-releasing peptide is a useful marker for treatment monitoring and survival in small-cell lung cancer. *Oncology*; 57:143-8. *Surg*; 73(2):407-411.
- Suzuki K and Yokose T (2000):** Prognostic significance of the size of the central fibrosis in peripheral adenocarcinoma of the lung. *Ann Thorac Surg* 960: 893-897.
- Swanson KL, Prakash UBS, Midthun DE, et al (2002):** Flexible bronchoscopic management of airway foreign bodies in children. *Chest*; 121:1695-1700.
- Swensen S, Jett J, Hartman T, et al (2003):** Lung cancer screening with CT; Mayo Clinic experience. *Radiology*; 226:756-761.
- Takahashi T, Nau MM, Chiba I, et al (1989):** p53; a frequent target for genetic abnormalities in lung cancer. *Science*; 246:491-494.
- Takashi Takahashi & David Sidransky (2005):** biology of lung cancer. In: Murray & Nadel's *Textbook of Respiratory Medicine*, 4th ed., Ch: 42.

- Takeuchi S, Nonaka M, Kadokura M and Takaba T. (2003):** Prognostic significance of serum squamous cell carcinoma antigen in surgically treated lung cancer. *Ann Thorac Cardiovasc Surg.*; 9:98-104.
- Tape TG, Blnak LL and Wigton RS (1995):** Procedural skills of practicing pulmonologists :a national survey of 1,000 members of the American college of physicians .*Am J Resp Crit Care Med* ;151:282-287.
- Thida Win,susan Stewart,Ashley M et al (2003):**The role of transbronchial needle aspiration in the diagnosis of bronchogenic carcinoma .*Respir Care*;48(6):602-605.
- Thomas R. Gildea, Peter J. Mazzone, Demet Karnak, Moulay Meziane, and Atul C. Mehta, (2006):** Electromagnetic Navigation Diagnostic Bronchoscopy.*Am J Respir Crit Care Med* Vol 174. pp 982–989.
- Thun MJ, Hannan LM, Adams-Campbell LL, et al (2008):** "Lung Cancer Occurrence in Never-Smokers: An Analysis of 13 Cohorts and 22 Cancer Registry Studies". *PLoS Medicine* 5 (9): e185.doi:10.1371/journal.pmed.
- Thunnissen (2003):** Sputum examination for early detection of lung cancer *Clin Pathol*; 56(11): 805-810.
- Toloza EM, Harpole L, Detterbeck F, McCrory DC (2003):** Invasive
- Travis WD, Brambilla E, Muller-Hermelink HK, et al (2004):** Tumors of the lung, In: Travis WD, Brambilla E, Muller-Hermelink HK, et al (Eds): *Pathology and Genetics of Tumors of the Lung, Pleura, Thymus and Heart*. WHO Health Organization Classification of Tumors, vol 10. Lyon, France, IARC Press; p 10.
- Travis WD, Colby TV, Corrin B, et al (1999):** WHO Histological Classification of Tumors. Histological typing of lung and pleural tumors. 3rd ed. Berlin, Springer-Verlag, Germany; p234.
- Tsushima K, Koizumi T, Tanabe T, Nakagawa R, Yoshikawa S, Yasuo M and Kubo K (2007):** Bronchoscopy-guided radiofrequency ablation as a potential novel therapeutic tool *Eur Respir J*; 29: 1193–1200.

Utz J P, Patel A M and Edell E S (1993): The role of transcarinal needle aspiration in the staging of bronchogenic carcinoma. *Chest*, 104:1012-1016.

Vaaler AK, Forrester JM, Lesar M, et al (1997): Obstructive atelectasis in patients with small cell lung cancer: incidence and response to treatment. *Chest*; 111:115-120.

Vachani A, Seijo L, Unger M and Sterman D (2008): Bronchoscopy, transthoracic needle aspiration and related procedures. In Fishman A, Elias J, Fishman J and Grippi M (Eds): *Fishman's Pulmonary Diseases and Disorders*, 4th edition, New York MC Graw Hill, vol: I, part: III, ch: 36; 629-648.

Vaporciyan AA, Nesbitt JC, Lee JS, Stevens C, Komaki R and Roth JA (2000): Cancer of the lung. In: *Cancer Medicine*. 5th ed. Lewiston, N.Y.: Decker.

Vassilakopoulos T, Troupis T, Sotiropoulou C, Zacharatos P, Katsaounou P, Parthenis D, Noussia O, Troupis G, Papiris S, Kittas C, Roussos C, Zakynthinos S and Gorgoulis V(2001): Diagnostic and prognostic significance of squamous cell carcinoma antigen in non-small cell lung cancer. *Lung cancer*.32 (2):137-44.

Venot C, Maratrat M, Dureuil C, et al (1998): The requirement for the p53 proline-rich functional domain for mediation of apoptosis is correlated with specific PIG3 gene transactivation and with transcriptional repression. *EMBO J*; 17:4668-4679.

Vollmer RT, Govindan R, Graziano SL, Gamble G, Garst J, Kelley MJ & Christenson RH (2003): Serum CYFRA 21-1 in advanced stage non-small cell lung cancer: an early measure of response. *Clin Cancer Res*; 9:1728-33.

Vonlanthen S, Heighway J, Altermatt HJ, et al (2001): The bmi-1 oncoprotein is differentially expressed in non-small cell lung cancer and correlates with INK4A-ARF locus expression. *Br J Cancer*; 84:1372-1376.

Wahl RI, Hitchins GD, Buchsbaum DJ, et al (1991): 18F-2-deoxy-2-fluoro-d-glucose uptake into human tumor xenografts: Feasibility studies for cancer imaging with positron-emission tomography. *Cancer*; 67:1544-1550.

- Wang K P, Gonullu V and Baker R (1994):** Transbronchial needle aspiration versus transthoracic needle aspiration in the diagnosis of peripheral pulmonary lesions. *J. Bronchol.*, 1:199-204.
- Wang K P, Haponik E F, Britt E J, Khouri N and Erozan Y (1984):** Transbronchial needle aspiration of peripheral pulmonary nodules. *Chest*, 86:819-823.
- Wang Kp (1994):** Staging of bronchogenic carcinoma by bronchoscopy. *Chest* 1994; 106:588-93.
- Wang KP, Terry PB (1983):** Transbronchial needle aspiration in the diagnosis and staging of bronchogenic carcinoma. *Am Rev Respir Dis* 1983; 127:344-7.
- Wang KP, Turner JF and Mehta AC (2004):** Flexible Bronchoscopy. 2nd ed. Oxford: Blackwell Publishers.
- Washington DC (1990):** Smoking-related deaths and financial costs: estimates for 1990. Rev. ed, Office of Technology Assessment.
- Webb WR, Gatsonis C, Zerhouni EA, et al (1991):** CT and MR imaging in staging non-small cell bronchogenic carcinoma: report of the Radiologic Diagnostic Oncology Group. *Radiology* 178(3): 705-713.19.
- Weiss W (1999):** Asbestosis, A marker for the increased risk of lung cancer among workers exposed to asbestos. *Chest*; 115:536.
- WHO (2004):** "Deaths by cause, sex and mortality stratum". World Health Organization.
- WHO (2006):** "Cancer". World Health Organization.
- Wingo PA, Ries LG, Giovino GA, et al (1999):** Annual report to the nation on the status of cancer, 1973-1996, with a special section on lung cancer and tobacco smoking. *J Natl Cancer Inst*; 91:675.
- Wistuba II, Behrens C, Virmani AK, et al (2000):** High resolution chromosome 3p allelotyping of human lung cancer and preneoplastic/preinvasive bronchial epithelium reveals multiple discontinuous sites of 3p allele loss and three regions of frequent breakpoints. *Cancer Res*; 60:1949-1960.
- Wood DE, McKenna RJ Jr, Yusen RD, et al (2007):** A multicenter trial of an intrabronchial valve for treatment of severe emphysema. *J Thorac Cardiovasc Surg*; 133:65-73.

- Woodson K, Tangrea JA, Barrett MJ, et al (1999):** Serum alpha-tocopherol and subsequent risk of lung cancer among male smokers. *J Natl Cancer Inst*; 91:1738.
- Woolner L (1983):** Pathology of cancer detected cytologically. In: *Atlas of Early Lung Cancer*, National Cancer Institute, NIH, United States Department of Health and Human Services. Tokyo: Igaku-Shoin, pp. 107-203.
- WoWood DE, Liu YH, Vallieres E, et al (2003):** Airway stenting for malignant and benign tracheobronchial stenosis. *Ann Thorac Surg* 76:167–172.
- Yamaguchi T, Matsuda K, Sagiya Y, et al (2001):** p53R2-dependent pathway for DNA synthesis in a p53-regulated cell cycle checkpoint. *Cancer Res*; 61:8256-8262.
- Yeh JJ, Liu FY, Hsu WH, Wang JJ, Ho ST & Kao A (2002):** Monitoring cytokeratin fragment (CYFRA 21-1) serum levels for early prediction of recurrence of adenocarcinoma and squamous cell carcinoma in the lung after surgical resection. *Lung*; 180:273-9.
- Yesner R (1993):** Pathogenesis and pathology of lung cancer. *Clin Chest Med*. 14: 17-30.
- Yu J, Zhang L, Hwang PM, et al (2001):** PUMA induces the rapid apoptosis of colorectal cancer cells. *Mol Cell*; 7:673-682.
- Yuan A, Yu CJ, Chen WJ, et al (2000):** Correlation of total VEGF mRNA and protein expression with histologic type, tumor angiogenesis, patient survival and timing of relapse in non-small-cell lung cancer. *Int J Cancer*; 89:475-483.
- Zawadzka-Glos L, Chmielik M, Gabryszewska A and Zajac B (2003):** Analysis of indications for bronchoscopy in the department of pediatric otolaryngology in Warsaw, from 1998-2003. *New Med*; 6 (2): 4-11.