

## REFERENCES

1. **Abd El-Samad, A.A.W. (1995):** Dyschromias of the nails, Essay submitted for partial fulfillment of master degree in Dermatology and Venereology. Cairo University. Supervised by Soliman, M.M. and Saleh, N. pp. 6,8, 11.
2. **Admas R.M. (1983):** Occupational skin diseases. Adams, R.M. (ed.), 2<sup>ed</sup> edn. Grune and Strahon, New York, London. pp. 1, 110, 136.
3. **Adams, R.M. and Maiback, H. (1985):** A five-year study of cosmetic reactions. J. Am. Acad. Dermatol., 13: 1062.
4. **Agrup, G. (1968):** Sensitization induced by patch testing. Br. J. Dermatol., 80: 631.
5. **Ahmed, I.; Cronk, J.S.; Crutchfield C.E. III and Dahl, M.V. (2000):** Myeloma- associated systemic amyloidosis presenting as chronic paronychia and palmodigital erythematous swelling and induration of the hands. J. Am. Acad. Dermatol., 42: 339-342.
6. **Al- Mazeedi, K.M. (1994):** Value of patch testing, Essay for partial fulfillment of M.Sc. Degree in Dermatology and Venereology. Cairo University. Supervised by Moussa, A.M. and Mostafa, W.Z. pp. 9, 94, 115.
7. **Albert, M.R.; Gonzalesz, S. and Gonzale, Z.E. (1998):** Patch testing reactions to a standard series in 608 patients tested from 1990 to 1997 at masachusetts general hospital. Am. J. Cont. Derm., 9 (4): 207-211.
8. **Arndt, K.A. (1983):** Skin disorders In: Occupation health recognizing and preventing work related disease. Levy, B.S. and Wegman, D.H. (eds). Boston, Toronto, pp. 293.
9. **Bailey, W.R. and Scott, E.G. (1974):** Diagnostic Microbiology. A text book for the isolation and identification of pathogenic microorganisms. 4<sup>th</sup> edn. C.V. Mosby Company. pp. 127 – 130.

10. **Barlow, A.J.; Chatlaway, F.W.; Holgate M.C. and Aldersley, T. (1970):** Chronic paronychia. *Br. J. Dermatol.*, 82: 448-453. Quoted from Tosti et al., 2002.
11. **Barrett, B.K. and Hayes, Y. (1985):** A comparison of phospholipase activity, Cellular adherence and pathogenecity of yeasts. *J. Gene. Microbiol.*, 131: 1217.
12. **Bauer, M.F. Cohen, B.A. (1957):** The role of *Pseudomonas aeruginosa* infections about the nails. *Arch. Dermatol.* 75: 394-396. Quoted from de Berker et al., 2004.
13. **Belsito, D.V. (2004):** Patch testing with standard allergen (Screening tray): rewards and risk. *Dermatologic therapy*, 17 (3): 231
14. **Birmingham, D.J. (1991):** Occupational dermatoses. In: *Patty's Industrial Hygiene and Toxicology-* Clayton, L.G. (ed.) 4<sup>th</sup> edn. Sons, New York, Birbaue. PP. 253.
15. **Blake, J. and George, S. (1987):** Mycological infections, In: *Dermatology in General Medicine*, Thomas, B. and Arthur, Z. (eds.) 3<sup>rd</sup> edn. McGraw-Hill Company, New York, pp. 2229.
16. **Brook, I. (1993):** Paronychia: a mixed infection. *Microbiology and Management. Br. J. Hand Surg.* 18: 358-359.
17. **Calderone, R.A. (1993):** Recognition between *Candida albicans* and host cells. *Trends Microbiol*, 1: 55.
18. **Calderone, R.A. and Braun, P.C. (1991):** Adherence and receptor relationships in *Candida albicans*. *Microbiol. Rev.*, 55: 1.
19. **Calnan, C.D. (1979):** Techniques of patch tests. In: *Investigative Techniques in Dermatology*. Marks, R. (ed.) Black well Scientific publications, London. pp. 36.
20. **Calnan, C.D. (1982):** The use and abuse of patch tests In: *Occupational and Industrial Dermatology*. Maiback, H.I. and Gellin, G.A. (eds). Year book medical publishers, London. pp. 35.
21. **Cameli, N.; Ortonne, J.P.; Picardo, M. and Peluso, A.M. (1998):** Distribution of Merkel cells in adult human nail matrix. *Br. J. Dermatol.*, 139: 534-562.

22. **Campbell, M.J. and Machin, D. (1993):** Medical statistics. A common sense approach, 2<sup>ed</sup> edn. New York Jonon Wiley and Sons, Toronto.
23. **Canales, F.L.; Newmeyer, W.L. 3rd, and Kilgore, E.S. (1989):** The treatment of felons and paronychias. *Hand Clin.*, 5: 515-523.
24. **Chow, E. and Goh, C.L. (1991):** Epidemiology of chronic paronychia in a skin hospital in Singapore. *Int. J. Dermatol.*, 30 (11): 765-768.
25. **Christensen, O.B. and Wall, L.M. (1987):** Open, closed and intradermal testing. in nickel allergy. *Cont. Derm.*, 16: 21.
26. **Cohen, P.R. (1996):** The Lunula J. *Am. Acad. Dermatol.*, 34 (6): 943.
27. **Cronin, E. (1980):** Contact Dermatitis. 1<sup>st</sup> edn., Churchill living stone, London, New York, pp. 1, 20, 279.
28. **Cronin, E. (1992):** Final diagnosis in patients referred for patch testing. *Cont. Derm.*, 27: 77.
29. **Daniel, C.R. III.; Daniel, M.P.; Daniel, J.; Sullivan, S. and Bell, F.E. (2004):** Management simple chronic paronychia and onychomycosis with ciclopirox. 0.77% and an irritant avoidance regimen. *Cutis*, 73 (1): 81-85.
30. **Daniel, C.R. III; Daniel, M.P. and Beu, F. E. (2003):** Controversy: the role of yeasts in chronic paronychia: *Dermatology online Journal*, 9 (1): 17.
31. **Daniel, C.R. III; Daniel, M.P.; Daniel, C.M.; Suillivans, S. and Ellis, G. (1996):** Chronic paronychia and onychomycosis: a thirteen- year experience. *Cutis*, 58: 397-401.
32. **Daniel, C.R. III; Gupta, A.K. and Daniel, M.P. (1998):** Candida infection of the nail: role of Candida as a primary or secondary pathogen. *Int. J. Dermatol.*, 37: 904-907.
33. **Dawber, R.P.R. (1980):** The ultrastructure and growth of human nails. *Arch. Dermatol. Res.*, 9 : 269-297.

34. **Dawber, R.P.R.; de Berker, D and Baran, R. (1994):** Science of the nail. apparatus. In: Diseases of the Nails and their Management. Baran, R. and Dawber, R.P.R. (eds). 2<sup>ed</sup> edn. Oxford: Blackwell scientific Publications. pp. 1-34.
35. **De Raeve, L.; Willemsen, M. and De Coninck, A. (1986):** Paronychia and the formation of granulation tissue during isotretinoin therapy. *Dermatologica*, 172 (5): 278-280.
36. **déBerker, D.A.R.; Baran, R. and Dawber, R.P.R. (2004):** Disorders of Nails in: Rook's text book of Dermatology. Burns, T.; Breathnack, S.; Cox, N. and Grriffiths, C. (eds). 7<sup>th</sup> edn. Blackwell Scientific publications, Turin. pp. 23, 24, 62.
37. **Diaz, A.A.; Boehm, A.F. and Rowe, W.F. (1990):** Comparison of fingernail ridge patterns of monozygotic twins. *J. Foren. Sci.*, 35: 97-102.
38. **Digby, (1645):** Quoted from Al-Mazeedi K.M. (1994).
39. **Ditre, C.M. and Howe, N.R. (1992):** Surgical anatomy of the nail unit. *J. Dermatol. Surg. Oncol.*, 18 (8): 665-671.
40. **Eaglstain, W.H. and Pariser, D.M. (1978):** Patch testing in office techniques for diagnosing skin disease. Year book medical publishers. Chicago, London, pp. 29.
41. **El-Refaae, A.M. (1995):** Patch test, immunological and ultrastructural studies in contact dermatitis. Thesis submitted for partial fulfillment of the M.D. degree in Dermatology and Venereology. Benha University. Supervised by Kamel, M.M.; Mabrouk, Sh. H.; Farag, A.M. and El-Taweel, A.A. pp. 68, 85.
42. **El-Shiemy, S.; Farid, M.; Sallaam, T. and Azmy, N. (1982):** Neutrophil function in acrodermatitis enteropathica Egypt. *J. Dermatol. and Venereol.*, 2: 19.
43. **Emmons, C.W.; Binford, C.H.; Utz, D. P. and Kwonchung, K.J. (1977):** Medical Mycology. 3<sup>rd</sup> edn. Lea and fabrigen. pp. 232-235.

44. **Engineer, L.; Norton, L.A. and Ahmed, A.R. (2000):** Nail involvement in pemphigus vulgaris. *J. Am. Acad. Dermatol.*, 43 (3): 529-535.
  45. **Fischer, A.A. (1986):** Contact dermatitis. 3<sup>rd</sup> edn. Lea and Fabrigen, Philadelphia, pp: 495, 499.
  46. **Fischer, T. and Kihlman, I. (1989):** Patch testing technique. *J. Am. Acad. Dermatol.*, 21: 830-832.
  47. **Fischer, T. I. and Maibach, H.I. (1989):** Easier patch testing with TRUE test *J. Am. Acad. Dermatol.*, 20 (3): 447-453.
  48. **Fischer, T. and Rystedt, I. (1982):** Case of contact sensitivity to aluminum *Cont. Derm.*, 8: 343.
  49. **Fischer, T. and Rystedt, I (1985):** False positive, follicular and irritant patch test reaction to metal salts. *Cont. Derm.*, 12: 93.
  50. **Fischer, T.; Kreilgard, B. and Maibach, H.I. (2001):** The true value of the TRUE test for allergic contact dermatitis. *Curr. Allergy and Asthma reports*, 1 (4): 316-322.
  51. **Fischer, T.I. and Maibach, H.I. (1985):** The thin layer rapid use epicutaneous test (TRUE- test), a new patch test method with high accuracy. *Br. J. Dermatol.*, 112:63-68.
  52. **Fisher, A.A. (1986):** Contact dermatitis. 3<sup>rd</sup> edn. Lea and Febiger, Philadelphia. pp: 9: 495.
  53. **Fisher, J.F. and Cook, N.B. (1998):** Yeast and yeast – like organisms. In: *Fundamentals of Diagnostic Mycology*, 1<sup>st</sup> ed. W.B. Saunders, Philadelphia. pp. 196-230.
  54. **Flahaut, M.; Sangland, D.; Monod, M.; Bille, J. and Rossier, M. (1998):** Rapid detection of *Candida albicans* in clinical samples by DNA amplifications of common regions from *Candida albicans* secreted aspartic proteinase genes. *J. Clin. Microbiol.*, 36: 395-401.
  55. **Fleckman, L. (1985):** Anatomy and physiology of the nail. *Dermatol. Clin.*, 3: 373-381.
-

56. **Fleckman, P. (1990):** Basic science of the nail unit. In: Nails : Therapy, Diagnosis, Surgery. Scher, R.K. and Daniel, C.R. III (eds). Philadelphia. W.B., Saunders, pp. 36-51.
57. **Fotos, P.G. and Lilly, J.P. (1996):** Clinical management of oral and perioral candidosis. *Dermatologic Clinics*, 14: 27.
58. **Fregert, S. and Bandmann, H.J. (1975):** Patch Testing. Fregert, S. and Bandmann, H.J. (eds). New York, pp. 9, 13, 17.
59. **Goh, C.L. (1992):** Comparative study of TRUE test and Finn chamber patch test techniques in singapore. *Cont. Derm.*, 27 (2): 84-89.
60. **Gracia, G.M.J.; Amado, M.L.E. and Rodriguez, A.F. (2001):** Paronychia in patients infected with HIV treated with indinavir. *Rev. Clin. Esp.*, 201 (8): 455-458.
61. **Hay, R.J. (1996):** Yeast infections. *Dermatologic Clinics*, 14: 113.
62. **Hay, R.J. and Moore M.K. (2004):** Mycology In: Rook's text book of Dermatology. Burns T., Breathnach. S.; Cox, N. and Grriffiths, C. (eds.) 7<sup>th</sup> edn. Blackwell Scientific Publications, London. pp. 72.
63. **Hazen, K.C. (1989):** Participation of yeast cell hydrophobicity in adherence of *Candida albicans* to human epithelial cells. *Infections and Immunity*, 57: 1894.
64. **Hindson, C. (1985):** Investigation of industrial dermatitis In: Essentials of Industrial Dermatology. Griffiths, W.A. and Wilkinson, D.S., (eds). Black well scientific publications, Oxford, London, Edinburgh, pp. 24.
65. **Hindson, C. (1988):** Contact allergy to self adhesive dressings. *Lancet*, 28: 1224.
66. **Hjorth, N. (1982):** Diagnostic patch testing In: Dermatotoxicology. Marzulli, F.N. and Maiback, H.I. (eds). Washington, New York, pp. 267.
67. **Hjorth, N. and Roed-Petersen, J. (1976):** Occupational protein contact dermatitis in food handlers. *Cont. Derm.*, 2: 28-92. Quoted from Tosti et al., 1992.

68. **Hjorth, W. and Fregert, S. (1979):** Contact dermatitis, In: text book of Dermatology. Rood, A.; Wilkinson, D.S. and Ebling, F.J.G. (eds). 3<sup>rd</sup> edn. Blackwell scientific publications. Oxford, London. pp. 363.
69. **Hochman, L.G. (1995):** Paronychia: More than Just an abscess. *Int. J. Dermatol.*, 34: 385- 386.
70. **Jadassohn, J. (1895):** Quoted from Occupational Diseases of the Skin. Schwartz, L., Tulipan, L. and Birminaham, D.J. (eds). 3<sup>rd</sup> edn. Lea and Febiger, philadelphia pp: 26.
71. **Jautova, J.; Viragova, S.; Ordrasovic, M. and Holoda, E. (2001):** Incidence of Candida species isolated from human skin and nails. *Folia. Microbiol.*, 46: 333-337.
72. **Jebson, P.J., (1998):** Infections of the finger tip. Paronychias and felons. *Hand Clin.*, 14: 547-555.
73. **Joel, D. (1992):** Infection associated with bone marrow transplantation. In : Infectious Diseases. Sherwood, L.; John, J.; and Neil, B. (eds). W.B. Saunders Company, Philadelphia, London, Toronto, p. 1047.
74. **Joklik, W.K., Willett, H.P. and Amos, D.B. (1992):** Principles of fungal diseases: In: Zinsser Microbiology. Joklik, W.K. and Willet, H.P. (eds) 20<sup>th</sup> edn. Prentice- Hall International Inc. pp. 1081-1090.
75. **Jonker, M.J. and Bruynzeel, D.P. (2000):** The outcome of an additional patch-test reading on days 6 or 7 . *Cont. Derm.*, 42: 330-335.
76. **Joseph, J. (1896):** Quoted from Al-Mazeedi, K.M. (1994).
77. **Kalo, A.E. Segal, E.S. and Dyan, S. (1988):** Interaction of candida albicans with genital mucosal surfaces: Involvement of fibronectin in adherence. *J. Infect. Dis.*, 157: 1253.
78. **Kanerva, L. (2000):** Occupational protein contact dermatitis and paronychia from natural rubber latex. *J. Eur. Acad. Dermatol. Venereol.*, 14: 509.
79. **Kanerva, L., Estlander, T. and Jolandki, R. (1988):** Sensitization to patch test acrylates. *Cont. Derm.*, 18: 10-15.

80. **Kaufman, R.H. (1986):** Vulvovaginal Candidiasis. *J. Reprod. Med.*, 31: 639.
81. **Kenneth, J. (1994):** Candida, Aspergillus and other opportunistic fungi In: Sherris Medical Microbiology. James, J.C. (ed.). prentic Hall International: London, sydney, Toronto, pp. 591.
82. **Keyser, J.J. and Eaton, R.G. (1976):** Surgical cure of chronic paronychia by epionychial marsupilization. *J. Plast. Reconstr. Surg.*, 58 (1): 66-70.
83. **Kim, B.S.; Song, K.Y.; Youn, J.I. and Chung, J.H. (1996):** Paronychia a manifestation of pemphigus vulgaris. *Clin. Exp. Dermatol.*, 4: 315-317.
84. **Kitahara, T. and Ogawa, H. (1993):** Coexpression of keratins characteristic of skin and hair differentiation in nail cells. *J. Invest. Dermatol.*, 100:171-175.
85. **Koneman, E.W.; Allen, S.D. and Janda W.M. (1997):** Mycology. In: Color Atlas and Textbook of Diagnostic Microbiology. Koneman, E.W.; Allen, S.D. and Janda W.M., (eds.) 5<sup>th</sup> edn. Lippincott Company. Philadelphia. pp 983-1069.
86. **Kreiligard, B. and Hansen, J. (1989):** Aspects of pharmaceutical and chemical standardization of patch test materials. *J. Am. Acad. Dermatol.*, 21 (4 pt. 2): 836-838.
87. **Krogh, G. and Maibach, H.F. (1981):** The contact urticaria syndrome. *J. Am. Acad. Dermatol.*, 5: 328.
88. **Kuschner, S.H. and Lane, C.S. (1997):** Squamous cell carcinoma of the perionychium. *Bull. Hosp. Dis.*, 56 (2): 111-112.
89. **Larsen, W. and Maibach, H.L. (1985):** Dermatitis and Eczema. In: Dermatology. Moschella, S.L.; Pillsbury, D. and Hurley, H. (eds). 2<sup>ed</sup> edn. W.B. Saunders Comp. Philadelphia, London, Toronto. pp: 289.
90. **Lee, S.; Hendrickson, M.F. and Vidimos, A. (2002):** Paronychia, [www. e. medicine. Com/derm/topic 798htm](http://www.e.medicine.Com/derm/topic798.htm).
91. **Lopez- Ribot, J.L. and Chaffin, W.L., (1994):** Binding of the extra cellular matrix component entactin to Candida albicans. *Infections and Immunity*, 62: 4564.

92. **Lovett, J.E.; Haines, T.A. and Bentz, M.L. (1995):** Subungual keratoacanthoma masquerading as a chronic paronychia. *Ann. Plast. Surg.*, 34 (1): 84-87.
93. **Lweis B.L. (1954):** Microscopic studies of fetal and mature nail and surrounding soft tissue *Arch. Dermatol.*, 70: 732-744. Quoted from tosti and Piraccini. 2003.
94. **Maibach, H. (1976):** Immediate hypersensitivity in hand dermatitis *Arch. Dermatol.*, 112: 1289-1291.
95. **Maiback, H.; Fregert, S. and Magnusson, B. (1982):** Quantification of the excited skin syndrome the 'angry back'. *Cont. Derm.*, 8: 78.
96. **Maiback, H.I., and Kligman, A.M. (1962):** The biology of experimental human cutaneous moniliasis. *Arch. Dermatol.*, 85: 233-255.
97. **Marks, J.G., Westhein, A., and Snipes, W. (1987):** P.A. patch – a new patch testing device. *J. Am. Acad. Dermatol.*, 16 (5): 961.
98. **Mathias, C.G. and Maiback, H.I. (1979):** When to read the patch test. *Int. J. Dermatol.*, 18: 127- 128.
99. **Milne, L.J. (1996):** Fungi: In *Practical Medical Microbiology*. Collee, J.G., Marmion, B.P.; Fraser, A.G. and Simmons, A. (eds). 14<sup>th</sup> edn. Churchill, living stone, New York. pp. 675.
100. **Moll, I.; Hartschub, W. and Moll, R. (1995):** First international merkel cells. *J. Invest. Dermatol.*, 105: 851-853.
101. **Monod, M.; Baudraz- Rosselet, F., Ramelet, A. and Frenk, E. (1989):** Direct mycological examination in dermatology: a comparison of different methods. *Dermatologica*, 179: 183-186.
102. **Morace, O.; Pagano, L.; Sangurinet, M. and Posteraro, B. (1999):** PCR- restriction enzyme analysis. For detection of *Candida* DNA in blood from Febrile patients with hematological malignancies. *J. Clin. Microbiol.*, 37: 1871-1875.

103. **Moschella, S.L. and Hurley, J. (1993):** Allergic contact dermatitis  
In: *Dermatology*. Moschella, S.L.; Phillipsborrry, D.M. and  
Hurlpy, J. (eds) 3<sup>rd</sup> edn. Saunders Campany Philadelphia.  
pp. 407.
104. **Muniz, A.E. and Evans, T. (2000):** Chronic paronychia,  
osteomyelitis, and paravertebral abscess in a child with  
blastomycosis. *J. Emerg. Med.*, 19 (3): 245-248.
105. **Nethercott, J.R. and Holness, D.L., (1999):** Occupational  
dermatitis in food handlers and bakers. *J. Am. Acad.  
Dermatol.*, 21: 485-90.
106. **Odds, F.C. (1988):** *Candida and Candidosis*, 2<sup>ed</sup> edn. London,  
Bailliere, Tindall. pp. 124.
107. **Odds, F.C. (1994):** Pathogenesis of *Candida* infections. *J. Am.  
Acad. Dermatol.*, 31: 2.
108. **Paul, D.H. and Michael, G.R. (1989):** Candidosis. In: *Infectious  
Diseases*. Charles, M. and Pelios, P. (eds) 4<sup>th</sup> edn.  
Lippincott, Company, Philadelphia, London, Sydney, pp.  
465.
109. **Perrin, C.H.; Michiel, J.F.; Pisani, A. and Ortonne, J.P. (1997):**  
Anatomic distribution of melanocytes in normal nail unit.  
*Am. J. Dermatopathol.*, 19: 462.
110. **Persi, M.A.; Burnham, J.C. and Duhring, J.L. (1985):** Effect of  
carbon dioxide and pH on adhesion of *candida albicans* to  
vaginal epithelial cells. *infection and immunity*, 50- 82.
111. **Picardo, M.; Tosti, A.; Marchese, C. and Zompetta, C. (1994):**  
Characteristic of cultured nail matrix cells. *J. Am. Acad,  
Dermatol.*, 30: 939-40.
112. **Piraccini, B.M. (2003):** Controversy: The role of yeasts in chronic  
paronychia. *Dermatology Online Journal* (1): 1-4.
113. **Pollock, B. and Wilkinson, S.M. (2001):** Photopatch test method:  
influence of type of irradiation and value of day-7 reading:  
*Cont. Derm.*, 44: 270-272.
114. **Proctor, A.C. (1984):** Mycological methods. In: *Microbiological  
methods*. Collins, C.H. and Partricacaia, M.L. (eds). 5<sup>th</sup> edn.  
Butter worths, London. Sydney. pp. 114.

115. *Prue, C.; Martinson, M.E., Mcanally, P.M., and Stagner, W.C. (1998):* Postmarketing survey results of T.R.U.E. test, a new allergen patch test. *Am. J. Cont. Derm.* 9:6-10.
116. *Rebora, A.; Marples, R.M. and Kigman, A.M. (1973):* Experimental infection with *Candida albicans*. *Arch. Dermatol.*, 108: 69-73.
117. *Regulez, P.; Garcia Fernander, J.F.; Moragues, M.D. and Schneider, J. (1994):* Detection of anti- *Candida albicans* 19 E antibodies in vaginal washes from patients with acute vulvo vaginal candidiasis. *Gynecol. Obstet. Invest.*, 37. 110.
118. *Richardson, M.D., and Warnock, D.W. (1997):* Fungal infection, diagnosis and management. In: *Fungal Infection* Warnock, D.W. (edr.) 2<sup>ed</sup> edn. Black well. Scientific publications., 115-119.
119. *Rieth, H. (1979):* Hefe Mykosen Urban and Schwarzenber Munchen, Berlin, Batimore.
120. *Rindum, J.L.; Stenderup, A. and Holmstrup, P. (1994):* Identification of *Candida albicans* types related to healthy and pathological oral mucosa. *J. Oral- Pathol. Med.*, 23: 406.
121. *Rochwell, P.G. (2001):* Acute and chronic paronychia. *Am. Fam. Physician.* 63: 1113-116.
122. *Rosen, T.; Schell, B.J. and Orengo, I. (1997):* Anti-inflammatory activity of antifungal preparations. *Int. Dermatol.*, 36: 788-792.
123. *Samitz, M.H. (1983):* Occupational dermatoses, *Clinic. Dermatol.*, 1 (1): 25.
124. *Samman, P.D. (1982):* Management of nail disorders. *Clin. Exp. Dermatol.*, 7: 189- 194.
125. *Schimizu, M.T. and Almedia, N.Q. (1996):* Studies on hyaluronidase, chondriotin sulphate, proteinase and phospholipase secreted by *Candida* Species. *Mycoses*, 39: 161
126. *Schirren, C. and Rieth, H. (1963):* Hefepilze als kranlerreger, bei Mench und Tier. Springer, Berlin-Guhingen –Heidelberg.

127. **Schwartz, L.; Tulipan, L. and Birmingham, D.J. (1957):** Occupational Diseases of the Skin. 3<sup>ed</sup> edn. Lea and Febiger, Philadelphia, PP : 31, 58, 245. Quoted from Al-Mazeedi, 1994.
128. **Seeberg G. (1952):** Eczematous dermatitis from contact with, or ingestion of, beef, pork and mutton. Acta Derm. Venereol. 32 (29): 320-322. Quoted from Tosti et al., 1992.
129. **Shehade, S.A.; Beck, M.H. and Hiller, V.F. (1991):** Epidemiological survey of standard series patch test results on day 2 and day 4 readings. Cont. Derm., 24: 119-122.
130. **Shepherd, M.G.; Poulter, R.T. and Sullivan, P.A. (1985):** Candida Albicans: biology, genetics and pathogenecity. Annu. Rev. Microbiol., 39 : 579.
131. **Smith, M.B., Dunklee, D.; Vu, H., and Woods, G.L.(1999):** Comparative performance of the Rapid yeast plus system and the API Aux Clinical Yeast System. J. Clin. Microbiol., 37(8): 2697-2698.
132. **Snyder, R.A. and Maiback, H.I.(1984):** Patch testing hazards. In : Controversies in Dermatology. Epestin, E. (ed.). W.B. Saunders company, London, Philadelphia, PP : 372-375.
133. **Sonnex T.S. Dawber, R.P.R and Zachary, C.B. (1991):** The nature and significance of transverse white band of human nail. Semi. Dermatol., 10 : 12.
134. **Stanley, S. and Monique, P. (1996):** Phagocytosis and intracellular killing of Candida albicans by macrophages exposed to myeloperoxidase. J. Infect. Dis., 173: 1202.
135. **Stone, O.J. (1975):** Chronic paronychia in which hair was a foreign body. Int. J. Dermatol., 14 (9): 661-663.
136. **Stone, O.J. and Mullins, J.F. (1968):** Chronic paronychia in childhood Clin. Pediatr. 7: 104-107. Quoted from de Berker et al., 2004.
137. **Sulzberger, M.B. and Wise, F. (1931):** The contact or patch test. Arch. Dermatol., 23 : 219. Quoted from de Berker et al., 2004.

138. **Tan, R.S.H., Butterworth, G.M., Mclaughlin, H. and Samman, P. (1974):** Mycosis fungoides – a disease of antigen persistence. *Br. J. Dermatol.*, 91 : 607. Quoted from Al Mazeedi, 1994.
139. **Thomas, R.L. (1989):** Systemic candidiasis. *Dermatology clinics*, 7: 259.
140. **Todd, D.J.; Handley, J.; Metwali, M.; Allen, G.E. and Burrows, D. (1996):** Day 4 is better than day 3 for a single patch test reading. *J. Cont. Derm.*; 39(6): 402-404.
141. **Tosti, A. and Piraccini, B.M. (1997):** Paronychia. In : *Contact Urticaria Syndrome*. Amin, S.; Lahti A. and Maibach, H.I. (eds). CRC press, pp. 267-278.
142. **Tosti, A. and Piraccini, B.M. (2003):** Biology of Nails. In: *Fitzpatrick's Dermatology in General Medicine*. Freed berg, I.M., Eisen, A.Z.; Austen, K.F.; Goldsmith, L.A. and Katz, S.I. (eds): Toronto, New York, McGraw-Hill Press, pp. 159-163.
143. **Tosti, A.; Cameli, N.; Piraccini, B.M. and Fanti, P.A. (1994):** Characterization of nail matrix melanocytes using anti-PEP1, anti-PEP8, TMH-1 and HMB-45 antibodies. *J.Am. Acad. Dermatol.*, 31 : 193.
144. **Tosti, A.; Fanti, P.A. and Guerra, L. (1990):** Morphological and immunohistochemical study of immediate contact dermatitis of the hands due to foods. *Cont. Derm.*, 22: 81-5.
145. **Tosti, A.; Guerra, L.; Morelli, R.; Bardazzi, F. and Fanti, P.A. (1992):** Role of Foods in the pathogenesis of chronic paronychia. *J.Am. Acad. Dermatol.*, 27:706-709.
146. **Tosti, A.; Piarccini, B.M.; Ghetti, E. and Colombo, M.D. (2002):** Topical steroids versus systemic antifungals in the treatment of chronic paronychia : an open, randomized double – blind and double dummy study. *J. Am. Acad. Dermatol.*, 37. (1) : 73-76.
147. **Tronchin, G. and Senet, J. (1986):** Binding of human fibrinogen to *Candida albicans* in vitro : a preliminary study. *J. Med. Vet. Mycol.*, 24 : 395.

148. **Uter, W.J.; Geier, J. and Schnuch, A. (1996):** Good clinical practice in patch testing: readings beyond day 2 are necessary : a confirmatory analysis. *Am. J. Cont. Derm.*; 7 : 231-237.
149. **Vartivarian, S.E. (1992):** Virulence properties and non immune pathogenic mechanism of fungi. *Clinical infectious diseases*, 14: 530.
150. **Wahlberg, J.E. and Maiback, H.I. (1981):** Sterile cutaneous pustules, a manifestation of primary irritancy. *J. Invest. Dermatol.*, 67: 381.
151. **Walter, H.T. (1992):** Candidiasis. In; *Textbook of pediatric infectious Diseases*. Ralph, F.D. and James, C.D. (eds.). 3<sup>rd</sup> edn. W.B. Saunders Company, philadelphia, Toronto, pp. 1907.
152. **Warren, N.G. and Hazen, K.C. (1995):** Candida, cryptococcus, and other yeasts of medical importance. In : *Manual of Clinical Microbiology*. Murray, P.R.; Barron, E.J., Pfaller, M.A.; Tenover, F.C. and Yoken, R.H. (eds) 6<sup>th</sup> edn. American Society for microbiology, Washington D.C. pp.723-737.
153. **Weitgasser, H. (1969):** The local treatment of chronic paronychia with a combination of triamcinolone acetonide and dimethyl sulfoxide. *Z Haut Geshlechtsk*, 1; 44 (1): 27.
154. **Wilkinson, S.M. and Beck, M.H. (2004):** Contact Dermatitis: Allergic: In *Rook's Textbook of Dermatology*. Bruns, T.; Breatnach, S. and Griffiths, C. (eds) 7<sup>th</sup> edn. Blackwell Scientific publications, Turin, pp: 37-96, 99.
155. **Wilkinson, S.M. and Shaw, S. (1998):** Contact Dermatitis: Allergic. In : *Wilkinson/Ebling Text book of Dermatology*. Champion , R.M.; Burton, J.L.; Burns, D.A. and Breathnach, S.M. (eds). 6<sup>th</sup> edn. Black well Scientific, USA, Canada, pp. 8 . 4.
156. **Wingrad, J.R. (1995):** Importance of Candida species other than *C. albicans* as pathogens in oncology patients. *Clin. Infect. Dis.*, 20: 115-125.

157. *Yu, L.; Lee, K.; Ens, K. and Doig, P. (1994):* Partial characterization of a *Candida albicans* fimbrial adhesion. *Infections and Immunity*, 62: 2834.
158. *Zaias, N. (1980):* The nail in health and disease. Lancaster, UK, MTP Press, pp .143.
159. *Zaias, N. (1990):* Paronychia In: The nail in health and disease. Zaias, N (ed.) 2<sup>ed</sup>. edn. Norwalk (CT), Appleton and Lange, pp. 131-135.