

REFERENCES

- Agarwal, A.; DeJoseph, L. and Silver, W. (2005):** "Anatomy of the jawline, neck, and perioral area with clinical correlations". *Facial Plast Surg.* Feb;21(1):3-10.
- Ahmed, A. and Tollefsbol, T. (2001):** "Telomeres and telomerase: Basic science implications for aging". *J Am Geriatr Soc* 49: 1105.
- Alexiades-Armenakas, M.R.; Dover, J.S. and Arndt K.A. (2008a):** "Laser Therapy". In: Bologna JL, Jorizzo JL, Rapini RP *et al*, editors. *Dermatology*. 2nd edition. Spain, Mosby Elsevier. p. 2099, 2111-6.
- Alexiades-Armenakas, M.R.; Dover, J.S. and Arndt, K.A. (2008b):** "The spectrum of laser skin resurfacing: nonablative, fractional, and ablative laser resurfacing". *J Am Acad Dermatol.* May; 58(5): 719-37.
- Ali, M.M.; Teimory, M. and Sarhan, M. (2006):** "Generalized essential telangiectasia with conjunctival involvement". *Clin Exp Dermatol.* Nov; 31(6): 781-2.
- Alkhawam, L. and Alam, M. (2009):** "Dermabrasion and microdermabrasion". *Facial Plast Surg.* Dec; 25(5): 301-10.
- Allsopp, R.C.; Vazir, H.; Patterson, C.; Goldstein, S. (1992):** "Telomere length predicts replicative capacity of human fibroblasts". *Proc Natl Acad Sci USA* 89: 10114.
- Alster, T.S. (2009):** "Cutaneous resurfacing with CO2 and erbium: YAG lasers: preoperative, intraoperative, and postoperative considerations". *Plast Reconstr Surg* ; 103: 619–32.
- Amin, S.P.; Phelps, R.G. and Goldberg, D.J. (2006):** " Mesotherapy for facial skin rejuvenation: a clinical, histologic, and electron microscopic evaluation". *Dermatol Surg* 32(12):1467-72.

References

- Anderson, P.C. and Dinulos, J.G. (2009):** "Are the new moisturizers more effective?". *Curr Opin Pediatr.* Aug; 21(4): 486-90.
- Appleton, S.S. (2000):** "Candidiasis: Pathogenesis, clinical characteristics, and treatment". *J Calif Dent Assoc* 28: 942.
- Armstrong, B.K. and Kricker, A. (1996):** "Epidemiology of sun exposure and skin cancer". *Cancer Surv* 26: 133.
- Atiyeh, B.S. and Dibo, S.A. (2009):** "Nonsurgical nonablative treatment of aging skin: radiofrequency technologies between aggressive marketing and evidence-based efficacy". *Aesthetic Plast Surg.* May; 33(3): 283-94.
- Atiyeh, B.S.; Ibrahim, A.E. and Dibo, S.A. (2008):** "Cosmetic mesotherapy: between scientific evidence, science fiction, and lucrative business". *Aesthetic Plast Surg* 32(6):842-9.
- Babilas, P.; Schreml, S.; Szeimies, R.M.; Landthaler' M. (2010):** "Intense pulsed light (IPL): a review". *Lasers Surg Med.* Feb; 42(2): 93-104.
- Badran, M.M.; Kuntsche, J. and Fahr, A. (2009):** " Skin penetration enhancement by a microneedle device (Dermaroller) in vitro: dependency on needle size and applied formulation". *Eur J Pharm Sci* 2;36(4-5):511-23.
- Barton, F.E. Jr. (2009):** "Aesthetic surgery of the face and neck". *Aesthet Surg J.* Nov-Dec; 29(6): 449-6.
- Baumann, L.(2007):**"Skin aging and its treatment". *J Pathol.* Jan; 211(2):241-51.
- Baumgarten, M.; Margolis, D. and Van Doorn, C. (2006):** "Pressure ulcers among elderly patients early in the hospital stay". *J Gerontol A Biol Sci Med Sci* 61: 749.

References

- Bazin, R.; Batisse, D. and Baldeweck, T. (2001):** "DensiScore: A new tool for clinical evaluation of the age dependent mechanical properties of female skin". *Ann Dermatol Venereol* 129: 15591.
- Beer, K. (2009):** "Dermal fillers and combinations of fillers for facial rejuvenation". *Dermatol Clin.* Oct; 27(4): 427-32
- Beer, K. and Beer, J. (2009):** "Overview of facial aging". *Facial Plast Surg.* Dec; 25(5):281-4.
- Beer, K. and Waibel, J. (2007):** "Botulinum toxin type A enhances the outcome of fractional resurfacing of the cheek". *J Drugs Dermatol.* Nov; 6(11): 1151-2.
- Belhaouari, L.; Bailly, J.Y.; Grolleau, J.L.; Chavoin, J.P. (2004):** "Complications of laser facial resurfacing". *Ann Chir Plast Esthet.* Oct; 49(5): 514-20.
- Bermann, P.E. (2007):** "Aging skin: causes, treatments, and prevention". *Nurs Clin North Am* 42 : 485–500.
- Bernhard, J.D. (2005):** "Itch and pruritus: What are they, and how should itches be classified?" *Dermatol Ther* 18:288.
- Bernhard, D.; Moser, C.; Backovic, A.; Wick, G. (2007):** "Cigarette smoke – an ageing accelerator?". *Exp. Gerontol.* 42 : 160–165.
- Bernstein, E.F.; Underttill, C.B.; Hahn, P.J.; Brown, D.B. (1996):** "Long-term sun exposure alters the collagen of the papillary dermis. Comparison of sun- protected and photoaged skin by northern analysis, immunohistochemical staining, and confocal laser scanning microscopy". *J.Am. Acad.Dermatol.* 34: 209.
- Berson, D.S.; Cohen, J.L.; Rendon, M.I.; Roberts, W.E.; Starker, I.; Wang, B. (2009):** "Clinical role and application of superficial chemical peels in

References

- today's practice". J Drugs Dermatol. Sep; 8(9): 803-11.
- Beylot, C. and Gassia, V. (2009):** "Introduction. Botulinum toxin". Ann Dermatol Venereol. May; 136 Suppl 4: S53-4.
- Bhalla, M. and Thami, G.P. (2006):** "Microdermabrasion: Reappraisal and brief review of literature". Dermatol Surg.; 32: 809–814.
- Bissonnette, R. (2008):** "Update on sunscreens". Skin Therapy Lett. Jul-Aug; 13(6): 5-7.
- Bjorkstein, J. (1971):** "The cross linkage theory of aging". Finska, Medd. 80: 23.
- Boniol, M.; Autier, P. and Doré, J.F. (2007):** "Photoprotection". Lancet. Oct 27; 370(9597): 1481-2.
- Borelli, C. (2007):** "Laser treatment of wrinkles. Update". Hautarzt. Mar; 58(3): 210-5.
- Bosset, S.; Barré, P.; Chalon, A.; Kurfurst, R.; Bonté, F.; André, P.; Perrier, P.; Disant, F.; Le Varlet, B.; Nicolas, J.F. (2002):** "Skin ageing: clinical and histopathologic study of permanent and reducible wrinkles". Eur J Dermatol May-Jun; 12(3): 247-52.
- Botchkarev, V.A.; Li, J. and Danielian, P.S. (2003):** "Molecular biology of hair morphogenesis: development and cycling". J Exp Zool Part B Mol Dev Evol; 298: 164.
- Bradley, S.F. (2002):** "Staphylococcus aureus infections and antibiotic resistance in older adults". Clin Infect Dis 34: 211.
- Braverman, I.M. (2000):** "The cutaneous microcirculation". J Invest Dermatol Symp Proc 5: 3.
- Brightman, L.A.; Brauer, J.A.; Anolik, R.; Weiss, E.; Karen, J.; Chapas, A.;**

References

- Hale, E.; Bernstein, L.; Geronemus, R.G. (2009):** Ablative and fractional ablative lasers. *Dermatol Clin.* Oct; 27(4): 479-89.
- Brincat, M.P. (2004):** "Oestrogens and the skin". *J Cosmetic Dermatol.* 3: 41–49.
- Burgeson R.E. and Christiano A.M. (1997):** "The dermal-epidermal junction". *Curr Opin Cell Biol*; 9: 651-658.
- Burgess, C. (2008):** "Topical vitamins". *J Drugs Dermatol.* Jul;7(7 Suppl): s2-6.
- Burke, E.M; Horton, W.E.; pearson, D.; Crow, M.T.; Martin, G.R. (1994):** "Altered transcriptional regulation of human interstitial collagenase in cultured skin fibroblasts from older donors". *Exp Gerontol.* 29: 37.
- Calleja-Agius, J.; Muscat-Baron, Y. and Brincat, M.P. (2007):** "Skin ageing". *Menopause Int.* Jun; 13(2): 60-64.
- Caramia, G. (2008):** "Omega-3: from cod-liver oil to nutrigenomics". *Minerva Pediatr.* Aug; 60(4): 443-55.
- Carruthers, A.; Carruthers, J.; Hardas, B.; Kaur, M.; Goertelmeyer, R.; Jones, D.; Rzany, B.; Cohen, J.; Kerscher, M.; Flynn, T.C.; Maas, C.; Sattler, G.; Gebauer, A.; Pooth, R.; McClure, K.; Simone-Korbel, U.; Buchner, L. (2008):** "A validated grading scale for crow's feet". *Dermatol Surg.* Nov; 34 Suppl 2: S173-8.
- Carruthers, J.; Cohen, S.R.; Joseph, J.H.; Narins, R.S.; Rubin, M. (2009):** "The science and art of dermal fillers for soft-tissue augmentation". *J Drugs Dermatol.* Apr; 8(4): 335-50.
- Chang, H.Y.; Chi, J.; Dudoit, S.; Bondre, C. (2002):** "Diversity, topographic differentiation, and positional memory in human fibroblasts". *Proc Natl Acad Sci U S A* 99:12877.

References

- Chartier, C. and Grosshans, E. (1996):** "Erysipelas: An update". *Int J Dermatol* 35: 779.
- Chen, G.J.; Feldman, S.R. and Williford, P.M. (2005):** "Clinical diagnosis of actinic keratosis identifies an elderly population at high risk of developing skin cancer". *Dermatol Surg* 31:43.
- Choudhary, S.; Nouri, K. and Elsaie, M.L.(2009):** "Photodynamic therapy in dermatology: a review". *Lasers Med Sci. Nov*; 24(6): 971-80.
- Christiano, A.M. and Uitto, J. (1994):** "Molecular pathology of the elastic fibers". *J Invest Dermatol* 103: 53S.
- Chun, H.H. and Gatti, R.A. (2004):** "Ataxia-telangiectasia, an evolving phenotype". *DNA Repair (Amst)* 3: 1187.
- Chung, J.; Cho, S. and Kang, S. (2004):** "Why does the skin age? Intrinsic aging, photoaging and their pathophysiology, in Photoaging." Edited by Rigel DS *et al.* New York, Marcel Dekker, Inc. p 1.
- Clark, E. and Scerri, L. (2008):** "Superficial and medium-depth chemical peels". *Clin Dermatol.* 26: 209–218.
- Coban, A.; Matur, Z.; Hanagasi, H.A.; Parman, Y. (2010):** "Iatrogenic botulism after botulinum toxin type a injections". *Clin Neuropharmacol.* May; 33(3): 158-60.
- Cockerell, C.J. and Wharton, J.R. (2005):** "New histopathological classification of actinic keratosis (incipient intraepidermal squamous cell carcinoma)". *J Drugs Dermatol* 4: 462.
- Cohen, J.L. and Bar, A. (2009):** "Fillers for Facial Rejuvenation". In: Hirsch RJ, Cohen JL, Sadick N. *Aesthetic Rejuvenation: A Regional Approach.* China, McGraw-Hill Companies; P. 71-80.

References

- Collawn, S.S. (2010):** "Skin tightening with fractional lasers, radiofrequency, Smartlipo". *Ann Plast Surg*. May; 64(5): 526-9.
- Corcuff P.; Fiat F. and Minondo A.M.(2001):** " Ultrastructure of the human stratum corneum". *Skin Pharmacol Appl Skin Physiol*; 14(suppl. 1): 4-9.
- Crowther, J.M.; Sieg, A.; Blenkiron, P.; Marcott, C.; Matts, P.J.; Kaczvinsky, J.R.; Rawlings, A.V.(2008):** "Measuring the effects of topical moisturizers on changes in stratum corneum thickness, water gradients and hydration in vivo". *Br J Dermatol*. Sep; 159(3): 567-77.
- Dallara, J.M. (2009):** "Subcutaneous tissue: anatomy and aging". *Ann Dermatol Venereol*. Oct; 136 Suppl 6: S270-2.
- Danby, F.W. (2010):** "Nutrition and aging skin". *Clin Dermatol*. 28(4):409- 411.
- Davis, T.; Haughton, M.F.; Jones, C.J.; Kipling, D. (2006):** "Prevention of accelerated cell aging in the Werner syndrome". *Ann N Y Acad Sci* 1067: 243.
- Dayan, D.; Abrahami, I.; Buchner, A.; Gorsky, M. (1988):** "Lipid pigment (lipofuscin) in human perioral muscles with aging". *Exp Gerontol* 23: 97.
- De la Fuente, M.; Hernanz, A. and Vallejo, M.C. (2005):** "The immune system in the oxidative stress conditions of aging and hypertension: Favorable effects of antioxidants and physical exercise". *Antioxid Redox Signal* 7: 1356.
- Denda, M.; Koyama, J. and Hori, J. (1993):** "Age- and sex-dependent change in stratum corneum sphingolipids". *Arch Dermatol Res* 285: 415.
- Dierickx, C.C. (2006):** "The role of deep heating for noninvasive skin rejuvenation". *Lasers Surg Med*. Oct; 38(9): 799-807.

References

- Disant, F. (2002):** "The morphological appearance of facial wrinkles". Eur J Dermatol. Nov-Dec; 12(6): XI-XII.
- Ditre, C.M. (2005):** "Exfoliants: AHAs and BHAs". In: Draelos ZD, editor. Cosmeceuticals. 1st edition. Philadelphia, PA: Elsevier Saunders; p. 111–118.
- Doddaballapur, S. (2009):** " Microneedling with dermaroller". J Cutan Aesthet Surg. 2009 Jul;2(2):110-1.
- Donofrio, L.M. (2000):** "Fat distribution: a morphologic study of the aging face". Dermatol Surg 26: 1107.
- Draelos, Z.D. (2000):** "Therapeutic moisturizers". Dermatol Clin. Oct; 18(4): 597-607.
- Ducheske, J. (1977):** "A unifying biochemical theory of cancer senescence and maximal life-span".J.Theor.Biol. 66: 137.
- Duffy, D.M. (2005):** "Complications of fillers: overview". Dermatol Surg. Nov; 31(11 Pt 2): 1626-33.
- Edgar Folk, G. and Semken, A. (1991):** "The evolution of sweat glands". Int. J. of Biometeorology 35: 180–186.
- Edward, M. (1986):** "Aging of the skin from problems in aesthetic surgery: Biological causes and clinical solutions". Photodermatology, photoimmunology and photomedicine. Apr; 10(2): 47-52.
- Effendy; I.; Lecha, M.; Baran, R.; Di Chiacchio, N. (2005):** "Epidemiology and clinical classification of onychomycosis". J Eur Acad Dermatol Venereol 19: 8.
- Elias P.M. (2005):** "Stratum corneum defensive functions: An integrated view". J Invest Dermatol 125: 183.

References

- Elias, P.M. and Ghadially, R. (2002):** "The aged epidermal permeability barrier: Basis for functional abnormalities". Geriatric Dermatology, edited by Gilchrest BA. Philadelphia, WB Saunders, p 103.
- Elsevier, (2009):** "Benign Skin Tumors". Clinical Dermatology. 5th ed. Philadelphia chap 20.41: 53.
- Eveillard, M.; Ernst, S.; Cuviller, S.; Malpaux, M. (2006):** "Consideration of age at admission for selective screening to identify methicillin-resistant Staphylococcus aureus carriers to control dissemination in a medical ward". Am J Infect Control 34: 108.
- Fabbrocini, G.; De Padova, M.P. and Tosti, A. (2009):** "Chemical peels: what's new and what isn't new but still works well". Facial Plast Surg. Dec;25(5): 329-36.
- Farris, P.K. (2005):** "Topical vitamin C: a useful agent for treating photoaging and other dermatologic conditions". Dermatol Surg. 31: 814–817.
- Fedok, F.G.; Levin, R.J.; Maloney, M.E.; Tipirneni, K.(1999):** "Angiosarcoma: Current review". Am J Otolaryngol 20: 223.
- Feneske, N.A. and Lober, C.W. (1990):**"Skin changes of aging: Pathological, implications". Geriatrics, 45: 27-35.
- Fisher, G.J.; Kang, S. And Varani, J. (2002):** "Mechanisms of photoaging and chronological skin aging". Arch. Dermatol. 138: 1462–147.
- Fisher, G.J. (2005):** "The Pathophysiology of Photoaging of the Skin". Cuti, Feb; 75(2S): 5-9.
- Fischer, T.C.; Perosino, E.; Poli, F.; Viera, M.S.; Dreno, B. (2010):** "Chemical peels in aesthetic dermatology: an update 2009". Cosmetic Dermatology European Expert Group .J Eur Acad Dermatol

References

Venereol.Mar; 24(3): 281-92.

Fitzpatrick, R.E.; Goldman, M.P.; Satur, N.M.; et al. (1996): "Pulsed carbon dioxide laser resurfacing of photoaged facial skin".Arch Dermatol, 132: 395.

Flynn, T.C.; Petros, J.; Clark, R.E.; Viehman, G.E. (2001): "Dry skin and moisturizers". Clin Dermatol. Jul-Aug;19(4): 387-92.

Fourtanier, A.; Moyal, D. and Seit  , S. (2008): "Sunscreens containing the broad-spectrum UVA absorber, Mexoryl SX, prevent the cutaneous detrimental effects of UV exposure: a review of clinical study results". Photodermatol Photoimmunol Photomed. Aug; 24(4): 164-74.

Frances,C. and Robert,L.(1984): "Elastin and elastic fibers in normal and pathologic skin".Int.J.Dermatol., 23: 166.

Frick, S. and Cerny, A. (2001): "Necrotizing fasciitis due to Streptococcus pneumoniae after intramuscular injection of nonsteroidal anti-inflammatory drugs: Report of 2 cases and review of the literature". Clin Infect Dis 33: 740.

Friedman, O. (2005): "Changes associated with the aging face". Facial Plast Surg Clin North Am. Aug; 13(3): 371-80.

Friedman, S. and Lippitz, J. (2009): "Chemical peels, dermabrasion, and laser therapy". Dis Mon.Apr; 55(4): 223-35.

Fritz, M.; Counters, J.T. and Zelickson, B.D. (2004):"Radiofrequency treatment for middle and lower face laxity". Arch Facial Plast Surg. Nov-Dec; 6(6): 370-3.

Fuchs E. (2001):" Beauty is skin deep: the fascinating biology of the epidermis and its appendages".Harvey Lect; 94: 47-77.

References

Galatoire, O. and Morax, S. (2009): "Periocular aging: physiopathogenesis, clinical aspect, and treatment".Ann Dermatol Venereol. May;136 Suppl 4: S137-41.

References

- Gassia, V.; Beylot, C.; Béchaux, S.; Michaud, T. (2009):** "Botulinum toxin injection techniques in the lower third and middle of the face, the neck and the décolleté: the [Nefertiti lift]. *Ann Dermatol Venereol*. May; 136 Suppl 4: S111-8.
- Geyfman, M. and Andersen, B. (2010):** "Clock genes, hair growth and aging". *Aging* (Albany NY). Mar 31; 2(3): 122-8.
- Ghohestani, R.F.; Li, K. and Rousselle, P. (2001):** "Molecular organization of the cutaneous basement membrane zone". *Clin Dermatol* 19:55.
- Gilchrest, B.A. (1995):** "Pruritus in the elderly". *Semin Dermatol* 14:317.
- Gilchrest, B.A. (1996):** "A review of skin ageing and its medical therapy". *Br J Dermatol* 135: 867.
- Gilchrest, B.A.; Eller, M.S.; Geller, A.C.; Yaar, M. (1999):** "The pathogenesis of melanoma induced by ultraviolet radiation". *Engl J Med* 340: 1341.
- Glogau, R.G. (1994):** "Chemical peeling and aging skin". *J Geriatric dermatol*; 2(1): 31.
- Gosden, R.G. (1992):** "Biology of Menopause". New York, Academic Press, Human Reproduction, Vol. 7, No. 10, pp. 1342-1346.
- Green, B.A.; Yu, R.J. and Van Scott, E.J. (2009):** "Clinical and cosmeceutical uses of hydroxyacids". *Clin Dermatol*. Sep-Oct; 27(5): 495-501.
- Grewe, M. (2001):** "Chronological aging and photoaging of dendritic cells". *Clin Exp Dermatol* 26(7):608-12.
- Griffiths, C.E.; Maddin, S.; Wiedow, O.; Marks, R.; Donald, A.E.; Kahlon, G. (2005):** "Treatment of photoaged skin with a cream containing 0.05% isotretinoin and sunscreens". *J Dermatolog Treat*. Apr; 16(2): 79-86.

References

- Gross, D.A. (2008):** "Re: Dermabrasion in our practice". J Drugs Dermatol. Apr; 7(4): 331.
- Gupta, S.G.; Wang, L.C. and Penas, P.F. (2006):** "Sentinel lymph node biopsy for evaluation and treatment of patients with Merkel cell carcinoma: The Dana-Farber experience and meta-analysis of the literature". Arch Dermatol 142: 685.
- Halachmi, S.; Yaar, M. and Gilchrest, B.A. (2005):** "Advances in skin aging/photoaging: Theoretic and practical implications (Part I)". Ann Dermatol Venereol 132: 362.
- Hamrick, N.W. (2001):** "Development and evolution of the mammian limb: adaptive diversification of nails, hooves, and claws". EvolDev; 3: 355.
- Hashimoto, K. (1971):** "Ultrastructure of the human toe nail. Proximal nail matrix". J. Invest. Dermatol. 56: 255.
- Hess, U.; Adams, R.B Jr. and Kleck, R.E. (2009):** "The face is not an empty canvas: how facial expressions interact with facial appearance. Philos Trans R Soc Lond B Biol Sci. 20 Dec 12; 364(1535): 3497-504
- Hirakawa, S. and Detmar, M. (2004):** "New insights into the biology and pathology of the cutaneous lymphatic system". J Dermatol Sci 35: 1.
- Hodgkinson, D.J. (2009):** "Clinical applications of radiofrequency: nonsurgical skin tightening (thermage)". Clin Plast Surg. Apr; 36(2): 261-8.
- Hoffman, R.; Benz, E.J.; Shattil, S.S.; et al. (2005):** "Hematology: Basic Principles and Practice". 4th ed. Orlando, Fl: Churchill Livingstone.
- Holbrook K.A. (1991):** "Structure and function of the developing human skin". Physiology, Biochemistry, and Molecular Biology of the Skin,

References

edited by Goldsmith LA. New York, Oxford Press, p. 63.

Holick, M.F. (2006): "High prevalence of vitamin D inadequacy and implications for health". Mayo Clin Proc 81: 353.

Holst D. and Grimaldi P.A. (2002): "New factors in the regulation of adipose differentiation and metabolism". Curr Opin Lipidol 13: 241.

Hruza, G.; Taub, A.F.; Collier, S.L.; Mulholland, S.R. (2009): "Skin rejuvenation and wrinkle reduction using a fractional radiofrequency system". J Drugs Dermatol. Mar; 8(3): 259-65.

Hruza, G.J.; Fitzpatrick, R.E.; Arndt, K.A.; et al. (2002): "Lasers in Skin Resurfacing". In: Kaminer MS, Dover JS, Arndt KA, editors. Atlas of Cosmetic Surgery. United States of America, W. B. Saunders Company; p. 328.

Huynh, T.H. and Norman, R.A. (2004): "Scabies and pediculosis". Dermatol Clin 22: 7.

Iannini, P.; Mandell, L.; Felmingham, J.; Patou, G., Tillotson, G.S. (2006): "Adverse cutaneous reactions and drugs: a focus on antimicrobials". J Chemother. Apr;18(2):127-39.

Ilchyshyn, L.; Hawk, J.L. and Millard, T.P. (2008): "Photoprotection: does it work?" .Lupus. Aug;17(8): 705-7.

Iorizzo, M.; De Padova, M.P. and Tosti, A. (2008): " Biorejuvenation: theory and practice". Clin Dermatol ;26(2):177-81.

Jacob, S.E.; Elsaie, M.L.; Castanedo-Tardan, M.P.; Stechschulte, S.; Kaufman, J. (2009): "Aging and contact dermatitis: a review". Curr Aging Sci. Jul; 2(2):121-6.

Jacobsen, E.; Bilings, J.K. and Frantz R.A. (1985): "Age-related changes in

References

- sebaceous wax ester secretion rates in men and women". *J Invest Dermatol* 85: 483.
- James, W.; Berger, T.; Elston, D. (2005):** "The dermis and its structures". *Andrews' Diseases of the Skin: Clinical Dermatology* (10th ed.). Saunders. Page 2-3.
- Jeffrey B.C. and David W. R. (2004):** "Mammalian Wax Biosynthesis II: Expression Cloning of Wax Synthase cDNAs Encoding a Member of the Acyltransferase Enzyme Family". *J Biol Chem.* Sep 3; 279(36): 37798-37807.
- Johansson, O. (1995):** "The innervation of the human epidermis". *J Neurol Sci* 130: 228.
- Johnson, R.A. (2000):** "Dermatophyte infections in human immune deficiency virus disease". *J Am Acad Dermatol* 43: S135.
- Just- Sarobe, M. (2008):** "Smoking and the skin". *Actas Dermosifiligr.* 99(3):173-84.
- Kafi, R.; Kwak, H.R. and Schumacher, W.E. (2007):** "Improvement of naturally aged skin with vitamin A (retinol)". *Archives of Dermatology.* 2007; 143(5): 606-612.
- Kang, S.; Fisher, G.J. and Voorhees, J.J. (2001):** "Photoaging: Pathogenesis, prevention and treatment". *Geriatric Dermatology*, edited by Gilchrest BA. Philadelphia, WB Saunders, p 643.
- Kanitakis, J. (2002):** "Anatomy, histology and immunohistochemistry of normal human skin". *Eur J Dermatol.* 12: 390.
- Karimipour, D.J.; Karimipour, G. and Orringer, J.S. (2010):** "Microdermabrasion: an evidence-based review". *Plast Reconstr*

References

Surg.Jan; 125(1): 372-7.

Kennedy, C.; Bastiaens, M.T. and Bajdik, C.D. (2003): "Effect of smoking and sun on the aging skin". J. Invest. Dermatol. Apr 120(4): 548–54.

Khunger, N. (2008): "Standard guidelines of care for chemical peels". IADVL Task Force. Indian J Dermatol Venereol Leprol. Jan; 74 Suppl: S5-12.

Kielty, C.M. and Shuttleworth, C.A. (1997): "Microfibrillar elements of the dermal matrix". Microsc Res Tech 38: 413.

Kim, H.S.; Lim, S.H.; Song, J.Y.; Kim, M.Y., Lee, J.H.; Park, J.G.; Ki, H.O.; Park, Y.M. (2009): "Skin barrier function recovery after diamond microdermabrasion". J Dermatol.Oct; 36(10): 529-33.

Kligman, A.M. (2005): "The compatibility of combinations of GA and tretinoin in acne and photoaged facial skin". J Geriatr Dermatol.; 3: 25A–28A.

Koh, J.S., Kang, H. and Chai, S.W. (2002): "Cigarette smoking associated with premature facial wrinkling: image analysis of facial skin replicas". International Journal of Dermatology,Jan; 41(1): 21-27.

Kosmadaki, M.G. and Gilchrest, B.A. (2004): "The role of telomeres in skin aging/photoaging". Micron 35:155.

Krishnaswamy, G.; Lakshman, T. and Miller, A.R. (2005): "The human mast cell: an overview". Methods Mol Biol; 315: 13.

Kurban, R.S. and Bhawan, J. (1990): "Histologic changes in skin associated with aging". J Dermatol Surg Oncol 16: 908.

Landau, M. (2008): "Chemical peels". Clin Dermatol. 26: 200–208.

Lavker, R.M.; Kligman, A.M. and Veres, D.A. (1995): "Quantitative assessment of cumulative damage from repetitive exposures to

References

- suberythemogenic doses of UVA in human skin". *Photochem. Photobiol.*, 62: 348.
- LeBleu, V.S.; Macdonald, B.; Kalluri, R. (2007):** "Structure and function of basement membranes". *Exp Biol Med* (Maywood). Oct; 232(9):1121-9.
- Lee, J.Y. ; Kim, Y.K.; Seo, J.Y.; Choi, C.W.; Hwang, J.S.; Lee, B.G.; Chang, I.S.; Chung, J.H. (2008):** "Loss of elastic fibers causes skin wrinkles in sun-damaged human skin". *J Dermatol Sci*. May; 50(2): 99-107.
- Leslie Baumann (2009):** "Wrinkles and photoaging scales". *Cosmetic dermatology: Principles and Practice*, 2nd ed, p344.
- Li, G.Z.; Eller, M.S. and Elichrest, B.A. (2003):** "Evidence that exposure of the telomere 3' overhang sequence induces senescence". *Proc Natl Acad Sci USA* 100: 527.
- Lodén, M. (2005):** "The clinical benefit of moisturizers". *J Eur Acad Dermatol Venereol*. Nov; 19(6): 672-88.
- Loomis C.A. (2001):** "Development and morphogenesis of the skin". *Adv Dermatol* 17: 183.
- Lupo, M.P. (2001):** "Antioxidants and vitamins in cosmetics". *Clin Dermatol*. Jul-Aug; 19(4): 467-73.
- Lynde, C.W. (2001):** "Moisturizers: what they are and how they work". *Skin Therapy Lett*. Dec; 6(13): 3-5.
- Maaloof, S.; El-Sabban, M.; Darwiche, N.; Gali-Muhtasib, H. (2002):** "Protective effect of vitamin E on UVB light induced damage to in keratinocytes". *Mol Carcinog.*; 34: 121–130.
- Maas, C.S. (2006):** "Botulinum neurotoxins and injectable fillers: minimally invasive management of the aging upper face". *Facial Plast Surg Clin North Am*. Aug; 14(3): 241-5.
- Makrantonaki, E. and Zouboulis, C.C. (2007a):** "The skin as a mirror of the

References

aging process in the human organism ". State of the art and results of the aging research in the German National Genome Research Network 2 (NGFN-2), Exp. Gerontol. 42; 879-886.

Makrantonaki, E. and Zouboulis, C.C. (2007b): "Characteristics and pathomechanisms of endogenously aged skin". Dermatology 214: 352–360.

Marks, R. (1989):"Epidermal aging". Aging and the Skin. , Chap. 13 p33.New York: Raven Press.

Marks, James G and Miller, Jeffery (2006):"Structure of the epidermis". Lookingbill and Marks' Principles of Dermatology (4th ed.). Elsevier Inc. Pg 1-7.

Mathers, C.D.; Lopez A.D. and Murray, C.J.L. (2002): "Global patterns of healthy life expectancy in the year 2002".BMC Public Health 4: 66.

Manju, K.; Muralikrishna, B. and Parnaik, V.K. (2006): " Expression of disease-causing lamin A mutants impairs the formation of DNA repair foci". J Cell Sci 119: 2704.

McCarthy, D.J. (2004): "Anatomic considerations of the human nail". ClinPodiator Med Surg; 21: 477.

McGrath,J.A.; Eady,R.A. and Pope,F.M. (2004): "The epidermis and its layers". Rook's Textbook of Dermatology (Seventh Edition). Blackwell Publishing. Pages 3.1-3.6.

Mendelson, B.C.; Freeman, M.E.; Wu, W.; Huggins, R.J. (2008): "Surgical anatomy of the lower face: the premasseter space, the jowl, and the labiomandibular fold".Aesthetic Plast Surg.Mar; 32(2): 185-95.

References

- Metelitsa, A.I. and Alster, T.S. (2010):** "Fractionated laser skin resurfacing treatment complications: a review". *Dermatol Surg.* 2010 Mar; 36(3): 299-306.
- Millar, S.E. (2002):** "Molecular mechanisms regulating hair follicle development". *J Invest Dermatol* 118:216.
- Misery, L. (2007):**"How the skin reacts to environmental factors". *J Eur Acad Dermatol Venereol.* Sep;21 Suppl 2:5-8.
- Moloney, F.J.; Collins, S. and Murphy, G.M. (2002):** "Sunscreens: safety, efficacy and appropriate use". *Am J Clin Dermatol.*;3(3): 185-91.
- Monheit, G.D. and Chastain M.A. (2008):** "Chemical and Mechanical Skin Resurfacing". In: Bologna JL, Jorizzo JL, Rapini RP *et al*, editors. *Dermatology*. 2nd edition. Spain, Mosby Elsevier;p. 2313-27.
- Moragas, A.; Castells, C. and Sans, M. (1993):** "Mathematical morphologic analysis of aging related epidermal changes". *Anal. Quant. Cytol. Histol.*, 15: 75.
- Morita, A.(2007):** "Tobacco smoke causes premature skin aging". *J Dermatol Sci.* Dec; 48(3): 169-75.
- Moschella, S. and Hurley, H. (1992):** "Aging and Its Effects on the Skin". *Dermatology: Third Edition*. Philadelphia: W.B. Saunders Company. P. 203.
- Nigam, P.K. and Nigam, A. (2010):** "Botulinum toxin. *Indian J Dermatol.* 2010;55(1): 8-14.
- Odom, R.B.; James, W.D. and Berger, T.B. (2000):** "Dermal and subcutaneous tumors: cherry angiomas". In: *Andrew's Diseases of the Skin: Clinical Dermatology*. 2000. 9th ed. Philadelphia, Pa: WB Saunders; 2000: 751.

References

- Opstelten, W.; Mauritz, J.W. and Stalman, W.A. (2002):** "Herpes zoster and postherpetic neuralgia: Incidence and risk indicators using a general practice research database". *Family Practice*. 19: 471.
- Orgel, L.E. (1963):** "The maintenance of the accuracy of protein synthesis and its relevance to aging". *Proc. Natl. Acad. Sci.*, 49,577.
- Ortonne, J.P.; Unver, N. and Horster, S. (2006):** "Treatment of solar lentigines". *Journal of the American Academy of Dermatology*. 54: S262.
- Owens, J.M. (2005):** "Soft tissue implants and fillers". *Otolaryngol Clin North Am.* Apr; 38(2): 361-9.
- Paes, E.C.; Teepen, H.J.; Koop, W.A.; Kon, M.(2009):** "Perioral wrinkles.*Aesthet Surg J.* Nov-Dec; 29(6): 467-72.
- Palm, M.D. and O'Donoghue, M.N.(2007):** "Update on photoprotection". *Dermatol Ther.* Sep-Oct; 20(5): 360-76.
- Papadavid, E. and Katsambas, A. (2003):**" Lasers for facial rejuvenation: a review". *Int J Dermatol.* Jun; 42(6): 480-7.
- Paquette, D. and Falanga, V. (2002):** "Leg ulcers". *Geriatric Dermatology*, edited by Gilchrest BA. Philadelphia, WB Saunders, p 77.
- Paus, R.; et al. (1999):** "The biology of hair follicles". *N Engl J Med*; 341: 491.
- Perricone, N.V. (2003):** "The photoprotective and anti-inflammatory effects of topical ascorbyl palmitate". *J Ger Dermatol.*;1: 5–10.
- Phillips, T.J. (2004):** "Tazarotene 0.1% cream for the treatment of

References

photodamage". *Skin Therapy Lett.* Apr; 9(4): 1-2.

Plowden J. Van der Veen, C. and Eichmuller, S. (2004): "Innate immunity in aging: Impact on macrophage function". *Aging Cell* 3:161.

Rahman, Z.; MacFalls, H.; Jiang, K.; Chan, K.F.; Kelly, K.; Tournas, J.; Stumpp, O.F.; Bedi, V.; Zachary, C. (2009): "Fractional deep dermal ablation induces tissue tightening". *Lasers Surg Med.* Feb;41(2): 78-86.

Ramirez, O.M. and Robertson K.M. (2001): "Comprehensive approach to rejuvenation of the neck". *Facial Plast Surg* 17:129.

Redaelli, A.; Romano, D. and Marcianó, A. (2010): " Face and neck revitalization with platelet-rich plasma (PRP): clinical outcome in a series of 23 consecutively treated patients". *J Drugs Dermatol* (5):466-72.

Reich, A.; Harupa, M.; Bury, M.; Chrzaszcz, J.; Starczewska, A. (2009): "Application of sunscreen preparations: a need to change the regulations". *Photodermatol Photoimmunol Photomed.* Oct; 25(5):242-4.

Robinson, C.; Hartman, R.F. and Rose, S.D. (2008): "Emollient, humectant, and fluorescent alpha,beta-unsaturated thiol esters for long-acting skin applications". *Bioorg Chem.* Dec; 36(6): 265-70.

Rongioletti, F. and Rebora, A. (1995): "A fibroelastolytic patterns of intrinsic skin aging:Pseudoxanthoma-elasticum-like papillary dermal elastolysis and white fibrous papulosis of the neck". *Dermatology*,191: 194.

Ruland, J. and Mak, T.W. (2003): "Transducing signals from antigen receptors

References

to nuclear factor kappaB". Immunol Rev 193: 93.

Ryan, T. (2004): "The ageing of the blood supply and the lymphatic drainage of the skin". Micron 35:161.

Sachs, D.L.; Marghoob, A. and Halpern, A. (2001): "Skin cancer in the elderly". Geriatric Dermatology, edited by Gilchrest BA. Philadelphia, WB Saunders, p 715.

Sadick, N. (2008a): "Lasers". In: Sadick, Moy, Lawrence, *et al.* Concise Manual of Dermatologic Surgery. China, McGraw-Hill Companies; p. 98.

Sadick, N. (2008b): "Tissue tightening technologies: fact or fiction". Aesthet Surg J.Mar-Apr; 28(2): 180-8.

Saga, K. (2002): "Structure and function of human sweat glands studied with histochemistry and cytochemistry". Prog Histochem Cytochem; 37: 323.

Salti, G. and Ghersetich, I. (2008): "Advanced botulinum toxin techniques against wrinkles in the upper face". Clin Dermatol.Mar-Apr; 26(2): 182-91.

Savardekar, P. (2007): "Microdermabrasion". Indian J Dermatol Venereol Leprol.Jul-Aug; 73(4): 277-9.

Schaffer, J.V.; Bolongnia, J.L.; Goldman, L.; Ausiello, D.A. (2008): "Benign pigmented skin lesions other than melanocytic nevi (moles)". J Drugs Dermatol 4: 462.

Scheinfeld, N.S. (2009): "Skin Disorders in Older Adults: Vascular, Lymphatic, and Purpuric Dermatides". Part 1 Consultant Vol 49: 6.

References

- Schwartz, R.A.; Janusz, C.A. and Janniger, C.K. (2006):** "Seborrheic dermatitis: an overview". *Am Fam Physician*. Jul; 74(1): 125-30.
- Sclafani, A.P. (2009):** " Applications of platelet-rich fibrin matrix in facial plastic surgery". *Facial Plast Surg* 25(4):270-6.
- Sela, B.A. (2002):** "Dermatological manifestations of smoking". *Harefuah*. Aug; 141(8): 736-40, 760.
- Shekar, S.N.; Luciano, M.; Duffy, D.L.; Marin, N.G. (2005):** "Genetic and environmental influences on skin pattern deterioration". *J. Invest. Dermatol.*; 125: 1119–29.
- Shimokata, H. and Kuzuya, F. (1995):** "Two-point discrimination test of the skin as an index of sensory aging". *Gerontology* 41: 267.
- Silver, S.G. and Ho VCY (2003):** "Benign epithelial tumors", in *Dermatology in General Medicine*, 6th ed, edited by Freedberg IM *et al.* New York, McGraw-Hill, 767.
- Silverberg, N. and Silverberg, L.(1989):** "Aging and the skin". *Postgrad Med*. Jul; 86(1): 131-6, 141-4.
- Smith, E.S.; Fleischer, AB. Jr. and Feldman, S.R. (2001):** "Demographics of aging and skin disease". *Geriatric Dermatology*, edited by Gilchrest BA. Philadelphia, WB Saunders, p 631.
- Smith, K.C. (2008):** "Reversible vs. nonreversible fillers in facial aesthetics: concerns and considerations". *Dermatol Online J*. Aug 15; 14(8): 3.
- Sohal, R.S. and Allen, R.G. (1985):** "Relationship between metabolic rate, free radicals, differentiation and aging: A unified theory". *Basic Life Sci* 35: 75.

References

- Steingrimsdóttir, E.; Copeland, N.G. and Jenkins, N.A. (2005):** "Melanocyte stem cell maintenance and hair graying". *Cell* 121: 9.
- Stoebner, P.E., and Meunier, L.(2008):** "Photoaging of face".*Ann Dermatol Venereol.* 2008 Jan; 135(1 Pt 2): 1S21-6.
- Sukal, S.A. and Geronemus, R.G. (2008):** "Thermage: the nonablative radiofrequency for rejuvenation". *Clin Dermatol.* Nov-Dec; 26(6):602-7.
- Swartz, M. (2004):** "Cellulitis". *The New England Journal of Medicine*; 350(9): 904-912.
- Swift, M.E.; Burns, A.L.; Gray, K.L.; DiPietro, L.A. (2001):** "Age related alterations in the inflammatory skin". *J.Am. Acad.Dermatol.* 135: 200.
- Tanzi, E.L. and Alster, T.S. (2008):** "Skin Resurfacing: Ablative Lasers, Chemical Peels, and Dermabrasion". In: Wolff K, Goldsmith LA, Katz SI *et al*, editors. *Fitzpatrick's Dermatology in General Medicine.* 7th edition. United States of America, McGraw Hill Medical;p. 2370-71.
- Taylor C.R. and Sober A.J. (2006):** "Sun exposure and skin aging". *Annu. Rev. Med.* 47: 181–91.
- Tobin, D.J. And Paus, R. (2001):** "Graying: Biology of the hair follicle pigmentary unit". *Exp Gerontol* 36: 29.
- Tortora, Gerard and Derrickson, Bryan(2009):** "Principles of Anatomy and Physiology". John Wiley & Sons Inc, Hoboken, NJ P.152.
- Tse, T.W. (2010):** "Hydroquinone for skin lightening: Safety profile, duration of use and when should we stop?". *J Dermatolog Treat.* Jan 25: 30-34.

References

- Tsuchida, Y. (1993):** "The effect of aging and arteriosclerosis on human skin blood flow". *J Dermatol Sci* 5: 175.
- Twycross, R.; Greaves, M.W.; Handwerker, H.; Jones, E.A. et al. (2003):** "Itch: Scratching more than the surface". *QJM* 96(1): 7-26
- Ullis, K. (2000):** "Sex hormones and their relationship to aging skin". *Cosmetic Dermatology* 13:15.
- Van Neste, D. and Tobin, D.J. (2004):** "Hair cycle and hair pigmentation: Dynamic interactions and changes associated with aging". *Micron* 35:193.
- Van Voorhees, A.; Vittorio, C.C. and Werth, V.P. (2001):** "Papulosquamous disorders of the elderly". *Geriatric Dermatology*, edited by Gilchrest BA. Philadelphia, WB Saunders, p 739.
- Vestal, R.E. and Cusack, B.J. (1990):** "Pharmacology and aging". *Handbook of the Biology of Aging*, edited by Schneider EL, Rowe JW. San Diego, Academic, p 349.
- Vun, Y.; De Ambrosis, B. and Spelman (2006):** "Seborrheic keratosis and malignancy: Collision tumour or malignant transformation?" *Australas J Dermatol* 47:106.
- Waldroup, W. and Scheinfeld, N. (2008):** "Medicated shampoos for the treatment of seborrheic dermatitis". *J Drugs Dermatol*. Jul; 7(7): 699-10.
- Walford, RL. (1979):** "Autoimmunity, histocompatibility and aging". *Aging. Devel.* 9: 71.
- Walne, A.J.; Marrone, A. and Dokal, I. (2005):** "Dyskeratosis congenita: a

References

disorder of defective telomere maintenance". *Int J Hematol* 82: 184.

Weng, N.P. (2006): "Aging of the immune system: How much can the adaptive immune system adapt?". *Immunity* 24: 495.

Wondrak, G.T.; Jacobson, M.K. and Jacobson, E.L. (2006): "Endogenous UVA-photosensitizers: Mediators of skin photodamage and novel targets for skin photoprotection". *Photochem Photobiol Sci* 5: 215.

Wulf, H.C.; Sandby-Møller, J.; Kobayasi, T. and Gniadecki, R. (2004): "Skin aging and natural photoprotection". *Micron*; 35(3): 185-91.

Yaar, M. and Gilchrest, B.A. (1987): "Bullous pemphigoid: Disease of the aging immune system". *Clinics in Dermatology*, edited by Ahmed AR. Philadelphia, Lippincott, p 135.

Yaar, M. and Gilchrest, B.A. (2001a): "Skin aging: Postulated mechanisms and consequent changes in structure and function". *Clin Geriatr Med* 17: 617.

Yaar, M. and Gilchrest, B.A. (2001b): "Aging and photoaging of keratinocytes and melanocytes". *Clin Exp Dermatol* 26(7):583-91.

Yu C.E.; Dshima, J. and Miki, T. (1996): "Positional cloning of the Werner's syndrome gene". *Science* 272: 258.

Zook, E.G. (2003): "Anatomy and physiology of the perionychium". *Clin Anat*; 16: 1.

Zouboulis, C.C. and Boschnakow, A. (2001): "Chronological ageing and photoageing of the human sebaceous gland". *Clin Exp Dermatol* 26: 600.

References
