

References

- 1- *Altenau MM & Sheehy JL. (1978): Tympanoplasty: cartilage prosthesis- a report of 564 cases, Laryngoscope;88:895-904.*
- 2- *Andersen H.(1964): Middle ear development; Acta anatomica;58:90.*
- 3- *Andersen H & Matthiessen ME (1966): Zeitschrift, Zellforschung and mikroskopische;Anatomie; 72: 193.*
- 4- *Andersen H, Matthiessen M E & Jorgensen B (1969): development of middle ear; Acta otolaryngologica (Stockholm); 68: 243.*
- 5- *Anson B J & Bast T H (1949): The temporal Bone and the Ear. Thomas, Springfield, Illinois; pp: 163-257, 306-315, 337-374.*
- 6- *Anson B J, Bast T H & Cauldwell E W (1948): Middle ear development; Annals of Otolaryngology, Rhinology and Laryngology; 57: 603.*
- 7- *Anson B J , Bast T H & Richany S F (1955): Middle ear development; Annals of Otolaryngology, Rhinology and Laryngology; 64: 802.*
- 8- *Applebaum EL. (1993): An hydroxylapatite prosthesis for defects of the incus long process. Laryngoscope;103:330-2.*
- 9- *Austin D. (1985): Columellar tympanoplasty. Am J Otol;6:464-7.*
- 10- *Austin DF. (1985): Reporting results in tympanoplasty. Am J Otol;6: 85-8.*
- 11- *Austin DF. (1992): Ossicular reconstruction. Otolaryngol Clin North Am 1972;5:145-60.*

Chapter XIV

- 12- Austin DF & Shea JJ. (1961): Anew system of tympanoplasty using vein graft. *Laryngoscope*;71: 596–611.
- 13- Babighian G. (1985): Bioactive ceramics versus Proplast implants in ossiculoplasty. *Am J Otol*;6:285–90.
- 14- Babu S & Seidman MD. (2004): Ossicular reconstruction using bone cement. *Otol Neurotol*;25:98-101.
- 15- Bagot d'Arc M. (1998): L'oto-rhino-laryngologiste et la maladie de Creutzfeld Jakob. *Re Laryngol Otol Rhinol*;119:1–12.
- 16- Bance M, Morris DP, VanWijhe RG, et al. (2004): Comparison of the mechanical performance of ossiculoplasty using a prosthetic malleus-to-stapes head with a tympanic membrane-to stapes head assembly in a human cadaveric middle ear model. *Otol Neurotol*;25:903–9.
- 17- Baxter J S (1953) : *Frazer's Manual of Embryology*. 3rd edn. Bailliere, Tindall & Cox, London; pp :202-205, 235-243.
- 18- Bayazit, Enver Ozer, Muzaffer Kanlikama, Tuba Durmaz, and Metin Yilmaz (2000): Bone Cement Ossiculoplasty: Incus to Stapes Versus Malleus to Stapes Cement Bridge Otology & Neurotology 26:364–367.
- 19- Becvarovski Z & Kartush JM. (2001): Smoking and tympanoplasty: implications for prognosis and the Middle Ear Risk Index (MERI). *Laryngoscope*;111:180:6 1.

Chapter XIV

- 20- *Begall K & Zimmermann H. (2000): Reconstruction of the ossicular chain with titanium implants. Results of a multicenter study. Laryngo- Rhino-Otol;79:139-45.*
- 21- *Bellucci RJ. (1973): Dual classification of tympanoplasty. Laryngoscope;83:1754-8.*
- 22- *Bergstrom La V & Hemenway W G (1972): Middle ear development; Laryngoscope; 82: 1777.*
- 23- *Bergstrom La V, Stewart J M & Kenyon B (1974): Middle ear development; Laryngoscope; 84: 1905.*
- 24- *Black B. (1990): Design and development of a contoured ossicular replacement prosthesis: Clinical trials of 125 cases. Am J Otol;11:85-9.*
- 25- *Black B.(1991): A universal ossicular replacement prostheses: clinical trial of 152 cases. Otolaryngol Head Neck Surg;104:210-8.*
- 26- *Black B. (1992): Ossiculoplasty prognosis; the spite method of assessment. Am J Otol;13: 544-51.*
- 27- *Blayney AW, Bebear JP, Williams KR & Portmann M. (1986): Ceravital in ossiculoplasty: experimental studies and early clinical results. J Laryngol Otol;100:1359-66.*
- 28- *Bollabas B & Hajdu I (1975): Middle ear development; Journal of Otolaryngology and its Borderlands; 37: 97.*

Chapter XIV

- 29- Booth TN, Vezina LG, Karcher G, et al. (2000): *Imaging and clinical evaluation of isolated atresia of the oval window. AJNR Am J Neuroradiol*;21:171–4.
- 30- Brackmann DE & Sheehy JL. (1979): *Tympanoplasty; TORPs and PORPs. Laryngoscope*;89:108–14.
- 31- Brackmann DE, Sheehy JL & Luxford WM. (1984): *TORPs and PORPs in tympanoplasty: A review of 1042 operations. Otolaryngol Head Neck Surg*;92:32–37.
- 32- Brackmann DE, Shelton C & Arriaga MA. (2001): *Otologic surgery, 2nd edition. Philadelphia: WB Saunders.*
- 33- Brask T. (1999): *Reconstruction of the ossicular chain in the middle ear with glass ionomeric cement. Laryngoscope*;109:573–6.
- 34- Brewis C, Orrell J & Yung MW. (2003): *Ceravital revisited: Lessons to be learned. Otol Neurotol*;24:20–3.
- 35- Bromer H, Deutscher K, Blencke B, Pfeil E & Strunz V. (1977): *Properties of the bioactive implant material ‘Ceravital’. Sci Ceram*;9:219–25.
- 36- Bujia J, Wilmes E, Kastenbauer E & Gürtler L. (1996): *Influence of chemical homograft preservation procedures on the human immunodeficiency virus. Laryngoscope*;106:645–647.
- 37- Burger EH & Klein-Nulen J. (1999): *Responses of bone cells to biomechanical forces in vitro. Adv Dent Res*;13:93–8.

Chapter XIV

- 38- *Caroline De Vos . (2006): Prognostic Factors in Ossiculoplasty Otolaryngology & Neurotology ;28:61Y67.*
- 39- *Cawthorne T (1963): Middle ear development; Archives of Otolaryngology 78, 248.*
- 40- *Chen ZH, Li C & Wang YQ. (1983): Titanium alloy prostheses in total replacement of temporomandibular joint and mandibuloplasty: report of 20 cases. Med J CPLA;8:213-5.*
- 41- *Chole RA, McGinn MD & Tinling SP. P (1985): ressure-induced bone resorption in the middle ear. Ann Otol Rhinol Laryngol;94:165–70.*
- 42- *Cody DTR & Taylor WF. (1973): Tympanoplasty: long-term hearing results with incus grafts. Laryngoscope;83:852–64.*
- 43- *Colletti V. & Fiorino FG. (1999): Malleus-to-footplate prosthetic interposition: experience with 265 patients. Otolaryngol Head Neck Surg;120:437–44.*
- 44- *Committee on Hearing and Equilibrium. Committee on Hearing and Equilibrium guidelines for the evaluation of results of treatment of conductive hearing loss (1995): Otolaryngol Head Neck Surg;113:186_7.*
- 45- *Covell WP. (1940): The ossicles in otosclerosis. Acta Otolaryngol;28:263Y76.*
- 46- *Curzi L (1976): Middle ear development; Thesis, Universite de Paris, Sud Centre d'Orsay, No. d'ordre 1685.*

Chapter XIV

- 47- Dalchow CV, Grun D & Stupp HF. (2001): *Reconstruction of the ossicular chain with titanium implants. Otolaryngol Head Neck Surg*;125:628–630.
- 48- Daniels RL & Shelton C. (1997): *Revision ossicular reconstruction. In: Carrasco VN, Pillsbury HC, editors. Revision otologic surgery. New York: Thieme; p. 22–42.*
- 49- Dass R & Makhni S. (1966): *Middle ear development; Archives of Otolaryngology; 84: 306.*
- 50- Davies D G (1967): *Middle ear development; Journal of Laryngology and Otology; 81: 649.*
- 51- Dayal V S, Farkashidy J & Kokshanian A (1973): *Middle ear development; Canadian Journal of Otolaryngology; 2: 136.*
- 52- De Kok YJM, van der Maarel SM, Bitner-Glindzicz M, et al. (1995): *Association between X-linked mixed deafness and mutations in the POU domain gene POU3F4. Science*;267:685–8.
- 53- Donaldson I & Snow DG. (1992): *A five year follow up of incus transposition in relation to the first stage tympanoplasty technique. J Laryngol Otol*;106:607–9.
- 54- Dornhoffer JL (1998): *Hearing results with the Dornhoffer ossicular replacement prostheses. Laryngoscope* 108:531- 536.
- 55- Dost P & Jahnke K. (2004): *Biomaterials in reconstructive middle ear surgery. In: Jahnke K, editor. Current topics in otolaryngology-head and neck surgery: middle ear surgery,*

Chapter XIV

recent advances and future directions. New York: Thieme; p. 53–72.

- 56- *Elsheikh MN, Elsherief H & Elsherief S. (2006): Physiologic reestablishment of ossicular continuity during excision of retraction pockets. Arch Otolaryngol Head Neck Surg;132:196–9.*
- 57- *Emmett JR. (1989): Biocompatible implants in tympanoplasty. Am J Otol;10:215–9.*
- 58- *Emmett JR, Shea JJ & Moretz WH. (1986): Long-term experience with biocompatible ossicular implants. Otolaryngol Head Neck Surg; 94:611–6.*
- 59- *Engel RCH (1975): Auditory Evoked Potentials from Abnormal Electroencephalograms in the Neonatal Period. Thomas, Springfield, Illinois; pp 17, 21, 73-74, 82-83, 110-116, 118.*
- 60- *Ernst DR & Race RE (1993): J Virol Methods 41:193. [106] Chiossone E. (1987): Homograft ossiculoplasty: long-term results. Am J Otol;8:545–50.*
- 61- *Farrior JB. (1960): Ossicular repositioning and ossicular prosthesis in tympanoplasty. Arch Otolaryngol;71:443–9.*
- 62- *Farrior JB & Nichols SW. (1996): Long-term results using ossicular grafts. Am J Otol;17:386–392.*
- 63- *Ferris P & Prendergast PJ. (2000): Middle ear dynamics before and after ossicular replacement. J Biomech;33:581–90.*

Chapter XIV

- 64- *Frazer J E (1946) The Anatomy of the Human Skeleton. 4th edn. J & A Churchill Ltd, London; p 173.*
- 65- *Friedmann I(1968) : Middle ear development; Journal of Laryngology and Otology 82, 185*
- 66- *Gersdorff MCH, Maisin JP & Munting E. (1986): Comparative study of the clinical results obtained by means of Plastipore and ceramic ossicular prosthesis and bone allografts. Am J Otol;7:294–7.*
- 67- *Gersdorff M, Vilain J, Maisin JP, et al. (1989): Bone allografts in reconstructive middle ear surgery. Arch Otorhinolaryngol;246: 94–6.*
- 68- *Geyer G & Helms J. (1990): Reconstructive measures in the middle ear and mastoid using a biocompatible cement: preliminary clinical experience. Clin Implant Mater Adv Biomater;9:529-35.*
- 69- *Glasgold A I & Horrigan W D (1972) : Middle ear development; Laryngoscope 82, 2217.*
- 70- *Glasscock ME. (1976): Ossicular chain reconstruction. Laryngoscope;86:211–2.*
- 71- *Glasscock ME & Shambaugh GE Jr. (1990): Surgery of the ear, 4th edition. Philadelphia: WB Saunders.*
- 72- *Goebel JA, Jacob A. (2005): Use of Mimix hydroxyLapatite bone cement for difficult ossicular reconstruction. Otolaryngol Head Neck Surg;132:727-734.*

Chapter XIV

- 73- Goldenberg RA. (1990): Hydroxylapatite ossicular replacement prostheses: preliminary results. *Laryngoscope*;100:693-700.**
- 74- Goldenberg RA. (1992): Hydroxylapatite ossicular replacement prostheses: a four-year experience. *Otolaryngol Head Neck Surg*; 106:261-9.**
- 75- Goldenberg RA. (1992): Hydroxylapatite ossicular replacement prostheses. Results in 157 consecutive cases. *Laryngoscope*;102: 1091-6.**
- 76- Goldenberg RA. (1994): Ossiculoplasty with composite prostheses: PORP and TORP. *Otolaryngol Clin North Am*;27:727-45.**
- 77- Goldenberg RA. (1995): Hydroxylapatite middle ear implants. *ENT News*;4:15-6.**
- 78- Goldenberg RA & Driver M. (2000): Long-term results with hydroxylapatite middle ear implants. *Otolaryngol Head Neck Surg*;122:635-42.**
- 79- Goldenberg RA & Emmet JR. (2001): Current use of implants in middle ear surgery. *Otol Neurotol*;22:145-52.**
- 80- Goldman DJ, Nalebuff J & Druss JG. (1962): Experimental observations on prosthetic materials in stapedial surgery with special reference to the use of Te¹on. *Laryngoscope*;72:169-81.**
- 81- Goode RL & Nishihara S. (1994): Experimental models of ossiculoplasty. *Otolaryngol Clin North Am*;27:663-75.**

Chapter XIV

- 82- Goycoolea MV. (1991): *Otosclerosis*. In: Paparella MM, Shumrick DA, Gluckman JL, Meyerhoff WL, eds. *Otolaryngology*. Vol II. Philadelphia, PA: W.B. Saunders Co;1489Y512.
- 83- Grote J. (1984): *Tympanoplasty with calcium phosphate*. *Arch Otol*;110:197–9.
- 84- Grote JJ. (1987): *Reconstruction of the ossicular chain with hydroxylapatite prostheses*. *Am J Otol*;8:396-401.
- 85- Guggenheim P (1971): *Middle ear development*; *Laryngoscope* 81, 1665.
- 86- Guilford F. (1965): *Repositioning of the incus*. *Laryngoscope*;75:236–42.
- 87-Guinan JJ & Peak WT (1967): *Middle ear characteristics of anesthetized cats*. *J Acoust Soc Am*;41:1237–61.
- 88- Gulya A & Harold F. Schuknecht (2007): *Anatomy of the temporal bone with surgical implications ; third edition, Chapter [3] the middle ear*.
- 89- Gussen R. (1971) : *The human incudomalleal joint. Chondroid articular cartilage and degenerative arthritis*. *Arth Rheum*;14:465
- 90- Hall A & Rytzner C. (1957): *Stapedectomy and autotransplantation of ossicles*. *Acta Otolaryngol*;47:318–24.
- 91- Hall, A. & Rytzner, C. (1960): *Viability of autotransplanted ossicles*. *Acta Otolaryngologica*; 158: (Suppl) 335.

Chapter XIV

- 92-Hamilton W J, Boyd J D & Mossman H W: (1972) *Human Embryology*. 4th edn. Heffer, Cambridge; Williams & Wilkins, Baltimore; pp 509-516, 532-539.
- 93-Harrington J W & Herbert G B(1967): *Middle ear development; Archives of Otolaryngology* 85, 572.
- 94- Harvey & Steven A . (1999): *Double Cartilage Block Ossiculoplasty in Chronic Ear Surgery . Laryngoscope; Volume 109,911-914.*
- 95- Hayden GD. (1961): *Results with polyethylene T-strut in the restoration of hearing. Laryngoscope;71:5054–61.*
- 96- Henning Hildmann & Holger Sudhoff (2006): *Middle Ear Surgery. Springer-Verlag Berlin Heidelberg New York Page 37.*
- 97- Hiranandani, L. H. & Deshpande, C. K. (1971): *Infections of the middle ear cleft. In Histopathological Study of the Middle Ear Cleft and Its Clinical Applications. (Hiranandani, L. H., Deshpande, C. K., eds.), Butterworths, London, pp 6-36.*
- 98- Hoffmann KK, Kuhn JJ & Strasnick B. (2003): *Bone cements as adjuvant techniques for ossicular reconstruction. Otol Neurotol;24:24-28.*
- 99- Ho SY, Battista RA & Wiet RJ. (2003): *Early results with titanium ossicular implants. Otol Neurotol;24:149–152.*
- 100- Hotz MA, Orr T, Speirs AD & Häusler R. (2002): *A new inactivation/ preservation procedure for ossicle homografts. Transplant Proc;34:1325–1326.*

Chapter XIV

- 101- Hotz MA, Speirs AD, Oxland T, et al (1999): *Laryngoscope* 109:65.
- 102- Hough J V D (1963): *Middle ear development. Archives of Otolaryngology* 78, 335.
- 103- House HP. (1960): *Polyethylene in middle ear surgery. Arch Otolaryngol*;71:926–31.
- 104- House WF, Patterson ME & Linthicum FH. (1966): *Incus homografts in chronic ear surgery. Arch Otolaryngol*;84:148–53.
- 105- House JW & Teufert KB. (2001): *Extrusion rates and hearing results in ossicular reconstruction. Otolaryngol Head Neck Surg*;125:135–41.
- 106- Hueb MM, Goycoolea MV, Paparella MM & Oliveira JA. (1991): *Otosclerosis: The University of Minnesota temporal bone collection. Otolaryngol Head Neck Surg*;105:396Y405.
- 107- Hughes G. (2003): *Ossicular reconstruction: a comparison of reported results. Am J Otol* 1987;8:371–4.
- 108- Höttenbrink KB. (2004): *Biomechanical aspects of middle ear reconstruction. In: Jahnke K, editor. Current topics in otolaryngology-head and neck surgery: middle ear surgery, recent advances and future directions. New York: Thieme; p. 23–51.*
- 109- Iurato S, Marioni G & Onofri M. (2001): *Hearing results of ossiculoplasty in Austin-Kartush groupA patients. Otol Neurotol*;22(2):140–4.

Chapter XIV

- 110- *Jackson CG, Glasscock ME, Schwaber MD, et al. (1983): Ossicular chain reconstruction: the TORP and PORP in chronic ear disease. Laryngoscope;93:981–8.*
- 111- *Jansen C. (1958): radical operation and tympanoplastic. S-B Fortbild Arzte OB;2:18.*
- 112- *John L., Dornhoffer & Edward Gardner (2001): Otology & Neurotology ;22:299–304.*
- 113- *Johnson & Jonas T. (2006): Newlands, Shawn D Bailey, Byron J. (2006): Head & Neck Surgery - Otolaryngology, 4th Edition Copyright © Lippincott Williams & Wilkins. Volume Two . Chapter IX - Anatomy and Physiology of Hearing.*
- 114- *Jones F W & I-Chuan Wen (1934): Middle ear development; Journal of Anatomy (London) 68, 525.*
- 115- *Kanagasuntheram R (1967) :Journal ofAnatomy (London) 101, 731*
- 116- *Kartush JM. (1994): Ossicular chain reconstruction. Capitulum to malleus. Otolaryngol Clin North Am;27:689–715.*
- 117- *Keith A (1948): Human Embryology and Morphology. Edward Arnold, London.*
- 118- *Kelly DJ, Prendergast PJ & Blayney AW. (2003): The effect of prosthesis design on vibration of the reconstructed ossicular chain: a comparative finite element analysis of four prostheses. Otol Neurotol;24:11–9.*

Chapter XIV

- 119- Kenna MA & Hirose K. (2003): *Embryology and developmental anatomy of the ear. In: Bluestone CD, Stool SE, Alper CM, et al, editors (2003): Pediatric otolaryngology. 4th edition. Philadelphia: Saunders; p. 129–45 .*
- 120- Kerr AG. (1981): *Proplast and Plastipore. Clin Otolaryngol;6:187–91.*
- 121- Kerr, A. G. & Smyth G. D. (1971): *The fate of transplanted ossicles. Journal of Laryngology and Otology;85: 337-347.*
- 122- Kobayashi T, Gyo K, Shinohara T, et al. (2002): *Ossicular reconstruction using hydroxyLapatite prostheses with interposed cartilage. Am J Otol;23:222Y7.*
- 123- Kupperman D & Tange R. (2001): *Ionomeric cement in the human middle ear cavity: long-term results of 23 cases. Laryngoscope;111: 306–9.*
- 124- Lalwani Anil K (2006): *Current diagnosis & treatment in Otolaryngology head &neck surgery ; Second edition ,Chapter [44] , Anatomy & Physiology of the Ear.*
- 125- Lalwani Anil K (2006): *Current diagnosis and treatment in Otolaryngology ; second edition, Chapter [48], Congenital Disorders of the Middle Ear .*
- 126- Lang J., Kerr A. G. & Smyth G. D. (1986): *Long-term viability of transplanted ossicles. Journal of Laryngology and Otology; 103: 741-747.*

Chapter XIV

- 127- Lang, J., Kerr A. G. & Smyth G. D. (1989): *Transplanted ossicles after two decades. Journal of Laryngology and Otology*; 103: 471-472.
- 128 - Lempert J & Wolff D. (1945) : *Histopathology of the incus and the head of the malleus in cases of stapedia ankylosis. Arch Otolaryngol*; 42:339.
- 129- Lim D J (1970) : *Middle ear development; Acta Otolaryngologica (Stockholm)* 70, 176.
- 130- Livingstone G & Delahunty J E (1962): *Middle ear development; Journal of Laryngology and Otology* 82, 495
- 131- Luetje CM & Denninghoff JS. (1987): *Perichondrial attached double cartilage block: a better alternative to the PORP. Laryngoscope*;97:1106-1108.
- 132 - Luv Ram Javia, MD, Michael J. & Ruckenstein, MD, MSc . (2006): *Ossiculoplasty Otolaryngol Clin N Am*;39 1177–1189.
- 133- Maassen MM, Lowenheim H, Pfister M, et al. (2005): *Surgical-handling properties of the titanium prosthesis in ossiculoplasty. Ear Nose Throat J*;84:142–4, 147–9.
- 134- Maassen MM & Zenner HP. (1998): *Tympanoplasty type II with ionomeric cement and titanium- gold-angle prostheses. Am J Otol*;19:693-699.
- 135- Mangham CA & Lindeman RC. (1990): *Ceravital versus Plastipore in tympanoplasty: a randomised prospective trial. Ann Otol Rhinol Laryngol*;99:112–6.

Chapter XIV

- 136- Mann W & Hoffmann R. (1988): Tympanoplasty. *Laryngol Rhinol Otol*;67:31–3.
- 137- Manohar Bance (2007): How does prosthesis head size affect vibration transmission in ossiculoplasty?. *Otolaryngology–Head and Neck Surgery* ;137, 70-73 .
- 138- Marcia Ale Souza (2003): Long-Term Hearing Results after Incus Interposition Surgery *Otolaryngology– Head and Neck Surgery* Volume 129 Number 2.
- 139- Maroun T. & Semaan (2006) : The Pathophysiology of Cholesteatoma *Otolaryngol Clin N Am*;39 ;1143–1159.
- 140- Martin & Harner (2004): Ossicular Reconstruction with Titanium Prosthesis *Laryngoscope*, 114:61–64.
- 141- Martin C, Timoshenko AP, et al. (2004): Cartilage and tympanoplasty. *Acta Otorhinolaryngol Belg*;58:143–9.
- 142- McElveen JT. (1994): Ossiculoplasty with polymaleinate ionomeric prostheses. *Otolaryngol Clin North Am*;27(4):777-84.
- 143- Merchant SN. (2005): Ossiculoplasty and tympanoplasty in chronic otitis media. In: Nadol JB Jr, McKenna MJ, editors. *Surgery of the ear and temporal bone*. 2nd edition. Philadelphia: Lippincott Williams & Wilkins; p. 305–24.
- 144- Merchant SN, Kenna MJ, Mehta RP, et al. (2003): Middle ear mechanics of type III tympanoplasty (stapes columella): Clinical studies. *Otol Neurotol*;24:186–94.

Chapter XIV

- 145- Merchant SN, Ravicz ME, Voss SE, et al. (1998): *Middle-ear mechanics in normal, diseased and reconstructed ears. J Laryngol Otol*;112:715–31.
- 146- Mikaelian DO. (1986): *Perichondrial-cartilage island graft in one stage tympano-ossiculoplasty. Laryngoscope*;96:237-9.
- 147- Mills RP. (1993): *The use of cortical bone grafts in ossiculoplasty: I—Surgical techniques and hearing results. J Laryngol Otol*; 107:686–9.
- 148- Minatogawa T, Kumoi T. (1999): *Problems in utility and safety of otological homografts, Transplant Proc*;5:2036–2037.
- 149- Mislav G & Sabine S . *Gold prostheses for ossiculoplasty in the American Journal of otology* 19:273-176.
- 150- *Morbidity Mortality Weekly Report (MMWR) (1987): Rapid progressive dementia in a patient who received a cadaveric dura mater graft, JAMA*;257:1036–1037.
- 151- Morgon A, Charachon D & Bringuier N (1970): *Middle ear development; Minerva Otolaryngologica* 20, 166.
- 152- Morris DP, Bance M & VanWijhe RG. (2004): *How do cartilage and other material overlay over a prosthesis affect its vibration transmission properties in ossiculoplasty? Otolaryngol Head Neck Surg*;131:423–8.
- 153- Morris DP, Bance M, VanWijhe RG, et al. (2004): *Optimum tension for partial ossicular replacement prosthesis reconstruction in the human ear. Laryngoscope*;114:305–8.

Chapter XIV

- 154- **Mauricio Cohen (2004): *The Effects of Gelfoam on Autologous Prosthesis in Experimental Ossiculoplasty . Otolaryngology Head and Neck Surgery*; p 147-148.**
- 155- **Nager GT. (1969): *Histopathology of otosclerosis. Arch Otolaryngol*;89:341Y63.**
- 156- **Nakamura S & Sando I(1966): *Middle ear development; Archives of Otolaryngology* 84, 131.**
- 157- **Nathan W . (2007): *Titanium middle ear prostheses in staged ossiculoplasty: does mass really matter? American Journal of Otolaryngology–Head and Neck Medicine and Surgery* 28 , 164–167 .**
- 158- **Niparko JK, Kemink JL, Graham MD & Kartush JM. (1988): *Bioactive glass ceramic in ossicular reconstruction: a preliminary report. Laryngoscope*;98:822–5.**
- 159- **Nosan DK, Benecke JE & Murr AH. (1997): *Current perspective on temporal bone trauma. Otolaryngol Head Neck Surg*;117:67–71.**
- 160- **Ojala K, Sorri M, Vainio-Mattila J & Sipila P. (1983): *Late results of tympanoplasty using ossicle or cortical bone. J Layngol Otol*; 97:19–25.**
- 161- **O'Rahilly R (1963): *Middle ear development; Journal of Embryology and Experimental Morphology* 11, 741.**

Chapter XIV

- 162- *O'Reilly RC, Cass SP, Hirsch BE, et al. (2005): Ossiculoplasty using incus interposition: hearing results and analysis of the middle ear risk index. Otol Neurotol;26:853- 8.*
- 163- *Pennington CL. (1973): Incus interposition techniques. Ann Otol;82: 518–31.*
- 164- *Plester D & Jahnke K. (1981): Ceramic implants in otologic surgery. Am J Otol;3:104–8.*
- 165- *Portmann M, Bebear JP, Bagot D'Arc M, Vazel P, Paiva A, et al. (1984): Comparative study of different ossicular prostheses in tympanoplasty (Proplast, Plastipore, Ceravital). Analysis of clinical results, histopathological and hearing in the long term (250 cases). In: Grote JJ, ed. Biomaterials in Otology. Boston: Martinus Nijhoff Publishers ;177–86.*
- 166- *Pou J W (1971): Middle ear development; Laryngoscope 81, 831.*
- 167- *Proctor B (1969): Middle ear development; Annals of Otology, Rhinology and Laryngology 78, 1026*
- 168- *Pulskar A ,Steinbach E & Plester (1970): Gold implant in middle ear reconstruction surgery : Transplant and Implant in otology II . Matsuyama, japan : abstract; 111-3.*
- 169- *Rahbar R, Neault MW & Kenna MA. (2002): Congenital absence of the incus bilaterally without other otologic abnormalities: a new case report. Ear Nose Throat J;81:274–6, 278.*
- 170- *Ravi N. Samy, MD, Myles L. & Pensak MD (2006): Revision Ossiculoplasty Otolaryngol Clin N Am 39 699–712.*

Chapter XIV

- 171- Reck R. (1983): *Bioactive glass ceramic: a new material in tympanoplasty. Laryngoscope*;93:196–9.
- 172-Regan D (1972): *Evoked Potentials in Psychology, Sensory Psychology and Clinical Medicine. Chapman & Hall, London*; pp 187-188.
- 173-Rhotan A L, Pulec J L, Hall G M & Boyd A S (1968): *Middle ear development; Journal of Neurosurgery* 28, 48.
- 174- Robert Vincent, John Oates, Neil M. Sperling & Sivakumar (2004): *Anomalaies, Malleus Relocation in Ossicular Reconstruction: Managing the Anteriorly Positioned Malleus: Results in a Series of 268 Cases Otology & Neurotology* 25:223–230.
- 175-Robert Vincent, Neil M. Sperling, John Oates and Jonathan Osborne (2005) : *Ossiculoplasty with Intact Stapes and Absent Malleus: The Silastic Banding Technique; Otology & Neurotology*:26:846-852.
- 176- Romanet P, Duvillard C & Delouane M. (2000): *Mastoid cortical bone grafts in ossiculoplasty; Ann Otolaryngol Chir Cervicofac*; 117:105–9.
- 177- Rupra V. (1997): *Autograft ossicle selection in cholesteatomatous ear disease: histopathological considerations The Journal of Laryngology and Otology* September, Vol. 111 , pp. 807-809.

Chapter XIV

- 178- Rust KR, Singleton GT, Wilson J & Antonelli PJ. (1996): *Bioglass middle ear prosthesis: long-term results. Am J Otol*;17: 371–4.
- 179- Ruth EM Bowden (1977): *Development of the middle and external ear in Man. Proceedings of the Royal Society of Medicine .Volume 70.*
- 180- Sade, J. (1972): *Epithelial invasion of intraossicular spaces. Journal of Laryngology and Otology*; 86: 15-21.
- 181- Sadler TW. (1995) *Langman’s medical embryology. 7th edition.*
- 182- Samuel N, Merchant , John J & Rosowski (2003): *Tympanoplasty. Operative Technique in Otolaryngology ; vol.14 ,pp 224-236.*
- 183- Sataloff RT & Roberts B (1986): *Am J Otol 7:214. Scheer A A (1967): Middle ear development; Archives of Otolaryngology 85, 55.*
- 184- Schonemark M, Mester B, Kempf HG, et al., (1996): *Expression of matrix metalloproteinases and their inhibitors in human cholesteatomas. Acta Otolaryngol*;116:451–6.
- 185- Schuknecht HF. (1993): *Pathology of the ear. 2nd ed. Philadelphia, PA: Lea & Febiger.*
- 186- Schuknecht HF & Kirchner JC. (1974): *Cochlear otosclerosis: Fact or fantasy. The Laryngoscope*;84:766Y82.

Chapter XIV

- 187- Schwager K. (1998): Titanium as an ossicular replacement material. Results after 336 days of implantation in the rabbit. *Am J Otol*;19:569-73.**
- 188- Schwager K. (2000): Titanium and Glass-Ionomer Cement as Ossicular Replacement Materials: Biocompatibility results after implantation in the rabbit. *Laryngo-Rhino-Otol*;79:762-6.**
- 189- Schwetschenau EL & Isaacson G. (1999): Ossiculoplasty in young children with the Appelbaum incudostapedial joint prosthesis. *Laryngoscope*;109:1621-5.**
- 190- Seifi, A.E. & Fouad B. (1992): Autograft ossiculoplasty in cholesteatoma. *ORL* 54, 324-327.**
- 191- Shea JJ. (1958): Fenestration of the oval window. *Ann Otol Rhinol Laryngol*;67:932-51.**
- 192- Shea JJ. (1958): Tympanoplasty in chronic right otitis media: a case report. *Memphis Med*;33:271-5.**
- 193- Sheehy JL. (1965): Ossicular problems in tympanoplasty. *Arch Otolaryngol*;81:115-22.**
- 194- Shinohara T, Kyo K, Saiki T & Yanagihara N. (2000): Ossiculoplasty using hydroxylapatite prostheses: long-term results. *Clin Otolaryngol*;25:287-92.**
- 195- Siddiq MA & East DM. (2004): Long-term hearing results of incus transposition. *Clin Otolaryngol*;29:115-8.**

Chapter XIV

- 196- Silbergleit R, Quint DJ, Mehta BA, et al. (2000): *The persistent stapedia artery. AJNR Am J Neuroradiol*;21:572–7.**
- 197- Silverstein H, McDaniel AB & Lichtenstein R. (1985): *A comparison of PORP, TORP, an incus homograft for ossicular reconstruction in chronic ear surgery. Presented at The Triological Society, Miami Beach, Florida.***
- 198- Siu Kwan Ng (2003): *Autograft Ossiculoplasty in Cholesteatoma Surgery: Is It Feasible? Laryngoscope*; 113.**
- 199- Slater PW, Rizer FM, Schuring AG & Lippy WH. (1997): *Practical use of total and partial ossicular replacement prostheses in ossiculoplasty. Laryngoscope*;107:1193–8.**
- 200- Speirs AD, Hotz MA, Oxland TR, et al (1999): *J Biomech* 32:485.**
- 201- Steelman V. (1994): *Creutzfeldt-Jakob disease: recommendations for infection control. Am J Infect Control*;22:312–318.**
- 202- Streeter G L (1906): *Middle ear development; American Journal of Anatomy* 6, 139.**
- 203- Streeter G L (1948): *Middle ear development; Contributions Embryology* 32, 133**
- 204- Stupp CH, Stupp HF & Grün D. (1996): *Ossicular chain reconstruction with titanium implants. Initial clinical experiences. Laryngo-Rhino-Otol*;75:335-7.**

Chapter XIV

- 205- Subotic, R. & Femenic, B. (1991): *Histological changes of incus with cholesteatoma in the attic. Acta Otolaryngologica ;111: 358-361.*
- 206- Symth GDL. (1983): *TORPs: how have they fared after five years? J Laryngol Otol;97:991-3.*
- 207- Tange RA, Troost D & Limburg M. (1990): *Progressive fatal dementia in a patient who received homograft tissue for tympanic membrane closure. Eur Arch Otorhinolaryngol;247: 199-201.*
- 208-Tonndorf J. & Khanna SM.(1972): *Tympanic membrane vibrations in human cadaver ears studied by time-averaged holography. J Acoust Soc Am ;52:1221-33.*
- 209- Tonndorf I & Khanna SM. (1976): *Mechanics of the auditory system. In: Hinchcliffe R, Harrison D, eds. Scientific Foundation of Otolaryngology. Chicago: Year Book Medical Publisher;237-52.*
- 210- Tos M. (1974): *Late results in tympanoplasty. Arch Otolaryngol;100: 302-5.*
- 211- Ugo Fisch & John May (2004): *A New L-Shaped Titanium Prosthesis for Total Reconstruction of the Ossicular Chain Otology & Neurotology. 25:891-902.*
- 212- Van Blitterswijk CA & Grote JJ. (1990): *Biocompatibility of clinically applied ceramic. Ann Otol Rhinol Laryngol;99:3-11.*

Chapter XIV

- 213- Vartiainen E & Nuutinen J. (1992): Long-term hearing results of one-stage tympanoplasty for chronic otitis media. *Eur Arch Otorhinolaryngol*;249:329–31.
- 214- Vercruysse J-P, Offeciers FE, Somers T, et al. (2002): The use of malleus allografts in ossiculoplasty. *Laryngoscope* ;112:1782–4.
- 215- Vlaming MS & Feenstra L. (1986): Studies on the mechanics of the reconstructed human middle ear. *Clin Otolaryngo* l;11:411–22.
- 216- Wake, M., Robinson J. M, Sheehan A. L., Bazerbachi, S. & Codling, B. W. (1992): The histology of 'stored' autologous ossicles. *Journal of Laryngology and Otology*; 106: 17-20.
- 217- Wang X, Song J & Wang H. (1999): Results of tympanoplasty with titanium prostheses. *Otolaryngol Head Neck Surg*;121:606–9.
- 218- Warwick R & Williams P L (1973) : *Gray's Anatomy*. 3rd edn. Longman, London; pp 147 -149.
- 219-Wareing MJ, Lalwani AK & Jackler RK. (2006): Development of the ear. In: Bailey B, Johnson JT, Newlands SD, et al., editors (2006): *Head and Neck Surgery-Otolaryngology*. 4th edition. Philadelphia: Lippincott Williams and Wilkins; Chapter 128.
- 220- Watanabe A, Miyahsima H, Kobashi T, et al. (2004): CT findings of bilateral congenital absence of the long process of the incus. *Neuroradiology*;46:859–61.

Chapter XIV

- 221- Wehrs RE. (1978): *Results of homografts in middle ear surgery. Laryngoscope*;88:808–15.
- 222- Wehrs RE. (1989): *Incus replacement prostheses of hydroxylapatite in middle ear reconstruction. Am J Otol*;10:181-2.
- 223- Wehrs RE. (1994): *Incus interposition and ossiculoplasty with hydroxylapatite prostheses. Otolaryngol Clin N Am*;27:677–88.
- 224- Wehrs RE (1999): *Congenital absence of the long process of the incus. Laryngoscope*;109: 192–7.
- 225- Wilson CP (1959): *Middle ear development; Acta Otolaryngologica (Stockholm)* 50, 225.
- 226- Wilson TC (1967): *Middle ear development; Proceedings of the Royal Society of Medicine* 60, 407.
- 227- Withers BT, Hateld SE & Richmond RW. (1963): *Drum and middle ear grafts in cats. Laryngoscope*;73:1022–43.
- 228- Wolff D & Bellucci RJ. (1956): *The human ossicular ligaments. Ann Otol Rhinol Laryngol*; 65:895.
- 229- Wullstein H. (1956); *Theory and practice of tympanoplasty. Laryngoscope*;66:1076–93.
- 230- Wullstein H. (1956): *The restoration of the function of the middle ear in chronic otitis media. Ann Otol Rhinol Laryngol*;65:1020–41.

Chapter XIV

- 231- Yamamoto E. (1988): Long-term observations on ceramic ossicular replacement prosthesis (CORP). *Laryngoscope* ;98:402–4.
- 232- Yamamoto E & Iwanaga M. (1987): Soft tissue reaction to ceramic ossicular replacement prosthesis. *J Laryngol Otol*;101:897–904.
- 233- Yung MW. (2001): The use of middle ear endoscopy: has residual cholesteatoma been eliminated? *J Laryngol Otol*;115:958–61.
- 234- Yung MW (2003): Literature review of alloplastic materials in ossiculoplasty. *J Laryngol Otol*; 117:431–6.
- 235- Yung MW (2006): Long-term results of ossiculoplasty: reasons for surgical failure. *Otol Neurotol*;27:20–6.
- 236- Yung MW (2007): Titanium prosthesis with malleus notch: a study of its user-friendliness' *The Journal of Laryngology & Otology*, 1 of 5.
- 237- Zahnert T, Bornitz M & Huttenbrink K-B. (2003): Calculations and experiments on the influence of prosthesis coupling to the middle ear transfer function. In: *Middle ear mechanics in research and otology: Proceedings of the Third Symposium, Matsuyame, Ehime, Japan 9-12 July*. editors: Gyo K, Wada H, Hato N & Koike T. (2004): World Scientific Publishing Co.
- 238- Zeifer B, Sabini P & Sonne J. (2000): Congenital absence of the oval window: radiologic diagnosis and associated anomalies. *AJNR Am J Neuroradiol*;21:322–7.

Chapter XIV

- 239- Zenner HP, Freitag HG, Linti C, et al. (2004): *Acoustomechanical properties of open TTP_ titanium middle ear prostheses. Hear Res;192:36–46.*
- 240- Zenner HP, Stegmaier A, Lehner R, et al. (2001): *Open Tübingen titanium prostheses for ossiculoplasty: a prospective clinical trial. Otol Neurotol;22:582–589.*
- 241- Zöllner C & Strutz J. (1987): *Middle ear implants (Tübingen type) of Al₂O₃ ceramics. Follow-up to 6 years after surgery [in German]. Laryngol Rhinol Otol;66:517–21.*
- 242- Zollner F. (1955): *The principles of plastic surgery of the sound-conducting apparatus. J Laryngol Otol;69:637–52.*