

references

Adrian ED. (1930): The effect of injury on mammalian nerve fibers. Proc Roy Soc Lond (Biol) 106:596.

Alam D. (2007): Rehabilitation of long-standing facial nerve paralysis with percutaneous suture-based slings. Arch Facial Plast Surg. 9:205–209.

Baxter, A. (1971): Dehiscence of the Fallopian canal. An anatomical study. J Laryngol Otol 85:587-94.

Beddard, D. and Saunders, WH. (1962): Congenital defects in the fallopian canal. Laryngoscope 72:112-15.

Bellucci RJ. (1981): Congenital aural malformations, diagnosis and treatment. Otolaryngol Clin North Am 95–124.

Bergeron CM. and Moe KS. (2008): The evaluation and treatment of upper eyelid paralysis. Facial Plast Surg., 24:220–230.

Bernstein L. and Nelson RH. (1984): Surgical anatomy of the extraparotid distribution of the facial nerve. Arch Otolaryngol ; 110:177-183.

Bianchi B., Copelli C., Ferrari S., Ferri A. and Sesenna E. (2009): Facial animation in children with Moebius and Moebius-like syndromes. Journal of Pediatric Surgery.44, 2236 -2242.

Bianchi B., Copelli C., Ferrari S., Ferri A., Bailleul C. and Sesenna E. (2010): Facial Animation With Free-Muscle Transfer Innervated by the Masseter Motor Nerve in Unilateral Facial Paralysis. J Oral Maxillofac Surg.1-6.

Bibas T., Jiang D. and Glesson MJ. (2008): Disorders of the facial nerve. In: Gleeson M., Browning GG., Burton MJ., Clarke R., Hibbert J., Jones NS., Lund VJ., Luxon LM. And Watkinson JC. (eds): Scott-Brown's Otorhinolaryngology, Head and Neck Surgery. 7th edition. Edward Arnold (publishers) Ltd. Volume 8, Chapter 241c :3870-3894.

Birkmann C., Halber M., Bamborschke S. et al. (2001): Bell's palsy: electrodiagnostics are not indicative of cerebrospinal fluid abnormalities. Ann Otol Rhinol Laryngol 2001;110:581–4.

Boahene KD. (2008): Dynamic muscle transfer in facial reanimation. Facial Plast Surg. 24(2):204-10.

Bolz EA, Miglets AW, Paparella, MM, Saunders, WH. (1986): Chronologic outline of the development of otology. In Saunders WH, Paparella MM (eds.): Atlas of Ear Surgery. St. Louis, Mosby, pp 1–17.

Botros G. (1957): The facial nerve and the surgery of congenital atresia of the ear. Ann Otol Rhinol Laryngol 66:173–181.

Bowden REM and Gutmann E. (1944): Denervation and reinnervation of human voluntary muscles. Brain 67:273–310, 1944.

Brackmann, D.E. and Fetterman, B.L. (2007): Cranial Nerve VII : Facial Nerve. In: Goetz, C.G. (eds): Textbook of Clinical Neurology, third edition. Saunders, an imprint of Elsevier Inc. Chapter 11.

Bulstrode NW. and Harrison DH. (2005): The phenomenon of the late recovered Bell's palsy: treatment options to improve facial symmetry. Plast Reconstr Surg. 115:1466e71.

Burgdorfer W. , Barbour AG. , Hayes S. , et al., (1982): Lyme disease—A tickborne spirochetosis? Science 216:1317–1319.

Buskirk VC. (1945): The seventh nerve complex. J Comp Neurol ;82:303–33.

Carlson BM. (1981): Denervation, reinnervation and regeneration of skeletal muscle. Otolaryngol Head Neck Surg 90:192–196.

Carpenter, B. and Sutin, J. (1983): Pons in human neural anatomy. Baltimore, Williams & Wilkins, pp 385–389.

Carreno M., et al. (2000): Amplification of herpes simplex virus type 1 DNA in human geniculate ganglia from formalin-fixed, nonembedded temporal bones. Otolaryngol Head Neck Surg.123:508–11.

Chiang CW. , Chang YL. and Lou PJ. (2001): Multicentricity of intraparotid facial nerve schwannomas. Ann Otol Rhinol Laryngol. 110: 871–4.

Cho HH, Jeong HS, Jang SJ, et al. (2008): Neural differentiation of mesenchymal stem cells from bone marrow of human mastoid process. *Korean J Otorhinolaryngol Head Neck Surg.* 51:422–428.

Cho HH., Jang S., Lee SC., Jeong HS., Park JS., Han JY., Lee KH. and Cho YB. (2010): Effect of Neural-Induced Mesenchymal Stem Cells and Platelet-Rich Plasma on Facial Nerve Regeneration in an Acute Nerve Injury Model. *Laryngoscope*, 120:907–913.

Chuang DC. (2008): Free tissue transfer for the treatment of facial paralysis. *Facial Plast Surg.* 24(2):194-203.

Crosby, EC. and DeJonge, BR. (1963): Experimental and clinical studies of the central connections and central relations of the facial nerve. *Ann Otol Rhinol Laryngol* 72:735-755.

Crumley RL. (1979): Mechanisms of synkinesis. *Laryngoscope* 90:1947–1954, 1979.

Crumley RL. (1982): Pathophysiology of facial nerve injury. In Gibb AG, Smith MFW (eds.): *Otology*. London, Butterworth Scientific, pp 86–104.

DanBuskrk C. (1945): The seventh nerve complex. *J Comp Neurol* 82:303–333.

Danner CJ. (2008): Facial Nerve Paralysis. *Otolaryngol Clin North Am.* 41; 619–632.

Davis RA, Anson BJ, Puddinger JM. and Kurth RE. (1956): Surgical anatomy of the facial nerve and parotid gland based upon a study of 350 cervical facial halves. Surg Gynecol Obstet 102:385–412.

Diamond J, Cooper E. and Turner C. (1976): Trophic regulation of nerve sprouting. Science 192:371–377.

Dobie RA. (2005): Tests of facial nerve function. In Cummings CW. Et al., (eds.) otolaryngology—head & neck surgery, fourth edition. Mosby, Inc. Chapter 146:2072-2076.

Dobozi M. (1975): Surgical anatomy of the geniculate ganglion. Acta Otolaryngol (Stockh) 80:116.

Eftekharian A. (2005): Facial nerve in middle ear and mastoid surgery. Otol Neurotol 26(5): 1093.

Eicher, SA.; Coker, NJ.; Alford, BR. et al. (1990): A comparative study of the fallopian canal at the meatal foramen and labyrinthine segment in young children and adults. Arch Otolaryngol Head Neck Surg; 116:1030–5.

Esslen E. (1977): Electromyography and electroneurography. In Fisch U (eds.): Facial Nerve Surgery. Birmingham, Ala, Aesculapius, pp 93–100.

Fay A. and Rubin PA. (2005): Oculoplastic Considerations and Management of Facial Paralysis. In: Nadol, Joseph B.; McKenna, Michael J. and Galla, Robert J. (eds): Surgery of the Ear and Temporal Bone, 2nd Edition. Lippincott Williams & Wilkins. , Chapter 39:473-484.

Fisch, U. and Esslen, E. (1977): Total intratemporal exposure of the facial nerve: Pathologic findings in Bell's palsy. Arch Otolaryngol 85:335–341, 1977.

Fisch, U. et al. (1987): Intracranial facial nerve anastomosis. Am J Otol 8:23–9.

Fowler EP. (1961): Variations in the temporal bone course of the facial nerve. Laryngoscope 91:937–944.

Fowler EP. (1963): The pathologic findings in a case of facial paralysis, Trans Am Acad Ophthalmol Otolaryngol 67:187.

Gacek RR. And Gacek MR. (2003): Anatomy of the auditory and vestibular systems. In James B. Snow Jr. and Ballenger JJ. (eds.): *Ballenger's Otorhinolaryngology Head and Neck Surgery*. Sixteenth edition. BC Decker Inc. Chapter 1:1-24.

Ganong W. (1979): Physiology of nerve and muscle cells. In Review of Medical Physiology, 9th ed. Los Altos, Calif, Lange Medical Publication, pp 21–34.

Gantz BJ. (1983): Evaluating acute facial paralysis using electroneurography and intraoperative evoke electromyography. Course 3514, Instruction Session. American Academy of Otolaryngology- Head and Neck Surgery, Inc.

Gantz BJ. (1987 A): Traumatic facial paralysis. In: Current therapy in otolaryngology- head and neck surgery. BC Decker; p. 112–5.

Gantz BJ. (1987 B): Idiopathic facial paralysis. In: Current therapy in otolaryngology- head and neck surgery. BC Decker; p. 62–6.

Gantz, BJ. and Wackym PA. (1993): Facial nerve abnormalities. In: Smith JD, Bumsted R, editors. Pediatric facial plastic and reconstructive surgery. Raven Press. p. 337–47.

Gasser, R. and May M. (1987): Embryonic development of the facial nerve. In May M (ed.): The Facial Nerve. New York, Thieme Stratton, pp 3–19.

Gasser, RF. (1967 B): The development of the facial muscles in man. Am J Anat 120:357–376.

Gasser, RF. (1970): The early development of the parotid gland around the facial nerve and its branches in man. Anat Rec 167:63–78.

Gasser, RF. (1967 A): The development of the facial nerve in man. Ann Otol Rhinol Laryngol 76:37-56.

Ghali S., MacQuillan A. and Grobbelaar AO. (2010): Reanimation of the middle and lower face in facial paralysis: Review of the literature and personal approach. Journal of Plastic, Reconstructive & Aesthetic Surgery. 1-9.

Gilbert SC. (2002): Bell's palsy and herpesviruses. Herpes. 9(3):70-3.

Glasscock, ME. and Shambaugh GE. (1990): (eds.): Facial nerve surgery. In Surgery of the Ear, 4th ed. Philadelphia, WB Saunders, , pp 435–436.

Goldman SA. and Sim F. (2005): Neural progenitor cells of the adult brain. *Novartis Found Symp.* 265:66 –97.

Grafstein B. (1969): Axonal transport communication between soma and synapse. In Costa E, Greengard P (eds.): *Advances in Biochemical Pharmacology*, vol 1. New York, Raven Press.

Gray H.(1959) : Anatomy of the human body. In: Goss CM, ed. *Textbook of Human Anatomy*. 27th ed. Philadelphia: Lea & Febiger.

Grosheva M., Lichius OG., Angelova SK., Kuerten S., Alvanou A., Streppel M., Skouras E, Sinis N., Pavlov S. and Angelov DN. (2008): Local stabilization of microtubule assembly improves recovery of facial nerve function after repair. *Experimental Neurology* 209 ; 131–144.

Groves J. (1976): Facial nerve. In: Hinchcliffe R, Harrison D, eds. Chapter 30 in *Scientific Foundations of Otolaryngology*. London: William Heinemann Medical Books Publication, 1976.

Gulya, A.J. and Schuknecht, (2007): (eds.): Phylogeny and embryology. In *Anatomy of the temporal bone with surgical Implications*. Third edition. Informa Healthcare USA, Inc. Chapter 9:251-310.

Guo BF. , MD, and Dong MM. (2009): Application of neural stem cells in tissue-engineered artificial nerve. *Otolaryngology–Head and Neck Surgery*.140, 159-164.

Hadlock TA. , Greenfield LJ. , Wernick-Robinson M. and Cheney ML. (2006): Multimodality approach to management of the paralyzed face. *Laryngoscope*. 116(8):1385-9.

Hadlock TA., Cheney ML. and McKenna MJ. (2005): Facial Reanimation Surgery. In: Nadol, Joseph B.; McKenna, Michael J. and Galla, Robert J. (eds): *Surgery of the Ear and Temporal Bone*, 2nd Edition. Lippincott Williams & Wilkins. , Chapter 38:461-471.

Halvorson DJ., Coker NJ. and Wang-Bennett LT. (1993): Histologic correlation of the degenerating nerve with electroneurography. *Laryngoscope*. 103: 178-84.

Harris JP., Davidson TM., May M. and Fria T. (1983): Evaluation and treatment of congenital facial paralysis. *Arch Otolaryngol* 109:145–151.

Haynes OR. (1963): The relations of the facial nerve in the temporal bone. *Ann R Coll Surg Engl* 16:175.

Hazin R., Azizzadehand BM. and Bhatti T. (2009): Medical and surgical management of facial nerve palsy. *Current Opinion in Ophthalmology*, 20:440–450.

Heine W., Conant K., Griffin JW. and Hoke A. (2004): Transplanted neural stem cells promote axonal regeneration through chronically denervated peripheral nerves. *Exp Neurol*. 189: 231- 40.

Hostetler MA. , Suara Ro. and Denison MR. (2002): Unilateral Facial Paralysis Occurring in an Infant with Enteroviral Otitis Media and Aseptic Meningitis. J Emergency Medicine 22:267-271.

House JW. and Brackmann DE. (1985): Facial nerve grading system. Otolaryngol Head Neck Surg. 93:146–7.

Hu Y., Leaver SG., Plant GW., Hendriks WT., Niclou SP., Verhaagen J., et al. (2005): Lentiviral-mediated transfer of CNTF to schwann cells within reconstructed peripheral nerve grafts enhances adult retinal ganglion cell survival and axonal regeneration. Mol Ther ; 11: 906-15.

Humphrey CD. and Kriet JD. (2008): Nerve repair and cable grafting for facial paralysis. Facial Plast Surg. 24(2):170-176.

Jackson, CG. (1986): Facial nerve paralysis: diagnosis and treatment of lower motor neuron facial nerve lesions and facial paralysis. AAOHNSF. Rochester.

Jager L. and Reiser M. (2001): CT and MR imaging of the normal and pathologic conditions of the facial nerve. Eur J Radiol ; 40(2):133-146.

Jahrsdoerfer RA. (1988): Embryology of the facial nerve, Facial nerve manual. Am J Otolaryngol 9(5):423–426.

Jenkins HA., Ator GA., and Chen HH. (2010): Traumatic Facial Paralysis. In: Brackmann DE. , Shelton C. and Arriaga MA. (eds): Otologic surgery , third edition. Saunders, an imprint of Elsevier Inc., Chapter 29:347-361.

Jori J, Szekely L, Kiss JG and others (1998): The prognostic value of facial nerve conduction velocity in patients with Bell's palsy, Clin Otolaryngol 23:520.

Jurecka W, Ammerer HP, Lassman H. (1975): Regeneration of a transected nerve. An autoradiographic and EM study. Acta Neuropathol 32:299–305.

Katzer HP., Balogh B., Herczeg EM., et al. (2004): Secondary end-to-end repair of extensive facial nerve defects: surgical technique and postoperative functional results. Head Neck. 26(9):770–7.

Kelhel K. (1946): Abnormal course of the facial nerve in the fallopian canal. Arch Otolaryngol 44:406–408.

Kellman RM. (1989): Facial nerve manual: Physiology and pathophysiology. Am J Otolaryngol 10(1):62–67.

Kertesz TR. , Shelton C. , Wiggins RH. , et al. (2001): Intratemporal facial nerve neuroma: anatomical location and radiological features. Laryngoscope. 111:1250–6.

Kitamura K, Kimura RS. and Schuknecht HF. (1982): The ultrastructure of the geniculate ganglion. Acta Otolaryngol (Stockh) 93:175.

[Knize DM. \(2009\):](#) Anatomic concepts for brow lift procedures. [Plast Reconstr Surg.](#) 124(6):2118-26.

Kreutzberg GW, Schubert B. (1971): Volume changes in the axon during regeneration. Acta Neuropathol (Berl) 17:220–226.

Kuré K. and Sano T. (1936): facialis und die funktionelle Bedeutung der Ganglion geniculi. Z Zellforsch Mikroskop Anat 23:495.

Lang, J. (1991): Cerebellopontine angle, pons and internal auditory meatus. Clinical Anatomy of the Posterior Cranial Fossa and Its Foramina, New York: Thieme Medical, 83-91.

LaRouere, M.J. and Lundy, L.B. (2005): Anatomy and Physiology of the Facial Nerve. In: Jackler, R.K. and Brackmann, D.E. (eds): neurotology. Second edition. Mosby, Inc. Chapter 71:1199-1211.

Lassaletta L., González T., Casas P., Roda JM., Moraleda S. and Gavilána J. (2008): Hemi-Hypoglossal-Facial Intratemporal Side to Side Anastomosis. Acta Otorrinolaringol Esp. 59(3):124-6.

Lee DY., Choi BH., Park JH., et al., (2006): Nerve regeneration with the use of a poly(l-lactide-co-glycolic acid)-coated collagen tube filled with collagen gel. J Craniomaxillofac Surg 34:50-56.

Lee EI. , Hurvitz KA., Evans GR. and Wirth GA. (2008): Cross facial nerve graft: past and present. Journal of Plastic, Reconstructive & Aesthetic Surgery 61, 250-256.

Levenson MJ., Ingerman M., Grimes C. and Anand KV. (1984): Melkersson- Rosenthal Syndrome. Arch Otolaryngol 110:540–542.

Limb CJ. and Niparko JK. (2005): The acute facial palsies. In: Jackler, R.K. and Brackmann, D.E. (eds): neurotology. Second edition. Mosby, Inc. Chapter 74:1230-1257.

Lindeman, H. (1960): The fallopian canal. Acta Otolaryngol (Stockh) 158:204–11.

Litton WB, Krause CJ, Anson BA and Cohen WN. (1969): The relationship of the facial canal to the annular sulcus. Laryngoscope; 79:1584.

Liu YM. and Sherris DA. (2008): Static procedures for the management of the midface and lower face. Facial Plast Surg. 24(2):211-5.

Malone, B. and Maisel, RH. (1988): Anatomy of the facial nerve. Am J Otol 9(6):494-504.

Manni JJ. and Sernet E. (1984): Diagnostic methods in facial nerve pathology. Advances in Oto-Rhino-Laryngology. 34; 202-13.

Mattox DE. (2005): Clinical disorders of the facial nerve. In Cummings CW. Et al., (eds.) otolaryngology—head & neck surgery, fourth edition. Mosby, Inc. Chapter 147:2077-2093.

May M. (1986 A): Anatomy of the facial nerve for the clinician. In May M (ed.): The Facial Nerve. New York, Thieme Stratton, p 35.

May M. (1986 B): Microanatomy and pathophysiology of the facial nerve. In May M (ed.): The Facial Nerve. New York, Thieme Stratton, 1986, pp 63–64.

May M. and Hardin WB. (1977): Facial palsy: interpretation of neurologic findings. Transactions of the American Academy of Ophthalmology and Otolaryngology. 84: 710-22.

May M. and Klein S. (1991): Differential diagnosis of facial nerve palsy. Otolaryngol Clin North Am 24:613-644.

McKeever P, Proctor B. and Proud G. (1987): Cranial nerve lesions in Bell's palsy, Otolaryngol Head Neck Surg 87:326, 1987.

Mehta RP. (2009): Surgical Treatment of Facial Paralysis. Clinical and Experimental Otorhinolaryngology Vol. 2, No. 1: 1-5.

Meltzer NE. and Byrne PJ. (2008): Management of the brow in facial paralysis. Facial Plast Surg. 24(2):216-9.

Melvin TA. and Limb CJ. (2008): Overview of facial paralysis: current concepts. Facial Plast Surg. 24(2):155-63.

Midha R., Munro CA., Dalton PD., et al., (2003): Growth factor enhancement of peripheral nerve regeneration through a novel synthetic hydrogel tube. J Neurosurg 99:555-565.

Miehlke, A. (1973): Surgery of the Facial Nerve, 2nd ed. Philadelphia, WB Saunders, pp 7–21, 147–174.

Millest H. (2005): Peripheral nerve repair: techniques and results. In: Gilbert A, Tubiana R, eds. Tendon, Nerve and Other Disorders. New.York, NY: Taylor and Francis; 105– 124.

Morris LG., Palu RN. and DeLacure MD. (2006): Modified tarsorrhaphy for management of the eye in facial nerve palsy. Laryngoscope; 116:1293–1295.

Myckatyn TM., and Mackinnon SE. (2003): The surgical management of facial nerve injury. Clin Plast Surg. 30(2):307–18.

Nager GT. and Proctor B. (1982): Anatomical variation and anomalies involving the facial canal. Ann Otol Rhinol Laryngol (Suppl 93):45–61.

Nathaneal EJH, Peese DC. (1963): Regenerative changes in rat dorsal roots following wallerian degeneration. J Ultrastruct Path 9:533–549.

Nilssen EL. and Wormald PJ. (1997): Facial nerve palsy in mastoid surgery. J Laryngol Otol; 111(2):113–6.

O’Rahilly R. (1963): The early development of the otic vesicle in staged human embryos. J Embryol Exp Morphol 11:741.

O'Donoghue GM. and Michaels L. (1983): Histopathologic aspects of Bell's palsy. Abstracts of the research forum, Anaheim, California, Committee for Research in Otolaryngology, American Academy of Otolaryngology-Head and Neck Surgery and Association for Research in Otolaryngology.

Ogawa A, Sando I. (1982): Spatial occupancy of vessels and facial nerve in the facial canal. Ann Otol Rhinol Laryngol; 91:14.

Oghalai JS. and Jackler RK. (2005): Overview of Facial Nerve Surgery. In: Jackler, R.K. and Brackmann, D.E. (eds): neurotology. Second edition. Mosby, Inc. Chapter 72:1212-1222.

Ozaki M., Takushima A., Momosawa A., et al. (2008): Temporary suspension of acute facial paralysis using the S-S Cable Suture (Medical U&A, Tokyo, Japan). Ann Plast Surg. 61:61–67.

Pannucci C., Myckatyn TM., Mackinnon SE. and Hayashi A. (2007): End-to-side nerve repair: Review of the Literature. Restorative Neurology and Neuroscience 25 ; 45–63.

Papez JW. (1927): Subdivisions of the facial nucleus. J Comp Neurol 43:159–191.

Parhizkar N., Hiltzik DH. And Selesnick SH. (2005): Facial Nerve Rerouting in Skull Base Surgery. Otolaryngol Clinics of North America, 38 ; 685–710.

Parker MA., Anderson JK., Corliss DA., et al. (2005): Expression profile of an operationally-defined neural stem cell clone. Exp Neurol.194: 320–32.

Paydarfar JA. and Paniello RC. (2001): Functional study of four neurotoxins as inhibitors of post-traumatic nerve regeneration. Laryngoscope; 111:844–50.

Pearson, AA. (1947): The roots of the facial nerve in human embryos and fetuses. J Comp Neurol 87:139–159.

[Pedroza F. , dos Anjos GC., Bedoya M. and Rivera M. \(2006\):](#)
Update on brow and forehead lifting. [Curr Opin Otolaryngol](#)
[Head Neck Surg.](#) 14(4):283-8.

Peitersen E. (2002): Bell's palsy: the spontaneous course of
2,500 peripheral facial nerve palsies of different etiologies. *Acta*
Otolaryngol;549:4-30.

Perlow JH., Wigton T., Hart J., et al (1996): Birth trauma. A
five-year review of incidence and associated perinatal factors
[review]. *J Reprod Med* 41(10):754–60.

Perry BP. and Gantz BJ. (1999): Diagnosis and management of
acute facial palsies. *Adv Otolaryngol Head Neck Surg.* 13:127–
62.

Phillips CD. and Bubash LA. (2002): The facial nerve: anatomy
and common pathology. *Semin Ultrasound CT MR.* 23:202-17.

Politzer, A. (1907): Geschichte der Ohrenheilkunde. Vol. 1.
Stuttgart: F Enke.

Pollock R. and Brown L. (1982): Facial paralysis in otitis media.
In Graham MD, House WF (eds.): *Disorders of the Facial Nerve:*
Anatomy, Diagnosis and Management. New York, Raven Press,
pp 221–228.

Pou JW. (1971): Congenital anomalies of the middle ear.
Presentation of two cases. *Laryngoscope* 81:831–839.

Proctor B., Cargill DA. and Proud G. (1976): The pathology of
Bell's palsy, *Trans Am Acad Ophthalmol Otolaryngol* 82:70.

Proctor, B. (1989) : (ed.): Canals of the temporal bone. In Surgical Anatomy of the Ear and Temporal Bone. New York, Thieme Stratton, pp 89–128.

Punal JE., Siebert MF., Angueira FB., Lorenzo AV. and Castro-Gago M. (2001): Three new patients with congenital unilateral facial nerve palsy due to chromosome 22q11 deletion. J Child Neurol. 16(6):450-452.

Rabl K. ; Über and Gebiet (1887) : Nervus facialis. Anat Anz (Jena) 2:219.

Radpour, S. and Gacek, RR. (1982): Facial nerve nucleus in the cat. Further study. Laryngoscope 90:685–692.

Razfar A., Afifi AM. and Manders EK., et al. (2009): Ocular outcomes after gold weight placement and facial nerve resection. Otolaryngol Head Neck Surg. 140:82–85.

Rebol J., Milojkovic V. and Didanovic V. (2006): Side-to-end hypoglossal-facial anastomosis via transposition of the intratemporal facial nerve. Acta Neurochir (Wien);148(6):653–7 [discussion: 657].

Reddy JB. (1966): Histopathology of Bell's palsy, Eye Ear Nose Throat Mon 45:62.

Rhoton AL. and Hall GM. (1968): Absence of bone over the geniculate ganglion. J Neurosurg 28:48–53.

Rhoton, AL. ; Kobayashi, S. and Hollinshead, WH. (1968) : Nervus intermedius. J Neurosurg 29.

Rodera PC., Lassaletta L., González T., Sarriá MJ., and Gavilána J. (2007): Facial Nerve Repair Techniques. *Acta Otorrinolaringol Esp.* 58(4):133-7.

Saito H., Kishimoto S. and Furuta M. (1981): Temporal bone findings in a patient with Möbius syndrome. *Ann Otol Rhinol Laryngol* 90 (1 Pt 1):80–84.

Samy, R.N. and Gantz, B.J. (2003): Surgery of the Facial Nerve. In: Glasscock, M.E. and Gulya, A.J. (eds): *Glasscock-Shambaugh Surgery of the ear*. Fifth edition. BC Decker Inc. Chapter 31:615-640.

Sataloff RT. (1991): *Embryology of the facial nerve. Embryology and Anomalies of the Facial Nerve and Their Surgical Implications*, New York: Raven Press; 3-90.

Satar B. , Jackler RK. , Oghalai J., et al., (2002): Risk-benefit analysis of using the middle fossa approach for acoustic neuromas with >10 mm cerebellopontine angle component. *Laryngoscope* 112:1500–1506.

Satar B., Karahatay S., Kurt B., Ural AU., Safali M., Avcu F., Oztas E. and Kucuktag Z. (2009): Repair of transected facial Nerve with mesenchymal stromal cells: Histopathologic Evidence of Superior Outcome. *Laryngoscope*. 119:2221-2225.

Schaitkin BM. , (2010): Facial Reanimation Techniques. In: Brackmann DE. , Shelton C. and Arriaga MA. (eds): Otologic surgery , third edition. Saunders, an imprint of Elsevier Inc., Chapter 63:765-771.

Schaitkin BM., May and Klein SR. (2000): Office evaluation of the patient with facial palsy: Differential diagnosis and prognosis. In: Schaitkin BM, May M (eds). The facial nerve, 2nd edn. New York: Thieme, 179-212.

Selber and Jesse C. (2003): phylongeny and embryology of the facial nerve and related structures. Ear, Nose and Throat Journal.

Selesnick SH. and Lynn-Macrae AG. (2001): The incidence of facial nerve dehiscence at surgery for cholesteatoma. Otol Neurotol. 22(2):129–32.

Shelton C. and Warren FM. (2010): Facial Nerve Tumors. In: Brackmann DE. , Shelton C. and Arriaga MA. (eds): Otologic surgery , third edition. Saunders, an imprint of Elsevier Inc., Chapter 30:363-372.

SHI Y., ZHOU L., TIAN J. & WANG Y. (2009): Transplantation of neural stem cells overexpressing glia-derived neurotrophic factor promotes facial nerve regeneration. Acta Oto-Laryngologica, 129: 906_914.

Silverstein, H. ; Norrell, H. and Smouha, E. (1987): Retrosigmoid internal auditory canal approach vs

retrolabyrinthine approach for vestibular neurectomy. Otolaryngol Head Neck Surg 97:300–307.

Sleilati FH., Nasr MW., Stephan HA., Asmar ZD. and Hokayem NE. (2010): Treating facial nerve palsy by true termino-lateral hypoglossalefacial nerve anastomosis, J Plast Reconstr Aesthet Surg. doi:10.1016.

Smith IM., Murray JAM., Cull RE. and Slattery J. (1991): Facial weakness: A comparison of clinical and photographic methods of observation. Arch Otolaryngol Head Neck Surg 117:906–909.

Spector G and Carr C. (1982): The pathophysiology of compression injuries of the peripheral facial nerve. Laryngoscope (Suppl 31): 1–15.

Sunderland S. (1965): The connective tissue of peripheral nerves. Brain 33:841.

Sunderland S. (1978): Nerve and nerve injuries, 2nd ed. Edinburgh, England, Churchill Livingstone , pp 31–60.

Sunderland S. and Bradley KC. (1962): Stress-strain phenomena in human peripheral nerve trunks. Brain 84:102.

Sunderland, S. and Cosar, DF. (1953): The structure of the facial nerve. Anat Rec 116:147–65.

Sweeney CJ. and Gilden DH. (2001): Ramsay Hunt syndrome. J Neurol Neurosurg Psychiatry;71:149-154.

Telian SA. and Ward PD. (2010): Retrolabyrinthine and Retrosigmoid Vestibular Neurectomy. In: Brackmann DE. ,

Shelton C. and Arriaga MA. (eds): Otologic surgery , third edition. Saunders, an imprint of Elsevier Inc., Chapter 36 : 441-453.

Terzis JK. and Konofaos P. (2008): Nerve transfers in facial palsy. *Facial Plast Surg.* 24(2):177-93.

Terzis JK. and Noah EM. (2003): Dynamic restoration in Möbius and Möbius-like patients. *Plast Reconstr Surg* 111:40.

Toelle SP. and Boltshauser E. (2001): Long-term outcome in children with congenital unilateral facial nerve palsy. *Neuropediatrics* 32(3):130–135.

Toledo RN., Borin A., Cruz OL., Testa JR., and Fukuda Y. (2010): The Action of Topical Basic Fibroblast Growth Factor in Facial Nerve Regeneration. *Otology & Neurotology*, Vol. 31, No. 3; :498-505.

Valença MM., Andrade Valença and Lima MCM. (2001): Paralisia facial periférica idiopática de Bell. A propósito de 180 pacientes. *Arq Neuropsiquiatr*; 59:733-739.

Vidic B. (1978) : The anatomy and development of the facial nerve. *ENT J* 57(6):237–242.

Vidic B. and Wozniak W. (1969): The communicating branch of the facial nerve to the lesser petrosal nerve in human fetuses and newborns. *Arch Anat Histol Embryol* 52:371–378.

Vilela DSA., Balieiro FO., Fernandes AMF., Mitre El. and Lazarini PR. (2002): Melkersson-Rosenthal syndrome: cases

report and literature review. *Rev Bras Otorrinolaringol.* 68:755-60.

Viterbo F., Amr AH., Stipp EJ. and Fabio Jose' Reis FJ. (2009): End-to-Side Neurorrhaphy: Past, Present, and Future. *Plast. Reconstr. Surg.* 124: 351e.

Vlastou C. (2006): Facialparalysis. *Microsurgery.* 26(4):278-87.

Wax MK. and Kaylie DM. (2007): Does a positive neural margin affect outcome in facial nerve grafting? *Head Neck* 29: 546-549.

Waylonis, GW. and Johnson, EW. (1964): Facial nerve conduction delay. *Arch Phys Rehab* 45:539–547.

Wexler DB. , Fetter TW. and Gantz BJ. (1990): Vestibular schwannoma presenting with sudden facial paralysis. *Arch Otolaryngol Head Neck Surg.* 116:483–5.

Wilkinson EP. and Luxford WM. (2010): Hypoglossal Facial Anastomosis. In: Brackmann DE. , Shelton C. and Arriaga MA. (eds): *Otologic surgery* , third edition. Saunders, an imprint of Elsevier Inc., Chapter 62:755-763.

Yamamoto Y., Sasaki S., Sekido M., et al. (2003): Alternative approach using the combined technique of nerve crossover and cross-nerve grafting for reanimation of facial palsy. *Microsurgery* 23: 251-6.

Yian CH. , Paniello RC. and Spector JG. (2001): Inhibition of motor nerve regeneration in a rabbit facial nerve model. *Laryngoscope*; 111:786–91.

Zhou L., Du HD., Tian HB., et al. (2008): Experimental study on repair of the facial nerve with Schwann cells transfected with GDNF genes and PLGA conduits. *Acta Otolaryngol* 128:1266–1272.