

- **Adams GL, Robert HM (2005):** Malignant tumors of the larynx and hypopharynx. Cummings Otolaryngology Head & Neck Surgery, 4th edition: 99:2222-2284.
- **Adams S, Baum RP, Stuckensen T (1998):** Prospective comparison of 18F-FDG-PET with conventional imaging modalities (CT, MRI, US) in lymph node staging of head and neck cancer. Eur J Nucl Med 25:1255–1260.
- **Almadori G, Bussu F, Cadoni G, Galli J, Paludetti G, Maurizi M (2005):** Molecular markers in laryngeal squamous cell carcinoma: Towards an integrated clinicobiological approach. European Journal of Cancer 41:683–693.
- **Ahuja A, Ying M, Yuen YH, Metreweli C (2001):** Power Doppler sonography to differentiate tuberculous cervical lymphadenopathy from nasopharyngeal carcinoma. AJNR Am J Neuroradiol 22:735–740.
- **Andreas MS, Benedikt JF, Jochen AW (2008):** Surgical technique of endoscopic sentinel lymphadenectomy in the N0 neck Operative Techniques in Otolaryngology 19, 26-32.
- **Andreassen CN, Gran C and Lindegaard JC (2003):** Chemical radioprotection: a critical review of amifostine as a cytoprotector in radiotherapy, Semin Radiat Oncol 13:62.
- **Atula TS, Varpula MJ, Kurki TJ, Klemi PJ, Grenman R (1997):** Assessment of cervical lymph node status in head and neck cancer patients -- palpation, computed tomography and low field magnetic resonance imaging compared with ultrasound-guided fine-needle aspiration cytology. Eur J Radiol 25:152–161.

- **Back G and Sood S (2005):** The management of early laryngeal cancer: options for patients and therapists, *Current Opinion in Otolaryngology & Head and Neck Surgery*, 13:85—91.
- **Bohannon IA, Desmond RA, Clemons L, Magnuson JS, Carroll WR, Rosenthal EL (2009):** Management of the N0 Neck in Recurrent Laryngeal Squamous Cell Carcinoma. *The Laryngoscope*
- **Brazilian Head and Neck Cancer Study Group (1999),** End results of a prospective trial on elective lateral neck dissection vs. type III modified radical neck dissection in the management of supraglottic and transglottic carcinomas, *Head Neck* 21, pp. 694–702.
- **Brobeil A, Cruse CW, Messina JL (1999):** Cost analysis of sentinel lymph node biopsy as an alternative to elective lymph node dissection in patients with malignant melanoma. *Surg Oncol Clin North Am.*8:435-445.
- **Byers RM, Wolf PF, Ballantyne AJ (1988):** Rationale for elective modified neck dissection. *Head Neck Surg*; 10:160–167.
- **Çaglı SI, Yüce and Güney E (2007):** Is routine inclusion of level IV necessary in neck dissection for clinically N0 supraglottic carcinoma?, *Otolaryngol Head Neck Surg* 136, pp. 287–290.
- **Castaigne C, Muylle K, and Flamen P (2006):** Head and neck cancer imaging 17:329-343.
- **Castelijns JA, Van den Brekel MW (2006):** Head and neck cancer imaging; 15-293.

- **Chambers AF and Matrisian LM (1997):** Changing views: the role of matrix metalloproteinase metastasis. *J Natl Cancer Inst* 89:1260-1270,
- **Chiu RJ, Myers EN and Johnson JT (2004):** Efficacy of routine bilateral neck dissection in the management of supraglottic cancer, *Otolaryngol Head Neck Surg* 131, pp. 485–488.
- **Collins S (1999):** Controversies in management of cancer of the neck. *Comprehensive management of head and neck tumours*; 67.
- **Coskun HH, Erisen L, and Basut O (2004):** Selective neck dissection for clinically N0 neck in laryngeal cancer: Is dissection of level IIb necessary? *Otolaryngol, Head Neck Surg*;131:655-9.
- **Cummings B, Kim J and O'Sullivan B (2005):** Cummings *Otolaryngology Head Head Neck Surgery* fourth edition.
- **Don DM, Anzai Y, Lufkin RB, Yao-Shi Fu YS, Calcaterra TC (1995):** Evaluation of cervical lymph node metastases in squamous cell carcinoma of the head and neck. *Laryngoscope*. 105:669-673.
- **Denyes D (2005):** Cummings *Otolaryngology Head Head Neck Surgery* fourth edition.
- **Dias FL, Lima RA, Manfro G, Barbosa MM, Salviano S, Rocha RM, Marques AS, Cernea CR, and Kligerman J(2009):** Management of the N0 neck in moderately advanced squamous carcinoma of the larynx; *American Academy of Otolaryngology–Head and Neck Surgery Foundation*.

- **Eisbruch A (2003):** Salivary gland sparing and improved target irradiation by contronnal and intensity modulated irradiation of head and neck cancer, *World J Surg*; 27:832.
- **Feinmesser R, Freeman JL, Noyek AM, Birt D, Gullane P, Mullen JB (1990):** MRI and neck metastases: a clinical, radiological, pathological correlative study. *J Otolaryngol* 19:136–140.
- **Fernando LD, Lima RA, Manfro G, Barbosa MM, Salviano S, Rocha RM, Marques AS, Cernea CR, and Kligerman J (2009) :** Management of the N0 neck in moderately advanced squamous carcinoma of the larynx ,*American Academy of Otolaryngology–Head and Neck Surgery Foundation*
- **Ferlito A, Silver CE, Robbins KT, Medina JE, , Rodrigo JP, Shaha RA, Robert P and Bradley PJ(2008):** Neck Dissection for Laryngeal Cancer: *Journal of the American College of Surgeons* ;Volume 207, Issue 4, October, 587-593.
- **Ferlito A , Rinaldo A , Silver CE , Shah JP , Sua´rez C, Medina JE, Kowalski LP, Johnson JT , Strome M , Rodrigo JP, Werner JA, Takes RP , Towpik E, Robbins KT , Leemans CR, Herranz J, Gavila´n J , Shaha AR, We WI (2006):** Neck dissection: Then and now: *Auris Nasus Larynx* 33:365–374.
- **Ferlito A, Bradley PJ, Rinaldo A (2004):** What is the treatment of choice for T1 squamouscell carcinoma of the larynx? *J Laryngol Otol* 118:747—749.
- **Ferlito A, Robbins KT, Silver CE, Hasegawa Y and Rinaldo A (2009):** Classification of neck dissections: An evolving system: *Auris Nasus Larynx* 36 127–134.

- **Ferlito A, Silver CE and Rinaldo A (2008):** Neck dissection: present and future?, *Eur Arch Otorhinolaryngol* 265, pp. 621–626.
- **Ferlito A, Silver CE and Rinaldo A (2008):** Selective neck dissection (IIA, III): a rationale replacement for complete functional neck dissection in patients with N0 supraglottic and glottic squamous carcinoma, *Laryngoscope* 118, pp. 676–679.
- **Ferlito A, Silver CE, Rinaldo A and Smith RV (2000):** Surgical treatment of the neck in cancer of the larynx, *ORL J Otorhinolaryngol Relat Spec* 62, pp. 217–225.
- **Friedman M, Mafee MF, Pacella BL, Strorigl TL, Dew LL, Toriumi DM (1990):** Rationale for elective neck dissection in 1990. *Laryngoscope* 100:54–59.
- **Fletcher GH (1984):** Irradiation of subclinical disease in tile draining lymphatics. *Int J Radiat Oncol Biol phys*; 10:939-94.
- **Garas J and McGuirt Sr WF (2006):** Squamous cell carcinoma of the subglottis, *Am J Otolaryngol* 27, pp. 1–4.
- **Giancarlo T, Palmieri A, Giacomarra V, Russolo M (1998):** Preoperative evaluation of cervical adenopathies in tumours of the upper aerodigestive tract. *Anticancer Res* 18:2805–2809.
- **Grandi C, Alloisio M and Moglia D (1985):** Prognostic significance of lymphatic spread in head and neck carcinomas: Therapeutic implications. *Head and neck Surgery*; 8:67-73.

- **Goerres GW, Mosna-Firlejczyk K, Steurer J (2003):** Assessment of clinical utility of F-18-FDG-PET in patients with head and neck cancer: a probability analysis. *Eur J Nucl Med Mol Imaging* 30:562–571.
- **Groome PA, O'Sullivan B, Irish JC (2001):** Glottic cancer in Ontario, Canada and the SEER areas of the United States: do different management philosophies produce different outcome profiles? *J Clin Epidemiol* 2001; 54:301—315.
- **Güney E, Yig̃itbasi OG(1999):** Management of N0 neck in T1-T2 unilateral supraglottic cancer. *Ann Otol Rhinol Laryngol* 1999; 108:998 –1003.
- **Haberal I, C̃elik H, Gocmen H, Akmansu H, Yoruk M, and Ozeri C (2004):** Which is important in the evaluation of metastatic lymph nodes in head and neck cancer: Palpation, ultrasonography, or computed tomography? *Otolaryngol Head Neck Surg*; 130:197-201.
- **Hao SP, Ng SH (2000):** Magnetic resonance imaging versus clinical palpation in evaluating cervical metastasis from head and neck cancer. *Otolaryngology - Head and Neck Surgery*; 123: 324-7.
- **Harish K (2005):** Neck dissections radical to conservative. *World Journal of Surgical Oncology* 3(l):21 doi: 10.1186/1477-7819-3-21.

- **Hirota J, Yoneda K and Osaki T (1990):** Basement membrane type IV collagen in oral squamous cell carcinoma. *Head Neck* 124:400-405.
- **Hillsamer PJ, Schuller DE, McGhee RB, Chakeres D, Young DC (1990):** Improving diagnostic accuracy of cervical metastases with computed tomography and magnetic resonance imaging. *Arch Otolaryngol Head Neck Surg* 116:1297– 1301.
- **Ishii J, Amagasa T, Tachibana T, Shinozuka K, Shioda S (1991):** US and CT evaluation of cervical lymph node metastasis from oral cancer. *J Craniomaxillofac Surg* 19:123–127.
- **Jennings RC (2008):** Scott-Brown otorhinolaryngology Head and neck surgery; part 14; 1746-1748.
- **Johnson JT (1994):** Carcinoma of the larynx: selective approach to the management of cervical lymphatics. *Ear Nose Throat J*; 73:303–305.
- **Khafif A, Fliss DM, Gil Z and Medina JE (2004):** Routine inclusion of level IV in neck dissection for squamous cell carcinoma of the larynx: is it justified? *Head Neck* 26, pp. 309–312.
- **Kligerman J, Lima RA and Soares JR (1994):** Supraomohyoid neck dissection in the treatment of T1/T2 squamous cell carcinoma of the oral cavity. *Am J Sur* 168:391.
- **Knappe M, Louw M, Med M, Gregor RT (2000):** Ultrasonography-Guided Fine-Needle Aspiration for the

Assessment of Cervical Metastases Arch Otolaryngol Head Neck Surg.; 126:1091-1096.

- **Kumagai S, Kojima S and Jmai K (1994):** Immunohistologic distribution of basement membrane in oral squamous cell carcinoma. Head Neck 16:51-57.
- **Lalwani AK (2007):** Current Diagnosis and Treatment in Otolaryngology Head and Neck Surgery, 2nd edition 27:87-96.
- **Lee DJ (2002):** Definitive radiotherapy for squamous carcinoma of the larynx. Otolaryngol Clin North Am; 32:1013—1033.
- **Levendag PC (1996):** Local tumor control in radiation therapy of cancers in the head and neck, Am J Clin Oncol 19:469.
- **Li XM, Wei WI, Guo XF (1996):** Cervical lymph nodes metastasis patterns of squamous carcinomas of the aerodigestive tract. J Laryngol Otol 1996; 110:937– 41.
- **Lim YC , Choi EC and Lee JS (2006):** Is dissection of level IV absolutely necessary in elective lateral neck dissection for clinically N0 laryngeal carcinoma? Oral Oncol 42, pp. 102– 107.
- **Liotta LA (1992):** Cancer invasion and metastasis. Sci Am 266:54-59.
- **Mendenhall WM, Parsons JT and Million RR (1988):** Elective lower neck irradiation 5000 cGy in 25 fractions versus 4050 cGy in 15 fractions. Int J Radiat Oncol Biol Phys; 15:439-440.

- **Morton DL, Thompson JF, Essner R (1999):** Validation of the accuracy of intraoperative lymphatic mapping and sentinel lymphadenectomy for early-stage melanoma: a multicenter trial. *Ann Surg*; 230:453-463.
- **Morton DL, Wen DR, Wong JH (1992):** Technical details of intraoperative lymphatic mapping for early stage melanoma. *Arch Surg*;127:392-399
- **Million RR (1974):** Elective neck irradiation for squamous, carcinoma of the tongue and floor of the mouth, cancer; 34:149.
- **Myers EN and Alvi A (1996):** Management of carcinoma of the supraglottic larynx: evolution, current concepts, and future trends, *Laryngoscope* 106, pp. 559–567.
- **Myers EN, Fagan JJ (1998):** Treatment of the N+ neck in squamous cell carcinoma of the upper aerodigestive tract. *Otolaryngol Clin North Am*; 31:671-86.
- **Noguchi M, Kohama GI and Hiratsuka H (1993):** Clinical significance of laminin deposition and T-cell infiltration: oral cancer. *Head Neck* 15:125.
- **Paleri V, Subramaniam SK and Oozeer N (2008):** Dissection of the submuscular recess (sublevel IIb) in squamous cell cancer of the upper aerodigestive tract: prospective study and systematic review of the literature, *Head Neck* 30, pp. 194–200.
- **Pillsbury 3rd HC, Clark M (1997):** A rationale for therapy of the N0 neck. *Laryngoscope*; 107:1294–315.

- **Pitman KT, Johnson JT, Myers EN (1997):** Effectiveness of selective neck dissection for management of the clinically negative neck. *Arch Otolaryngol Head Neck Surg*; 123:917–922.
- **Poggi MM, Coleman CN and Mitchell JB (2001):** Sensitizers and protectors of radiation and chemotherapy, *Curr Probl Cancer* 25:334.
- **Prayer L, Winkelbauer H, Gritzmann N, Winkelbauer F, Helmer M, Pehamberger H (1990) :** Sonography versus palpation in the detection of regional lymph-node metastases in patients with malignant melanoma. *Eur J Cancer* 26:827–830.
- **Presta M and Rifkin DB (1988):** New aspects of blood vessel growth: Tumor and tissue-derived angiogenesis factors. *Haemostatic* 18:6-17.
- **Rankin SC and Hibbert J (2008):** Scott-Brown otorhinolaryngology Head and neck surgery; part14; 1759-1765.
- **Rankin SC and Hibbert J (2008):** Scott-Brown otorhinolaryngology Head and neck surgery; part14-1759.
- **Righi PD, Kopecky KK, Caldemeyer KS, Ball VA, Weisberger EC, Radpour S (1997):** Comparison of ultrasound-fine needle aspiration and computed tomography in patients undergoing elective neck dissection. *Head and Neck*. 19: 604-10.
- **Rodrigo JP, Suárez C and Silver CE (2008):** Transoral laser surgery for supraglottic cancer, *Head Neck* 30, pp. 658–666.

- **Robbins K.T, Shaha AR, Medina JE, Califano JA, Wolf GT, Ferlito A, Som PM, Day TA (2008)** : Consensus Statement on the Classification and Terminology of Neck Dissection ; *for the Committee for Neck Dissection Classification, American Head and Neck Society ,Arch Otolaryngol Head Neck Surg.;134(5):536-538.*
- **Robbins KT (2005)**: Cummings Otolaryngology Head&Neck Surgery 4th edition: 116:2616.
- **Robbins KT (2002)**: Neck dissection classification update. Revisions proposed by the American Head and Neck Society and the American Academy of Otolaryngology—Head and Neck Surgery, *Arch Otolaryngol Head Neck Surg* 128:751.
- **Robson A (2003)**: Summary of the preceedings of the7 Annual Meeting of the Evedince –Based Management of Head and Neck Cancer. *Clinical otolaryngology*; 30:79-85.
- **Ross GL, Shoaib T, Soutar DS (2002)**: The First International Conference on Sentinel Node Biopsy in Mucosal Head and Neck Cancer and adoption of a multicenter trial protocol. *Ann Surg Oncol.* 9:406-410
- **Saffold SH, Wax MK, Nguyen A (2000)**: Sensory changes associated with selective neck dissection. *Arch Otolaryngol Head Neck Surg.*; 126:425-428.
- **Sakai O, Curtin HD, Romo LV, Som PM (2000)**: Lymph node pathology. Benign proliferative, lymphoma, and metastatic disease. *Radiologic Clinics of North America.*; 38:979-98.
- **Sato N, Kawabe R, Fujita K, Omura S (1998)**: Differential diagnosis of cervical lymphadenopathy with intranodal color

Doppler flow signals in patients with oral squamous cell carcinoma. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 86:482–488.

- **Sezen OS, Kubilay U, Haytoglu S and Unver S(2007),** Frequency of metastases at the area of the supraretropharyngeal (level IIB) lymph node in laryngeal cancer, *Head Neck* 29, pp. 1111–1114.
- **Shaha AR (2005):** Neck dissection: an operation in Evolution: *World Journal of Surgical Oncology*, 3:22.
- **Shah JP (1990):** Patterns of cervical lymph node metastasis from squamous carcinomas of the upper aerodigestive tract. *Am J Surg* 160:405–409.
- **Shah JP and Lydiatt W (1995):** Treatment of cancer of the head and neck. *CA Cancer J Clin* 45:352.
- **Sinard RJ, Netterville JL, Garrett CGand Ossoff RH (1996):** Cancer of the larynx In: E.N. Myers and J.Y. Suen, Editors, *Cancer of the head and neck* (3rd ed.), Saunders, Philadelphia, PA, pp. 381–42.
- **Soaib T, Sotar DS, MacDonald DG, Camilleri IG, Dunaway DJ, Gray HW (2001):** the accuracy of head and neck carcinoma sentinel lymph node biopsy in the clinically N0 neck. *Cancer*.91:2077-83.
- **Spriano G, Piantanida R, Pellini R (2003):** Elective treatment of the neck in squamous cell carcinoma of the larynx: clinical experience. *Head Neck*; 25:97–102.

- **Spiro RH, Huvos AG, Wong GY (1986):** Predictive value of tumor thickness in squamous carcinoma confined to the tongue and floor of the mouth. *Am J Surg*; 152:345–350.
- **Stern WB, Silver CE, Zeifer BA, Persky MS, Heller KS (1990):** Computed tomography of the clinically negative neck. *Head Neck* 12:109–113.
- **Suárez O (1963):** El problema de las metastasis linfáticas y alejadas del cáncer de laringe e hipofaringe, *Rev Otorrinolaringol* 23, pp. 83–99.
- **The Royal College of Surgeons of England, London (2002):** Effective Head and Neck Cancer Management: Third Consensus Document, British Association of Otorhinolaryngologists, Head and Neck Surgeons.
- **Van den Brekel M.W, Castelijns JA, Stel HV, Golding RP, Meyer CJL, and Snow GB (1993):** Modern imaging techniques and ultrasound-guided aspiration cytology for the assessment of neck node metastases: a prospective comparative study. *Eur Arch Otorhinolaryngol*. 250:11-17.
- **Van den Brekel MW, Van der Waal I, Meijer CJ, Freeman JL, Castelijns JA, Snow GB (1996):** The incidence of micrometastases in neck dissection specimens obtained from elective neck dissections. *Laryngoscope* 106:987–991.
- **Vassallo P, Edel G, Roos N, et al (1993):** In-vitro high-resolution ultrasonography of benign and malignant lymph nodes: a sonographic-pathologic correlation. *Invest Radiol* 28:698–705.

- **Watkinson JC (2008):** Scott Brown Otorhinolaryngology Head and neck surgery; part 17; 2733.
- **Watkinson JC (2008):** Scott-Brown otorhinolaryngology Head and neck surgery; part 17; 2726.
- **Watkinson JC (2008):** Scott-Brown otorhinolaryngology Head and neck surgery; part 17; 2722
- **Wax MK, Tuma BJ (1999):** Management of the N0 neck during salvage laryngectomy. *Laryngoscope*; 109:4–7.
- **Weiss MH, Harrison LB, Isaacs RS (1994):** Use of decision analysis in planning a management strategy for the stage N0 neck. *Arch Otolaryngol Head Neck Surg*; 120:699–702.
- **Wei WI, Ferlito A, Rinaldo A, Gourin CG, Lowry J, Ho WK, Leemans CR, Shaha AR, Suárez C, Clayman GL, Robbins KT, Bradley PJ, Silver CE (2006):** Management of the N0 neck—reference or Preference: *Oral Oncology*; 42: 115–122.
- **Werner JA, Dunne AA, Myers JN (2003):** Functional anatomy of the lymphatic drainage system of the upper aerodigestive tract and its role in metastasis of squamous cell carcinoma. Wiley Periodicals, Inc. *Head Neck* 25: 322–332.
- **Woodhouse EC, Chuaquil RF and Liotta LA (1997):** General mechanisms of metastasis. *Cancer* 80:1529–1537.
- **Yuen AP, Wei WI and Wong SH (1996):** Critical appraisal of watchful waiting policy in the management of N0: neck of advanced laryngeal carcinoma. *Archives of Otolaryngology, head and neck surgery* vol. 122 no. 7.

- **Yuasa K, Kawazu T, Kunitake N, Uehara S, Omagari J, Yoshiura K, Nakayama E, Kanda S (2000)** : Sonography for the detection of cervical lymph node metastases among patients with tongue cancer: criteria for early detection and assessment of follow-up examination intervals. *AJNR Am J Neuroradiol* 21:1127–1132.
- **Yucel T, Saatci I, Sennaroglu L, Cekirge S, Aydingoz U, Kaya S (1997)** : MR imaging in squamous cell carcinoma of the head and neck with no palpable lymph nodes. *Acta Radiol* 38:810–814.
- **Zhang B, Xu ZG and Tang PZ (2006)**: Elective lateral neck dissection for laryngeal cancer in the clinically negative neck, *J Surg Oncol* 93: 464–467.